



Appendix D

RF Test Data for B1-B3WIFI(Conducted Measurement)

Product Name: Tablet PC

Trade Mark: Blackview

Test Model: Tab 9 WiFi

Environmental Conditions

Temperature:	25.5° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Simba Huang
Supervised by:	Seal Chen



Contents

Page

COVER PAGE

1	Duty Cycle	3
1.1	Test Result	3
1.2	Test Graphs	4
2	Maximum Conducted Output Power	11
2.1	Test Result	11
3	-26dB Bandwidth	12
3.1	Test Result	12
3.2	Test Graphs	13
4	Occupied Channel Bandwidth	20
4.1	Test Result	20
4.2	Test Graphs	21
5	Maximum Power Spectral Density Level	28
5.1	Test Result	28
5.2	Test Graphs	29
6	Frequency Stability	36
6.1	Test Result	36
7	Conducted RF Spurious Emission	40
7.1	Test Result	40
7.2	Test Graphs	41
8	Restrict Band	48
8.1	Test Result	48
8.2	Test Graphs	50




1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
a	5180	Ant1	90.46	0.44	0.74
a	5200	Ant1	90.53	0.43	0.74
a	5240	Ant1	90.57	0.43	0.74
n20	5180	Ant1	89.2	0.5	0.87
n20	5200	Ant1	89.25	0.49	0.87
n20	5240	Ant1	89.2	0.5	0.87
n40	5190	Ant1	81.06	0.91	1.72
n40	5230	Ant1	80.97	0.92	1.75
ac20	5180	Ant1	89.41	0.49	0.87
ac20	5200	Ant1	89.3	0.49	0.86
ac20	5240	Ant1	89.32	0.49	0.86
ac40	5190	Ant1	81.05	0.91	1.72
ac40	5230	Ant1	80.9	0.92	1.72
ac80	5210	Ant1	66.62	1.76	3.7




1.2 Test Graphs








Duty Cyclea 5240MHz Ant1




Duty Cycle n20 5180MHz Ant1









Duty Cyclen40 5190MHz Ant1




Duty Cyclen40 5230MHz Ant1










Duty Cycle ac20 5240MHz Ant1



Duty Cycle ac40 5190MHz Ant1







2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	12.9	24	Pass
a	5200	Ant1	13.17	24	Pass
a	5240	Ant1	13.78	24	Pass
n20	5180	Ant1	12.31	24	Pass
n20	5200	Ant1	12.5	24	Pass
n20	5240	Ant1	13.07	24	Pass
n40	5190	Ant1	11.54	24	Pass
n40	5230	Ant1	12.33	24	Pass
ac20	5180	Ant1	12.13	24	Pass
ac20	5200	Ant1	12.51	24	Pass
ac20	5240	Ant1	13.08	24	Pass
ac40	5190	Ant1	11.62	24	Pass
ac40	5230	Ant1	11.88	24	Pass
ac80	5210	Ant1	11.51	24	Pass

Note:

The duty factor has been compensated into the result.




3 -26dB Bandwidth



3.1 Test Result

Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
a	5180	Ant1	19.776	0.5	Pass
a	5200	Ant1	22.722	0.5	Pass
a	5240	Ant1	19.545	0.5	Pass
n20	5180	Ant1	20.259	0.5	Pass
n20	5200	Ant1	19.866	0.5	Pass
n20	5240	Ant1	19.734	0.5	Pass
n40	5190	Ant1	39.906	0.5	Pass
n40	5230	Ant1	43.56	0.5	Pass
ac20	5180	Ant1	23.823	0.5	Pass
ac20	5200	Ant1	20.073	0.5	Pass
ac20	5240	Ant1	19.947	0.5	Pass
ac40	5190	Ant1	39.672	0.5	Pass
ac40	5230	Ant1	43.362	0.5	Pass
ac80	5210	Ant1	78.36	0.5	Pass




3.2 Test Graphs






-26dB Bandwidth n20 5200MHz Ant1




-26dB Bandwidth n20 5240MHz Ant1







-26dB Bandwidth40 5190MHz Ant1




-26dB Bandwidth40 5230MHz Ant1



-26dB Bandwidth ac20 5180MHz Ant1




-26dB Bandwidth ac20 5200MHz Ant1






-26dB Bandwidth ac20 5240MHz Ant1




-26dB Bandwidth ac40 5190MHz Ant1






-26dB Bandwidthac40 5230MHz Ant1



-26dB Bandwidthac80 5210MHz Ant1






4 Occupied Channel Bandwidth


4.1 Test Result

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
a	5180	Ant1	16.558
a	5200	Ant1	16.612
a	5240	Ant1	16.513
n20	5180	Ant1	17.623
n20	5200	Ant1	17.602
n20	5240	Ant1	17.608
n40	5190	Ant1	36.416
n40	5230	Ant1	36.41
ac20	5180	Ant1	17.644
ac20	5200	Ant1	17.566
ac20	5240	Ant1	17.65
ac40	5190	Ant1	36.536
ac40	5230	Ant1	36.398
ac80	5210	Ant1	75.652




4.2 Test Graphs









OBW n20 5200MHz Ant1




OBW n20 5240MHz Ant1









OBW ac20 5240MHz Ant1




OBWac40 5190MHz Ant1



OBWac40 5230MHz Ant1



OBWac80 5210MHz Ant1





5 Maximum Power Spectral Density Level

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	-1.22	0.44	-0.78	11	Pass
a	5200	Ant1	-1.25	0.43	-0.82	11	Pass
a	5240	Ant1	-0.83	0.43	-0.4	11	Pass
n20	5180	Ant1	-2.86	0.5	-2.36	11	Pass
n20	5200	Ant1	-2.69	0.49	-2.2	11	Pass
n20	5240	Ant1	-1.77	0.5	-1.27	11	Pass
n40	5190	Ant1	-5.86	0.91	-4.95	11	Pass
n40	5230	Ant1	-5.02	0.92	-4.1	11	Pass
ac20	5180	Ant1	-3	0.49	-2.51	11	Pass
ac20	5200	Ant1	-2.69	0.49	-2.2	11	Pass
ac20	5240	Ant1	-1.35	0.49	-0.86	11	Pass
ac40	5190	Ant1	-6.63	0.91	-5.72	11	Pass
ac40	5230	Ant1	-6.62	0.92	-5.7	11	Pass
ac80	5210	Ant1	-10.24	1.76	-8.48	11	Pass



5.2 Test Graphs

