




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500

9. Duty Cycle


9.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.92	3.75	77.87	---	---
		2441	2.91	3.75	77.60	---	---
		2480	2.91	3.75	77.60	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	---	---
		2441	2.92	3.76	77.66	---	---
		2480	2.92	3.74	78.07	---	---


9.2. Test Graphs




DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480



2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480

10. Emissions in Restricted Bands


10.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-48.15	≤-41.20	PASS
				AV	2340.783	-45.93	≤-41.20	PASS
				AV	2390.000	-48.13	≤-41.20	PASS
				Peak	2310.000	-36.7	≤-21.20	PASS
				Peak	2343.826	-34.49	≤-21.20	PASS
				Peak	2390.000	-37.91	≤-21.20	PASS
		High	2480	AV	2483.500	-46.66	≤-41.20	PASS
				AV	2484.145	-45.8	≤-41.20	PASS
				AV	2500.000	-46.8	≤-41.20	PASS
				Peak	2483.500	-37.64	≤-21.20	PASS
				Peak	2494.116	-34.19	≤-21.20	PASS
				Peak	2500.000	-35.16	≤-21.20	PASS
		Low	Hop_240 2	Peak	2310.000	-36.61	≤-21.20	PASS
				Peak	2340.935	-34.51	≤-21.20	PASS
				Peak	2390.000	-37.22	≤-21.20	PASS
		High	Hop_248 0	Peak	2483.500	-37.67	≤-21.20	PASS
				Peak	2488.203	-32.83	≤-21.20	PASS
				Peak	2500.000	-34.68	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-48.47	≤-41.20	PASS
				AV	2341.239	-46.03	≤-41.20	PASS
				AV	2390.000	-48.25	≤-41.20	PASS
				Peak	2310.000	-37.48	≤-21.20	PASS
				Peak	2366.652	-33.77	≤-21.20	PASS
				Peak	2390.000	-36.94	≤-21.20	PASS
		High	2480	AV	2483.500	-47.02	≤-41.20	PASS
				AV	2498.290	-46.48	≤-41.20	PASS
				AV	2500.000	-46.86	≤-41.20	PASS
				Peak	2483.500	-38.01	≤-21.20	PASS
				Peak	2497.246	-34.68	≤-21.20	PASS
				Peak	2500.000	-35.76	≤-21.20	PASS
		Low	Hop_240 2	Peak	2310.000	-38.09	≤-21.20	PASS
				Peak	2340.022	-33.91	≤-21.20	PASS
				Peak	2390.000	-37.86	≤-21.20	PASS
		High	Hop_248 0	Peak	2483.500	-38.42	≤-21.20	PASS
				Peak	2497.942	-33.8	≤-21.20	PASS
				Peak	2500.000	-36.68	≤-21.20	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


10.2. Test Graphs




DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak




DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak



2DH5_Ant1_Low_Hop_2402_Peak



2DH5_Ant1_High_Hop_2480_Peak

-----End of the report-----