

RF Test Data for Bluetooth(BDR+EDR) (Conducted Measurements)

General Description of EUT	
Product Name:	Soprano X1
Test Model:	Soprano X1
Sample ID:	202206-0362-01-06
Environmental Conditions	
Temperature:	25°C
Relative Humidity:	55%
Test Voltage:	DC 12V
Test Engineer:	Huang jian ping
Note: For a more detailed features description, please refer to the report TBR-C-202206-0362-16	

Contents


1. Duty Cycle.....	3
2. Maximum Conducted Output Power.....	9
3. -20dB Bandwidth.....	15
4. Occupied Channel Bandwidth.....	21
5. Band Edge.....	27
6. Band Edge(Hopping).....	34
7. Conducted RF Spurious Emission.....	41
8. Restrict Band.....	51
9. Carrier Frequencies Separation.....	58
10. Number of Hopping Channel.....	61
11. Dwell Time.....	64

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH1	2402	Ant1	32.8	4.84	2.5
NVNT	1-DH1	2441	Ant1	32.6	4.87	2.5
NVNT	1-DH1	2480	Ant1	32.15	4.93	2.56
NVNT	2-DH1	2402	Ant1	33.61	4.74	2.44
NVNT	2-DH1	2441	Ant1	33.61	4.74	2.44
NVNT	2-DH1	2480	Ant1	32.8	4.84	2.5
NVNT	3-DH1	2402	Ant1	33.61	4.74	2.44
NVNT	3-DH1	2441	Ant1	33.11	4.8	2.44
NVNT	3-DH1	2480	Ant1	33.6	4.74	2.44

Test Graphs


Duty Cycle NVNT 1-DH1 2402MHz Ant1




Duty Cycle NVNT 1-DH1 2441MHz Ant1




Duty Cycle NVNT 1-DH1 2480MHz Ant1




Duty Cycle NVNT 2-DH1 2402MHz Ant1




Duty Cycle NVNT 2-DH1 2441MHz Ant1




Duty Cycle NVNT 2-DH1 2480MHz Ant1




Duty Cycle NVNT 3-DH1 2402MHz Ant1



Duty Cycle NVNT 3-DH1 2441MHz Ant1





2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	-1.492	21	Pass
NVNT	1-DH1	2441	Ant1	-3.283	21	Pass
NVNT	1-DH1	2480	Ant1	-4.685	21	Pass
NVNT	2-DH1	2402	Ant1	0.579	21	Pass
NVNT	2-DH1	2441	Ant1	-1.21	21	Pass
NVNT	2-DH1	2480	Ant1	-2.599	21	Pass
NVNT	3-DH1	2402	Ant1	1.199	21	Pass
NVNT	3-DH1	2441	Ant1	-0.638	21	Pass
NVNT	3-DH1	2480	Ant1	-2.054	21	Pass

Test Graphs


Power NVNT 1-DH1 2402MHz Ant1



Power NVNT 1-DH1 2441MHz Ant1





Power NVNT 1-DH1 2480MHz Ant1




Power NVNT 2-DH1 2402MHz Ant1









3. -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH1	2402	Ant1	0.85	0	Pass
NVNT	1-DH1	2441	Ant1	0.88	0	Pass
NVNT	1-DH1	2480	Ant1	0.87	0	Pass
NVNT	2-DH1	2402	Ant1	1.31	0	Pass
NVNT	2-DH1	2441	Ant1	1.29	0	Pass
NVNT	2-DH1	2480	Ant1	1.3	0	Pass
NVNT	3-DH1	2402	Ant1	1.22	0	Pass
NVNT	3-DH1	2441	Ant1	1.22	0	Pass
NVNT	3-DH1	2480	Ant1	1.24	0	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH1 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 1-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2480MHz Ant1




-20dB Bandwidth NVNT 3-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2441MHz Ant1





4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH1	2402	Ant1	0.832
NVNT	1-DH1	2441	Ant1	0.82
NVNT	1-DH1	2480	Ant1	0.8
NVNT	2-DH1	2402	Ant1	1.152
NVNT	2-DH1	2441	Ant1	1.158
NVNT	2-DH1	2480	Ant1	1.163
NVNT	3-DH1	2402	Ant1	1.157
NVNT	3-DH1	2441	Ant1	1.157
NVNT	3-DH1	2480	Ant1	1.16

Test Graphs


OBW NVNT 1-DH1 2402MHz Ant1



OBW NVNT 1-DH1 2441MHz Ant1



OBW NVNT 1-DH1 2480MHz Ant1



OBW NVNT 2-DH1 2402MHz Ant1



OBW NVNT 2-DH1 2441MHz Ant1



OBW NVNT 2-DH1 2480MHz Ant1




OBW NVNT 3-DH1 2402MHz Ant1



OBW NVNT 3-DH1 2441MHz Ant1






5. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	-49.76	-20	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	-50.62	-20	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	-49.52	-20	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	-51.29	-20	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	-49.22	-20	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	-51.58	-20	Pass



Test Graphs



Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Ref







Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Emission















6. Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	Hopping	-48.54	-20	Pass
NVNT	1-DH1	2480	Ant1	Hopping	-47.56	-20	Pass
NVNT	2-DH1	2402	Ant1	Hopping	-47.46	-20	Pass
NVNT	2-DH1	2480	Ant1	Hopping	-49.67	-20	Pass
NVNT	3-DH1	2402	Ant1	Hopping	-48.15	-20	Pass
NVNT	3-DH1	2480	Ant1	Hopping	-49.13	-20	Pass


Test Graphs



Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Ref







Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Emission














7. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	-43.25	-20	Pass
NVNT	1-DH1	2441	Ant1	-40.95	-20	Pass
NVNT	1-DH1	2480	Ant1	-39.8	-20	Pass
NVNT	2-DH1	2402	Ant1	-43.11	-20	Pass
NVNT	2-DH1	2441	Ant1	-41.05	-20	Pass
NVNT	2-DH1	2480	Ant1	-39.5	-20	Pass
NVNT	3-DH1	2402	Ant1	-42.9	-20	Pass
NVNT	3-DH1	2441	Ant1	-41.48	-20	Pass
NVNT	3-DH1	2480	Ant1	-39.76	-20	Pass



Test Graphs



Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Ref







Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Emission




























8. Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBUV/m)	Detector	Limit (dBUV/m)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-50.34	2	46.92	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-58.66	2	38.6	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2356.944	-46.22	2	51.04	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2356.944	-52.05	2	45.21	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-49.37	2	47.89	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-58.82	2	38.44	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-48.44	2	48.82	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-58.55	2	38.71	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2490.136	-45.71	2	51.55	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2491.552	-58.03	2	39.23	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-49.01	2	48.25	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-58.31	2	38.95	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-51	2	46.26	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-58.88	2	38.38	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2357.136	-45.92	2	51.34	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2356.848	-52.84	2	44.42	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-47.15	2	50.11	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-58.35	2	38.91	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-49.65	2	47.61	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-58.6	2	38.66	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2498.776	-47.28	2	49.98	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2487.208	-57.75	2	39.51	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-49.3	2	47.96	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-58.71	2	38.55	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-50.68	2	46.58	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-58.51	2	38.75	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2357.04	-45.65	2	51.61	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2356.848	-52.64	2	44.62	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-49.74	2	47.52	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-58.77	2	38.49	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-50.59	2	46.67	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-58.37	2	38.89	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2491.864	-45.87	2	51.39	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2498.992	-57.99	2	39.27	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-49.97	2	47.29	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-58.72	2	38.54	Average	54	Pass

Test Graphs


Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Average




Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Average




Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Average




Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Average



9. Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2440.876	2442.013	1.137	0.587	Pass
NVNT	2-DH1	Ant1	2440.873	2441.878	1.005	0.86	Pass
NVNT	3-DH1	Ant1	2440.873	2441.875	1.002	0.813	Pass


Test Graphs

CFS NVNT 1-DH1 2441MHz Ant1



CFS NVNT 2-DH1 2441MHz Ant1






10. Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH1	Ant1	79	15	Pass
NVNT	2-DH1	Ant1	79	15	Pass
NVNT	3-DH1	Ant1	79	15	Pass


Test Graphs

Hopping No. NVNT 1-DH1 2441MHz Ant1



Hopping No. NVNT 2-DH1 2441MHz Ant1






11. Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.389	124.48	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.645	263.2	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.89	308.267	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.394	126.08	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.646	263.36	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.894	308.693	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.399	127.68	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.646	263.36	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.897	309.013	31600	400	Pass

Test Graphs


Dwell NVNT 1-DH1 2441MHz Ant1



Dwell NVNT 1-DH3 2441MHz Ant1



Dwell NVNT 1-DH5 2441MHz Ant1



Dwell NVNT 2-DH1 2441MHz Ant1

