










Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.150	57.70	-8.30	66.00	47.20	0.02	10.48	QP
2	0.150	43.80	-12.20	56.00	33.30	0.02	10.48	Average
3	0.172	54.95	-9.91	64.86	44.50	0.03	10.42	QP
4	0.172	39.05	-15.81	54.86	28.60	0.03	10.42	Average
5	0.192	53.22	-10.71	63.93	42.80	0.04	10.38	QP
6	0.192	37.02	-16.91	53.93	26.60	0.04	10.38	Average
7	0.267	43.89	-17.31	61.20	33.51	0.06	10.32	QP
8	0.267	26.59	-24.61	51.20	16.21	0.06	10.32	Average
9	0.385	43.26	-14.91	58.17	32.91	0.08	10.27	QP
10	0.385	31.56	-16.61	48.17	21.21	0.08	10.27	Average
11	0.513	45.94	-10.06	56.00	35.60	0.10	10.24	QP
12 *	0.513	39.54	-6.46	46.00	29.20	0.10	10.24	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.153	54.08	-11.74	65.82	43.50	0.11	10.47	QP
2	0.153	42.18	-13.64	55.82	31.60	0.11	10.47	Average
3	0.171	53.03	-11.87	64.90	42.49	0.11	10.43	QP
4	0.171	36.13	-18.77	54.90	25.59	0.11	10.43	Average
5	0.192	50.98	-12.95	63.93	40.50	0.10	10.38	QP
6	0.192	34.08	-19.85	53.93	23.60	0.10	10.38	Average
7	0.286	43.91	-16.72	60.63	33.50	0.10	10.31	QP
8	0.286	25.51	-25.12	50.63	15.10	0.10	10.31	Average
9	0.444	40.56	-16.42	56.98	30.20	0.11	10.25	QP
10	0.444	26.26	-20.72	46.98	15.90	0.11	10.25	Average
11	0.549	40.55	-15.45	56.00	30.20	0.11	10.24	QP
12	0.549	26.65	-19.35	46.00	16.30	0.11	10.24	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry Xu	Relative Humidity :	38~40%
		Temperature :	25.3~26.2℃





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	-	802.11b	01	2412	1Mbps	-	-
Mode 5	2400-2483.5	-	802.11b	06	2437	1Mbps	-	-
Mode 6	2400-2483.5	-	802.11b	11	2462	1Mbps	-	-
Mode 7	2400-2483.5	-	802.11g	01	2412	6Mbps	-	-
Mode 8	2400-2483.5	-	802.11g	06	2437	6Mbps	-	-
Mode 9	2400-2483.5	-	802.11g	11	2462	6Mbps	-	-
Mode 10	2400-2483.5	-	802.11n HT20	01	2412	MCS0	-	-
Mode 11	2400-2483.5	-	802.11n HT20	06	2437	MCS0	-	-
Mode 12	2400-2483.5	-	802.11n HT20	11	2462	MCS0	-	-





**Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
4	802.11b	01	4824.00	52.35	54.00	-1.65	H	AVERAGE	Pass	Harmonic
5	802.11b	06	4874.00	52.40	54.00	-1.60	H	AVERAGE	Pass	Harmonic
6	802.11b	11	4924.00	52.93	54.00	-1.07	H	AVERAGE	Pass	Harmonic
7	802.11g	01	2389.95	51.84	54.00	-2.16	H	AVERAGE	Pass	Band Edge
8	802.11g	06	4874.00	50.71	54.00	-3.29	H	AVERAGE	Pass	Harmonic
9	802.11g	11	4924.00	51.67	54.00	-2.33	H	AVERAGE	Pass	Harmonic
10	802.11n HT20	01	2389.56	52.88	54.00	-1.12	H	AVERAGE	Pass	Band Edge
11	802.11n HT20	06	4874.00	49.97	54.00	-4.03	H	AVERAGE	Pass	Harmonic
12	802.11n HT20	11	2483.51	52.66	54.00	-1.34	H	AVERAGE	Pass	Band Edge
6	WIFI Worse LF	11	48.43	34.67	40.00	-5.33	V	PEAK	Pass	LF





Mode	4																																																													
	Band Edge																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																													
ANT	-																																																													
Pol.	Horizontal						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2386.18</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>42.98</td><td>31.87</td><td>7.11</td><td>30.89</td><td>6.00</td><td>100</td><td>146</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2386.18	57.07	74.00	-16.93	42.98	31.87	7.11	30.89	6.00	100	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2386.18	57.07	74.00	-16.93	42.98	31.87	7.11	30.89	6.00	100	146	PEAK																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>102.80</td><td>-----</td><td>-----</td><td>88.55</td><td>31.95</td><td>7.15</td><td>30.85</td><td>6.00</td><td>100</td><td>146</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	102.80	-----	-----	88.55	31.95	7.15	30.85	6.00	100	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2412.00	102.80	-----	-----	88.55	31.95	7.15	30.85	6.00	100	146	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2386.18</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>31.02</td><td>31.87</td><td>7.11</td><td>30.89</td><td>6.00</td><td>100</td><td>146</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2386.18	45.11	54.00	-8.89	31.02	31.87	7.11	30.89	6.00	100	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2386.18	45.11	54.00	-8.89	31.02	31.87	7.11	30.89	6.00	100	146	AVERAGE																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2412.00</td><td>98.13</td><td>-----</td><td>-----</td><td>83.88</td><td>31.95</td><td>7.15</td><td>30.85</td><td>6.00</td><td>100</td><td>146</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	98.13	-----	-----	83.88	31.95	7.15	30.85	6.00	100	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2412.00	98.13	-----	-----	83.88	31.95	7.15	30.85	6.00	100	146	AVERAGE																																																		





Mode	4																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																														
ANT	-																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2352.12</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>43.23</td><td>31.80</td><td>7.06</td><td>30.92</td><td>6.00</td><td>100</td><td>209</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2352.12	57.17	74.00	-16.83	43.23	31.80	7.06	30.92	6.00	100	209	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.34</td><td>-----</td><td>-----</td><td>87.06</td><td>31.96</td><td>7.16</td><td>30.84</td><td>6.00</td><td>100</td><td>209</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.34	-----	-----	87.06	31.96	7.16	30.84	6.00	100	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2352.12	57.17	74.00	-16.83	43.23	31.80	7.06	30.92	6.00	100	209	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	101.34	-----	-----	87.06	31.96	7.16	30.84	6.00	100	209	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>30.02</td><td>31.87</td><td>7.11</td><td>30.89</td><td>6.00</td><td>100</td><td>209</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	44.11	54.00	-9.89	30.02	31.87	7.11	30.89	6.00	100	209	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.95</td><td>-----</td><td>-----</td><td>82.67</td><td>31.96</td><td>7.16</td><td>30.84</td><td>6.00</td><td>100</td><td>209</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.95	-----	-----	82.67	31.96	7.16	30.84	6.00	100	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2386.05	44.11	54.00	-9.89	30.02	31.87	7.11	30.89	6.00	100	209	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	96.95	-----	-----	82.67	31.96	7.16	30.84	6.00	100	209	AVERAGE																																																																																																			







Mode	4																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																									
ANT	-																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>74.88</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>183</td><td>4</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>52.35</td><td>54.00</td><td>-1.65</td><td>73.21</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>183</td><td>4</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	54.02	74.00	-19.98	74.88	34.25	10.32	65.43	0.00	183	4	PEAK	2	4824.00	52.35	54.00	-1.65	73.21	34.25	10.32	65.43	0.00	183	4	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>50.77</td><td>74.00</td><td>-23.23</td><td>71.63</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>373</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>68.78</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>373</td><td>97</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	50.77	74.00	-23.23	71.63	34.25	10.32	65.43	0.00	373	97	PEAK	2	4824.00	47.92	54.00	-6.08	68.78	34.25	10.32	65.43	0.00	373	97	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4824.00	54.02	74.00	-19.98	74.88	34.25	10.32	65.43	0.00	183	4	PEAK																																																																																																																														
2	4824.00	52.35	54.00	-1.65	73.21	34.25	10.32	65.43	0.00	183	4	AVERAGE																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4824.00	50.77	74.00	-23.23	71.63	34.25	10.32	65.43	0.00	373	97	PEAK																																																																																																																														
2	4824.00	47.92	54.00	-6.08	68.78	34.25	10.32	65.43	0.00	373	97	AVERAGE																																																																																																																														







Mode	5																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																							
ANT	-																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>74.97</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>211</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>52.40</td><td>54.00</td><td>-1.60</td><td>73.31</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>211</td><td>358</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>43.84</td><td>74.00</td><td>-30.16</td><td>60.76</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>211</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	54.06	74.00	-19.94	74.97	34.15	10.38	65.44	0.00	211	358	PEAK	2	4874.00	52.40	54.00	-1.60	73.31	34.15	10.38	65.44	0.00	211	358	AVERAGE	3	7311.00	43.84	74.00	-30.16	60.76	35.51	12.82	65.25	0.00	211	358	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>75.09</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>218</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>51.94</td><td>54.00</td><td>-2.06</td><td>72.85</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>218</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>61.38</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>218</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	54.18	74.00	-19.82	75.09	34.15	10.38	65.44	0.00	218	360	PEAK	2	4874.00	51.94	54.00	-2.06	72.85	34.15	10.38	65.44	0.00	218	360	AVERAGE	3	7311.00	44.46	74.00	-29.54	61.38	35.51	12.82	65.25	0.00	218	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4874.00	54.06	74.00	-19.94	74.97	34.15	10.38	65.44	0.00	211	358	PEAK																																																																																																																																												
2	4874.00	52.40	54.00	-1.60	73.31	34.15	10.38	65.44	0.00	211	358	AVERAGE																																																																																																																																												
3	7311.00	43.84	74.00	-30.16	60.76	35.51	12.82	65.25	0.00	211	358	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4874.00	54.18	74.00	-19.82	75.09	34.15	10.38	65.44	0.00	218	360	PEAK																																																																																																																																												
2	4874.00	51.94	54.00	-2.06	72.85	34.15	10.38	65.44	0.00	218	360	AVERAGE																																																																																																																																												
3	7311.00	44.46	74.00	-29.54	61.38	35.51	12.82	65.25	0.00	218	360	PEAK																																																																																																																																												







Mode	6																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																														
ANT	-																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.34</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>42.61</td><td>32.29</td><td>7.31</td><td>30.61</td><td>6.00</td><td>307</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.34	57.60	74.00	-16.40	42.61	32.29	7.31	30.61	6.00	307	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.16</td><td>-----</td><td>-----</td><td>90.47</td><td>32.15</td><td>7.25</td><td>30.71</td><td>6.00</td><td>307</td><td>119</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.16	-----	-----	90.47	32.15	7.25	30.71	6.00	307	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2497.34	57.60	74.00	-16.40	42.61	32.29	7.31	30.61	6.00	307	119	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	105.16	-----	-----	90.47	32.15	7.25	30.71	6.00	307	119	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>29.80</td><td>32.23</td><td>7.29</td><td>30.65</td><td>6.00</td><td>307</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.67	54.00	-9.33	29.80	32.23	7.29	30.65	6.00	307	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>97.33</td><td>-----</td><td>-----</td><td>82.64</td><td>32.15</td><td>7.25</td><td>30.71</td><td>6.00</td><td>307</td><td>119</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.33	-----	-----	82.64	32.15	7.25	30.71	6.00	307	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.51	44.67	54.00	-9.33	29.80	32.23	7.29	30.65	6.00	307	119	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	97.33	-----	-----	82.64	32.15	7.25	30.71	6.00	307	119	AVERAGE																																																																																																			







Mode	6																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																															
ANT	-																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2490.27</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>42.35</td><td>32.26</td><td>7.30</td><td>30.63</td><td>6.00</td><td>311</td><td>54 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.27	57.28	74.00	-16.72	42.35	32.26	7.30	30.63	6.00	311	54 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.40</td><td>-----</td><td>-----</td><td>92.71</td><td>32.15</td><td>7.25</td><td>30.71</td><td>6.00</td><td>311</td><td>54 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.40	-----	-----	92.71	32.15	7.25	30.71	6.00	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2490.27	57.28	74.00	-16.72	42.35	32.26	7.30	30.63	6.00	311	54 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	107.40	-----	-----	92.71	32.15	7.25	30.71	6.00	311	54 PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.00</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>29.82</td><td>32.25</td><td>7.30</td><td>30.64</td><td>6.00</td><td>311</td><td>54 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.00	44.73	54.00	-9.27	29.82	32.25	7.30	30.64	6.00	311	54 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>97.98</td><td>-----</td><td>-----</td><td>83.29</td><td>32.15</td><td>7.25</td><td>30.71</td><td>6.00</td><td>311</td><td>54 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	97.98	-----	-----	83.29	32.15	7.25	30.71	6.00	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2487.00	44.73	54.00	-9.27	29.82	32.25	7.30	30.64	6.00	311	54 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	97.98	-----	-----	83.29	32.15	7.25	30.71	6.00	311	54 AVERAGE																																																																																					







Mode	6																																																																																																																																																				
Mode	Harmonic																																																																																																																																																				
Mode	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																				
ANT	-																																																																																																																																																				
Pol.	Horizontal								Vertical																																																																																																																																												
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4924.00</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>76.47</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>234</td><td>359</td><td>PEAK</td></tr><tr><td>2 4924.00</td><td>52.93</td><td>54.00</td><td>-1.07</td><td>73.77</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>234</td><td>359</td><td>AVERAGE</td></tr><tr><td>3 7386.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>61.63</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>234</td><td>359</td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4924.00	55.63	74.00	-18.37	76.47	34.15	10.45	65.44	0.00	234	359	PEAK	2 4924.00	52.93	54.00	-1.07	73.77	34.15	10.45	65.44	0.00	234	359	AVERAGE	3 7386.00	44.77	74.00	-29.23	61.63	35.59	12.84	65.29	0.00	234	359	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4924.00</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>72.97</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>193</td><td>353</td><td>PEAK</td></tr><tr><td>2 4924.00</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>70.09</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>193</td><td>353</td><td>AVERAGE</td></tr><tr><td>3 7386.00</td><td>43.53</td><td>74.00</td><td>-30.47</td><td>60.39</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>193</td><td>353</td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4924.00	52.13	74.00	-21.87	72.97	34.15	10.45	65.44	0.00	193	353	PEAK	2 4924.00	49.25	54.00	-4.75	70.09	34.15	10.45	65.44	0.00	193	353	AVERAGE	3 7386.00	43.53	74.00	-30.47	60.39	35.59	12.84	65.29	0.00	193	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 4924.00	55.63	74.00	-18.37	76.47	34.15	10.45	65.44	0.00	234	359	PEAK																																																																																																																																										
2 4924.00	52.93	54.00	-1.07	73.77	34.15	10.45	65.44	0.00	234	359	AVERAGE																																																																																																																																										
3 7386.00	44.77	74.00	-29.23	61.63	35.59	12.84	65.29	0.00	234	359	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1 4924.00	52.13	74.00	-21.87	72.97	34.15	10.45	65.44	0.00	193	353	PEAK																																																																																																																																										
2 4924.00	49.25	54.00	-4.75	70.09	34.15	10.45	65.44	0.00	193	353	AVERAGE																																																																																																																																										
3 7386.00	43.53	74.00	-30.47	60.39	35.59	12.84	65.29	0.00	193	353	PEAK																																																																																																																																										
Peak Avg																																																																																																																																																					



Mode	7																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	-																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>67.82</td><td>74.00</td><td>-6.18</td><td>53.72</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>124</td><td>145</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	67.82	74.00	-6.18	53.72	31.88	7.11	30.89	6.00	124	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.45</td><td>-----</td><td>-----</td><td>91.23</td><td>31.93</td><td>7.15</td><td>30.86</td><td>6.00</td><td>124</td><td>145</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.45	-----	-----	91.23	31.93	7.15	30.86	6.00	124	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.82	67.82	74.00	-6.18	53.72	31.88	7.11	30.89	6.00	124	145	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	105.45	-----	-----	91.23	31.93	7.15	30.86	6.00	124	145	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>51.84</td><td>54.00</td><td>-2.16</td><td>37.74</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>124</td><td>145</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.84	54.00	-2.16	37.74	31.88	7.11	30.89	6.00	124	145	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.54</td><td>-----</td><td>-----</td><td>82.30</td><td>31.94</td><td>7.15</td><td>30.85</td><td>6.00</td><td>124</td><td>145</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.54	-----	-----	82.30	31.94	7.15	30.85	6.00	124	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	51.84	54.00	-2.16	37.74	31.88	7.11	30.89	6.00	124	145	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	96.54	-----	-----	82.30	31.94	7.15	30.85	6.00	124	145	AVERAGE																																																																																																			





Mode	7																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	-																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>61.62</td><td>74.00</td><td>-12.38</td><td>47.52</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>100</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	61.62	74.00	-12.38	47.52	31.88	7.11	30.89	6.00	100	206	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.25</td><td>-----</td><td>-----</td><td>88.97</td><td>31.96</td><td>7.16</td><td>30.84</td><td>6.00</td><td>100</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.25	-----	-----	88.97	31.96	7.16	30.84	6.00	100	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	61.62	74.00	-12.38	47.52	31.88	7.11	30.89	6.00	100	206	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	103.25	-----	-----	88.97	31.96	7.16	30.84	6.00	100	206	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>36.61</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>100</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	50.71	54.00	-3.29	36.61	31.88	7.11	30.89	6.00	100	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>94.49</td><td>-----</td><td>-----</td><td>80.21</td><td>31.96</td><td>7.16</td><td>30.84</td><td>6.00</td><td>100</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	94.49	-----	-----	80.21	31.96	7.16	30.84	6.00	100	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	50.71	54.00	-3.29	36.61	31.88	7.11	30.89	6.00	100	206	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	94.49	-----	-----	80.21	31.96	7.16	30.84	6.00	100	206	AVERAGE																																																																																							







Mode	7																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																									
ANT	-																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>81.19</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>158</td><td>11 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>70.98</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>158</td><td>11 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	60.33	74.00	-13.67	81.19	34.25	10.32	65.43	0.00	158	11 PEAK	2	4824.00	50.12	54.00	-3.88	70.98	34.25	10.32	65.43	0.00	158	11 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>54.63</td><td>74.00</td><td>-19.37</td><td>75.49</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>344</td><td>53 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>65.64</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>344</td><td>53 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	54.63	74.00	-19.37	75.49	34.25	10.32	65.43	0.00	344	53 PEAK	2	4824.00	44.78	54.00	-9.22	65.64	34.25	10.32	65.43	0.00	344	53 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4824.00	60.33	74.00	-13.67	81.19	34.25	10.32	65.43	0.00	158	11 PEAK																																																																																																															
2	4824.00	50.12	54.00	-3.88	70.98	34.25	10.32	65.43	0.00	158	11 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4824.00	54.63	74.00	-19.37	75.49	34.25	10.32	65.43	0.00	344	53 PEAK																																																																																																															
2	4824.00	44.78	54.00	-9.22	65.64	34.25	10.32	65.43	0.00	344	53 AVERAGE																																																																																																															







Mode	8																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																												
ANT	-																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>61.00</td><td>-13.00</td><td>81.91</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>222</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.71</td><td>-3.29</td><td>71.62</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>222</td><td>359</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>53.88</td><td>-20.12</td><td>70.80</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>115</td><td>164</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>41.50</td><td>-12.50</td><td>58.42</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>115</td><td>164</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	61.00	-13.00	81.91	34.15	10.38	65.44	0.00	222	359	PEAK	2	4874.00	50.71	-3.29	71.62	34.15	10.38	65.44	0.00	222	359	AVERAGE	3	7311.00	53.88	-20.12	70.80	35.51	12.82	65.25	0.00	115	164	PEAK	4	7311.00	41.50	-12.50	58.42	35.51	12.82	65.25	0.00	115	164	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>58.38</td><td>-15.62</td><td>79.29</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>224</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>47.84</td><td>-6.16</td><td>68.75</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>224</td><td>346</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>46.67</td><td>-27.33</td><td>63.59</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>224</td><td>346</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	58.38	-15.62	79.29	34.15	10.38	65.44	0.00	224	346	PEAK	2	4874.00	47.84	-6.16	68.75	34.15	10.38	65.44	0.00	224	346	AVERAGE	3	7311.00	46.67	-27.33	63.59	35.51	12.82	65.25	0.00	224	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4874.00	61.00	-13.00	81.91	34.15	10.38	65.44	0.00	222	359	PEAK																																																																																																																																																		
2	4874.00	50.71	-3.29	71.62	34.15	10.38	65.44	0.00	222	359	AVERAGE																																																																																																																																																		
3	7311.00	53.88	-20.12	70.80	35.51	12.82	65.25	0.00	115	164	PEAK																																																																																																																																																		
4	7311.00	41.50	-12.50	58.42	35.51	12.82	65.25	0.00	115	164	AVERAGE																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4874.00	58.38	-15.62	79.29	34.15	10.38	65.44	0.00	224	346	PEAK																																																																																																																																																		
2	4874.00	47.84	-6.16	68.75	34.15	10.38	65.44	0.00	224	346	AVERAGE																																																																																																																																																		
3	7311.00	46.67	-27.33	63.59	35.51	12.82	65.25	0.00	224	346	PEAK																																																																																																																																																		





Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	-																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.77</td><td>63.22</td><td>74.00</td><td>-10.78</td><td>48.34</td><td>32.24</td><td>7.29</td><td>30.65</td><td>6.00</td><td>381</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.77	63.22	74.00	-10.78	48.34	32.24	7.29	30.65	6.00	381	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.84</td><td>-----</td><td>-----</td><td>89.17</td><td>32.14</td><td>7.24</td><td>30.71</td><td>6.00</td><td>381</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.84	-----	-----	89.17	32.14	7.24	30.71	6.00	381	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.77	63.22	74.00	-10.78	48.34	32.24	7.29	30.65	6.00	381	118	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	103.84	-----	-----	89.17	32.14	7.24	30.71	6.00	381	118	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>49.94</td><td>54.00</td><td>-4.06</td><td>35.07</td><td>32.23</td><td>7.29</td><td>30.65</td><td>6.00</td><td>381</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.94	54.00	-4.06	35.07	32.23	7.29	30.65	6.00	381	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.96</td><td>-----</td><td>-----</td><td>80.29</td><td>32.14</td><td>7.24</td><td>30.71</td><td>6.00</td><td>381</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.96	-----	-----	80.29	32.14	7.24	30.71	6.00	381	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	49.94	54.00	-4.06	35.07	32.23	7.29	30.65	6.00	381	118	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	94.96	-----	-----	80.29	32.14	7.24	30.71	6.00	381	118	AVERAGE																																																																																							







Mode	9																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																														
ANT	-																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.93</td><td>64.93</td><td>74.00</td><td>-9.07</td><td>50.05</td><td>32.24</td><td>7.29</td><td>30.65</td><td>6.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.93	64.93	74.00	-9.07	50.05	32.24	7.29	30.65	6.00	101	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.70</td><td>-----</td><td>-----</td><td>88.99</td><td>32.16</td><td>7.25</td><td>30.70</td><td>6.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.70	-----	-----	88.99	32.16	7.25	30.70	6.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.93	64.93	74.00	-9.07	50.05	32.24	7.29	30.65	6.00	101	116	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	103.70	-----	-----	88.99	32.16	7.25	30.70	6.00	101	116	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.77</td><td>49.97</td><td>54.00</td><td>-4.03</td><td>35.09</td><td>32.24</td><td>7.29</td><td>30.65</td><td>6.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.77	49.97	54.00	-4.03	35.09	32.24	7.29	30.65	6.00	101	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.31</td><td>-----</td><td>-----</td><td>79.64</td><td>32.14</td><td>7.24</td><td>30.71</td><td>6.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.31	-----	-----	79.64	32.14	7.24	30.71	6.00	101	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.77	49.97	54.00	-4.03	35.09	32.24	7.29	30.65	6.00	101	116	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	94.31	-----	-----	79.64	32.14	7.24	30.71	6.00	101	116	AVERAGE																																																																																																			







Mode	9																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																						
ANT	-																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>61.72</td><td>74.00</td><td>-12.28</td><td>82.56</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>229</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>51.67</td><td>54.00</td><td>-2.33</td><td>72.51</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>229</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>72.78</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>239</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>59.99</td><td>35.58</td><td>12.84</td><td>65.29</td><td>0.00</td><td>239</td><td>337</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	61.72	74.00	-12.28	82.56	34.15	10.45	65.44	0.00	229	0	PEAK	2	4924.00	51.67	54.00	-2.33	72.51	34.15	10.45	65.44	0.00	229	0	AVERAGE	3	7386.00	55.92	74.00	-18.08	72.78	35.59	12.84	65.29	0.00	239	337	PEAK	4	7386.00	43.12	54.00	-10.88	59.99	35.58	12.84	65.29	0.00	239	337	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>80.74</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>237</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>70.02</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>237</td><td>349</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>62.84</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>237</td><td>349</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	59.90	74.00	-14.10	80.74	34.15	10.45	65.44	0.00	237	349	PEAK	2	4924.00	49.18	54.00	-4.82	70.02	34.15	10.45	65.44	0.00	237	349	AVERAGE	3	7386.00	45.98	74.00	-28.02	62.84	35.59	12.84	65.29	0.00	237	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	4924.00	61.72	74.00	-12.28	82.56	34.15	10.45	65.44	0.00	229	0	PEAK																																																																																																																																																											
2	4924.00	51.67	54.00	-2.33	72.51	34.15	10.45	65.44	0.00	229	0	AVERAGE																																																																																																																																																											
3	7386.00	55.92	74.00	-18.08	72.78	35.59	12.84	65.29	0.00	239	337	PEAK																																																																																																																																																											
4	7386.00	43.12	54.00	-10.88	59.99	35.58	12.84	65.29	0.00	239	337	AVERAGE																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	4924.00	59.90	74.00	-14.10	80.74	34.15	10.45	65.44	0.00	237	349	PEAK																																																																																																																																																											
2	4924.00	49.18	54.00	-4.82	70.02	34.15	10.45	65.44	0.00	237	349	AVERAGE																																																																																																																																																											
3	7386.00	45.98	74.00	-28.02	62.84	35.59	12.84	65.29	0.00	237	349	PEAK																																																																																																																																																											





Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																														
ANT	-																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>67.46</td><td>74.00</td><td>-6.54</td><td>53.36</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>124</td><td>136</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	67.46	74.00	-6.54	53.36	31.88	7.11	30.89	6.00	124	136	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.88</td><td>-----</td><td>-----</td><td>89.60</td><td>31.96</td><td>7.16</td><td>30.84</td><td>6.00</td><td>124</td><td>136</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.88	-----	-----	89.60	31.96	7.16	30.84	6.00	124	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.69	67.46	74.00	-6.54	53.36	31.88	7.11	30.89	6.00	124	136	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.88	-----	-----	89.60	31.96	7.16	30.84	6.00	124	136	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>52.88</td><td>54.00</td><td>-1.12</td><td>38.78</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>124</td><td>136</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	52.88	54.00	-1.12	38.78	31.88	7.11	30.89	6.00	124	136	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.02</td><td>-----</td><td>-----</td><td>80.74</td><td>31.96</td><td>7.16</td><td>30.84</td><td>6.00</td><td>124</td><td>136</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.02	-----	-----	80.74	31.96	7.16	30.84	6.00	124	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.56	52.88	54.00	-1.12	38.78	31.88	7.11	30.89	6.00	124	136	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	95.02	-----	-----	80.74	31.96	7.16	30.84	6.00	124	136	AVERAGE																																																																																																			





Mode	10																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																		
ANT	-																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>66.75</td><td>74.00</td><td>-7.25</td><td>52.65</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>149</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	66.75	74.00	-7.25	52.65	31.88	7.11	30.89	6.00	149	194	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.19</td><td>-----</td><td>-----</td><td>89.95</td><td>31.94</td><td>7.15</td><td>30.85</td><td>6.00</td><td>149</td><td>194</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.19	-----	-----	89.95	31.94	7.15	30.85	6.00	149	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	66.75	74.00	-7.25	52.65	31.88	7.11	30.89	6.00	149	194	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.19	-----	-----	89.95	31.94	7.15	30.85	6.00	149	194	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>51.17</td><td>54.00</td><td>-2.83</td><td>37.07</td><td>31.88</td><td>7.11</td><td>30.89</td><td>6.00</td><td>149</td><td>194</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.17	54.00	-2.83	37.07	31.88	7.11	30.89	6.00	149	194	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>95.13</td><td>-----</td><td>-----</td><td>80.91</td><td>31.93</td><td>7.15</td><td>30.86</td><td>6.00</td><td>149</td><td>194</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.13	-----	-----	80.91	31.93	7.15	30.86	6.00	149	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	51.17	54.00	-2.83	37.07	31.88	7.11	30.89	6.00	149	194	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	95.13	-----	-----	80.91	31.93	7.15	30.86	6.00	149	194	AVERAGE																																																																																							







Mode	10																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																																																											
ANT	-																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>80.31</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>146</td><td>11</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>49.41</td><td>54.00</td><td>-4.59</td><td>70.27</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>146</td><td>11</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4824.00	59.45	74.00	-14.55	80.31	34.25	10.32	65.43	0.00	146	11	PEAK	2	4824.00	49.41	54.00	-4.59	70.27	34.25	10.32	65.43	0.00	146	11	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4824.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>75.13</td><td>34.25</td><td>10.32</td><td>65.43</td><td>0.00</td><td>276</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>64.90</td><td>34.24</td><td>10.32</td><td>65.43</td><td>0.00</td><td>276</td><td>350</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4824.00	54.27	74.00	-19.73	75.13	34.25	10.32	65.43	0.00	276	350	PEAK	2	4824.00	44.03	54.00	-9.97	64.90	34.24	10.32	65.43	0.00	276	350	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	4824.00	59.45	74.00	-14.55	80.31	34.25	10.32	65.43	0.00	146	11	PEAK																																																																																																																																
2	4824.00	49.41	54.00	-4.59	70.27	34.25	10.32	65.43	0.00	146	11	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	4824.00	54.27	74.00	-19.73	75.13	34.25	10.32	65.43	0.00	276	350	PEAK																																																																																																																																
2	4824.00	44.03	54.00	-9.97	64.90	34.24	10.32	65.43	0.00	276	350	AVERAGE																																																																																																																																







Mode	11																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11n HT20_CH06_Full RU_2437MHz																																																																																											
ANT	-																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>81.00</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>222</td><td>0 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>49.97</td><td>54.00</td><td>-4.03</td><td>70.88</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>222</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>57.20</td><td>74.00</td><td>-16.80</td><td>74.12</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>232</td><td>329 PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>59.80</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>232</td><td>329 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	60.09	74.00	-13.91	81.00	34.15	10.38	65.44	0.00	222	0 PEAK	2	4874.00	49.97	54.00	-4.03	70.88	34.15	10.38	65.44	0.00	222	0 AVERAGE	3	7311.00	57.20	74.00	-16.80	74.12	35.51	12.82	65.25	0.00	232	329 PEAK	4	7311.00	42.88	54.00	-11.12	59.80	35.51	12.82	65.25	0.00	232	329 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4874.00	60.09	74.00	-13.91	81.00	34.15	10.38	65.44	0.00	222	0 PEAK																																																																																	
2	4874.00	49.97	54.00	-4.03	70.88	34.15	10.38	65.44	0.00	222	0 AVERAGE																																																																																	
3	7311.00	57.20	74.00	-16.80	74.12	35.51	12.82	65.25	0.00	232	329 PEAK																																																																																	
4	7311.00	42.88	54.00	-11.12	59.80	35.51	12.82	65.25	0.00	232	329 AVERAGE																																																																																	
Vertical																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>77.85</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>220</td><td>356 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>67.91</td><td>34.15</td><td>10.38</td><td>65.44</td><td>0.00</td><td>220</td><td>356 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>60.77</td><td>35.51</td><td>12.82</td><td>65.25</td><td>0.00</td><td>220</td><td>356 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	56.94	74.00	-17.06	77.85	34.15	10.38	65.44	0.00	220	356 PEAK	2	4874.00	47.00	54.00	-7.00	67.91	34.15	10.38	65.44	0.00	220	356 AVERAGE	3	7311.00	43.85	74.00	-30.15	60.77	35.51	12.82	65.25	0.00	220	356 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4874.00	56.94	74.00	-17.06	77.85	34.15	10.38	65.44	0.00	220	356 PEAK																																																																																	
2	4874.00	47.00	54.00	-7.00	67.91	34.15	10.38	65.44	0.00	220	356 AVERAGE																																																																																	
3	7311.00	43.85	74.00	-30.15	60.77	35.51	12.82	65.25	0.00	220	356 PEAK																																																																																	




Mode	12																																																						
	Band Edge																																																						
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																						
ANT	-																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>68.76</td><td>74.00</td><td>-5.24</td><td>53.89</td><td>32.23</td><td>7.29</td><td>30.65</td><td>6.00</td><td>339</td><td>121</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	68.76	74.00	-5.24	53.89	32.23	7.29	30.65	6.00	339	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.58	68.76	74.00	-5.24	53.89	32.23	7.29	30.65	6.00	339	121	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.33</td><td>-----</td><td>-----</td><td>88.61</td><td>32.16</td><td>7.26</td><td>30.70</td><td>6.00</td><td>339</td><td>121</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.33	-----	-----	88.61	32.16	7.26	30.70	6.00	339	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	103.33	-----	-----	88.61	32.16	7.26	30.70	6.00	339	121	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>52.66</td><td>54.00</td><td>-1.34</td><td>37.79</td><td>32.23</td><td>7.29</td><td>30.65</td><td>6.00</td><td>339</td><td>121</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	52.66	54.00	-1.34	37.79	32.23	7.29	30.65	6.00	339	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.51	52.66	54.00	-1.34	37.79	32.23	7.29	30.65	6.00	339	121	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.78</td><td>-----</td><td>-----</td><td>80.06</td><td>32.16</td><td>7.26</td><td>30.70</td><td>6.00</td><td>339</td><td>121</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.78	-----	-----	80.06	32.16	7.26	30.70	6.00	339	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	94.78	-----	-----	80.06	32.16	7.26	30.70	6.00	339	121	AVERAGE																																											





Mode	12																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																																														
ANT	-																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>67.04</td><td>74.00</td><td>-6.96</td><td>52.17</td><td>32.23</td><td>7.29</td><td>30.65</td><td>6.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	67.04	74.00	-6.96	52.17	32.23	7.29	30.65	6.00	101	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.69</td><td>-----</td><td>-----</td><td>88.02</td><td>32.14</td><td>7.24</td><td>30.71</td><td>6.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.69	-----	-----	88.02	32.14	7.24	30.71	6.00	101	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.74	67.04	74.00	-6.96	52.17	32.23	7.29	30.65	6.00	101	115	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	102.69	-----	-----	88.02	32.14	7.24	30.71	6.00	101	115	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>51.34</td><td>54.00</td><td>-2.66</td><td>36.47</td><td>32.23</td><td>7.29</td><td>30.65</td><td>6.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	51.34	54.00	-2.66	36.47	32.23	7.29	30.65	6.00	101	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.70</td><td>-----</td><td>-----</td><td>79.03</td><td>32.14</td><td>7.24</td><td>30.71</td><td>6.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	93.70	-----	-----	79.03	32.14	7.24	30.71	6.00	101	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.66	51.34	54.00	-2.66	36.47	32.23	7.29	30.65	6.00	101	115	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2462.00	93.70	-----	-----	79.03	32.14	7.24	30.71	6.00	101	115	AVERAGE																																																																																																			



Mode	12																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11n HT20_CH11_Full RU_2462MHz																																																																																											
ANT	-																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>61.50</td><td>74.00</td><td>-12.50</td><td>82.34</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>215</td><td>0 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>51.81</td><td>54.00</td><td>-2.19</td><td>72.65</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>215</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>56.71</td><td>74.00</td><td>-17.29</td><td>73.57</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>228</td><td>342 PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>41.39</td><td>54.00</td><td>-12.61</td><td>58.25</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>228</td><td>342 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	61.50	74.00	-12.50	82.34	34.15	10.45	65.44	0.00	215	0 PEAK	2	4924.00	51.81	54.00	-2.19	72.65	34.15	10.45	65.44	0.00	215	0 AVERAGE	3	7386.00	56.71	74.00	-17.29	73.57	35.59	12.84	65.29	0.00	228	342 PEAK	4	7386.00	41.39	54.00	-12.61	58.25	35.59	12.84	65.29	0.00	228	342 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	4924.00	61.50	74.00	-12.50	82.34	34.15	10.45	65.44	0.00	215	0 PEAK																																																																																	
2	4924.00	51.81	54.00	-2.19	72.65	34.15	10.45	65.44	0.00	215	0 AVERAGE																																																																																	
3	7386.00	56.71	74.00	-17.29	73.57	35.59	12.84	65.29	0.00	228	342 PEAK																																																																																	
4	7386.00	41.39	54.00	-12.61	58.25	35.59	12.84	65.29	0.00	228	342 AVERAGE																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>78.22</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>238</td><td>357 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>68.49</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>238</td><td>357 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>62.79</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>238</td><td>357 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	57.38	74.00	-16.62	78.22	34.15	10.45	65.44	0.00	238	357 PEAK	2	4924.00	47.65	54.00	-6.35	68.49	34.15	10.45	65.44	0.00	238	357 AVERAGE	3	7386.00	45.93	74.00	-28.07	62.79	35.59	12.84	65.29	0.00	238	357 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	4924.00	57.38	74.00	-16.62	78.22	34.15	10.45	65.44	0.00	238	357 PEAK																																																																																	
2	4924.00	47.65	54.00	-6.35	68.49	34.15	10.45	65.44	0.00	238	357 AVERAGE																																																																																	
3	7386.00	45.93	74.00	-28.07	62.79	35.59	12.84	65.29	0.00	238	357 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>78.22</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>238</td><td>357 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>47.65</td><td>54.00</td><td>-6.35</td><td>68.49</td><td>34.15</td><td>10.45</td><td>65.44</td><td>0.00</td><td>238</td><td>357 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>62.79</td><td>35.59</td><td>12.84</td><td>65.29</td><td>0.00</td><td>238</td><td>357 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	57.38	74.00	-16.62	78.22	34.15	10.45	65.44	0.00	238	357 PEAK	2	4924.00	47.65	54.00	-6.35	68.49	34.15	10.45	65.44	0.00	238	357 AVERAGE	3	7386.00	45.93	74.00	-28.07	62.79	35.59	12.84	65.29	0.00	238	357 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	4924.00	57.38	74.00	-16.62	78.22	34.15	10.45	65.44	0.00	238	357 PEAK																																																																																	
2	4924.00	47.65	54.00	-6.35	68.49	34.15	10.45	65.44	0.00	238	357 AVERAGE																																																																																	
3	7386.00	45.93	74.00	-28.07	62.79	35.59	12.84	65.29	0.00	238	357 PEAK																																																																																	




Mode	6																																																																																																																																																																																																					
	WIFI Worse LF																																																																																																																																																																																																					
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																																					
ANT	-																																																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																																																															
Peak QP																																																																																																																																																																																																						
	<table><tr><th></th><th>Over Freq</th><th>Limit Level</th><th>Limit</th><th>ReadAntenna Level</th><th>Cable Factor</th><th>Preamplifier Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>30.00</td><td>22.49</td><td>-17.51</td><td>40.00</td><td>27.32</td><td>25.69</td><td>0.88</td><td>31.40</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>97.90</td><td>20.63</td><td>-22.87</td><td>43.50</td><td>34.88</td><td>15.58</td><td>1.57</td><td>31.40</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>237.58</td><td>22.54</td><td>-23.46</td><td>46.00</td><td>34.57</td><td>16.89</td><td>2.48</td><td>31.40</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>269.59</td><td>24.67</td><td>-21.33</td><td>46.00</td><td>34.32</td><td>19.11</td><td>2.64</td><td>31.40</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>553.00</td><td>26.49</td><td>-19.51</td><td>46.00</td><td>28.46</td><td>25.72</td><td>3.76</td><td>31.45</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>796.30</td><td>28.27</td><td>-17.73</td><td>46.00</td><td>27.10</td><td>27.97</td><td>4.50</td><td>31.30</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></table>							Over Freq	Limit Level	Limit	ReadAntenna Level	Cable Factor	Preamplifier Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	30.00	22.49	-17.51	40.00	27.32	25.69	0.88	31.40	---	Peak	HORIZONTAL	2	97.90	20.63	-22.87	43.50	34.88	15.58	1.57	31.40	---	Peak	HORIZONTAL	3	237.58	22.54	-23.46	46.00	34.57	16.89	2.48	31.40	---	Peak	HORIZONTAL	4	269.59	24.67	-21.33	46.00	34.32	19.11	2.64	31.40	---	Peak	HORIZONTAL	5	553.00	26.49	-19.51	46.00	28.46	25.72	3.76	31.45	---	Peak	HORIZONTAL	6	796.30	28.27	-17.73	46.00	27.10	27.97	4.50	31.30	---	Peak	HORIZONTAL	<table><tr><th></th><th>Over Freq</th><th>Limit Level</th><th>Limit</th><th>ReadAntenna Level</th><th>Cable Factor</th><th>Preamplifier Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 !</td><td>48.43</td><td>34.67</td><td>-5.33</td><td>40.00</td><td>49.74</td><td>15.24</td><td>1.09</td><td>31.40</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>93.05</td><td>22.53</td><td>-20.97</td><td>43.50</td><td>37.45</td><td>14.95</td><td>1.53</td><td>31.40</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>152.22</td><td>20.03</td><td>-23.47</td><td>43.50</td><td>32.84</td><td>16.63</td><td>1.96</td><td>31.40</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>232.73</td><td>21.02</td><td>-24.98</td><td>46.00</td><td>33.63</td><td>16.34</td><td>2.45</td><td>31.40</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>664.38</td><td>27.33</td><td>-18.67</td><td>46.00</td><td>28.36</td><td>26.24</td><td>4.11</td><td>31.38</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>863.23</td><td>29.32</td><td>-16.68</td><td>46.00</td><td>26.98</td><td>28.91</td><td>4.69</td><td>31.26</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></table>						Over Freq	Limit Level	Limit	ReadAntenna Level	Cable Factor	Preamplifier Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1 !	48.43	34.67	-5.33	40.00	49.74	15.24	1.09	31.40	---	Peak	VERTICAL	2	93.05	22.53	-20.97	43.50	37.45	14.95	1.53	31.40	---	Peak	VERTICAL	3	152.22	20.03	-23.47	43.50	32.84	16.63	1.96	31.40	---	Peak	VERTICAL	4	232.73	21.02	-24.98	46.00	33.63	16.34	2.45	31.40	---	Peak	VERTICAL	5	664.38	27.33	-18.67	46.00	28.36	26.24	4.11	31.38	---	Peak	VERTICAL	6	863.23	29.32	-16.68	46.00	26.98	28.91	4.69	31.26	---	Peak
	Over Freq	Limit Level	Limit	ReadAntenna Level	Cable Factor	Preamplifier Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																																																																																														
1	30.00	22.49	-17.51	40.00	27.32	25.69	0.88	31.40	---	Peak	HORIZONTAL																																																																																																																																																																																											
2	97.90	20.63	-22.87	43.50	34.88	15.58	1.57	31.40	---	Peak	HORIZONTAL																																																																																																																																																																																											
3	237.58	22.54	-23.46	46.00	34.57	16.89	2.48	31.40	---	Peak	HORIZONTAL																																																																																																																																																																																											
4	269.59	24.67	-21.33	46.00	34.32	19.11	2.64	31.40	---	Peak	HORIZONTAL																																																																																																																																																																																											
5	553.00	26.49	-19.51	46.00	28.46	25.72	3.76	31.45	---	Peak	HORIZONTAL																																																																																																																																																																																											
6	796.30	28.27	-17.73	46.00	27.10	27.97	4.50	31.30	---	Peak	HORIZONTAL																																																																																																																																																																																											
	Over Freq	Limit Level	Limit	ReadAntenna Level	Cable Factor	Preamplifier Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																																																																																																																														
1 !	48.43	34.67	-5.33	40.00	49.74	15.24	1.09	31.40	---	Peak	VERTICAL																																																																																																																																																																																											
2	93.05	22.53	-20.97	43.50	37.45	14.95	1.53	31.40	---	Peak	VERTICAL																																																																																																																																																																																											
3	152.22	20.03	-23.47	43.50	32.84	16.63	1.96	31.40	---	Peak	VERTICAL																																																																																																																																																																																											
4	232.73	21.02	-24.98	46.00	33.63	16.34	2.45	31.40	---	Peak	VERTICAL																																																																																																																																																																																											
5	664.38	27.33	-18.67	46.00	28.36	26.24	4.11	31.38	---	Peak	VERTICAL																																																																																																																																																																																											
6	863.23	29.32	-16.68	46.00	26.98	28.91	4.69	31.26	---	Peak	VERTICAL																																																																																																																																																																																											




Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(KHz)	VBW Setting
802.11b	98.44	-	-	10HZ
802.11g	89.47	0.296	3.382	3.5kHz
802.11n HT20	88.60	0.293	3.416	3.5kHz

802.11b



802.11g



802.11n HT20

