



## Appendix A

### RF Test Data for BT (Conducted Measurement)

**Product Name: TWS EARPHONES**

**Test Model: S650**

#### Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Joker Hu
Supervised by:	Nick Peng





## A.1 20dB Emission Bandwidth

### Test Result


TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	1.038	2401.454	2402.492	---	---
		2441	1.044	2440.454	2441.498	---	---
		2480	0.984	2479.514	2480.498	---	---
2DH5	Ant1	2402	1.314	2401.334	2402.648	---	---
		2441	1.314	2440.337	2441.651	---	---
		2480	1.320	2479.328	2480.648	---	---






### Test Graphs

DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480






2DH5\_Ant1\_2402




2DH5\_Ant1\_2441



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District,  
 Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



2DH5\_Ant1\_2480





## A.2 Maximum Peak Conducted Output Power

### Test Result


Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant1	2402	0.26	≤20.97	PASS
		2441	0.83	≤20.97	PASS
		2480	0.91	≤20.97	PASS
2DH5	Ant1	2402	0.27	≤20.97	PASS
		2441	0.52	≤20.97	PASS
		2480	0.54	≤20.97	PASS






### Test Graphs

DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480






2DH5\_Ant1\_2402




2DH5\_Ant1\_2441







2DH5\_Ant1\_2480





### A.3 Carrier frequency separation


#### Test Result

TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.046	≥0.696	PASS
2DH5	Ant1	Hop	1.028	≥0.880	PASS





### Test Graphs





### A.4 Time of occupancy


#### Test Result

TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.880	106.67	0.307	≤0.4	PASS
2DH5	Ant1	Hop	2.884	106.67	0.308	≤0.4	PASS





### Test Graphs





## A.5 Number of hopping channels

### Test Result

TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS





### Test Graphs





## A.6 Band edge measurements

### Test Result


TestMode	Antenna	ChName	Frequency[MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-1.01	-49.04	≤-21.01	PASS
		High	2480	-0.25	-48.71	≤-20.25	PASS
		Low	Hop_2402	-0.65	-47.03	≤-20.65	PASS
		High	Hop_2480	0.13	-47.35	≤-19.87	PASS
2DH5	Ant1	Low	2402	-1.58	-48.59	≤-21.58	PASS
		High	2480	-1.32	-47.78	≤-21.32	PASS
		Low	Hop_2402	-4.64	-46.7	≤-24.64	PASS
		High	Hop_2480	-2.87	-46.58	≤-22.87	PASS









### Test Graphs






DH5\_Ant1\_High\_Hop\_2480




2DH5\_Ant1\_Low\_2402






2DH5\_Ant1\_High\_2480




2DH5\_Ant1\_Low\_Hop\_2402





2DH5\_Ant1\_High\_Hop\_2480





### A.7 Conducted Spurious Emission

#### Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	30~1000	-1.01	-59.34	≤-21.01	PASS
			1000~26500	-1.01	-47.38	≤-21.01	PASS
		2441	30~1000	0.10	-59.79	≤-19.9	PASS
			1000~26500	0.10	-47.23	≤-19.9	PASS
		2480	30~1000	-0.25	-59.34	≤-20.25	PASS
			1000~26500	-0.25	-46.71	≤-20.25	PASS
2DH5	Ant1	2402	30~1000	-1.58	-58.23	≤-21.58	PASS
			1000~26500	-1.58	-46.31	≤-21.58	PASS
		2441	30~1000	-0.98	-59.8	≤-20.98	PASS
			1000~26500	-0.98	-46.97	≤-20.98	PASS
		2480	30~1000	-1.32	-55.91	≤-21.32	PASS
			1000~26500	-1.32	-46.52	≤-21.32	PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District,  
 Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




### Test Graphs

DH5\_Ant1\_2402\_30~1000




DH5\_Ant1\_2402\_1000~26500




DH5\_Ant1\_2441\_30~1000






DH5\_Ant1\_2441\_1000~26500




DH5\_Ant1\_2480\_30~1000





DH5\_Ant1\_2480\_1000~26500



2DH5\_Ant1\_2402\_30~1000

