



EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS



<p>EUT View 1</p>	 A photograph showing the front view of a white, rectangular EUT device. The device is positioned next to a black ruler for scale. The ruler shows markings in millimeters and centimeters. The device has a signal strength indicator, Ethernet and Internet status indicators, and the model number "AC1200" printed on its front panel. The background is a blue textured surface.
<p>EUT View 2</p>	 A photograph showing the back view of the white EUT device. The device is positioned next to a black ruler for scale. The back of the device features a white cable with a metal pin connector. The ruler shows markings in millimeters and centimeters. The background is a blue textured surface.

EUT View 3



EUT View 4



<p>EUT View 5</p>	 A photograph of a white, cylindrical electronic component (EUT) with a network port on the front. The component is positioned next to a black ruler with white markings for scale. The ruler shows measurements in millimeters and centimeters. The component is approximately 40mm high and 25mm wide. The background is a blue textured surface.
<p>EUT View 6</p>	 A photograph of the same white, cylindrical electronic component (EUT) from a different perspective. This view shows the bottom of the component, where two metal pins extend downwards. The component is positioned next to a black ruler with white markings for scale. The ruler shows measurements in millimeters and centimeters. The component is approximately 40mm high and 25mm wide. The background is a blue textured surface.