




11N40SISO\_Ant1\_5190




11N40SISO\_Ant1\_5230




11N40SISO\_Ant1\_5755




11N40SISO\_Ant1\_5795




11AC20SISO\_Ant1\_5180




11AC20SISO\_Ant1\_5200



11AC20SISO\_Ant1\_5240




11AC20SISO\_Ant1\_5745




11AC20SISO\_Ant1\_5785







11AC20SISO\_Ant1\_5825




11AC40SISO\_Ant1\_5190




11AC40SISO\_Ant1\_5230



11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795




11AC80SISO\_Ant1\_5210





11AC80SISO\_Ant1\_5775



## 6. Conducted Spurious Emission

### 6.1. Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict		
11A	Ant1	5180	30~1000	890.12	-46.28	≤-27	PASS		
			1000~40000	6985.2	-34.88	≤-27	PASS		
		5200	30~1000	912.3	-45.85	≤-27	PASS		
			1000~40000	39320.1	-35.49	≤-27	PASS		
		5240	30~1000	889.8	-47.25	≤-27	PASS		
			1000~40000	39662	-35.49	≤-27	PASS		
		5745	30~1000	710.25	-47.11	≤-27	PASS		
			1000~40000	39946.7	-35.48	≤-27	PASS		
		5785	30~1000	958.83	-44.42	≤-27	PASS		
			1000~40000	39168	-35.74	≤-27	PASS		
		5825	30~1000	861.83	-46.33	≤-27	PASS		
			1000~40000	38546.6	-35.35	≤-27	PASS		
		11N20SISO	Ant1	5180	30~1000	786.91	-47.44	≤-27	PASS
					1000~40000	39415	-35.55	≤-27	PASS
5200	30~1000			889.86	-46.93	≤-27	PASS		
	1000~40000			39317.5	-35.09	≤-27	PASS		
5240	30~1000			862.9	-47.07	≤-27	PASS		
	1000~40000			39975.3	-35.33	≤-27	PASS		
5745	30~1000			862.12	-46.69	≤-27	PASS		
	1000~40000			39322.7	-34.85	≤-27	PASS		
5785	30~1000			779.61	-46.6	≤-27	PASS		
	1000~40000			39005.5	-35.5	≤-27	PASS		
5825	30~1000			969.59	-46.46	≤-27	PASS		
	1000~40000			39619.1	-35.49	≤-27	PASS		
11N40SISO	Ant1			5190	30~1000	116.21	-47.19	≤-27	PASS
					1000~40000	39379.9	-35.22	≤-27	PASS
		5230	30~1000	867.62	-44.98	≤-27	PASS		
			1000~40000	39654.2	-35.52	≤-27	PASS		
		5755	30~1000	888.37	-46.94	≤-27	PASS		
			1000~40000	39304.5	-35.77	≤-27	PASS		
		5795	30~1000	966.42	-46.81	≤-27	PASS		
			1000~40000	39331.8	-35.33	≤-27	PASS		
		11AC20SISO	Ant1	5180	30~1000	963.8	-46.54	≤-27	PASS
					1000~40000	38909.3	-35.71	≤-27	PASS
5200	30~1000			863.15	-45.81	≤-27	PASS		
	1000~40000			39398.1	-35.46	≤-27	PASS		
5240	30~1000			706.44	-46.83	≤-27	PASS		
	1000~40000			39944.1	-35.37	≤-27	PASS		
5745	30~1000			860.92	-45.65	≤-27	PASS		




			1000~40000	39984.4	-35.23	≤-27	PASS
		5785	30~1000	973.7	-47.03	≤-27	PASS
			1000~40000	39392.9	-35.68	≤-27	PASS
		5825	30~1000	861.31	-45.53	≤-27	PASS
			1000~40000	39959.7	-34.96	≤-27	PASS
11AC40SISO	Ant1	5190	30~1000	938.55	-47.04	≤-27	PASS
			1000~40000	39342.2	-35.25	≤-27	PASS
		5230	30~1000	959.89	-47.25	≤-27	PASS
			1000~40000	5800.9	-35.53	≤-27	PASS
		5755	30~1000	958.44	-46.55	≤-27	PASS
			1000~40000	38861.2	-36.04	≤-27	PASS
		5795	30~1000	733.99	-46.81	≤-27	PASS
			1000~40000	39403.3	-35.17	≤-27	PASS
11AC80SISO	Ant1	5210	30~1000	121.94	-43.96	≤-27	PASS
			1000~40000	39836.2	-34.48	≤-27	PASS
		5775	30~1000	958.76	-45.35	≤-27	PASS
			1000~40000	38960	-35.1	≤-27	PASS




## 6.2. Test Graphs






11A\_Ant1\_5200\_1000~40000




11A\_Ant1\_5240\_30~1000




11A\_Ant1\_5240\_1000~40000







11A\_Ant1\_5745\_30~1000




11A\_Ant1\_5745\_1000~40000




11A\_Ant1\_5785\_30~1000



11A\_Ant1\_5785\_1000~40000




11A\_Ant1\_5825\_30~1000




11A\_Ant1\_5825\_1000~40000







11N20SISO\_Ant1\_5180\_30~1000




11N20SISO\_Ant1\_5180\_1000~40000




11N20SISO\_Ant1\_5200\_30~1000



11N20SISO\_Ant1\_5200\_1000~40000




11N20SISO\_Ant1\_5240\_30~1000




11N20SISO\_Ant1\_5240\_1000~40000







11N20SISO\_Ant1\_5745\_30~1000




11N20SISO\_Ant1\_5745\_1000~40000




11N20SISO\_Ant1\_5785\_30~1000



11N20SISO\_Ant1\_5785\_1000~40000




11N20SISO\_Ant1\_5825\_30~1000




11N20SISO\_Ant1\_5825\_1000~40000







11N40SISO\_Ant1\_5190\_30~1000




11N40SISO\_Ant1\_5190\_1000~40000




11N40SISO\_Ant1\_5230\_30~1000



11N40SISO\_Ant1\_5230\_1000~40000




11N40SISO\_Ant1\_5755\_30~1000




11N40SISO\_Ant1\_5755\_1000~40000







11N40SISO\_Ant1\_5795\_30~1000




11N40SISO\_Ant1\_5795\_1000~40000




11AC20SISO\_Ant1\_5180\_30~1000



11AC20SISO\_Ant1\_5180\_1000~40000




11AC20SISO\_Ant1\_5200\_30~1000




11AC20SISO\_Ant1\_5200\_1000~40000







11AC20SISO\_Ant1\_5240\_30~1000




11AC20SISO\_Ant1\_5240\_1000~40000




11AC20SISO\_Ant1\_5745\_30~1000



11AC20SISO\_Ant1\_5745\_1000~40000




11AC20SISO\_Ant1\_5785\_30~1000




11AC20SISO\_Ant1\_5785\_1000~40000







11AC20SISO\_Ant1\_5825\_30~1000




11AC20SISO\_Ant1\_5825\_1000~40000




11AC40SISO\_Ant1\_5190\_30~1000



11AC40SISO\_Ant1\_5190\_1000~40000




11AC40SISO\_Ant1\_5230\_30~1000




11AC40SISO\_Ant1\_5230\_1000~40000







11AC40SISO\_Ant1\_5755\_30~1000




11AC40SISO\_Ant1\_5755\_1000~40000




11AC40SISO\_Ant1\_5795\_30~1000



11AC40SISO\_Ant1\_5795\_1000~40000




11AC80SISO\_Ant1\_5210\_30~1000




11AC80SISO\_Ant1\_5210\_1000~40000






11AC80SISO\_Ant1\_5775\_30~1000



11AC80SISO\_Ant1\_5775\_1000~40000



## 7. Frequency Stability

### 7.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	0.00	0.000000	20	PASS
			LV	NT	20000.00	3.846154	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	20000.00	3.433476	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS



		5230	HV	NT	0.00	0.000000	20	PASS		
			NV	NT	0.00	0.000000	20	PASS		
			LV	NT	-40000.00	-7.648184	20	PASS		
		5755	HV	NT	0.00	0.000000	20	PASS		
			NV	NT	0.00	0.000000	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
		5795	HV	NT	0.00	0.000000	20	PASS		
			NV	NT	0.00	0.000000	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
		11AC20SIS O	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
					LV	NT	-20000.00	-3.861004	20	PASS
					HV	NT	0.00	0.000000	20	PASS
5200	NV			NT	0.00	0.000000	20	PASS		
	LV			NT	-20000.00	-3.846154	20	PASS		
	HV			NT	20000.00	3.846154	20	PASS		
5240	NV			NT	20000.00	3.816794	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	0.00	0.000000	20	PASS		
5745	NV			NT	-40000.00	-6.962576	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	20000.00	3.481288	20	PASS		
5785	NV			NT	0.00	0.000000	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	-20000.00	-3.457217	20	PASS		
5825	NV			NT	-20000.00	-3.433476	20	PASS		
	LV			NT	0.00	0.000000	20	PASS		
	HV			NT	-20000.00	-3.433476	20	PASS		
11AC40SIS O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
		5230	NV	NT	0.00	0.000000	20	PASS		
			LV	NT	-40000.00	-7.648184	20	PASS		
			HV	NT	-40000.00	-7.648184	20	PASS		
		5755	NV	NT	0.00	0.000000	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
5795	NV	NT	0.00	0.000000	20	PASS				
	LV	NT	0.00	0.000000	20	PASS				
	HV	NT	-40000.00	-6.902502	20	PASS				
11AC80SIS O	Ant1	5210	NV	NT	0.00	0.000000	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
			HV	NT	0.00	0.000000	20	PASS		
		5775	NV	NT	0.00	0.000000	20	PASS		
LV	NT		0.00	0.000000	20	PASS				



			HV	NT	0.00	0.000000	20	PASS
--	--	--	----	----	------	----------	----	------

Temperature										
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict		
11A	Ant1	5180	NV	0	0.00	0.000000	20	PASS		
			NV	10	-20000.00	-3.861004	20	PASS		
			NV	20	-20000.00	-3.861004	20	PASS		
			NV	30	20000.00	3.861004	20	PASS		
			NV	45	0.00	0.000000	20	PASS		
		5200	NV	0	0.00	0.000000	20	PASS		
			NV	10	-20000.00	-3.846154	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	45	20000.00	3.846154	20	PASS		
		5240	NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	-20000.00	-3.816794	20	PASS		
			NV	45	-20000.00	-3.816794	20	PASS		
		5745	NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	-20000.00	-3.481288	20	PASS		
			NV	30	20000.00	3.481288	20	PASS		
			NV	45	20000.00	3.481288	20	PASS		
		5785	NV	0	0.00	0.000000	20	PASS		
			NV	10	20000.00	3.457217	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	45	40000.00	6.914434	20	PASS		
		5825	NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	20000.00	3.433476	20	PASS		
			NV	30	-20000.00	-3.433476	20	PASS		
			NV	45	0.00	0.000000	20	PASS		
		11N20SISO	Ant1	5180	NV	0	0.00	0.000000	20	PASS
					NV	10	0.00	0.000000	20	PASS
					NV	20	0.00	0.000000	20	PASS
					NV	30	0.00	0.000000	20	PASS
					NV	45	20000.00	3.861004	20	PASS
				5200	NV	0	-20000.00	-3.846154	20	PASS
					NV	10	0.00	0.000000	20	PASS
					NV	20	0.00	0.000000	20	PASS
					NV	30	-20000.00	-3.846154	20	PASS
					NV	45	0.00	0.000000	20	PASS



		5240	NV	0	20000.00	3.816794	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-20000.00	-3.816794	20	PASS
			NV	45	-20000.00	-3.816794	20	PASS
		5745	NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.962576	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5785	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	45	20000.00	3.457217	20	PASS
		5825	NV	0	20000.00	3.433476	20	PASS
			NV	10	20000.00	3.433476	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.433476	20	PASS
11N40SISO	Ant1	5190	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5230	NV	0	0.00	0.000000	20	PASS
			NV	10	40000.00	7.648184	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5755	NV	0	40000.00	6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5795	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5180	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS



11AC40SIS O	Ant1	5200	NV	0	-20000.00	-3.846154	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.846154	20	PASS
			NV	30	20000.00	3.846154	20	PASS
			NV	45	40000.00	7.692308	20	PASS
		5240	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5745	NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-20000.00	-3.481288	20	PASS
		5785	NV	0	20000.00	3.457217	20	PASS
			NV	10	20000.00	3.457217	20	PASS
			NV	20	20000.00	3.457217	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5825	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.433476	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	20000.00	3.433476	20	PASS
		5190	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-7.707129	20	PASS
			NV	30	40000.00	7.707129	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5230	NV	0	40000.00	7.648184	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-40000.00	-7.648184	20	PASS
		5755	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	0.00	0.000000	20	PASS
		5795	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	45	-40000.00	-6.902502	20	PASS



11AC80SIS O	Ant1	5210	NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	45	-80000.00	-15.355086	20	PASS
	5775	NV	0	-80000.00	-13.852814	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	0.00	0.000000	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	45	0.00	0.000000	20	PASS	

## 8. Duty Cycle

### 8.1. Test Result

Test Mode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
11A	Ant1	5180	1.39	1.44	96.53	0.719424	---	---
		5200	1.39	1.44	96.53	0.719424	---	---
		5240	1.39	1.43	97.20	0.719424	---	---
		5745	1.39	1.44	96.53	0.719424	---	---
		5785	1.39	1.43	97.20	0.719424	---	---
		5825	1.40	1.44	97.22	0.714286	---	---
11N20SISO	Ant1	5180	1.30	1.35	96.30	0.769231	---	---
		5200	1.30	1.34	97.01	0.769231	---	---
		5240	1.30	1.35	96.30	0.769231	---	---
		5745	1.30	1.35	96.30	0.769231	---	---
		5785	1.30	1.34	97.01	0.769231	---	---
		5825	1.30	1.35	96.30	0.769231	---	---
11N40SISO	Ant1	5190	0.65	0.69	94.20	1.538462	---	---
		5230	0.64	0.69	92.75	1.5625	---	---
		5755	0.65	0.69	94.20	1.538462	---	---
		5795	0.65	0.70	92.86	1.538462	---	---
11AC20SISO	Ant1	5180	1.31	1.35	97.04	0.763359	---	---
		5200	1.31	1.36	96.32	0.763359	---	---
		5240	1.31	1.36	96.32	0.763359	---	---
		5745	1.32	1.36	97.06	0.757576	---	---
		5785	1.31	1.36	96.32	0.763359	---	---
		5825	1.31	1.36	96.32	0.763359	---	---
11AC40SISO	Ant1	5190	0.65	0.69	94.20	1.538462	---	---
		5230	0.65	0.70	92.86	1.538462	---	---
		5755	0.65	0.69	94.20	1.538462	---	---
		5795	0.65	0.69	94.20	1.538462	---	---
11AC80SISO	Ant1	5210	0.32	0.37	86.49	3.125	---	---
		5775	0.32	0.37	86.49	3.125	---	---