



Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.10 Antenna Port Test Data and Results for LTE Band 66

Serial Number:	27W6-1	Test Date:	2023/07/12~2023/07/15
Test Site:	RF	Test Mode:	Transmitting
Tester:	One Luo	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.4~26.8	Relative Humidity: (%)	49~52	ATM Pressure: (kPa)	99.3~100.3
-------------------	-----------	------------------------	-------	---------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2022/07/15	2023/07/14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2022/07/15	2023/07/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/03/31	2024/03/30
UNI-T	Multimeter	UT39A+	C210582554	2022/09/29	2023/09/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
R&S	Spectrum Analyzer	FSV40	101474	2023/07/15	2024/07/14
R&S	Wideband Radio Communication Tester	CMW500	149218	2023/07/15	2024/07/14

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1745	1779.3
3MHz	1711.5	1745	1778.5
5MHz	1712.5	1745	1777.5
10MHz	1715	1745	1775
15MHz	1717.5	1745	1772.5
20MHz	1720	1745	1770

Test Data:**FCC §2.1046; § 27.50(d)(4)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.86	23.64	23.21	25.42	30
	RB1#3	23.84	23.68	23.28		
	RB1#5	23.92	23.69	23.26		
	RB3#0	23.82	23.6	23.41		
	RB3#3	23.86	23.57	23.39		
	RB6#0	22.71	22.58	22.3		
1.4MHz 16QAM	RB1#0	22.92	22.35	23.16	24.69	30
	RB1#3	22.96	22.35	23.19		
	RB1#5	23.04	22.41	23.19		
	RB3#0	23.02	22.49	22.46		
	RB3#3	23.11	22.43	22.58		
	RB6#0	22.06	21.89	21.71		
3MHz QPSK	RB1#0	23.67	23.79	23.27	25.32	30
	RB1#8	23.77	23.81	23.27		
	RB1#14	23.72	23.82	23.27		
	RB6#0	22.84	22.58	22.32		
	RB6#9	22.78	22.64	22.25		
	RB15#0	22.72	22.52	22.41		
3MHz 16QAM	RB1#0	23.59	22.61	22.81	25.09	30
	RB1#8	23.57	22.53	22.79		
	RB1#14	23.55	22.59	22.81		
	RB6#0	21.95	22.03	21.41		
	RB6#9	21.96	21.97	21.4		
	RB15#0	21.89	21.83	21.58		
5MHz QPSK	RB1#0	23.75	23.56	23.33	25.39	30
	RB1#13	23.85	23.53	23.25		
	RB1#24	23.89	23.52	23.28		
	RB15#0	22.81	22.57	22.36		
	RB15#10	22.75	22.63	22.26		
	RB25#0	22.75	22.57	22.27		
5MHz 16QAM	RB1#0	23.05	22.34	21.51	24.55	30
	RB1#13	23.02	22.35	21.55		
	RB1#24	23.05	22.37	21.53		
	RB15#0	21.81	21.72	21.51		
	RB15#10	21.76	21.74	21.54		
	RB25#0	21.9	21.68	21.55		

10MHz QPSK	RB1#0	23.83	23.66	23.22	25.39	30
	RB1#25	23.82	23.63	23.19		
	RB1#49	23.89	23.56	23.22		
	RB25#0	22.8	22.69	22.34		
	RB25#25	22.76	22.58	22.36		
	RB50#0	22.67	22.64	22.34		
10MHz 16QAM	RB1#0	23	22.11	22.7	24.51	30
	RB1#25	23.01	22.07	22.69		
	RB1#49	22.98	21.98	22.69		
	RB25#0	22.01	21.91	21.48		
	RB25#25	22.1	21.87	21.47		
	RB50#0	21.99	21.71	21.52		
15MHz QPSK	RB1#0	23.85	23.57	23.3	25.39	30
	RB1#38	23.89	23.59	23.19		
	RB1#74	23.87	23.52	23.25		
	RB36#0	22.81	22.6	22.31		
	RB36#39	22.74	22.64	22.34		
	RB75#0	22.88	22.56	22.26		
15MHz 16QAM	RB1#0	22.96	23.14	22.83	24.64	30
	RB1#38	23.06	23.05	22.75		
	RB1#74	23.02	23.08	22.76		
	RB36#0	21.99	21.82	21.64		
	RB36#39	22.07	21.75	21.59		
	RB75#0	21.95	21.75	21.57		
20MHz QPSK	RB1#0	23.89	23.76	23.41	25.5	30
	RB1#50	24	23.63	23.43		
	RB1#99	23.97	23.59	23.46		
	RB50#0	22.68	22.53	22.4		
	RB50#50	22.82	22.65	22.32		
	RB100#0	22.84	22.56	22.36		
20MHz 16QAM	RB1#0	22.82	23.61	22.71	25.11	30
	RB1#50	22.82	23.56	22.65		
	RB1#99	22.82	23.39	22.65		
	RB50#0	21.84	21.83	21.67		
	RB50#50	21.93	21.82	21.56		
	RB100#0	21.9	21.87	21.59		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + G_T(dBi)

Result:

Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	5.62	5.36	5.65	13
	RB100#0	4.32	4.35	4.26	13
20MHz 16QAM	RB1#0	6.99	6.20	6.78	13
	RB100#0	5.88	5.88	5.83	13
				Result:	Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.096	1.260	1.254	1.260
1.4MHz 16QAM	1.090	1.102	1.102	1.254	1.260	1.266
3MHz QPSK	2.695	2.695	2.695	2.940	3.012	2.904
3MHz 16QAM	2.683	2.683	2.695	2.892	3.024	3.012
5MHz QPSK	4.491	4.511	4.511	4.880	5.000	4.860
5MHz 16QAM	4.531	4.531	4.491	5.000	5.020	4.840
10MHz QPSK	8.942	8.942	8.942	9.760	9.800	9.840
10MHz 16QAM	8.942	8.942	8.942	9.360	9.800	9.760
15MHz QPSK	13.473	13.473	13.473	14.760	14.820	14.760
15MHz 16QAM	13.473	13.533	13.473	14.760	14.760	14.460
20MHz QPSK	17.964	17.964	17.964	19.120	19.680	19.520
20MHz 16QAM	18.044	17.964	17.964	19.680	19.760	18.880
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §27.54: Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.87	1711.090	1710.00	1778.965	1780
	-20	3.87	1711.047	1710.00	1778.935	1780
	-10	3.87	1711.005	1710.00	1778.933	1780
	0	3.87	1711.075	1710.00	1778.930	1780
	10	3.87	1711.098	1710.00	1778.958	1780
	20	3.87	1711.058	1710.00	1778.942	1780
	30	3.87	1711.075	1710.00	1778.924	1780
	40	3.87	1711.098	1710.00	1778.952	1780
	50	3.87	1711.040	1710.00	1778.953	1780
Frequency Stability vs. Voltage	20	3.3	1711.039	1710.00	1778.913	1780
	20	4.45	1711.047	1710.00	1778.913	1780
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.87	1710.976	1710.00	1779.065	1780
	-20	3.87	1710.970	1710.00	1779.096	1780
	-10	3.87	1710.900	1710.00	1779.083	1780
	0	3.87	1710.975	1710.00	1779.066	1780
	10	3.87	1710.919	1710.00	1779.044	1780
	20	3.87	1710.987	1710.00	1779.022	1780
	30	3.87	1710.981	1710.00	1779.049	1780
	40	3.87	1710.999	1710.00	1779.025	1780
	50	3.87	1710.928	1710.00	1779.032	1780
Frequency Stability vs. Voltage	20	3.3	1710.972	1710.00	1779.086	1780
	20	4.45	1710.961	1710.00	1779.034	1780
					Result:	Pass

Test Plots(Note: The 7.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):



Occupied Bandwidth

Channel



1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest




Middle



Highest



Occupied Bandwidth





Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK

Lowest



Middle



Highest

