

OBDII CAR DIAGNOSTIC

User Manual

This OBDII adapter is compatible with the following software:

Android: OBD Car Doctor, Torque, E OBD2, DashCommand


IOS: OBD Car Doctor, E OBD2, ODB AUTO DOCTOR, CARISTA, Car Scanner ELM OBD2

Window: ScanMaster-ELM, ScanTool.net, PCMSCAN

Software download



Android



IOS

Download and Get Connected



1.Download APP

2.Install OBDII
Sensor


Possible
OBDII prot
Locations

3.Start your engine
and make sure
the indicators on the
OBDII Scanner light up


4.Find Bluetooth or
WIFI Signal in Phone
and Connect

OBD Car Doctor Getting Started-Installation

Note: The Micro OBD and Mini OBD are available for Apple iPhone and iPad, support Bluetooth 5.0/4.0/3.0, do not hesitate to follow instruction plug into car and use it. This is a technology version, if you want a farther using,you can buy PRO version subscription for using in feature.



Pair the Android device to the sensor



Select
Settings>
General>
Bluetooth

Make sure
Bluetooth is ON.
Wait for the
scanner to
appear

Select device
and wait for it to
display connected,
enter 1234
password
then exit

Pair the iPhone to the sensor



Select
Settings>
General>
Bluetooth

Make sure
Bluetooth is ON.
Wait for the
scanner to
appear

Open the APP
and operation

§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is

connected. -Consult the dealer or an experienced radio/TV technician for help.

*** RF warning for Portable device:**

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.