


G 雷达TX天线


| Freq (MHz) | Effi (%) | Gain (dBi) | Gain (dBd) | UHS (%) | DHIS (%) | Max (dB) | Min (dB) | Attenuat Hor |
|------------|----------|------------|------------|---------|----------|----------|----------|--------------|
| 5500 | 23.09 | -0.98 | -3.13 | 11.307 | 11.783 | -0.98 | -22.17 | 57.09 |
| 5550 | 22.37 | 0.38 | -1.77 | 11.508 | 10.859 | 0.38 | -21.08 | 57.59 |
| 5600 | 25.63 | -0.06 | -2.21 | 13.104 | 12.529 | -0.06 | -21.73 | 57.46 |
| 5650 | 35.77 | 1.65 | -0.5 | 18.352 | 17.417 | 1.65 | -22.85 | 57.42 |
| 5700 | 38.04 | 1.96 | -0.19 | 19.017 | 19.027 | 1.96 | -18.65 | 57.75 |
| 5750 | 39.17 | 2.83 | 0.68 | 19.383 | 19.785 | 2.83 | -17.05 | 58.28 |
| 5800 | 30.71 | 1.22 | -0.93 | 15.329 | 15.383 | 1.22 | -19.82 | 58.23 |
| 5850 | 22.49 | -0.49 | -2.64 | 11.423 | 11.067 | -0.49 | -17.62 | 58.16 |
| 5900 | 25.24 | 0.4 | -1.75 | 12.499 | 12.744 | 0.4 | -16.52 | 58.63 |




5600.000MHz




5600.000MHz H




5600.000MHz




5600.000MHz E1




5600.000MHz E2




5750.000MHz




5750.000MHz H





5750.000MHz E1




5750.000MHz E2







5900.000MHz



5900.000MHz H



5900.000MHz E1



5900.000MHz E2

