

TEST REPORT

Product Name : BLUETOOTH WIRELESS
HEADPHONES
Brand Mark : Monster
Model No. : Monster Airmars XKT08
FCC ID : 2A8PV-QSMXKT08
Report Number : BLA-EMC-202209-A4401
Date of Sample Receipt : 2022/9/20
Date of Test : 2022/9/20 to 2022/9/27
Date of Issue : 2022/9/27
Test Standard : 47 CFR Part 15, Subpart B
Test Result : Pass

Prepared for:

Shenzhen Information Infinity Co., Ltd.

**1st Floor, Building a, Clean Sunshine Park, No. 15, Keji North 2nd Road ,
Songpi**

Prepared by:

BlueAsia of Technical Services(Shenzhen) Co.,Ltd.

**Building C, No. 107, Shihuan Road, Shiyao Sub-District, Baoan District,
Shenzhen, Guangdong Province, China**

TEL: +86-755-23059481

Compiled by:

Charlie

Review by:

Sueels

Approved by:

Blue Zhong

Date:

2022/9/27



REPORT REVISE RECORD

Version No.	Date	Description
00	2022/9/27	Original

BlueAsia

TABLE OF CONTENTS

1 TEST SUMMARY	4
2 GENERAL INFORMATION	5
3 GENERAL DESCRIPTION OF E.U.T.....	5
4 TEST MODE	6
5 MEASUREMENT UNCERTAINTY	6
6 DESCRIPTION OF SUPPORT UNIT	7
7 LABORATORY LOCATION	7
8 TEST INSTRUMENTS LIST	8
9 RADIATED EMISSIONS (ABOVE 1GHZ)	9
9.1 LIMITS	9
9.2 BLOCK DIAGRAM OF TEST SETUP	9
9.3 PROCEDURE	9
9.4 TEST DATA	10
10 RADIATED EMISSIONS (30MHZ-1GHZ)	12
10.1 LIMITS	12
10.2 BLOCK DIAGRAM OF TEST SETUP	12
10.3 PROCEDURE	12
10.4 TEST DATA	13
11 CONDUCTED EMISSIONS AT MAINS TERMINALS (150KHZ-30MHZ)	15
11.1 LIMITS	15
11.2 BLOCK DIAGRAM OF TEST SETUP	15
11.3 PROCEDURE	15
11.4 TEST DATA	16
APPENDIX A: PHOTOGRAPHS OF TEST SETUP	18
APPENDIX B: PHOTOGRAPHS OF EUT	20

1 TEST SUMMARY

Test item	Test Requirement	Test Method	Class/Severity	Result
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass

2 GENERAL INFORMATION

Applicant	Shenzhen Information Infinity Co., Ltd.
Address	1st Floor, Building a, Clean Sunshine Park, No. 15, Keji North 2nd Road , Songpi
Manufacturer	Shenzhen Information Infinity Co., Ltd.
Address	1st Floor, Building a, Clean Sunshine Park, No. 15, Keji North 2nd Road , Songpingshan Community, Xili street, Nanshan District, Shenzhen,China
Factory	Shenzhen Information Infinity Co., Ltd.
Address	1st Floor, Building a, Clean Sunshine Park, No. 15, Keji North 2nd Road , Songpingshan Community, Xili street, Nanshan District, Shenzhen,China
Product Name	BLUETOOTH WIRELESS HEADPHONES
Test Model No.	Monster Airmars XKT08

3 GENERAL DESCRIPTION OF E.U.T.

Hardware Version	V1.2
Software Version	V17
Power Supply	Battery:DC 3.7V

4 TEST MODE

TEST MODE	TEST MODE DESCRIPTION
Charging	Keep the battery of the EUT in charging mode
Operation(BT)	Pair the device with Smartphone via Bluetooth and keep the music playing.
Remark:Only the data of the worst mode would be recorded in this report.	

5 MEASUREMENT UNCERTAINTY

Parameter	Expanded Uncertainty (Confidence of 95%)
Radiated Emission(9kHz-30MHz)	$\pm 4.34\text{dB}$
Radiated Emission(30Mz-1000MHz)	$\pm 4.24\text{dB}$
Radiated Emission(1GHz-18GHz)	$\pm 4.68\text{dB}$
AC Power Line Conducted Emission(150kHz-30MHz)	$\pm 3.45\text{dB}$

6 DESCRIPTION OF SUPPORT UNIT

Device Type	Manufacturer	Model Name	Serial No.	Remark
AC Adapter	PISEN	TS-C051	N/A	N/A

7 LABORATORY LOCATION

All tests were performed at:
BlueAsia of Technical Services(Shenzhen) Co., Ltd.
Building C, No. 107, Shihuan Road, Shiyan Sub-District, Baoan District, Shenzhen, Guangdong Province,
China
Telephone: TEL: +86-755-28682673 FAX: +86-755-28682673
No tests were sub-contracted.

8 TEST INSTRUMENTS LIST

Test Equipment Of Radiated Emissions (above 1GHz)					
Equipment	Manufacturer	Model	S/N	Cal.Date	Cal.Due
Chamber	SKET	966	N/A	10/11/2020	9/11/2023
Spectrum	R&S	FSP40	100817	24/9/2021	23/9/2023
Horn Antenna	Schwarzbeck	9120D	01892 P:00331	26/9/2020	25/9/2023
Amplifier	SKET	LNPA-0118-45	N/A	24/9/2021	23/9/2023
EMI software	EZ	EZ-EMC	N/A	N/A	N/A

Test Equipment Of Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model	S/N	Cal.Date	Cal.Due
Chamber	SKET	966	N/A	10/11/2020	9/11/2023
Receiver	R&S	ESR7	101199	24/9/2021	23/9/2023
EMI software	EZ	EZ-EMC	N/A	N/A	N/A
broadband Antenna	Schwarzbeck	VULB9168	00836 P:00227	26/9/2020	25/9/2023

Test Equipment Of Conducted Emissions at Mains Terminals (150kHz-30MHz)					
Equipment	Manufacturer	Model	S/N	Cal.Date	Cal.Due
Shield room	SKET	833	N/A	25/11/2020	24/11/2023
Receiver	R&S	ESPI3	101082	24/9/2021	23/9/2023
LISN	R&S	ENV216	3560.6550.15	24/9/2021	23/9/2023
LISN	AT	AT166-2	AKK1806000003	26/9/2021	25/9/2023
EMI software	EZ	EZ-EMC	N/A	N/A	N/A


9 RADIATED EMISSIONS (ABOVE 1GHZ)

Test Standard	47 CFR Part 15, Subpart B
Test Method	ANSI C63.4:2014
Test Mode (Pre-Scan)	Charging;Operation(BT)
Test Mode (Final Test)	Operation(BT)
Tester	Charlie
Temperature	25℃
Humidity	60%

9.1 LIMITS

Frequency Range	Limit
Above 1GHz	74(dBμV/m) peak, 54(dBμV/m) average

9.2 BLOCK DIAGRAM OF TEST SETUP




9.3 PROCEDURE

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

9.4 TEST DATA

[TestMode: Operation(BT)]; [Polarity: Horizontal]




*:Maximum data x:Over limit !:over margin

(Reference Only)

Test Result: Pass

[TestMode: Operation(BT)]; [Polarity: Vertical]



*:Maximum data x:Over limit !:over margin

(Reference Only)

Test Result: Pass


10 RADIATED EMISSIONS (30MHZ-1GHZ)

Test Standard	47 CFR Part 15, Subpart B
Test Method	ANSI C63.4:2014
Test Mode (Pre-Scan)	Charging;Operation(BT)
Test Mode (Final Test)	Charging
Tester	Charlie
Temperature	25℃
Humidity	60%

10.1 LIMITS

Frequency Range	Limit
30MHz -88MHz	40.0(dBμV/m) quasi-peak
88MHz-216MHz	43.5(dBμV/m) quasi-peak
216MHz-960MHz	46.0(dBμV/m) quasi-peak
960MHz-1000MHz	54.0(dBμV/m) quasi-peak

10.2 BLOCK DIAGRAM OF TEST SETUP




10.3 PROCEDURE

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

10.4 TEST DATA


[TestMode: Charging]; [Polarity: Horizontal]



*:Maximum data x:Over limit !:over margin

Test Result: Pass

[TestMode: Charging]; [Polarity: Vertical]



*:Maximum data x:Over limit !:over margin

Test Result: Pass


11 CONDUCTED EMISSIONS AT MAINS TERMINALS (150KHZ-30MHZ)

Test Standard	47 CFR Part 15, Subpart B
Test Method	ANSI C63.4:2014
Test Mode (Pre-Scan)	Charging;Operation(BT)
Test Mode (Final Test)	Charging
Tester	Charlie
Temperature	25℃
Humidity	60%

11.1 LIMITS

Frequency Range	Limit
0.15M-0.5MHz	66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average
0.5M-5MHz	56dB(μV) quasi-peak, 46dB(μV) average
5M-30MHz	60dB(μV) quasi-peak, 50dB(μV) average

11.2 BLOCK DIAGRAM OF TEST SETUP




11.3 PROCEDURE

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.


11.4 TEST DATA

[TestMode: Charging]; [Line: Line]



Test Result: Pass

[TestMode: Charging]; [Line: Nutral]




Test Result: Pass

APPENDIX A: PHOTOGRAPHS OF TEST SETUP

Radiated Emissions (above 1GHz)



Radiated Emissions (30MHz-1GHz)



Conducted Emissions at Mains Terminals (150kHz-30MHz)





APPENDIX B: PHOTOGRAPHS OF EUT












































----END OF REPORT----

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of BlueAsia, this report can't be reproduced except in full.

BlueAsia