



## Appendix G

### RF Test Data for 5.8GWIFI (Conducted Measurement)

Product Name: 2 in1 Computer Tablet

Test Model: G105U

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.8 ° C  |
| Relative Humidity: | 52.1%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Nick Peng |
| Supervised by:     | Ling Zhu  |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## G.1 -6dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | a    | 5745            | Ant0    | 14.355                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5785            | Ant0    | 12.606                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5825            | Ant0    | 15.003                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 12.601                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5785            | Ant0    | 13.82                 | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 15.042                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 32.523                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5795            | Ant0    | 33.829                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | 12.931                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | 14.413                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | 15.058                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | 32.573                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | 33.847                | $\geq 0.5$                  | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | 76.052                | $\geq 0.5$                  | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant0



-6dB Bandwidth NVNT a 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT a 5825MHz Ant0



## -6dB Bandwidth NVNT n20 5745MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT n20 5785MHz Ant0



## -6dB Bandwidth NVNT n20 5825MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT n40 5755MHz Ant0



## -6dB Bandwidth NVNT n40 5795MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac20 5745MHz Ant0



## -6dB Bandwidth NVNT ac20 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac20 5825MHz Ant0



## -6dB Bandwidth NVNT ac40 5755MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac40 5795MHz Ant0



## -6dB Bandwidth NVNT ac80 5775MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | a    | 5745            | Ant1    | 15.077                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5785            | Ant1    | 14.674                | $\geq 0.5$                  | Pass    |
| NVNT      | a    | 5825            | Ant1    | 14.42                 | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 13.775                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5785            | Ant1    | 13.178                | $\geq 0.5$                  | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 13.831                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 35.035                | $\geq 0.5$                  | Pass    |
| NVNT      | n40  | 5795            | Ant1    | 32.529                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | 15.014                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | 15.638                | $\geq 0.5$                  | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | 15.116                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | 32.581                | $\geq 0.5$                  | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | 32.589                | $\geq 0.5$                  | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | 75.318                | $\geq 0.5$                  | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT a 5825MHz Ant1



## -6dB Bandwidth NVNT n20 5745MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT n20 5785MHz Ant1



## -6dB Bandwidth NVNT n20 5825MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT n40 5755MHz Ant1



## -6dB Bandwidth NVNT n40 5795MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac20 5745MHz Ant1



## -6dB Bandwidth NVNT ac20 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac20 5825MHz Ant1



## -6dB Bandwidth NVNT ac40 5755MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -6dB Bandwidth NVNT ac40 5795MHz Ant1



## -6dB Bandwidth NVNT ac80 5775MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## G.2 Maximum Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5745            | Ant0    | 13                    | 1.08             | 14.08             | 30          | Pass    |
| NVNT      | a    | 5785            | Ant0    | 11.69                 | 2.38             | 14.07             | 30          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 12.15                 | 2.33             | 14.48             | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant0    | 8.94                  | 4.14             | 13.08             | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant0    | 8.41                  | 3.95             | 12.36             | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | 7.74                  | 4.2              | 11.94             | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant0    | 7.07                  | 5.81             | 12.88             | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant0    | 6.54                  | 5.91             | 12.45             | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | 8.34                  | 3.89             | 12.23             | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | 7.41                  | 3.9              | 11.31             | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | 7.16                  | 4.04             | 11.2              | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | 5.94                  | 7.09             | 13.03             | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | 6.25                  | 5.8              | 12.05             | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | 3.45                  | 8.12             | 11.57             | 30          | Pass    |

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------------|------------------|-------------------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | 12.91                 | 2.33             | 15.24             | 30          | Pass    |
| NVNT      | a    | 5785            | Ant1    | 12.36                 | 2.31             | 14.67             | 30          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 12.65                 | 2.41             | 15.06             | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | 9.25                  | 3.95             | 13.2              | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant1    | 8.81                  | 3.92             | 12.73             | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | 9.05                  | 3.91             | 12.96             | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | 6.65                  | 5.87             | 12.52             | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant1    | 6.24                  | 5.91             | 12.15             | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | 8.81                  | 3.88             | 12.69             | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | 7.86                  | 3.9              | 11.76             | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | 7.86                  | 3.89             | 11.75             | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | 6.93                  | 5.8              | 12.73             | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | 4.65                  | 5.65             | 10.3              | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | 2.95                  | 8.38             | 11.33             | 30          | Pass    |





## MIMO

| Condition | Mode | Frequency (MHz) | Total Power (dBm) |       |           | Limit (dBm) | Verdict |
|-----------|------|-----------------|-------------------|-------|-----------|-------------|---------|
|           |      |                 | Ant0              | Ant1  | Ant0+Ant1 |             |         |
| NVNT      | n20  | 5745            | 13.08             | 13.2  | 16.15     | 30          | Pass    |
| NVNT      | n20  | 5785            | 12.36             | 12.73 | 15.56     | 30          | Pass    |
| NVNT      | n20  | 5825            | 11.94             | 12.96 | 15.49     | 30          | Pass    |
| NVNT      | n40  | 5755            | 12.88             | 12.52 | 15.71     | 30          | Pass    |
| NVNT      | n40  | 5795            | 12.45             | 12.15 | 15.31     | 30          | Pass    |
| NVNT      | ac20 | 5745            | 12.23             | 12.69 | 15.48     | 30          | Pass    |
| NVNT      | ac20 | 5785            | 11.31             | 11.76 | 14.55     | 30          | Pass    |
| NVNT      | ac20 | 5825            | 11.2              | 11.75 | 14.49     | 30          | Pass    |
| NVNT      | ac40 | 5755            | 13.03             | 12.73 | 15.89     | 30          | Pass    |
| NVNT      | ac40 | 5795            | 12.05             | 10.3  | 14.27     | 30          | Pass    |
| NVNT      | ac80 | 5775            | 11.57             | 11.33 | 14.46     | 30          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### G.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|---------------------|------------------|-----------------|-------------|---------|
| NVNT      | a    | 5745            | Ant0    | 0.56                | 1.08             | 1.64            | 30          | Pass    |
| NVNT      | a    | 5785            | Ant0    | 0.3                 | 2.38             | 2.68            | 30          | Pass    |
| NVNT      | a    | 5825            | Ant0    | 0.05                | 2.33             | 2.38            | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant0    | -2.71               | 4.14             | 1.43            | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant0    | -2.77               | 3.95             | 1.18            | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant0    | -3.54               | 4.2              | 0.66            | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant0    | -7.98               | 5.81             | -2.17           | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant0    | -9.17               | 5.91             | -3.26           | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | -3.45               | 3.89             | 0.44            | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | -4.23               | 3.9              | -0.33           | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | -4.89               | 4.04             | -0.85           | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | -8.34               | 7.09             | -1.25           | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | -8.6                | 5.8              | -2.8            | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | -14.63              | 8.12             | -6.51           | 30          | Pass    |

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm) | Duty Factor (dB) | Total PSD (dBm) | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|---------------------|------------------|-----------------|-------------|---------|
| NVNT      | a    | 5745            | Ant1    | 0.53                | 2.33             | 2.86            | 30          | Pass    |
| NVNT      | a    | 5785            | Ant1    | 0.26                | 2.31             | 2.57            | 30          | Pass    |
| NVNT      | a    | 5825            | Ant1    | 0.7                 | 2.41             | 3.11            | 30          | Pass    |
| NVNT      | n20  | 5745            | Ant1    | -1.81               | 3.95             | 2.14            | 30          | Pass    |
| NVNT      | n20  | 5785            | Ant1    | -3.65               | 3.92             | 0.27            | 30          | Pass    |
| NVNT      | n20  | 5825            | Ant1    | -2.94               | 3.91             | 0.97            | 30          | Pass    |
| NVNT      | n40  | 5755            | Ant1    | -7.31               | 5.87             | -1.44           | 30          | Pass    |
| NVNT      | n40  | 5795            | Ant1    | -8.34               | 5.91             | -2.43           | 30          | Pass    |
| NVNT      | ac20 | 5745            | Ant1    | -4.3                | 3.88             | -0.42           | 30          | Pass    |
| NVNT      | ac20 | 5785            | Ant1    | -3.61               | 3.9              | 0.29            | 30          | Pass    |
| NVNT      | ac20 | 5825            | Ant1    | -4.04               | 3.89             | -0.15           | 30          | Pass    |
| NVNT      | ac40 | 5755            | Ant1    | -7.55               | 5.8              | -1.75           | 30          | Pass    |
| NVNT      | ac40 | 5795            | Ant1    | -9.9                | 5.65             | -4.25           | 30          | Pass    |
| NVNT      | ac80 | 5775            | Ant1    | -15.17              | 8.38             | -6.79           | 30          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## MIMO


| Condition | Mode | Frequency (MHz) | Total PSD (dBm) |       |           | Limit (dBm) | Verdict |
|-----------|------|-----------------|-----------------|-------|-----------|-------------|---------|
|           |      |                 | Ant0            | Ant1  | Ant0+Ant1 |             |         |
| NVNT      | n20  | 5745            | 1.43            | 2.14  | 4.81      | 30          | Pass    |
| NVNT      | n20  | 5785            | 1.18            | 0.27  | 3.76      | 30          | Pass    |
| NVNT      | n20  | 5825            | 0.66            | 0.97  | 3.83      | 30          | Pass    |
| NVNT      | n40  | 5755            | -2.17           | -1.44 | 1.22      | 30          | Pass    |
| NVNT      | n40  | 5795            | -3.26           | -2.43 | 0.19      | 30          | Pass    |
| NVNT      | ac20 | 5745            | 0.44            | -0.42 | 3.04      | 30          | Pass    |
| NVNT      | ac20 | 5785            | -0.33           | 0.29  | 3.00      | 30          | Pass    |
| NVNT      | ac20 | 5825            | -0.85           | -0.15 | 2.52      | 30          | Pass    |
| NVNT      | ac40 | 5755            | -1.25           | -1.75 | 1.52      | 30          | Pass    |
| NVNT      | ac40 | 5795            | -2.8            | -4.25 | -0.45     | 30          | Pass    |
| NVNT      | ac80 | 5775            | -6.51           | -6.79 | -3.64     | 30          | Pass    |






## Test Graphs

PSD NVNT a 5745MHz Ant0



PSD NVNT a 5785MHz Ant0





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5745MHz Ant0



PSD NVNT ac20 5785MHz Ant0





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5745MHz Ant1



PSD NVNT ac20 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5825MHz Ant1



PSD NVNT ac40 5755MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## G.4 Restrict Band

| Condition | Mode     | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|----------|-----------------|---------|-----------------|-------------|------------|------------------|----------|-------------|---------|
| NVNT      | a ant0   | 5745            | Ant0    | 5650            | -49.01      | 2.1        | -46.91           | Peak     | -27         | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5650            | -55.43      | 2.1        | -53.33           | Average  | -27         | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5700            | -44.02      | 2.1        | -41.92           | Peak     | 10          | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5700            | -52.34      | 2.1        | -50.24           | Average  | 10          | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5720            | -34.15      | 2.1        | -32.05           | Peak     | 15.6        | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5720            | -44.05      | 2.1        | -41.95           | Average  | 15.6        | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5725            | -28.88      | 2.1        | -26.78           | Peak     | 27          | Pass    |
| NVNT      | a ant0   | 5745            | Ant0    | 5725            | -39.42      | 2.1        | -37.32           | Average  | 27          | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5850            | -36.92      | 2.1        | -34.82           | Peak     | 27          | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5850            | -46.88      | 2.1        | -44.78           | Average  | 27          | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5855            | -42.65      | 2.1        | -40.55           | Peak     | 15.6        | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5855            | -49.05      | 2.1        | -46.95           | Average  | 15.6        | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5875            | -46.74      | 2.1        | -44.64           | Peak     | 10          | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5875            | -54.02      | 2.1        | -51.92           | Average  | 10          | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5925            | -48.07      | 2.1        | -45.97           | Peak     | -27         | Pass    |
| NVNT      | a ant0   | 5825            | Ant0    | 5925            | -54.99      | 2.1        | -52.89           | Average  | -27         | Pass    |
| NVNT      | n20      | 5745            | Ant0    | 5650            | -49.55      | 5.11       | -44.44           | Peak     | -27         | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5650            | -55.68      | 5.11       | -50.57           | Average  | -27         | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5700            | -46.68      | 5.11       | -41.57           | Peak     | 10          | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5700            | -53.49      | 5.11       | -48.38           | Average  | 10          | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5720            | -37.78      | 5.11       | -32.67           | Peak     | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5720            | -45.58      | 5.11       | -40.47           | Average  | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5725            | -36.66      | 5.11       | -31.55           | Peak     | 27          | Pass    |
| NVNT      | n20 MIMO | 5745            | Ant0    | 5725            | -43.36      | 5.11       | -38.25           | Average  | 27          | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5850            | -42.13      | 5.11       | -37.02           | Peak     | 27          | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5850            | -48.01      | 5.11       | -42.9            | Average  | 27          | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5855            | -42.46      | 5.11       | -37.35           | Peak     | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5855            | -50.18      | 5.11       | -45.07           | Average  | 15.6        | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5875            | -47.38      | 5.11       | -42.27           | Peak     | 10          | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5875            | -54.52      | 5.11       | -49.41           | Average  | 10          | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5925            | -49.63      | 5.11       | -44.52           | Peak     | -27         | Pass    |
| NVNT      | n20 MIMO | 5825            | Ant0    | 5925            | -55.04      | 5.11       | -49.93           | Average  | -27         | Pass    |
| NVNT      | n40 MIMO | 5755            | Ant0    | 5650            | -49.05      | 5.11       | -43.94           | Peak     | -27         | Pass    |
| NVNT      | n40 MIMO | 5755            | Ant0    | 5650            | -55.15      | 5.11       | -50.04           | Average  | -27         | Pass    |
| NVNT      | n40 MIMO | 5755            | Ant0    | 5700            | -41.63      | 5.11       | -36.52           | Peak     | 10          | Pass    |
| NVNT      | n40 MIMO | 5755            | Ant0    | 5700            | -48.44      | 5.11       | -43.33           | Average  | 10          | Pass    |
| NVNT      | n40 MIMO | 5755            | Ant0    | 5720            | -30.15      | 5.11       | -25.04           | Peak     | 15.6        | Pass    |
| NVNT      | n40 MIMO | 5755            | Ant0    | 5720            | -40.9       | 5.11       | -35.79           | Average  | 15.6        | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |           |      |      |      |        |      |        |         |      |      |
|------|-----------|------|------|------|--------|------|--------|---------|------|------|
| NVNT | n40 MIMO  | 5755 | Ant0 | 5725 | -29.88 | 5.11 | -24.77 | Peak    | 27   | Pass |
| NVNT | n40 MIMO  | 5755 | Ant0 | 5725 | -39.49 | 5.11 | -34.38 | Average | 27   | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5850 | -45.6  | 5.11 | -40.49 | Peak    | 27   | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5850 | -50.41 | 5.11 | -45.3  | Average | 27   | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5855 | -46.75 | 5.11 | -41.64 | Peak    | 15.6 | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5855 | -51.8  | 5.11 | -46.69 | Average | 15.6 | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5875 | -47.33 | 5.11 | -42.22 | Peak    | 10   | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5875 | -53.86 | 5.11 | -48.75 | Average | 10   | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5925 | -48.86 | 5.11 | -43.75 | Peak    | -27  | Pass |
| NVNT | n40 MIMO  | 5795 | Ant0 | 5925 | -55.24 | 5.11 | -50.13 | Average | -27  | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5650 | -50.04 | 5.11 | -44.93 | Peak    | -27  | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5650 | -55.47 | 5.11 | -50.36 | Average | -27  | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5700 | -48.25 | 5.11 | -43.14 | Peak    | 10   | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5700 | -53.7  | 5.11 | -48.59 | Average | 10   | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5720 | -40.87 | 5.11 | -35.76 | Peak    | 15.6 | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5720 | -46.84 | 5.11 | -41.73 | Average | 15.6 | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5725 | -33.55 | 5.11 | -28.44 | Peak    | 27   | Pass |
| NVNT | ac20 MIMO | 5745 | Ant0 | 5725 | -43.95 | 5.11 | -38.84 | Average | 27   | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5850 | -41.64 | 5.11 | -36.53 | Peak    | 27   | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5850 | -47.63 | 5.11 | -42.52 | Average | 27   | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5855 | -44.48 | 5.11 | -39.37 | Peak    | 15.6 | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5855 | -50.16 | 5.11 | -45.05 | Average | 15.6 | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5875 | -46.65 | 5.11 | -41.54 | Peak    | 10   | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5875 | -54.42 | 5.11 | -49.31 | Average | 10   | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5925 | -49.66 | 5.11 | -44.55 | Peak    | -27  | Pass |
| NVNT | ac20 MIMO | 5825 | Ant0 | 5925 | -55.14 | 5.11 | -50.03 | Average | -27  | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5650 | -49.48 | 5.11 | -44.37 | Peak    | -27  | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5650 | -55.01 | 5.11 | -49.9  | Average | -27  | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5700 | -45.1  | 5.11 | -39.99 | Peak    | 10   | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5700 | -49.38 | 5.11 | -44.27 | Average | 10   | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5720 | -37.1  | 5.11 | -31.99 | Peak    | 15.6 | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5720 | -42.66 | 5.11 | -37.55 | Average | 15.6 | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5725 | -33.35 | 5.11 | -28.24 | Peak    | 27   | Pass |
| NVNT | ac40 MIMO | 5755 | Ant0 | 5725 | -41.15 | 5.11 | -36.04 | Average | 27   | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5850 | -45.18 | 5.11 | -40.07 | Peak    | 27   | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5850 | -51.1  | 5.11 | -45.99 | Average | 27   | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5855 | -43.82 | 5.11 | -38.71 | Peak    | 15.6 | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5855 | -52.32 | 5.11 | -47.21 | Average | 15.6 | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5875 | -49.18 | 5.11 | -44.07 | Peak    | 10   | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5875 | -54.31 | 5.11 | -49.2  | Average | 10   | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5925 | -50.19 | 5.11 | -45.08 | Peak    | -27  | Pass |
| NVNT | ac40 MIMO | 5795 | Ant0 | 5925 | -55.28 | 5.11 | -50.17 | Average | -27  | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5650 | -46.91 | 5.11 | -41.8  | Peak    | -27  | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |           |      |      |      |        |      |        |         |      |      |
|------|-----------|------|------|------|--------|------|--------|---------|------|------|
| NVNT | ac80 MIMO | 5775 | Ant0 | 5650 | -52.41 | 5.11 | -47.3  | Average | -27  | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5700 | -36.61 | 5.11 | -31.5  | Peak    | 10   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5700 | -42.56 | 5.11 | -37.45 | Average | 10   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5720 | -35.65 | 5.11 | -30.54 | Peak    | 15.6 | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5720 | -40.25 | 5.11 | -35.14 | Average | 15.6 | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5725 | -35.7  | 5.11 | -30.59 | Peak    | 27   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5725 | -40.13 | 5.11 | -35.02 | Average | 27   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5850 | -39.8  | 5.11 | -34.69 | Peak    | 27   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5850 | -44.3  | 5.11 | -39.19 | Average | 27   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5855 | -39.25 | 5.11 | -34.14 | Peak    | 15.6 | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5855 | -46.11 | 5.11 | -41    | Average | 15.6 | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5875 | -46.3  | 5.11 | -41.19 | Peak    | 10   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5875 | -51.14 | 5.11 | -46.03 | Average | 10   | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5925 | -49.12 | 5.11 | -44.01 | Peak    | -27  | Pass |
| NVNT | ac80 MIMO | 5775 | Ant0 | 5925 | -55.06 | 5.11 | -49.95 | Average | -27  | Pass |


Note: 802.11a mode, only show the worst set of antenna data.






## Test Graphs

## Restrict Band NVNT a 5745MHz Ant0 Peak



## Restrict Band NVNT a 5745MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant0 Peak



## Restrict Band NVNT a 5825MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz Ant0 Peak



## Restrict Band NVNT n20 5745MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5825MHz Ant0 Peak



## Restrict Band NVNT n20 5825MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5755MHz Ant0 Peak



## Restrict Band NVNT n40 5755MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5795MHz Ant0 Peak



## Restrict Band NVNT n40 5795MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5745MHz Ant0 Peak



## Restrict Band NVNT ac20 5745MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5825MHz Ant0 Peak



## Restrict Band NVNT ac20 5825MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5755MHz Ant0 Peak



## Restrict Band NVNT ac40 5755MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5795MHz Ant0 Peak



## Restrict Band NVNT ac40 5795MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant0 Peak



## Restrict Band NVNT ac80 5775MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant0 Peak



## Restrict Band NVNT ac80 5775MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## G.5 Frequency Stability

| Condition | Mode | Frequency (MHz) | Antenna | Measured Frequency (MHz) | Frequency Error (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|-----------|------|-----------------|---------|--------------------------|----------------------|-----------------|-------------|---------|
| NVNT      | n40  | 5755            | Ant0    | 5754.88                  | -120000              | -20.85          | 25          | Pass    |
| NVNT      | n40  | 5795            | Ant0    | 5795.04                  | 40000                | 6.9             | 25          | Pass    |
| NVNT      | ac20 | 5745            | Ant0    | 5745                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac20 | 5785            | Ant0    | 5784.96                  | -40000               | -6.91           | 25          | Pass    |
| NVNT      | ac20 | 5825            | Ant0    | 5825                     | 0                    | 0               | 25          | Pass    |
| NVNT      | ac40 | 5755            | Ant0    | 5755.04                  | 40000                | 6.95            | 25          | Pass    |
| NVNT      | ac40 | 5795            | Ant0    | 5794.96                  | -40000               | -6.9            | 25          | Pass    |
| NVNT      | ac80 | 5775            | Ant0    | 5775                     | 0                    | 0               | 25          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Freq. Stability NVNT n40 5755MHz Ant0



## Freq. Stability NVNT n40 5795MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5745MHz Ant0



## Freq. Stability NVNT ac20 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac20 5825MHz Ant0



## Freq. Stability NVNT ac40 5755MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Freq. Stability NVNT ac40 5795MHz Ant0



## Freq. Stability NVNT ac80 5775MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## G.6 Duty Cycle


| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5745            | Ant0    | 77.95          | 1.08                   | 0.72      |
| NVNT      | a    | 5785            | Ant0    | 57.81          | 2.38                   | 0.72      |
| NVNT      | a    | 5825            | Ant0    | 58.46          | 2.33                   | 0.72      |
| NVNT      | n20  | 5745            | Ant0    | 38.58          | 4.14                   | 1.49      |
| NVNT      | n20  | 5785            | Ant0    | 40.24          | 3.95                   | 1.49      |
| NVNT      | n20  | 5825            | Ant0    | 37.99          | 4.2                    | 1.49      |
| NVNT      | n40  | 5755            | Ant0    | 26.24          | 5.81                   | 2.9       |
| NVNT      | n40  | 5795            | Ant0    | 25.63          | 5.91                   | 2.91      |
| NVNT      | ac20 | 5745            | Ant0    | 40.8           | 3.89                   | 1.47      |
| NVNT      | ac20 | 5785            | Ant0    | 40.74          | 3.9                    | 1.47      |
| NVNT      | ac20 | 5825            | Ant0    | 39.47          | 4.04                   | 1.47      |
| NVNT      | ac40 | 5755            | Ant0    | 19.56          | 7.09                   | 2.84      |
| NVNT      | ac40 | 5795            | Ant0    | 26.32          | 5.8                    | 2.83      |
| NVNT      | ac80 | 5775            | Ant0    | 15.4           | 8.12                   | 5.32      |






## Test Graphs

## Duty Cycle NVNT a 5745MHz Ant0



## Duty Cycle NVNT a 5785MHz Ant0





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n40 5755MHz Ant0



## Duty Cycle NVNT n40 5795MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5745MHz Ant0



## Duty Cycle NVNT ac20 5785MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5825MHz Ant0



## Duty Cycle NVNT ac40 5755MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac40 5795MHz Ant0



## Duty Cycle NVNT ac80 5775MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | a    | 5745            | Ant1    | 58.5           | 2.33                   | 0.72      |
| NVNT      | a    | 5785            | Ant1    | 58.73          | 2.31                   | 0.72      |
| NVNT      | a    | 5825            | Ant1    | 57.42          | 2.41                   | 0.72      |
| NVNT      | n20  | 5745            | Ant1    | 40.24          | 3.95                   | 1.49      |
| NVNT      | n20  | 5785            | Ant1    | 40.52          | 3.92                   | 1.49      |
| NVNT      | n20  | 5825            | Ant1    | 40.68          | 3.91                   | 1.49      |
| NVNT      | n40  | 5755            | Ant1    | 25.88          | 5.87                   | 2.9       |
| NVNT      | n40  | 5795            | Ant1    | 25.63          | 5.91                   | 2.91      |
| NVNT      | ac20 | 5745            | Ant1    | 40.96          | 3.88                   | 1.47      |
| NVNT      | ac20 | 5785            | Ant1    | 40.74          | 3.9                    | 1.47      |
| NVNT      | ac20 | 5825            | Ant1    | 40.8           | 3.89                   | 1.47      |
| NVNT      | ac40 | 5755            | Ant1    | 26.32          | 5.8                    | 2.83      |
| NVNT      | ac40 | 5795            | Ant1    | 27.24          | 5.65                   | 2.83      |
| NVNT      | ac80 | 5775            | Ant1    | 14.52          | 8.38                   | 5.29      |






## Test Graphs

## Duty Cycle NVNT a 5745MHz Ant1



## Duty Cycle NVNT a 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT a 5825MHz Ant1



## Duty Cycle NVNT n20 5745MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n20 5785MHz Ant1



## Duty Cycle NVNT n20 5825MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT n40 5755MHz Ant1



## Duty Cycle NVNT n40 5795MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5745MHz Ant1



## Duty Cycle NVNT ac20 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac20 5825MHz Ant1



## Duty Cycle NVNT ac40 5755MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Duty Cycle NVNT ac40 5795MHz Ant1



## Duty Cycle NVNT ac80 5775MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity