	と 対 J J J J J J J J J J J J J
S	AR TEST REPORT
FCC ID	2A8T7KS568
Test Report No:	TCT230202E005
Date of issue:	Feb. 09, 2023
Testing laboratory::	SHENZHEN TONGCE TESTING LAB
Testing location/ address:	2101 & 2201, Zhenchang Factory Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, 518103, People's Republic of China
Applicant's name: :	Shenzhen Kingbolen Electrics Technology Co., Ltd.
Address:	B1020-1028 Yousong Technology Building, 1st Donghuan Rd., Longhua Dist., Shenzhen 518109 China
Manufacturer's name :	Shenzhen Kingbolen Electrics Technology Co., Ltd.
Address:	B1020-1028 Yousong Technology Building, 1st Donghuan Rd., Longhua Dist., Shenzhen 518109 China
Product Name::	Smart Diagnostic Tool
Trade Mark:	KINGBOLEN
Model/Type reference :	S500, S600, S800
SAR Max. Values:	0.51 W/Kg (1g) for Body-worn
Date of receipt of test item	Feb. 02, 2023
Date (s) of performance of test:	Feb. 02, 2023 - Feb. 09, 2023
Tested by (+signature) :	Karl WANG Karl Wang
Check by (+signature) :	Karl WANG Karl Wang Beryl Zhao Bay(mas)
Approved by (+signature):	

General disclaimer:

This report shall not be reproduced except in full, without the written approval of SHENZHEN TONGCE TESTING LAB. This document may be altered or revised by SHENZHEN TONGCE TESTING LAB personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.

	TABLE OF C	ONTENTS		
	General Product Information			
	1.1. EUT description)		
	1.2. Model(s) list			
-	Test standard			
	2.1. Facilities and Accreditations			
	2.2. Location	\sim		
	2.3. Environment Condition:			
	Test Result Summary			
-	RF Exposure Limit	/		
	SAR Measurement System Configuration			
	5.1. SAR Measurement Set-up			
	5.2. E-field Probe			
	5.3. Phantom			
	5.4. Device Holder			
	5.5. Data Storage and Evaluation			
	5.6. Position of the wireless device in relation	to the phantom		
	5.7. Tissue Dielectric Parameters			
	5.8. Tissue-equivalent Liquid Properties			
	5.9. System Check			<u> </u>
	Measurement Procedure			
-	Conducted Output Power			
•	Exposure Position Consideration	·····		
	8.1. EUT Antenna Location	/		
	8.2. Test Position Consideration			
•	SAR Test Results Summary			
	9.1. Body-Worn 1g SAR Data	<u> </u>		
	9.2. Measurement Uncertainty (450MHz-3GHz))		
	9.3. Test Equipment List			
0.	System Check Results	<u>}</u>		
1.	SAR Test Data	/	$\mathbf{\nabla}$	
pp	endix A: EUT Photos			
pp	endix B: Test Setup Photos			
	endix C: Probe Calibration Certificate			
	pendix D: Dipole Calibration Report			
ap	pendix E: SAR SYSTEM VALIDATION			

Page 2 of 65



General Product Information 1.

1.1. EUT description

Test item description:	Smart Diagnostic Tool
Nodel/Type reference:	\$500
lardware Version:	BSK-Y9-V3
Software Version:	Y9_KINGBOLEN_S5_INCH_V1.00_202211151852_user_lijianghai
Sample Number:	TCT230202E005-0101
Rating(s)	Rechargeable Li-ion Battery DC3.7V
	Wi-Fi 2.4G
Supported type:	802.11b/802.11g/802.11n
Modulation Type:	802.11b: DSSS; 802.11g/802.11n:OFDM
	802.11b/802.11g/802.11n(HT20):2412MHz~2462MHz;
Operation Frequency	802.11n(HT40):2422MHz~2452MHz
Channel number:	802.11b/802.11g/802.11n(HT20):11; 802.11n(HT40):7
Channel separation:	5MHz
	Bluetooth
Bluetooth Version:	Supported 5.0
Modulation	GFSK(1Mbps) , π/4-DQPSK(2Mbps) , 8-DPSK(3Mbps)
Operation Frequency:	2402MHz~2480MHz
Channel number:	79/40
Channel separation:	1MHz/2MHz

1.2. Model(s) list

No.			Model No.		Tested	with
1			S500			
Other models			S600, S800			
circuit and F	is tested model PCB layout, only le remaining mo	different on				
				(C)		

2. Test standard

The tests were performed according to following standards:

FCC 47 CFR §2.1093

BS IEC-IEEE 62209-1528-2020: Measurement procedure for the assessment of specific absorption rate of human exposure to radio frequency fields from hand-held and body-mounted wireless communication devices KDB447498 D01:General RF Exposure Guidance v06 KDB865664 D01:SAR measurement 100MHz to 6GHz v01r04 KDB865664 D02:RF Exposure Reporting v01r02. KDB248227 D01:802.11 wi-fi SAR v02r02 KDB941225 D07:UMPC Mini Tablet v01r02 KDB690783 D01:SAR Listings on Grant v01r03

2.1. Facilities and Accreditations

The test facility is recognized, certified, or accredited by the following organizations:

FCC - Registration No.: 645098
 SHENZHEN TONGCE TESTING LAB

Designation Number: CN1205

The testing lab has been registered and fully described in a report with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files.

 IC - Registration No.: 10668A-1 SHENZHEN TONGCE TESTING LAB CAB identifier: CN0031

The testing lab has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing.

2.2. Location

SHENZHEN TONGCE TESTING LAB.

Address: 2101 & 2201, Zhenchang Factory Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, 518103, People's Republic of China

2.3. Environment Condition:

Temperature:	18°C ~25°C	
Humidity:	35%~75% RH	
Atmospheric Pressure:	1011 mbar	No.

Page 4 of 65

3. Test Result Summary

The maximum results of Specific Absorption Rate (SAR) found during test as bellows: <Highest Reported standalone SAR Summary>

Exposure Position	Frequency Band	Reported SAR (W/kg)	Equipment Class	Highest Reported SAR (W/kg)
Body-worn	WLAN 2.4 GHz	0.51	DTS	0.51
1-g SAR (0 mm Gap)	BT	0.03	DSS	0.51

Note:

- 1. The highest simultaneous transmission is scalar summation of Reported standalone SAR per FCC KDB 690783 D01 v01r03, and scalar SAR summation of all possible simultaneous transmission scenarios are < 1.6W/kg.
- 2. This device is compliance with Specific Absorption Rate (SAR) for general population/uncontrolled exposure limits specified in FCC 47 CFR part 2 (2.1093) and ANSI/IEEE C95.1-2005, and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528-2013.

Page 5 of 65

Report No.: TCT230202E005 **RF Exposure Limit** 4. SAR (W/kg) **Type Exposure Uncontrolled Exposure Limit** Spatial Peak SAR (averaged over any 1 1.60 g of tissue) Spatial Peak SAR (hands/wrists/feet/ankles averaged 4.00 over 10g) Spatial Peak SAR (averaged over the 0.08 whole body) Note: The Spatial Peak value of the SAR averaged over any 1 gram of tissue (defined as a tissue volume in the 1. shape of a cube) and over the appropriate averaging time. 2. The Spatial Average value of the SAR averaged over the whole body. The Spatial Peak value of the SAR averaged over any 10 grams of tissue (defined as a tissue volume in the 3. shape of a cube) and over the appropriate averaging time. Page 6 of 65



SAR Measurement System Configuration 5. 5.1. SAR Measurement Set-up The OPENSAR system for performing compliance tests consist of the following items: A standard high precision 6-axis robot (KUKA) with controller and software. KUKA Control Panel (KCP) A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with a Video Positioning System (VPS). The stress sensor is composed with mechanical and electronic when the electronic part detects a change on the electro-mechanical switch; it sends an "Emergency signal" to the robot controller that to stop robot's moves A computer operating Windows XP. OPENSAR software Remote control with teaches pendant and additional circuitry for robot safety such as warning lamps, etc. The SAM phantom enabling testing left-hand right-hand and body usage. The Position device for handheld EUT Tissue simulating liquid mixed according to the given recipes. System validation dipoles to validate the proper functioning of the system. Multimete Robot Opt link Field probe with surface detect) Phartoms Tissue simulating quid Device under test Robot Controller Devite holder KCP

KUKA SAR Test Sysytem Configuration

Page 7 of 65

CT通测检测 5.2. E-field Probe

The SAR measurement is conducted with the dosimetric probe (manufactured by MVG). The probe is specially designed and calibrated for use in liquid with high permittivity. The dosimetric probe has special calibration in liquid at different frequency.

Report No.: TCT230202E005

This probe has a built in optical surface detection system to prevent from collision with phantom.

Probe Specification

Construction Symmetrical design with triangular core Interleaved sensors Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE) Calibration ISO/IEC 17025 calibration service available.

Device Type	COMOSAR DOSIMETRIC E FIELD PROBE			
Manufacturer	MVG			
Model	SSE2			
Serial Number	SN 25/22 EPGO375			
Frequency Range of Probe	0.15 GHz-6GHz			
Resistance of Three Dipoles at Connector	Dipole 1:R1=0.197MΩ Dipole 2:R3=0.230MΩ Dipole 3:R3=0.208MΩ			

Photo of E-Field Probe

5.3. Phantom

The SAM Phantom SAM120 is constructed of a fiberglass shell integrated in a wooden table. The shape of the shell is in compliance with the specification set in IEEE P1528 and CENELEC IEC 62209-1, IEC 62209-2:2010.

The phantom enables the dosimetric evaluation of left and right hand phone usage as well as body mounted usage at the flat phantom region.


A cover prevents the evaporation of the liquid.

Reference markings on the Phantom allow the complete setup of all predefined phantom positions and measurement grids by manually teaching three points in the robot

System checking was performed using the flat section, whilst Head SAR tests used the left and right head profile sections.

Body SAR testing also used the flat section between the head profiles.

Name: COMOSAR IEEE SAM PHANTOM S/N: SN 19/15 SAM 120 Manufacture: MVG



5.5. Data Storage and Evaluation

Data Storage

The OPENSAR software stores the acquired data from the data acquisition electronics as raw data (in microvolt readings from the probe sensors), together with all necessary software parameters for the data evaluation (probe calibration data, liquid parameters and device frequency and modulation data) in measurement files. The software evaluates the desired unit and format for output each time the data is visualized or exported. This allows verification of the complete software setup even after the measurement and allows correction of incorrect parameter settings. For example, if a measurement has been performed with a wrong crest factor parameter in the device setup, the parameter can be corrected afterwards and the data can be re-evaluated.

The measured data can be visualized or exported in different units or formats, depending on the selected probe type ([V/m], [A/m], [°C], [mW/g], [mW/cm²], [dBrel], etc.). Some of these units are not available in certain situations or show meaningless results, e.g., a SAR output in a lossless media will always be zero. Raw data can also be exported to perform the evaluation with other software packages.

Data Evaluation

The OPENSAR software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters: - Sensitivity	Normi, ai0, ai1, ai2
- Conversion factor	ConvFi
- Diode compression point	Dcpi
Device parameters: - Frequency	f
- Crest factor	cf
Media parameters: - Conductivity	σ
- Density	ρ
hese parameters must be set correctly in the software.	They can be found in the component docume


These parameters must be set correctly in the software. They can be found in the component documents or they can be imported into the software from the configuration files issued for the OPENSAR components. In the direct measuring mode of the millimeter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.


The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

Vi = Ui + Ui2 · c f / d c pi

	With Vi = compensa	ated signal of channel	i (i=x, y, z)		
	Ui = input sign	al of channel i (i = x, y, z)		
	cf = crest facto	or of exciting field	(MVG parameter)		
		ompression point	(MVG parameter)		
	From the compensated inp	out signals the primary	field data for each chann	iel can be evalu	lated:
		obes: Ei = (Vi / Normi			
			$/i)1/2 \cdot (ai0 + ai1 f + ai2)$	f2) / f	
	With Vi	= compensated sign	nal of channel i(i = >	(. v. z)	
	Normi = s	sensor sensitivity of ch		(, y, z)	
		V/(V/m)2] for E-field Pr		(,), _/	
		ensitivity enhancemen			
		ensor sensitivity factors			
			•		
		= carrier frequency [
	E C		gth of channel i in V/m		
/	Hi	= magnetic field stre	ength of channel i in A/m		

Page 10 of 65





「通测检测 TESTING CENTRE TECHNOLOGY Report No.: TCT230202E005 Illustration for Hotspot Position Limb-worn device A limb-worn device is a unit whose intended use includes being strapped to the arm or leg of the user while transmitting (except in idle mode). It is similar to a body-worn device. Therefore, the test positions of 6.1.4.4 also apply. The strap shall be opened so that it is divided into two parts as shown in Figure 9. The device shall be positioned directly against the phantom surface with the strap straightened as much as possible and the back of the device towards the phantom. If the strap cannot normally be opened to allow placing in direct contact with the phantom surface, it may be necessary to break the strap of the device but ensuring to not damage the antenna. Test position for limb-worn devices Page 13 of 65 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com


5.7. Tissue Dielectric Parameters

The liquid used for the frequency range of 100MHz-6G consisted of water, sugar, salt and Cellulose. The liquid has been previously proven to be suited for worst-case. The following Table shows the detail solution. It's satisfying the latest tissue dielectric parameters requirements proposed by the IEEE 1528 and IEC 62209. The simulating liquids should be checked at the beginning of a series of SAR measurements to determine of the determine of the dielectric parameter are within the tolerances of the specified target values. The measured conductivity and relative permittivity should be within $\pm 5\%$ of the target values. The following materials are used for producing the tissue-equivalent materials

Targets for tissue simulating liquid

Frequency (MHz)	Liquid Type	Liquid Type (σ)	± 5% Range	Permittivity (ε)	± 5% Range
300	Head	0.87	0.83~0.91	45.3	43.04~47.57
450	Head	0.87	0.83~0.91	43.5	41.33~45.68
835	Head	0.90	0.86~0.95	41.5	39.43~43.58
900	Head	0.97	0.92~1.02	41.	39.43~43.58
1800-2000	Head	1.40	1.33~1.47	40.0	38.00~42.00
2450	Head	1.80	1.71~1.89	39.2	37.24~41.16
2600	Head	1.96	1.86~2.06	39.0	37.05~40.95
3000	Head	2.40	2.28~2.52	38.5	36.58~40.43
5800	Head	5.27	5.01~5.53	35.3	33.54~37.07
300	Body	0.92	0.87~0.97	58.2	55.29~61.11
450	Body	0.94	0.89~0.99	56.7	53.87~59.54
835	Body	0.97	0.92~1.02	55.2	52.44~57.96
900	Body	1.05	1.00~1.10	55.0	52.25~57.75
1800-2000	Body	1.52	1.44~1.60	53.3	50.64~55.97
2450	Body	1.95	1.85~2.05	52.7	50.07~55.34
2600	Body	2.16	2.05~2.27	52.5	49.88~55.13
3000	Body	2.73	2.60~2.87	52.0	49.40~54.60
5800	Body	6.00	5.70~6.30	48.2	45.79~50.61
(8	er = relative	e permittivity, σ	= conductivity a	$rac{1000}{1000}$	(g/m3)

Page 14 of 65



Report No.: TCT230202E005 5.9. System Check The SAR system must be validated against its performance specifications before it is deployed. When SAR probe and system component or software are changed, upgraded or recalibrated, these must be validated with the SAR system(s) that operates with such component. Reference dipoles are used with the required tissue-equivalent media for system validation. System check results have to be equal or near the values determined during dipole calibration with the relevant liquids and test system (±10 %). System check is performed regularly on all frequency bands where tests are performed with the OPENSAR system. Dir Cou System Check Set-up Verification Results Measured Value in Normalized to 1W Target Value 100mW Deviation (%) Frequency Liquid (W/kg) (W/kg) (W/kg) (MHz) Type 1 g 10 g 1 g 10 g 1 g 10 g 1 g 10 q Average Average Average Average Average Average Average Average 24.16 2450 Body 5.07 2.42 50.70 50.63 23.40 0.14 3.25 Comparing to the original SAR value provided by MVG, the verification data should be within its specification of 10%. Below table shows the target SAR and measured SAR after normalized to 1W input power. The table as below indicates the system performance check can meet the variation criterion and the plots can be referred to Section 10 of this report. Page 16 of 65 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com

6. Measurement Procedure

「通测检测

Conducted power measurement

For WWAN power measurement, use base station simulator to configure EUT WWAN transition in conducted connection with RF cable, at maximum power in each supported wireless interface and frequency band.

Read the WWAN RF power level from the base station simulator.

For WLAN/BT power measurement, use engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power in each supported wireless interface and frequency band. Connect EUT RF port through RF cable to the power meter or spectrum analyser, and measure WLAN/BT output power.

Conducted power measurement

Use base station simulator to configure EUT WWAN transmission in radiated connection, and engineering software to configure EUT WLAN/BT continuously transmission, at maximum RF power, in the highest power channel.

Place the EUT in positions as Appendix B demonstrates.

Set scan area, grid size and other setting on the MVG software.

Measure SAR results for the highest power channel on each testing position.

Find out the largest SAR result on these testing positions of each band.

Measure SAR results for other channels in worst SAR testing position if the Reported SAR or highest power channel is larger than 0.8 W/kg.

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

Power reference measurement Area scan Zoom scan Power drift measurement

Spatial Peak SAR Evaluation

The procedure for spatial peak SAR evaluation has been implemented according to the test standard. It can be conducted for 1g and 10g, as well as for user-specific masses. The MVG software includes all numerical procedures necessary to evaluate the spatial peak SAR value.

The base for the evaluation is a "cube" measurement. The measured volume must include the 1g and 10 g cubes with the highest averaged SAR values. For that purpose, the center of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan.

The entire evaluation of the spatial peak values is performed within the post-processing engine (SEMCAD). The system always gives the maximum values for 1g and 10g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages: Extraction of the measured data (grid and values) from the Zoom Scan.

Calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters).

Generation of a high-resolution mesh within the measured volume.

Interpolation of all measured values form the measurement grid to the high-resolution grid

Extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface

Calculation of the averaged SAR within masses of 1g and 10g.

Page 17 of 65



Power Reference Measurement

The Power Reference Measurement and Power Drift Measurement are for monitoring the power drift of the device under test in the batch process. The minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. This distance cannot be smaller than the distance of sensor calibration points to probe tip as defined in the probe properties

Area & Zoom Scan Procedures

First Area Scan is used to locate the approximate location(s) of the local peak SAR value(s). The measurement grid within an Area Scan is defined by the grid extent, grid step size and grid offset. Next, in order to determine the EM field distribution in a three-dimensional spatial extension, Zoom Scan is required. The Zoom Scan is performed around the highest E-field value to determine the averaged SAR-distribution over 10g. Area scan and zoom scan resolution setting follows KDB 865664 D01v01r03 quoted below.

		\leq 3 GHz	> 3 GHz			
Maximum distance from closest measurement point (geometric center of probe sensors) to phantom surface		$5 \text{ mm} \pm 1 \text{ mm}$	$\frac{1}{2} \cdot \delta \cdot \ln(2) \text{ mm} \pm 0.5 \text{ mm}$			
ximum probe angle from probe axis to phantom face normal at the measurement location		$30^{\circ} \pm 1^{\circ}$	$20^{\circ} \pm 1^{\circ}$			
			3 – 4 GHz: ≤ 12 mm 4 – 6 GHz: ≤ 10 mm			
Maximum area scan spatial resolution: Δx_{Area} , Δy_{Area}		When the x or y dimension of the test device, in the measurement plane orientation, is smaller than the above, the measurement resolution must be \leq the corresponding x or y dimension of the test device with at least one measurement point on the test device.				
Maximum zoom scan spatial resolution: Δxzoom, Δyzoom		$\leq 2 \text{ GHz:} \leq 8 \text{ mm}$ $2 - 3 \text{ GHz:} \leq 5 \text{ mm}^*$	$3 - 4 \text{ GHz} \le 5 \text{ mm}^*$ $4 - 6 \text{ GHz} \le 4 \text{ mm}^*$			
$\begin{array}{c c} \text{uniform grid: } \Delta z_{Zoom}(n) \\ \text{m zoom} \\ \text{tial} \\ \text{n, normal to} \\ \text{a surface} \\ \text{grid} \\ \end{array} \begin{array}{c} \Delta z_{Zoom}(1) \text{: between} \\ 1^{\text{st}} \text{ two points closest} \\ \text{to phantom surface} \\ \hline \Delta z_{Zoom}(n>1) \text{:} \\ \text{between subsequent} \\ \text{points} \\ \end{array}$		\leq 5 mm	$3 - 4 \text{ GHz:} \le 4 \text{ mm}$ $4 - 5 \text{ GHz:} \le 3 \text{ mm}$ $5 - 6 \text{ GHz:} \le 2 \text{ mm}$			
		\leq 4 mm	3 – 4 GHz: ≤ 3 mm 4 – 5 GHz: ≤ 2.5 mm 5 – 6 GHz: ≤ 2 mm			
		$\leq 1.5 \cdot \Delta z_{Zoom}(n-1) \text{ mm}$				
x, y, z		≥ 30 mm	$3 - 4 \text{ GHz} \ge 28 \text{ mm}$ $4 - 5 \text{ GHz} \ge 25 \text{ mm}$ $5 - 6 \text{ GHz} \ge 22 \text{ mm}$			
	obe senso from prol neasureme patial resol spatial resol uniform graded grid	$\frac{\text{obe sensors} \text{ to phantom surface}}{\text{from probe axis to phantom measurement location}}$ $\frac{\text{patial resolution: } \Delta x_{\text{Area}}, \Delta y_{\text{Area}}}{\text{spatial resolution: } \Delta x_{\text{Area}}, \Delta y_{\text{Area}}}$ $\frac{\text{spatial resolution: } \Delta x_{\text{Zoom}}, \Delta y_{\text{Zoom}}}{\text{uniform grid: } \Delta z_{\text{Zoom}}(n)}$ $\frac{\text{def def grid}}{\text{grid}} \qquad \text{def def def def def def def def def def $	$\frac{1}{2}$ m closest measurement point obe sensors) to phantom surface from probe axis to phantom measurement location $30^{\circ} \pm 1^{\circ}$ $\leq 2 \text{ GHz} \leq 15 \text{ mm}$ $2-3 \text{ GHz} \leq 12 \text{ mm}$ When the x or y dimension measurement plane orientat above, the measurement res corresponding x or y dimen at least one measurement point spatial resolution: $\Delta x_{\text{Zoom}}, \Delta y_{\text{Zoom}}$ $\leq 2 \text{ GHz} \leq 12 \text{ mm}$ When the x or y dimension measurement plane orientat above, the measurement res corresponding x or y dimen at least one measurement point $\leq 2 \text{ GHz} \leq 8 \text{ mm}$ $2-3 \text{ GHz} \leq 5 \text{ mm}^*$ uniform grid: $\Delta z_{\text{Zoom}}(n)$ $\leq 5 \text{ mm}$ $\frac{\Delta z_{\text{Zoom}}(1): \text{ between}}{1^{\text{st}} \text{ two points closest}} \leq 4 \text{ mm}$ $\leq 1.5 \cdot \Delta z_{\text{Zoom}}(n)$			

Note: δ is the penetration depth of a plane-wave at normal incidence to the tissue medium; see IEEE Std 1528-2013 for details.

When zoom scan is required and the <u>reported</u> SAR from the area scan based 1-g SAR estimation procedures of KDB Publication 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.

Volume Scan Procedures

The volume scan is used for assess overlapping SAR distributions for antennas transmitting in different frequency bands. It is equivalent to an oversized zoom scan used in standalone measurements. The measurement volume will be used to enclose all the simultaneous transmitting antennas. For antennas transmitting simultaneously in different frequency bands, the volume scan is measured separately in each frequency band. In order to sum correctly to compute the 1g aggregate SAR, the EUT remain in the same test position for all measurements and all volume scan use the same spatial resolution and grid spacing. When all volume scan were completed, the software, SEMCAD post-processor scan combine and subsequently superpose these measurement data to calculating the multiband SAR.

Page 18 of 65

SAR Averaged Methods

In MVG, the interpolation and extrapolation are both based on the modified Quadratic Shepard's method. The interpolation scheme combines a least-square fitted function method and a weighted average method which are the two basic types of computational interpolation and approximation.

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1g and 10g cubes, the extrapolation distance should not be larger than 5 mm.

Power Drift Monitoring

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In MVG measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in dB. If the power drifts more than 5%, the SAR will be retested.

Power Drift measurement

The drift job measures the field at the same location as the most recent reference job within the same procedure, and with the same settings. The drift measurement gives the field difference in dB from the reading conducted within the last reference measurement. Several drift measurements are possible for

Measurement Uncertainty

Per KDB 865664 D01 SAR Measurement 100KHz to 6GHz ,when the highest measurement 1-g SAR within a frequency band is <1.5W/kg, the extensive SAR measurement uncertainty analysis described IEEE Std 1528-2013 is not required in SAR report submitted for equipment approval.

7. Conducted Output Power

CT通测检测 TESTING CENTRE TECHNOLOGY

				N N		
		WLAN 2.4	3			
Mode		802.11b		802.11g		
Channel	1	6	11	1	6	11
Frequency	2412	2437	2462	2412	2437	2462
Average Power (dBm)	14.218	15.174	15.200	13.192	13.178	13.897
Mode	8	302.11n(HT20))	8	302.11n(HT40))
Channel	1	6	11	3	6	9
Frequency	2412	2437	2462	2422	2437	2452
Average Power (dBm)	13.201	12.785	13.553	12.272	12.543	12.790
		•				


Note

1. Per KDB 248227 D01 v02r02, choose the highest output power channel to test SAR and determine further SAR exclusion.

2. The output power of all data rate were prescan, just the worst case (the lowest data rate) of all mode were shown in report

		Bluetooth				
Mode		GFSK			Pi/4DQPSK	
Channel	0	39	78	0	39	78
Frequency	2402	2441	2480	2402	2441	2480
Average Power (dBm)	3.39	4.51	4.52	3.48	4.34	4.45
Mode		8DPSK		20		(
Channel	0	39	78			
Frequency	2402	2441	2480			
Average Power (dBm)	3.64	4.30	6.93		.d	

Page 20 of 65



9. SAR Test Results Summary

9.1. Body-Worn 1g SAR Data

T通测检测 TESTING CENTRE TECHNOLOGY

			/ -								
Band	Mode	Test Position with Omm	CH.	Freq. (MHz)	Ave. Power (dBm)	Tune-U p Limit (dBm)	Power Drift (%)	Meas. SAR1g (W/kg)	Scaling Factor	Reported SAR1g (W/kg)	Limit (W/Kg)
		Back	11	2462	15.20	15.50	-1.83	0.48	1.072	0.51	
2.4G	802.11b	Front	11	2462	15.20	15.50	1.55	0.25	1.072	0.27	
		Bottom	11	2462	15.20	15.50	-3.05	0.02	1.072	0.02	1.60
		Back	78	2480	4.52	5.00	-2.87	0.03	1.117	0.03	1.00
BT	GFSK	Front	78	2480	4.52	5.00	3.66	0.02	1.117	0.02	
	(\mathbf{c})	Bottom	78	2480	4.52	5.00	-2.99	0.01	1.117	0.01	

Note:

1. Per KDB 447498 D01 v06, for each exposure position, if the highest output power channel Reported SAR ≤ 0.8W/kg, other channels SAR testing is not necessary.

2. Per KDB 447498 D01 v06, body-worn use is evaluated with the device positioned at 0 mm from a flat phantom filled with head tissue-equivalent medium.

3. Per KDB 447498 D01 v06, the report SAR is measured SAR value adjusted for maximum tune-up tolerance. Scaling Factor=10^[(tune-up limit power(dBm) - Ave.power power (dBm))/10], where tune-up limit is the maximum rated power among all production units.

Reported SAR(W/kg)=Measured SAR (W/kg)*Scaling Factor.

4. Per KDB865664D01 v01r04 perform a second repeated measurement only the ratio of largest to smallest SAR for the original and first repeated measurement is >1.20 or when the original or repeated measurement is ≥ 1.45W/kg.

5. Perform a second measurement only if the original, first and second repeated measurement is ≥1.5w/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurement is >1.20.

Page 22 of 65

U	NCERTAI	NTY EVAL	UATION FO	<u>DR H</u>	EADSET	SAR			
Uncertainty Component	Descriptio n	Uncertainty Value(%)	Probably Distribution	Div.	(Ci) 1g	(Ci) 10g	Std. Unc. 1g(%)	Std. Unc. 10g(%)	v
Measurement system		1	1	-	i i		n T		
Probe calibration	7.2.1	5.8	Ν	1	1	1	5.8	5.8	x
Axial isotropy	7.2.1.1	3.5	R	$\sqrt{3}$	$(1-C_p)^{1/2}$	(1-C _{p)} ^{1/2}	1.43	1.43	œ
Hemispherical isotropy	7.2.1.1	5.9	R	√3	$\sqrt{C_p}$	$\sqrt{C_p}$	2.41	2.41	x
Boundary Effects	7.2.1.4	1.00	R	$\sqrt{3}$	1	1	0.58	0.58	x
Linearity	7.2.1.2	4.70	R	$\sqrt{3}$	1	1	2.71	2.71	00
System detection limits	7.2.1.2	1	R	$\sqrt{3}$	1	1	0.58	0.58	00
Modulation Response	7.2.1.3	3	N	1	1	1	3.00	3.00	00
Readout Electronics	7.2.1.5	0.5	N	1	1	1	0.50	0.50	œ
Response Time	7.2.1.6	0	R	$\sqrt{3}$	1	1	0.00	0.00	œ
Integration Time	7.2.1.7	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	œ
RF Ambient Conditions-Noise	7.2.3.7	3	R	$\sqrt{3}$	1	1	1.73	1.73	x
RF Ambient	7.2.3.7	3	R	$\sqrt{3}$	1	1	1.73	1.73	8
Conditions-Reflection Probe positioned	<u> </u>		(\mathcal{G})				_		
mechanical Tolerance	7.2.2.1	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	00
Probe positioning with respect to phantom shell	7.2.2.3	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	x
Extrapolation interpolation and integration algorithms for Max.SAR evaluation	7.2.4	2.3	R	1	1	1	1.33	1.33	∞
Test sample related	70044	2.6	N	4	4	4	2.60	2.60	
Test sample positioning Device holder uncertainty	7.2.2.4.4	2.6	N N	1	1	1	2.60 3.00	2.60 3.00	80
output power variation-SAR	7.2.2.4.3								6
drift measurement	7.2.3.6	5	R	$\sqrt{3}$	1		2.89	2.89	8
SAR scaling	7.2.5	2	R	$\sqrt{3}$	1	1	1.15	1.15	œ
Phantom and tissue parame	eters		1		La	1			
Phantom uncertainty (shape and thickness tolerances)	7.2.2.2	64	R	$\sqrt{3}$	1	1	2.31	2.31	œ
uncertainty in SAR correction for deviation (in permittivity and conductivity)	7.2.6	2	N	1	1	0.84	2.00	1.68	8
Liquid conductivity (temperature uncertainty)	7.2.3.5	2.5	N	1	0.78	0.71	1.95	1.78	8
Liquid conductivity measurement uncertainty	7.2.3.3	4	N	1	0.23	0.26	0.92	1.04	x
Liquid permittivity (temperature uncertainty)	7.2.3.5	2.5	N	1	0.78	0.71	1.95	1.78	8
Liquid permittivity measurement uncertainty	7.2.3.4	5	N	1	0.23	0.26	1.15	1.30	x
Combined standard			RSS				10.83	10.54	
Expanded uncertainty (95%CONFIDENCEINTER VAL	3		k				21.26	21.08	

TCT 通测检测 TESTING CENTRE TECHNOLOGY

Page 23 of 65

Report No.: TCT230202E005

	UNCERT	AINTY FO	R PERFOR	MAN	ICE CHE	CK	1		
Uncertainty Component	Description	Uncertainty Value(%)	Probably Distribution	Div.	(Ci) 1g	(Ci) 10g	Std. Unc. 1g(%)	Std. Unc. 10g(%)	~
Measurement system		1				T			
Probe calibration	7.2.1	5.8	N	1	1	1	5.8	5.8	00
Axial isotropy	7.2.1.1	3.5	R	$\sqrt{3}$	$(1-C_p)^{1/2}$	(1-C _{p)} ^{1/2}	1.43	1.43	00
Hemispherical isotropy	7.2.1.1	5.9	R	$\sqrt{3}$	$\sqrt{C_p}$	$\sqrt{C_p}$	2.41	2.41	x
Boundary Effects	7.2.1.4	1.00	R	$\sqrt{3}$	1	1	0.58	0.58	x
Linearity	7.2.1.2	4.70	R	$\sqrt{3}$	1	1	2.71	2.71	8
System detection limits	7.2.1.2	1	R	$\sqrt{3}$	1	1	0.58	0.58	8
Modulation Response	7.2.1.3	3	N	1	1	1	0.00	0.00	x
Readout Electronics	7.2.1.5	0.5	N	1	1	1	0.50	0.50	x
Response Time	7.2.1.6	0	R	$\sqrt{3}$	1	1	0.00	0.00	x
Integration Time	7.2.1.7	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	œ
RF Ambient Conditions-Noise	7.2.3.7	3	R	$\sqrt{3}$	1	1	1.73	1.73	00
RF Ambient Conditions-Reflection	7.2.3.7	3	R	$\sqrt{3}$	1	1	1.73	1.73	œ
Probe positioned mechanical Tolerance	7.2.2.1	1.4	R	$\sqrt{3}$	1		0.81	0.81	8
Probe positioning with respect to phantom shell	7.2.2.3	1.4	R	$\sqrt{3}$	1	1	0.81	0.81	œ
Extrapolation interpolation and integration algorithms for Max.SAR evaluation	7.2.4	2.3	R	1	1	1	1.33	1.33	8
Dipole				1					
Deviation of experimental source from numerical source		4	N	1	1	1	4.00	4.00	8
Input power and SAR drift measurement	7.2.3.6	5	R	$\sqrt{3}$	1		2.89	2.89	×
Dipole axis to liquid distance		2	R	$\sqrt{3}$	1	1			80
Phantom and tissue parar	neters					1			
Phantom uncertainty (shape and thickness tolerances)	7.2.2.2	4	R	√3	1	1	2.31	2.31	œ
uncertainty in SAR correction for deviation (in permittivity and conductivity)	7.2.6	2	N	1	1	0.84	2.00	1.68	8
Liquid conductivity (temperature uncertainty)	7.2.3.5	2.5	C N	1	0.78	0.71	1.95	1.78	8
Liquid conductivity -measurement uncertainty	7.2.3.3	4	N	1	0.23	0.26	0.92	1.04	œ
Liquid permittivity (temperature uncertainty) Liquid permittivity	7.2.3.5	2.5	N	1	0.78	0.71	1.95	1.78	œ
measurement uncertainty Combined standard	7.2.3.4	5	N	1	0.23	0.26	1.15	1.30	œ
uncertainty			RSS			ļ	10.15	10.05	
Expanded uncertainty (95%CONFIDENCEINTE RVAL			k				20.29	20.10	

TCT 通测检测 TESTING CENTRE TECHNOLOGY

Page 24 of 65

Report No.: TCT230202E005



9.3. **Test Equipment List**

		(.C)		Calibration			
Test Equipment	Manufacturer	Model	Serial Number	Calibration Date (D.M.Y)	Calibration Due (D.M.Y)		
PC	Lenovo	H3050	N/A	N/A	N/A		
Signal Generator	Angilent	N5182A	MY47070282	Jul. 04, 2022	Jul. 03, 2023		
Multimeter	Keithley	Multimeter 2000	4078275	Jul. 04, 2022	Jul. 03, 2023		
Network Analyzer	Agilent	8753E	US38432457	Jul. 04, 2022	Jul. 03, 2023		
Wireless Communication Test Set	R & S	CMU200	111382	Jul. 04, 2022	Jul. 03, 2023		
Wideband Radio Communication Tester	R&S	CMW500	114220	Jul. 04, 2022	Jul. 03, 2023		
Power Meter	Agilent	E4418B	GB43312526	Jul. 04, 2022	Jul. 03, 2023		
Power Meter	Agilent	E4416A	MY45101555	Jul. 04, 2022	Jul. 03, 2023		
Power Meter	Agilent	N1912A	MY50001018	Jul. 04, 2022	Jul. 03, 2023		
Power Sensor	Agilent	E9301A	MY41497725	Jul. 04, 2022	Jul. 03, 2023		
Power Sensor	Agilent	E9327A	MY44421198	Jul. 04, 2022	Jul. 03, 2023		
Power Sensor	Agilent	E9323A	MY53070005	Jul. 04, 2022	Jul. 03, 2023		
Power Amplifier	PE	PE15A4019	112342	N/A	N/A		
Directional Coupler	Agilent	722D	MY52180104	N/A	N/A		
Attenuator	Chensheng	FF779	134251	N/A	N/A		
E-Field PROBE	MVG	SSE2	SN 25/22 EPGO375	Jun. 29, 2022	Jun. 28, 2023		
DIPOLE 2450	MVG	SID 2450	SN 16/15 DIP 2G450-374	Jun. 05, 2021	Jun. 04, 2024		
DIPOLE 5000-6000	MVG	SID 5000-6000	SN 13/14 WGA 21	May. 15, 2021	May. 14, 202		
Limesar Dielectric Probe	MVG	SCLMP	SN 19/15 OCPG71	Jun. 05, 2021	Jun. 04, 202		
Communication Antenna	MVG	ANTA59	SN 39/14 ANTA59	N/A	N/A		
Mobile Phone Position Device	MVG	MSH101	SN 19/15 MSH101	N/A	N/A		
Dummy Probe	MVG	DP66	SN 13/15 DP66	N/A	N/A		
SAM PHANTOM	MVG	SAM120	SN 19/15 SAM120	N/A	N/A		
PHANTOM TABLE	MVG	TABP101	SN 19/15 TABP101	N/A	N/A		
Robot TABLE	MVG	TABP61	SN 19/15 TABP61	N/A	N/A		
6 AXIS ROBOT	KUKA	KR6-R900	501822	N/A	N/A		

Note: 1.N/A means this equipment no need to calibrate


2.Each Time means this device need to calibrate every use time


3. The dipole was not damaged properly repaired.


4. The measured SAR deviates from the calibrated SAR value by less than 10%
5. The most recent return-loss result meets the required 20 dB minimum return-loss requirement


6. The most recent measurement of the real or imaginary parts of the impedance deviates by less than 5 Ω from the previous measurement.


Page 25 of 65

















	d dept	月辺」检決 ING CENTRE TECHNO th	LOGY			Report No.	: TCT230202	EOC
Th	e Body Lio	quid of 2450M	Hz (15.3cm)	Ś	The Body Liqu	uid of 5000-60	00MHz (16.5ci	n)







通测检测 TESTING CENTRE TECHNOLOGY

COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.180.7.22.BES.B

2022.07.05

09:30:00 +02'00'

	Name	Function	Date	Signature
Prepared by :	Jérôme Le Gall	Measurement Responsible	6/30/2022	T
Checked & approved by:	Jérôme Luc	Technical Manager	6/30/2022	JS
Authorized by:	Yann Toutain	Laboratory Director	7/05/2022	Yann TOUTAAN

	Customer Name
Distribution :	SHENHEN TONGCE TESTING LAB.

Issue	Name	Date	Modifications
Α	Jérôme Le Gall	6/30/2022	Initial release

Page: 2/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vK This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 36 of 65



通测检测 TESTING CENTRE TECHNOLOGY

COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.180.7.22.BES.B

TABLE OF CONTENTS

1	Devi	ce Under Test	
2	Prod	uct Description	
	2.1	General Information	4
3	Mea	surement Method	
	3.1	Linearity	4
	3.2	Sensitivity	4
	3.3	Lower Detection Limit	5
	3.4	Isotropy	5
	3.1	Boundary Effect	5
4	Mea	surement Uncertainty	
5	Calil	oration Measurement Results	
	5.1	Sensitivity in air	6
	5.2	Linearity	
	5.3	Sensitivity in liquid	8
	5.4	Isotropy	9
6	List	of Equipment10	

Page: 3/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vK This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 37 of 65



1

COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.180.7.22.BES.B

DEVICE UNDER TEST

「通测检测 TESTING CENTRE TECHNOLOGY

Device Under Test				
Device Type	COMOSAR DOSIMETRIC E FIELD PROBE			
Manufacturer	MVG			
Model	SSE2			
Serial Number	SN 25/22 EPGO375			
Product Condition (new / used)	New			
Frequency Range of Probe	0.15 GHz-6GHz			
Resistance of Three Dipoles at Connector	Dipole 1: R1=0.197 MΩ			
	Dipole 2: R2=0.230 MΩ			
	Dipole 3: R3=0.208 MΩ			

2 PRODUCT DESCRIPTION

2.1GENERAL INFORMATION

MVG's COMOSAR E field Probes are built in accordance to the IEC/IEEE 62209-1528 and FCC KDB865664 D01 standards.

Figure 1 – MVG COMOSAR Dosimetric E field Probe	

Figure 1 – MVG COMOSAI	<i>& Dosimetric E field Probe</i>
------------------------	---------------------------------------

Probe Length	330 mm
Length of Individual Dipoles	2 mm
Maximum external diameter	8 mm
Probe Tip External Diameter	2.5 mm
Distance between dipoles / probe extremity	1 mm

MEASUREMENT METHOD 3

The IEC/IEEE 62209-1528 and FCC KDB865664 D01 standards provide recommended practices for the probe calibrations, including the performance characteristics of interest and methods by which to assess their affect. All calibrations / measurements performed meet the fore mentioned standards.

3.1 LINEARITY

The evaluation of the linearity was done in free space using the waveguide, performing a power sweep to cover the SAR range 0.01W/kg to 100W/kg.

3.2 SENSITIVITY

The sensitivity factors of the three dipoles were determined using a two step calibration method (air and tissue simulating liquid) using waveguides as outlined in the standards.

Page: 4/11

Template ACR.DDD.N.YY.MVGB.ISSUE COMOSAR Probe vK

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 38 of 65



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR 180 7 22 BES B

3.3 LOWER DETECTION LIMIT

The lower detection limit was assessed using the same measurement set up as used for the linearity measurement. The required lower detection limit is 10 mW/kg.

3.4 ISOTROPY

週测7

ESTING CENTRE TECHNOLOGY

The axial isotropy was evaluated by exposing the probe to a reference wave from a standard dipole with the dipole mounted under the flat phantom in the test configuration suggested for system validations and checks. The probe was rotated along its main axis from 0 to 360 degrees in 15degree steps. The hemispherical isotropy is determined by inserting the probe in a thin plastic box filled with tissue-equivalent liquid, with the plastic box illuminated with the fields from a half wave dipole. The dipole is rotated about its axis $(0^{\circ}-180^{\circ})$ in 15° increments. At each step the probe is rotated about its axis (0°-360°).

3.1 BOUNDARY EFFECT

The boundary effect is defined as the deviation between the SAR measured data and the expected exponential decay in the liquid when the probe is oriented normal to the interface. To evaluate this effect, the liquid filled flat phantom is exposed to fields from either a reference dipole or waveguide. With the probe normal to the phantom surface, the peak spatial average SAR is measured and compared to the analytical value at the surface.

The boundary effect uncertainty can be estimated according to the following uncertainty approximation formula based on linear and exponential extrapolations between the surface and d_{be} + d_{step} along lines that are approximately normal to the surface:

$$SAR_{uncertainty} [\%] = \delta SAR_{be} \frac{\left(d_{be} + d_{step}\right)^2}{2d_{step}} \frac{\left(e^{-d_{be}/(\delta/2)}\right)}{\delta/2} \quad \text{for } \left(d_{be} + d_{step}\right) < 10 \text{ mm}$$

where	
SARuncertainty	is the uncertainty in percent of the probe boundary effect
dbe	is the distance between the surface and the closest zoom-scan measurement
	point, in millimetre
∆ _{step}	is the separation distance between the first and second measurement points that
-	are closest to the phantom surface, in millimetre, assuming the boundary effect
	at the second location is negligible
δ	is the minimum penetration depth in millimetres of the head tissue-equivalent
	liquids defined in this standard, i.e., $\delta \approx 14 \text{ mm}$ at 3 GHz;
⊿SAR _{be}	in percent of SAR is the deviation between the measured SAR value, at the
	distance d_{be} from the boundary, and the analytical SAR value.

The measured worst case boundary effect SAR uncertainty[%] for scanning distances larger than 4mm is 1.0% Limit ,2%).

Page: 5/11

Template ACR.DDD.N.YY.MVGB.ISSUE COMOSAR Probe vK

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 39 of 65



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.180.7.22.BES.B

MEASUREMENT UNCERTAINTY

通测检测 TESTING CENTRE TECHNOLOGY

The guidelines outlined in the IEC/IEEE 62209-1528 and FCC KDB865664 D01 standards were followed to generate the measurement uncertainty associated with an E-field probe calibration using the waveguide technique. All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

Uncertainty analysis of the probe calibration in waveguide

v v 1		-			
ERROR SOURCES	Uncertainty value (%)	Probability Distribution	Divisor	ci	Standard Uncertainty (%)
Expanded uncertainty 95 % confidence level k = 2					14 %

5 CALIBRATION MEASUREMENT RESULTS

Calibration Parameters			
Liquid Temperature	20 +/- 1 °C		
Lab Temperature	20 +/- 1 °C		
Lab Humidity	30-70 %		

5.1 SENSITIVITY IN AIR

		Normz dipole
$1 (\mu V/(V/m)^2)$	$2 (\mu V / (V/m)^2)$	$3 (\mu V/(V/m)^2)$
0.64	0.53	0.44

DCP dipole 1	DCP dipole 2	DCP dipole 3	
(mV)	(mV)	(mV)	
106	108	109	

Calibration curves ei=f(V) (i=1,2,3) allow to obtain E-field value using the formula:

 $E = \sqrt{E_1^2 + E_2^2 + E_3^2}$


Page: 6/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vK

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 40 of 65

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.180.7.22.BES.B

5.3 SENSITIVITY IN LIQUID

I通测检测 TESTING CENTRE TECHNOLOGY


Liquid	Frequency	ConvF
	(MHz +/-	
	<u>100MHz)</u>	
HL750	750	1.71
BL750	750	1.78
HL900	900	1.91
BL900	900	1.96
HL1800	1800	2.08
BL1800	1800	2.16
HL2000	2000	2.03
BL2000	2000	2.10
HL2450	2450	2.31
BL2450	2450	2.37
HL2600	2600	2.16
BL2600	2600	2.23
HL3500	3500	2.21
BL3500	3500	2.28
HL3700	3700	3.45
BL3700	3700	3.15
HL4600	4600	3.30
BL4600	4600	3.70
HL5200	5200	2.01
BL5200	5200	2.08
HL5600	5600	2.07
BL5600	5600	2.12
HL5800	5800	2.06
BL5800	5800	2.13

LOWER DETECTION LIMIT: 7mW/kg

Page: 8/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vK This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 42 of 65



Page 43 of 65

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.180.7.22.BES.B

LIST OF EQUIPMENT 6

T通测检测 TESTING CENTRE TECHNOLOGY

Equipment Summary Sheet						
Equipment Description			Next Calibration Date			
CALIPROBE Test Bench	Version 2	NA	Validated. No cal required.	Validated. No cal required.		
Network Analyzer	Rohde & Schwarz ZVM	100203	08/2021	08/2024		
Network Analyzer	Agilent 8753ES	MY40003210	10/2019	10/2022		
Network Analyzer – Calibration kit	HP 85033D	3423A08186	06/2021	06/2027		
Multimeter	Keithley 2000	1160271	02/2020	02/2023		
Signal Generator	Rohde & Schwarz SMB	106589	03/2022	03/2025		
Amplifier	MVG	MODU-023-C-0002	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.		
Power Meter	NI-USB 5680	170100013	06/2021	06/2024		
Power Meter	Rohde & Schwarz NRVD	832839-056	11/2019	11/2022		
Directional Coupler	Krytar 158020	131467	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.		
Waveguide	MVG	SN 32/16 WG4_1	Validated. No cal required.	Validated. No cal required.		
Liquid transition	MVG	SN 32/16 WGLIQ_0G900_1	Validated. No cal required.	Validated. No cal required.		
Waveguide	MVG	SN 32/16 WG6_1	Validated. No cal required.	Validated. No cal required.		
Liquid transition	MVG	SN 32/16 WGLIQ_1G500_1	Validated. No cal required.	Validated. No cal required.		
Waveguide	MVG	SN 32/16 WG8_1	Validated. No cal required.	Validated. No cal required.		
Liquid transition	MVG	SN 32/16 WGLIQ_1G800B_1	Validated. No cal required.	Validated. No cal required.		
Liquid transition	MVG	SN 32/16 WGLIQ_1G800H_1	Validated. No cal required.	Validated. No cal required.		
Waveguide	MVG	SN 32/16 WG10_1	Validated. No cal required.	Validated. No cal required.		
Liquid transition	MVG	SN 32/16 WGLIQ_3G500_1	Validated. No cal required.	Validated. No cal required.		
Waveguide	MVG	SN 32/16 WG12_1	Validated. No cal required.	Validated. No cal required.		



Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vK This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 44 of 65





COMOSAR E-FIELD PROBE CALIBRATION REPORT


Ref: ACR.180.7.22.BES.B

Liquid transition	MVG		· and a court of the oral	Validated. No cal required.
Temperature / Humidity Sensor	Testo 184 H1	44225320	06/2021	06/2024

Page: 11/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vK This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 45 of 65





SAR DIELECTRIC PROBE CALIBRATION REPORT

Ref: ACR.138.4.33.. SATU.A

	Name	Function	Date	Signature
Prepared by :	Jérôme LUC	Product Manager	06/05/2021	Jes
Checked by :	Jérôme LUC	Product Manager	06/05/2021	Jes
Approved by :	Kim RUTKOWSKI	Quality Manager	06/05/2021	them Autonoustai

	Customer Name
Distribution :	SHENZHEN TONGCE TESTING LAB

Issue	Date	Modifications	_
A	06/05/2021	Initial release	

Page: 2/7

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 47 of 65

Report No.: TCT230202E005

SAR DIELECTRIC PROBE CALIBRATION REPORT

1 1 A

mvg

Ref: ACR.138.4.33..SATU.A

TABLE OF CONTENTS

1	Intro	oduction	
2	Dev	ice Under Test	
3	Proc	luct Description	
	3.1	General Information	4
4	Mea	surement Method	
	4.1	Liquid Permittivity Measurements	5
5	Mea	surement Uncertainty	
	5.1	Dielectric Permittivity Measurement	5
6	Cali	bration Measurement Results6	
	6.1	Liquid Permittivity Measurement	6
7	List	of Equipment	

Page: 3/7

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 48 of 65



SAR DIELECTRIC PROBE CALIBRATION REPORT

Ref: ACR.138.4.33.SATU.A

1 INTRODUCTION

通测检测 TESTING CENTRE TECHNOLOGY

This document contains a summary of the suggested methods and requirements set forth by the IEEE 1528 and CEI/IEC 62209 standards for liquid permittivity measurements and the measurements that were performed to verify that the product complies with the fore mentioned standards.

2 DEVICE UNDER TEST

Device Under Test				
Device Type	LIMESAR DIELECTRIC PROBE			
Manufacturer	MVG			
Model	SCLMP			
Serial Number	SN 19/15 OCPG 71			
Product Condition (new / used)	Used			

A yearly calibration interval is recommended.

3 PRODUCT DESCRIPTION

3.1 GENERAL INFORMATION

MVG's Dielectric Probes are built in accordance to the IEEE 1528 and CEI/IEC 62209 standards. The product is designed for use with the LIMESAR test bench only.



Figure 1 - MVG LIMESAR Dielectric Probe

Page: 4/7

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 49 of 65



「通测检测 TESTING CENTRE TECHNOLOGY

SAR DIELECTRIC PROBE CALIBRATION REPORT

Ref: ACR.138.4.33..SATU.A

4 MEASUREMENT METHOD

The IEEE 1528, OET 65 Bulletin C and CEI/IEC 62209-1 & 2 standards outline techniques for dielectric property measurements. The LIMESAR test bench employs one of the methods outlined in the standards, using a contact probe or open-ended coaxial transmission-line probe and vector network analyzer. The standards recommend the measurement of two reference materials that have well established and stable dielectric properties to validate the system, one for the calibration and one for checking the calibration. The LIMESAR test bench uses De-ionized water as the reference for the calibration and either DMS or Methanol as the reference for checking the calibration. The following measurements were performed to verify that the product complies with the fore mentioned standards.

4.1 LIQUID PERMITTIVITY MEASUREMENTS

The permittivity of a liquid with well established dielectric properties was measured and the measurement results compared to the values provided in the fore mentioned standards.

5 MEASUREMENT UNCERTAINTY

All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

5.1 DIELECTRIC PERMITTIVITY MEASUREMENT

The following uncertainties apply to the Dielectric Permittivity measurement:

Uncertainty analysis of Permittivity Measurement						
ERROR SOURCES	Uncertainty value (+/-%)	Probability Distribution	Divisor	ci	Standard Uncertainty (+/-%)	
Repeatability (n repeats, mid-band)	4.00%	Ν	1	1	4.000%	
Deviation from reference liquid	5.00%	R	√3	1	2.887%	
Network analyser-drift, linearity	2.00%	R	√3	1	1.155%	
Test-port cable variations 0.00% U $\sqrt{2}$ 1				0.000%		
Combined standard uncertainty	5.066%					
Expanded uncertainty (confidence l	10.0%					

Uncertainty analysis of Conductivity Measurement						
ERROR SOURCES	Uncertainty value (+/-%)	Probability Distribution	Divisor	ci	Standard Uncertainty (+/-%)	
Repeatability (n repeats, mid-band)	3.50%	N	1	1	3.500%	
Deviation from reference liquid	3.00%	R	√3	1	1.732%	
Network analyser-drift, linearity	2.00%	R	√3	1	1.155%	
Test-port cable variations	0.00%	U	√2	1	0.000%	
Combined standard uncertainty					4.072%	
Expanded uncertainty (confidence l	8.1%					

Page: 5/7

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 50 of 65



通测检测 TESTING CENTRE TECHNOLOGY

SAR DIELECTRIC PROBE CALIBRATION REPORT


Ref: ACR.138.4.33..SATU.A

6 CALIBRATION MEASUREMENT RESULTS

Measurement Condition				
Software	LIMESAR			
Liquid Temperature	21°C			
Lab Temperature	21°C			
Lab Humidity	44%			

6.1 LIQUID PERMITTIVITY MEASUREMENT

A liquid of known characteristics (methanol at 20°C) is measured with the probe and the results (complex permittivity $\epsilon'+j\epsilon''$) are compared with the well-known theoretical values for this liquid.



Page: 6/7



SAR DIELECTRIC PROBE CALIBRATION REPORT

Ref: ACR.138.4.33..SATU.A


7 LIST OF EQUIPMENT

Equipment Summary Sheet					
Equipment DescriptionManufacturer / ModelIdentification No.Current Calibration Date				Next Calibration Date	
LIMESAR Test Bench	Version 3	NA	Validated. No cal required.	Validated. No cal required.	
Network Analyzer	Rhode & Schwarz ZVA	SN100132	02/2021	02/2024	
Methanol CAS 67-56-1	Alpha Aesar	Lot D13W011	Validated. No cal required.	Validated. No cal required.	
Temperature and Humidity Sensor	Control Company	11-661-9	09/2021	09/2022	

Page: 7/7

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 52 of 65







SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

	Name	Function	Date	Signature
Prepared by :	Jérôme LUC	Product Manager	06/05/2021	Jes
Checked by :	Jérôme LUC	Product Manager	06/05/2021	JES
Approved by :	Kim RUTKOWSKI	Quality Manager	06/05/2021	thim Mithowski

	Customer Name
Distribution :	SHENZHEN TONGCE
21011101110111	TESTING LAB

Issue	Date	Modifications
А	06/05/2021	Initial release

Page: 2/11

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 54 of 65



T

CT通测检测 TESTING CENTRE TECHNOLOGY

SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

TABLE OF CONTENTS

1	Intr	oduction	
2	Dev	ice Under Test	
3	Pro	duct Description	
	3.1	General Information	4
4	Mea	surement Method	
	4.1	Return Loss Requirements	5
	4.2	Mechanical Requirements	
5	Mea	surement Uncertainty	
	5.1	Return Loss	5
	5.2	Dimension Measurement	5
	5.3	Validation Measurement	
6	Cali	bration Measurement Results	
	6.1	Return Loss and Impedance In Head Liquid	6
	6.2	Return Loss and Impedance In Body Liquid	6
	6.3	Mechanical Dimensions	6
7	Val	idation measurement	
	7.1	Head Liquid Measurement	7
	7.2	SAR Measurement Result With Head Liquid	8
	7.3	Body Liquid Measurement	
	7.4	SAR Measurement Result With Body Liquid	
8	List	of Equipment 11	

Page: 3/11



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

1 INTRODUCTION

通测检测 TESTING CENTRE TECHNOLOGY

This document contains a summary of the requirements set forth by the IEEE 1528, FCC KDBs and CEI/IEC 62209 standards for reference dipoles used for SAR measurement system validations and the measurements that were performed to verify that the product complies with the fore mentioned standards.

2 DEVICE UNDER TEST

Device Under Test				
Device Type	COMOSAR 2450 MHz REFERENCE DIPOLE			
Manufacturer	MVG			
Model	SID2450			
Serial Number	SN 16/15 DIP 2G450-374			
Product Condition (new / used)	Used			

A yearly calibration interval is recommended.

3 PRODUCT DESCRIPTION

3.1 GENERAL INFORMATION

MVG's COMOSAR Validation Dipoles are built in accordance to the IEEE 1528, FCC KDBs and CEI/IEC 62209 standards. The product is designed for use with the COMOSAR test bench only.



Figure 1 – MVG COMOSAR Validation Dipole

Page: 4/11



通测检测 TESTING CENTRE TECHNOLOGY

SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

4 MEASUREMENT METHOD

The IEEE 1528, FCC KDBs and CEI/IEC 62209 standards provide requirements for reference dipoles used for system validation measurements. The following measurements were performed to verify that the product complies with the fore mentioned standards.

4.1 RETURN LOSS REQUIREMENTS

The dipole used for SAR system validation measurements and checks must have a return loss of -20 dB or better. The return loss measurement shall be performed against a liquid filled flat phantom, with the phantom constucted as outlined in the fore mentioned standards.

4.2 MECHANICAL REQUIREMENTS

The IEEE Std. 1528 and CEI/IEC 62209 standards specify the mechanical components and dimensions of the validation dipoles, with the dimensions frequency and phantom shell thickness dependent. The COMOSAR test bench employs a 2 mm phantom shell thickness therefore the dipoles sold for use with the COMOSAR test bench comply with the requirements set forth for a 2 mm phantom shell thickness.

5 MEASUREMENT UNCERTAINTY

All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

5.1 <u>RETURN LOSS</u>

The following uncertainties apply to the return loss measurement:

Frequency band	Expanded Uncertainty on Return Loss		
400-6000MHz	0.1 dB		

5.2 DIMENSION MEASUREMENT

The following uncertainties apply to the dimension measurements:


Length (mm)	Expanded Uncertainty on Length		
3 - 300	0.05 mm		

5.3 VALIDATION MEASUREMENT

The guidelines outlined in the IEEE 1528, FCC KDBs, CENELEC EN50361 and CEI/IEC 62209 standards were followed to generate the measurement uncertainty for validation measurements.

Scan Volume	Expanded Uncertainty
1 g	20.3 %

Page: 5/11



Page 58 of 65

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

	-					
450	290.0 ±1 %.		166.7 ±1 %.		6.35 ±1 %.	
750	176.0 ±1 %.		100.0 ±1 %.		6.35 ±1 %.	
835	161.0 ±1 %.		89.8 ±1 %.		3.6 ±1 %.	
900	149.0 ±1 %.		83.3 ±1 %.		3.6 ±1 %.	
1450	89.1 ±1 %.		51.7 ±1 %.		3.6 ±1 %.	
1500	80.5 ±1 %.		50.0 ±1 %.		3.6 ±1 %.	
1640	79.0 ±1 %.		45.7 ±1 %.		3.6 ±1 %.	
1750	75.2 ±1 %.		42.9 ±1 %.		3.6 ±1 %.	
1800	72.0 ±1 %.		41.7 ±1 %.		3.6 ±1 %.	
1900	68.0 ±1 %.		39.5 ±1 %.		3.6 ±1 %.	
1950	66.3 ±1 %.		38.5 ±1 %.		3.6 ±1 %.	
2000	64.5 ±1 %.		37.5 ±1 %.		3.6 ±1 %.	
2100	61.0 ±1 %.		35.7 ±1 %.		3.6 ±1 %.	
2300	55.5 ±1 %.		32.6 ±1 %.		3.6 ±1 %.	
2450	51.5 ±1 %.	PASS	30.4 ±1 %.	PASS	3.6 ±1 %.	PASS
2600	48.5 ±1 %.		28.8 ±1 %.		3.6 ±1 %.	
3000	41.5 ±1 %.		25.0 ±1 %.		3.6 ±1 %.	
3500	37.0±1 %.		26.4 ±1 %.		3.6 ±1 %.	
3700	34.7±1 %.		26.4 ±1 %.		3.6 ±1 %.	

7 VALIDATION MEASUREMENT

The IEEE Std. 1528, FCC KDBs and CEI/IEC 62209 standards state that the system validation measurements must be performed using a reference dipole meeting the fore mentioned return loss and mechanical dimension requirements. The validation measurement must be performed against a liquid filled flat phantom, with the phantom constructed as outlined in the fore mentioned standards. Per the standards, the dipole shall be positioned below the bottom of the phantom, with the dipole length centered and parallel to the longest dimension of the flat phantom, with the top surface of the dipole at the described distance from the bottom surface of the phantom.

7.1 HEAD LIQUID MEASUREMENT

Frequency MHz	Relative permittivity (ɛ,')		Conductivity (σ) S/m		
	required	measured	required	measured	
300	45.3 ±5 %		0.87 ±5 %		
450	43.5 ±5 %		0.87 ±5 %		
750	41.9 ±5 %		0.89 ±5 %		
835	41.5 ±5 %		0.90 ±5 %		
900	41.5 ±5 %		0.97 ±5 %		
1450	40.5 ±5 %		1.20 ±5 %		
1500	40.4 ±5 %		1.23 ±5 %		
1640	40.2 ±5 %		1.31 ±5 %		
1750	40.1 ±5 %		1.37 ±5 %		

Page: 7/11

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 59 of 65



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

1800	40.0 ±5 %		1.40 ±5 %	
1900	40.0 ±5 %		1.40 ±5 %	
1950	40.0 ±5 %		1.40 ±5 %	
2000	40.0 ±5 %		1.40 ±5 %	
2100	39.8 ±5 %		1.49 ±5 %	
2300	39.5 ±5 %		1.67 ±5 %	
2450	39.2 ±5 %	PASS	1.80 ±5 %	PASS
2600	39.0 ±5 %		1.96 ±5 %	
3000	38.5 ±5 %		2.40 ±5 %	
3500	37.9 ±5 %		2.91 ±5 %	

7.2 SAR MEASUREMENT RESULT WITH HEAD LIQUID

The IEEE Std. 1528 and CEI/IEC 62209 standards state that the system validation measurements should produce the SAR values shown below (for phantom thickness of 2 mm), within the uncertainty for the system validation. All SAR values are normalized to 1 W forward power. In bracket, the measured SAR is given with the used input power.

Software	OPENSAR V4
Phantom	SN 20/09 SAM71
Probe	SN 18/11 EPG122
Liquid	Head Liquid Values: eps' : 38.3 sigma : 1.80
Distance between dipole center and liquid	10.0 mm
Area scan resolution	dx=8mm/dy=8mm
Zoon Scan Resolution	dx=5mm/dy=5mm/dz=5mm
Frequency	2450 MHz
Input power	20 dBm
Liquid Temperature	21 °C
Lab Temperature	21 °C
Lab Humidity	45 %

Frequency MHz	1 g SAR (W/kg/W)		10 g SAR	(W/kg/W)
	required	measured	required	measured
300	2.85		1.94	
450	4.58		3.06	
750	8.49		5.55	
835	9.56		6.22	
900	10.9		6.99	
1450	29		16	
1500	30.5		16.8	
1640	34.2		18.4	
1750	36.4		19.3	
1800	38.4		20.1	

Page: 8/11

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.


Page 60 of 65




SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

1900	39.7		20.5	
1950	40.5		20.9	
2000	41.1		21.1	
2100	43.6		21.9	
2300	48.7		23.3	
2450	52.4	53.26 (5.38)	24	24.15 (2.49)
2600	55.3		24.6	
3000	63.8		25.7	
3500	67.1		25	





7.3 BODY LIQUID MEASUREMENT

Frequency MHz	Relative per	mittivity (ɛɾ')	Conductivity (σ) S/m		
	required	required measured		measured	
150	61.9 ±5 %		0.80 ±5 %		
300	58.2 ±5 %		0.92 ±5 %		
450	56.7 ±5 %		0.94 ±5 %		
750	55.5 ±5 %		0.96 ±5 %		
835	55.2 ±5 %		0.97 ±5 %		
900	55.0 ±5 %		1.05 ±5 %		
915	55.0 ±5 %		1.06 ±5 %		
1450	54.0 ±5 %		1.30 ±5 %		
1610	53.8 ±5 %		1.40 ±5 %		
1800	53.3 ±5 %		1.52 ±5 %		
1900	53.3 ±5 %		1.52 ±5 %		
2000	53.3 ±5 %		1.52 ±5 %		
2100	53.2 ±5 %		1.62 ±5 %		
2450	52.7 ±5 %	PASS	1.95 ±5 %	PASS	

Page: 9/11

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 61 of 65



SAR REFERENCE DIPOLE CALIBRATION REPORT


Ref: ACR.156.9.15.SATU.A

2600	52.5 ±5 %	2.16 ±5 %
3000	52.0 ±5 %	2.73 ±5 %
3500	51.3 ±5 %	3.31 ±5 %
5200	49.0 ±10 %	5.30 ±10 %
5300	48.9 ±10 %	5.42 ±10 %
5400	48.7 ±10 %	5.53 ±10 %
5500	48.6 ±10 %	5.65 ±10 %
5600	48.5 ±10 %	5.77 ±10 %
5800	48.2 ±10 %	6.00 ±10 %

7.4 SAR MEASUREMENT RESULT WITH BODY LIQUID

Software	OPENSAR V4
Phantom	SN 20/09 SAM71
Probe	SN 18/11 EPG122
Liquid	Body Liquid Values: eps' : 52.7 sigma : 1.94
Distance between dipole center and liquid	10.0 mm
Area scan resolution	dx=8mm/dy=8mm
Zoon Scan Resolution	dx=5mm/dy=5mm/dz=5mm
Frequency	2450 MHz
Input power	20 dBm
Liquid Temperature	21 °C
Lab Temperature	21 °C
Lab Humidity	45 %

Frequency MHz	1 g SAR (W/kg/W)	10 g SAR (W/kg/W)
	measured	measured
2450	50.63 (5.01)	23.40 (2.37)



Page: 10/11

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 62 of 65



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.156.9.15.SATU.A

8 LIST OF EQUIPMENT

Equipment Summary Sheet											
Equipment Description											
SAM Phantom	M∨G	SN-20/09-SAM71	Validated. No cal required.	Validated. No cal required.							
COMOSAR Test Bench	Version 3	NA	Validated. No cal required.	Validated. No cal required.							
Network Analyzer	Rhode & Schwarz ZVA	SN100132	02/2021	02/2024							
Calipers	Carrera	CALIPER-01	02/2021	02/2024							
Reference Probe	M∨G	EPG122 SN 18/11	02/2020	02/2021							
Multimeter	Keithley 2000	1188656	02/2021	02/2024							
Signal Generator	Agilent E4438C	MY49070581	02/2021	02/2024							
Amplifier	Aethercomm	SN 046	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.							
Power Meter	HP E4418A	US38261498	02/2021	02/2024							
Power Sensor	HP ECP-E26A	US37181460	02/2021	02/2024							
Directional Coupler	Narda 4216-20	01386	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.							
Temperature and Humidity Sensor	Control Company	11-661-9	02/2021	02/2024							

Page: 11/11

This document shall not be reproduced, except in full or in part, without the written approval of MVG. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of MVG.

Page 63 of 65

Report No.: TCT230202E005

Appendix E: SAR SYSTEM VALIDATION

Per FCC KDB 865664 D02v01, SAR system validation status should be documented to confirm measurement accuracy. The SAR systems (including SAR probes, system components and software versions) used for this device were validated against its performance specifications prior to the SAR measurements. Reference dipoles were used with the required tissue- equivalent media for system validation, according to the procedures outlined in FCC KDB 865664 D01 v01 and IEEE 1528-2013. Since SAR probe calibrations are frequency dependent, each probe calibration point was validated at a frequency within the valid frequency range of the probe calibration point, using the system that normally operates with the probe for routine SAR measurements and according to the required tissue-equivalent media.

A tabulated summary of the system validation status including the validation date(s), measurement frequencies, SAR probes and tissue dielectric parameters has been included.

	SAR System validation Summary												
		Tierry		Ti		COND. PERM.	COND. PERM.	CW	Validation	I	Мс	od. Valida	tion
Date	Freq. [MHz]	Probe S/N	Tissu e type	(σ)	(ɛr)	sensitivity	Probe linearity	Probe isotropy	Mod. type	Duty factor	Peak to average power ratio		
02/03/2023	2450	SN 25/22 EPGO 375	Body	2.37	52.10	PASS	PASS	PASS	GMSK	PASS	N/A		

NOTE: While the probes have been calibrated for both a CW and modulated signals, all measurements were performed using communication systems calibrated for CW signals only. Modulations in the table above represent test configurations for which the measurement system has been validated per FCC KDB Publication 865664 D01v01 for scenarios when CW probe calibrations are used with other signal types. SAR systems were validated for modulated signals with a periodic duty cycle, such as OFDM according to KDB 865664.

Page 64 of 65

Appendix F: The Check Data of Impedance and Return Loss

TCT通测检测 TESTING CENTRE TECHNOLOGY

The information are included in the SAR report to qualify for the three-year extended calibration interval;

9		Impedance in body liquid				Date: 02/03/2023		
Temp	Dipole Impedance Re(z)			Dipole Impedance Im(z)				
(°C)	measured	Target	△ (±5Ω)	measured	Target	△ (±5Ω)		
22	45.90	46.50	-0.60	-0.36	-0.20	-0.16		
	(°C)	(°C) measured	Temp (°C)Dipole ImpedanmeasuredTarget	Temp (°C)Dipole Impedance Re(z)measuredTarget \triangle ($\pm 5\Omega$)	Temp (°C)Dipole Impedance Re(z)DmeasuredTarget \triangle (±5 Ω)measured	Temp (°C)Dipole Impedance Re(z)Dipole Impedance C $\pm 5\Omega$)Temp (°C)Target \triangle ($\pm 5\Omega$)Target		

		Return loss in	Return loss in body liquid			
Freq. (MHz)	Temp	Return loss(dB)				
	(°C)	measured	Target	△ (±20%)		
2450	22	-34.65	-32.86	5.45		

liquid	Freq.	Temp	εr / relative permittivity			σ(s	ρ		
liquid (MHz) (°C)		measured	Target	△ (±5%)	measured	Target	△(±5%)	(kg/m3)	
Body	2450	22	45.90	46.50	-0.60	-0.36	-0.20	-0.16	1000

				Calibration		
Test Equipment	Manufacturer	Model	Serial Number	Calibration Date (D.M.Y)	Calibration Due (D.M.Y)	
Signal Generator	Angilent	N5182A	MY47070282	Sep. 28, 2022	Sep. 27, 2023	
Multimeter	Keithley	Multimeter 2000	4078275	Sep. 28, 2022	Sep. 27, 2023	
Network Analyzer	Agilent	8753E	US38432457	Sep. 28, 2022	Sep. 27, 2023	
Power Meter	Agilent	E4418B	GB43312526	Sep. 28, 2022	Sep. 27, 2023	
Power Sensor	Agilent	E9301A	MY41497725	Sep. 28, 2022	Sep. 27, 2023	
Power Amplifier	PE	PE15A4019	112342	N/A	N/A	
Temperature / Humidity Sensor	Control company	TH101B	152470214	Sep. 28, 2022	Sep. 27, 2023	

*****END OF REPORT****

Page 65 of 65

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com