

# RF Test Data for 2.4G WiFi (Conducted Measurements)

General Description of EUT	
<b>Product Name:</b>	WiFi Temperature&Humidity Sensor
<b>Test Model:</b>	TH11
<b>Sample ID:</b>	HC-C-202405-0207-01-01
Environmental Conditions	
<b>Temperature:</b>	23.4°C
<b>Relative Humidity:</b>	47%
<b>Test Voltage:</b>	DC 3V
<b>Test Engineer:</b>	Jolin Lee
Note: For a more detailed features description, please refer to the report TBR-C-202405-0207-31 The report only show the worst case data.	



## Contents

1. Duty Cycle .....	3
2. Maximum Conducted Output Power .....	10
3. -6dB Bandwidth .....	11
4. Occupied Channel Bandwidth .....	18
5. Maximum Power Spectral Density Level .....	25
6. Band Edge .....	32
7. Conducted RF Spurious Emission .....	41
8. Restrict Band .....	54




## 1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	98.94	0.05	0.12
NVNT	b	2437	Ant1	98.94	0.05	0.12
NVNT	b	2462	Ant1	98.94	0.05	0.12
NVNT	g	2412	Ant1	98.94	0.05	0.72
NVNT	g	2437	Ant1	98.94	0.05	0.72
NVNT	g	2462	Ant1	98.94	0.05	0.72
NVNT	n(HT20)	2412	Ant1	98.86	0.05	0.77
NVNT	n(HT20)	2437	Ant1	98.86	0.05	0.77
NVNT	n(HT20)	2462	Ant1	99.09	0.04	0.77
NVNT	n(HT40)	2422	Ant1	98.63	0.06	1.54
NVNT	n(HT40)	2437	Ant1	98.63	0.06	1.54
NVNT	n(HT40)	2452	Ant1	99.09	0.04	1.54

Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1







Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1



Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1







Duty Cycle NVNT n(HT20) 2412MHz Ant1




Duty Cycle NVNT n(HT20) 2437MHz Ant1



Duty Cycle NVNT n(HT20) 2462MHz Ant1




Duty Cycle NVNT n(HT40) 2422MHz Ant1






Duty Cycle NVNT n(HT40) 2437MHz Ant1



Duty Cycle NVNT n(HT40) 2452MHz Ant1



## 2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	19.41	0.05	19.46	30	Pass
NVNT	b	2437	Ant1	19.19	0.05	19.24	30	Pass
NVNT	b	2462	Ant1	17.72	0.05	17.77	30	Pass
NVNT	g	2412	Ant1	15.23	0.05	15.28	30	Pass
NVNT	g	2437	Ant1	14.96	0.05	15.01	30	Pass
NVNT	g	2462	Ant1	14.45	0.05	14.5	30	Pass
NVNT	n(HT20)	2412	Ant1	14.7	0.05	14.75	30	Pass
NVNT	n(HT20)	2437	Ant1	14.32	0.05	14.37	30	Pass
NVNT	n(HT20)	2462	Ant1	13.76	0.04	13.8	30	Pass
NVNT	n(HT40)	2422	Ant1	12.71	0.06	12.77	30	Pass
NVNT	n(HT40)	2437	Ant1	12.23	0.06	12.29	30	Pass
NVNT	n(HT40)	2452	Ant1	11.59	0.04	11.63	30	Pass

Note: The Duty Cycle Factor is compensated in the graph.




### 3. -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	12.01	0.5	Pass
NVNT	b	2437	Ant1	10.11	0.5	Pass
NVNT	b	2462	Ant1	12.03	0.5	Pass
NVNT	g	2412	Ant1	14.7	0.5	Pass
NVNT	g	2437	Ant1	15.04	0.5	Pass
NVNT	g	2462	Ant1	16.25	0.5	Pass
NVNT	n(HT20)	2412	Ant1	13.82	0.5	Pass
NVNT	n(HT20)	2437	Ant1	11.36	0.5	Pass
NVNT	n(HT20)	2462	Ant1	13.73	0.5	Pass
NVNT	n(HT40)	2422	Ant1	33.84	0.5	Pass
NVNT	n(HT40)	2437	Ant1	33.79	0.5	Pass
NVNT	n(HT40)	2452	Ant1	32.62	0.5	Pass

Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1







-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1



-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1







-6dB Bandwidth NVNT n(HT20) 2412MHz Ant1




-6dB Bandwidth NVNT n(HT20) 2437MHz Ant1



-6dB Bandwidth NVNT n(HT20) 2462MHz Ant1




-6dB Bandwidth NVNT n(HT40) 2422MHz Ant1






-6dB Bandwidth NVNT n(HT40) 2437MHz Ant1



-6dB Bandwidth NVNT n(HT40) 2452MHz Ant1




## 4. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	b	2412	Ant1	15.252
NVNT	b	2437	Ant1	15.257
NVNT	b	2462	Ant1	15.236
NVNT	g	2412	Ant1	17.011
NVNT	g	2437	Ant1	16.932
NVNT	g	2462	Ant1	16.973
NVNT	n(HT20)	2412	Ant1	17.951
NVNT	n(HT20)	2437	Ant1	17.738
NVNT	n(HT20)	2462	Ant1	18.039
NVNT	n(HT40)	2422	Ant1	35.584
NVNT	n(HT40)	2437	Ant1	35.583
NVNT	n(HT40)	2452	Ant1	35.595




Test Graphs


OBW NVNT b 2412MHz Ant1




OBW NVNT b 2437MHz Ant1



OBW NVNT b 2462MHz Ant1




OBW NVNT g 2412MHz Ant1







OBW NVNT g 2437MHz Ant1




OBW NVNT g 2462MHz Ant1



OBW NVNT n(HT20) 2412MHz Ant1




OBW NVNT n(HT20) 2437MHz Ant1







OBW NVNT n(HT20) 2462MHz Ant1




OBW NVNT n(HT40) 2422MHz Ant1



OBW NVNT n(HT40) 2437MHz Ant1



OBW NVNT n(HT40) 2452MHz Ant1





## 5. Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-13.03	8	Pass
NVNT	b	2437	Ant1	-13.042	8	Pass
NVNT	b	2462	Ant1	-14.785	8	Pass
NVNT	g	2412	Ant1	-17.779	8	Pass
NVNT	g	2437	Ant1	-18.025	8	Pass
NVNT	g	2462	Ant1	-18.338	8	Pass
NVNT	n(HT20)	2412	Ant1	-17.861	8	Pass
NVNT	n(HT20)	2437	Ant1	-17.425	8	Pass
NVNT	n(HT20)	2462	Ant1	-19.057	8	Pass
NVNT	n(HT40)	2422	Ant1	-23.4	8	Pass
NVNT	n(HT40)	2437	Ant1	-23.937	8	Pass
NVNT	n(HT40)	2452	Ant1	-24.587	8	Pass


Note: The Duty Cycle Factor is compensated in the graph.

Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1







PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1



PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1







PSD NVNT n(HT20) 2412MHz Ant1




PSD NVNT n(HT20) 2437MHz Ant1



PSD NVNT n(HT20) 2462MHz Ant1




PSD NVNT n(HT40) 2422MHz Ant1






PSD NVNT n(HT40) 2437MHz Ant1



PSD NVNT n(HT40) 2452MHz Ant1




## 6. Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-53.53	-30	Pass
NVNT	b	2462	Ant1	-49.89	-30	Pass
NVNT	g	2412	Ant1	-47.62	-30	Pass
NVNT	g	2462	Ant1	-46.02	-30	Pass
NVNT	n(HT20)	2412	Ant1	-49.36	-30	Pass
NVNT	n(HT20)	2462	Ant1	-48.91	-30	Pass
NVNT	n(HT40)	2422	Ant1	-38.27	-30	Pass
NVNT	n(HT40)	2452	Ant1	-39.5	-30	Pass




Test Graphs


Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission



Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission







Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission



Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission







Band Edge NVNT n(HT20) 2412MHz Ant1 Ref




Band Edge NVNT n(HT20) 2412MHz Ant1 Emission





Band Edge NVNT n(HT20) 2462MHz Ant1 Ref




Band Edge NVNT n(HT20) 2462MHz Ant1 Emission







Band Edge NVNT n(HT40) 2452MHz Ant1 Ref



Band Edge NVNT n(HT40) 2452MHz Ant1 Emission





## 7. Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-53.94	-30	Pass
NVNT	b	2437	Ant1	-53.68	-30	Pass
NVNT	b	2462	Ant1	-51.98	-30	Pass
NVNT	g	2412	Ant1	-47.69	-30	Pass
NVNT	g	2437	Ant1	-49.42	-30	Pass
NVNT	g	2462	Ant1	-48.52	-30	Pass
NVNT	n(HT20)	2412	Ant1	-49.46	-30	Pass
NVNT	n(HT20)	2437	Ant1	-49.49	-30	Pass
NVNT	n(HT20)	2462	Ant1	-49.71	-30	Pass
NVNT	n(HT40)	2422	Ant1	-43.98	-30	Pass
NVNT	n(HT40)	2437	Ant1	-43.58	-30	Pass
NVNT	n(HT40)	2452	Ant1	-42.73	-30	Pass

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission







Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission



Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission







Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission



Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission







Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2412MHz Ant1 Emission







Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2437MHz Ant1 Emission



Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Ref




Tx. Spurious NVNT n(HT20) 2462MHz Ant1 Emission






Tx. Spurious NVNT n(HT40) 2422MHz Ant1 Ref




Tx. Spurious NVNT n(HT40) 2422MHz Ant1 Emission



Tx. Spurious NVNT n(HT40) 2437MHz Ant1 Ref




Tx. Spurious NVNT n(HT40) 2437MHz Ant1 Emission





Tx. Spurious NVNT n(HT40) 2452MHz Ant1 Ref



Tx. Spurious NVNT n(HT40) 2452MHz Ant1 Emission



## 8. Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-50.48	2	-	46.78	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-58.99	2	0.05	38.32	Average	54	Pass
NVNT	b	2412	Ant1	2389.911	-40.55	2	-	56.71	Peak	74	Pass
NVNT	b	2412	Ant1	2389.56	-47.11	2	0.05	50.2	Average	54	Pass
NVNT	b	2412	Ant1	2390	-40.33	2	-	56.93	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-47.08	2	0.05	50.23	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-39.56	2	-	57.7	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-43.92	2	0.05	53.39	Average	54	Pass
NVNT	b	2462	Ant1	2483.835	-37.98	2	-	59.28	Peak	74	Pass
NVNT	b	2462	Ant1	2483.517	-43.92	2	0.05	53.39	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.61	2	-	48.65	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-56.49	2	0.05	40.82	Average	54	Pass
NVNT	g	2412	Ant1	2310	-51.3	2	-	45.96	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-59.03	2	0.05	38.28	Average	54	Pass
NVNT	g	2412	Ant1	2389.677	-34.27	2	-	62.99	Peak	74	Pass
NVNT	g	2412	Ant1	2389.677	-46.15	2	0.05	51.16	Average	54	Pass
NVNT	g	2412	Ant1	2390	-35.33	2	-	61.93	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-45.56	2	0.05	51.75	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-31.4	2	-	65.86	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-46.11	2	0.05	51.2	Average	54	Pass
NVNT	g	2462	Ant1	2483.517	-31.4	2	-	65.86	Peak	74	Pass
NVNT	g	2462	Ant1	2483.57	-44.94	2	0.05	52.37	Average	54	Pass
NVNT	g	2462	Ant1	2500	-46.82	2	-	50.44	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-56.1	2	0.05	41.21	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2310	-48.84	2	-	48.42	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2310	-59.08	2	0.05	38.23	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2389.677	-36.41	2	-	60.85	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2389.326	-46.78	2	0.05	50.53	Average	54	Pass
NVNT	n(HT20)	2412	Ant1	2390	-39.03	2	-	58.23	Peak	74	Pass
NVNT	n(HT20)	2412	Ant1	2390	-47.47	2	0.05	49.84	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-36.56	2	-	60.7	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.5	-46.81	2	0.04	50.49	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2483.941	-31.52	2	-	65.74	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2483.782	-45.74	2	0.04	51.56	Average	54	Pass
NVNT	n(HT20)	2462	Ant1	2500	-47.4	2	-	49.86	Peak	74	Pass
NVNT	n(HT20)	2462	Ant1	2500	-56.12	2	0.04	41.18	Average	54	Pass
NVNT	n(HT40)	2422	Ant1	2310	-51.28	2	-	45.98	Peak	74	Pass
NVNT	n(HT40)	2422	Ant1	2310	-59.49	2	0.06	37.83	Average	54	Pass
NVNT	n(HT40)	2422	Ant1	2389.378	-25.74	2	-	71.52	Peak	74	Pass
NVNT	n(HT40)	2422	Ant1	2389.662	-44.76	2	0.06	52.56	Average	54	Pass
NVNT	n(HT40)	2422	Ant1	2390	-31.33	2	-	65.93	Peak	74	Pass
NVNT	n(HT40)	2422	Ant1	2390	-44.96	2	0.06	52.36	Average	54	Pass
NVNT	n(HT40)	2452	Ant1	2483.5	-36.23	2	-	61.03	Peak	74	Pass
NVNT	n(HT40)	2452	Ant1	2483.5	-48.9	2	0.04	48.4	Average	54	Pass
NVNT	n(HT40)	2452	Ant1	2485.726	-27.61	2	-	69.65	Peak	74	Pass
NVNT	n(HT40)	2452	Ant1	2484.79	-45.18	2	0.04	52.12	Average	54	Pass
NVNT	n(HT40)	2452	Ant1	2500	-46.55	2	-	50.71	Peak	74	Pass
NVNT	n(HT40)	2452	Ant1	2500	-54.33	2	0.04	42.97	Average	54	Pass

Note: The Duty Cycle Factor is compensated in the graph.




Test Graphs


Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average



Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average





Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average



Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n(HT20) 2412MHz Ant1 Peak



Restrict Band NVNT n(HT20) 2412MHz Ant1 Average



Restrict Band NVNT n(HT20) 2462MHz Ant1 Peak




Restrict Band NVNT n(HT20) 2462MHz Ant1 Average






Restrict Band NVNT n(HT40) 2422MHz Ant1 Peak



Restrict Band NVNT n(HT40) 2422MHz Ant1 Average



Restrict Band NVNT n(HT40) 2452MHz Ant1 Peak



Restrict Band NVNT n(HT40) 2452MHz Ant1 Average



-----END OF THE REPORT-----