



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11b CH06 2437MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Date: 7 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 46 SN : #69 G802JK0130550029 Plane : Z with Accessories : 1M power setting 19</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.10</td> <td>-29.83</td> <td>74.00</td> <td>58.22</td> <td>54.37</td> <td>9.56</td> <td>57.90</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.10</td> <td>-27.80</td> <td>74.00</td> <td>58.38</td> <td>56.05</td> <td>11.24</td> <td>56.47</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4874.00	44.10	-29.83	74.00	58.22	54.37	9.56	57.90	Peak	2	7311.00	46.10	-27.80	74.00	58.38	56.05	11.24	56.47	Peak	<p>Date: 8 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 46 SN : #69 G802JK0130550029 Plane : Z with Accessories : 1M power setting 19</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>44.40</td> <td>-29.95</td> <td>74.00</td> <td>58.08</td> <td>54.31</td> <td>9.58</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.40</td> <td>-28.58</td> <td>74.00</td> <td>57.68</td> <td>56.00</td> <td>11.24</td> <td>56.47</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4874.00	44.40	-29.95	74.00	58.08	54.31	9.58	57.98	Peak	2	7311.00	45.40	-28.58	74.00	57.68	56.00	11.24	56.47	Peak
	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	4874.00	44.10	-29.83	74.00	58.22	54.37	9.56	57.90	Peak																																																																																							
2	7311.00	46.10	-27.80	74.00	58.38	56.05	11.24	56.47	Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	4874.00	44.40	-29.95	74.00	58.08	54.31	9.58	57.98	Peak																																																																																							
2	7311.00	45.40	-28.58	74.00	57.68	56.00	11.24	56.47	Peak																																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11b CH11 2462MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<div style="display: flex; justify-content: space-around;"> <div data-bbox="383 481 837 728"> <p>Date: 15</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 47 SN : #69 G802JK0130550029 Plane : Z with Accessories : 1M power setting 19</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>44.96</td> <td>-29.84</td> <td>74.00</td> <td>59.96</td> <td>34.34</td> <td>9.34</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.69</td> <td>-29.31</td> <td>74.00</td> <td>57.18</td> <td>35.08</td> <td>11.32</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table> </div> <div data-bbox="853 481 1308 728"> <p>Date: 16</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-S2 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 47 SN : #69 G802JK0130550029 Plane : Z with Accessories : 1M power setting 19</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.70</td> <td>-30.24</td> <td>74.00</td> <td>57.36</td> <td>34.34</td> <td>9.34</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.52</td> <td>-28.48</td> <td>74.00</td> <td>57.03</td> <td>35.98</td> <td>11.32</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table> </div> </div>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg		1	4924.00	44.96	-29.84	74.00	59.96	34.34	9.34	57.98	... Peak	2	7386.00	44.69	-29.31	74.00	57.18	35.08	11.32	59.71	... Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg		1	4924.00	43.70	-30.24	74.00	57.36	34.34	9.34	57.98	... Peak	2	7386.00	45.52	-28.48	74.00	57.03	35.98	11.32	59.71	... Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg																																																																										
1	4924.00	44.96	-29.84	74.00	59.96	34.34	9.34	57.98	... Peak																																																																									
2	7386.00	44.69	-29.31	74.00	57.18	35.08	11.32	59.71	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dB	dB	cm	deg																																																																										
1	4924.00	43.70	-30.24	74.00	57.36	34.34	9.34	57.98	... Peak																																																																									
2	7386.00	45.52	-28.48	74.00	57.03	35.98	11.32	59.71	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11b CH12 2467MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 15</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 48 SN : #69 G8B2JK0130550029 Plane : Z with Accessories : 1M power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.37</td> <td>-38.50</td> <td>74.00</td> <td>57.50</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7460.00</td> <td>45.19</td> <td>-38.22</td> <td>74.00</td> <td>58.22</td> <td>35.07</td> <td>11.13</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	4934.00	43.37	-38.50	74.00	57.50	34.34	9.56	57.98	... Peak	2	7460.00	45.19	-38.22	74.00	58.22	35.07	11.13	59.76	... Peak	<p>Date: 16</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 48 SN : #69 G8B2JK0130550029 Plane : Z with Accessories : 1M power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.37</td> <td>-38.63</td> <td>74.00</td> <td>57.37</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7460.00</td> <td>45.17</td> <td>-38.43</td> <td>74.00</td> <td>58.04</td> <td>35.07</td> <td>11.13</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg		1	4934.00	43.37	-38.63	74.00	57.37	34.34	9.56	57.98	... Peak	2	7460.00	45.17	-38.43	74.00	58.04	35.07	11.13	59.76	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																										
1	4934.00	43.37	-38.50	74.00	57.50	34.34	9.56	57.98	... Peak																																																																									
2	7460.00	45.19	-38.22	74.00	58.22	35.07	11.13	59.76	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBm	dB	dBm	dBm	dB	dB	cm	deg																																																																										
1	4934.00	43.37	-38.63	74.00	57.37	34.34	9.56	57.98	... Peak																																																																									
2	7460.00	45.17	-38.43	74.00	58.04	35.07	11.13	59.76	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11b CH13 2472MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 9 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 49 SN : #69 G8E2JK0130550029 Plane : Z with Accessories : 1M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>44.07</td> <td>-29.93</td> <td>74.00</td> <td>58.08</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>45.49</td> <td>-28.51</td> <td>74.00</td> <td>57.99</td> <td>35.07</td> <td>11.29</td> <td>58.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	44.07	-29.93	74.00	58.08	34.33	9.56	57.98	...	2	7416.00	45.49	-28.51	74.00	57.99	35.07	11.29	58.76	... Peak	<p>Date: 10 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 49 SN : #69 G8E2JK0130550029 Plane : Z with Accessories : 1M power setting 15</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.61</td> <td>-30.35</td> <td>74.00</td> <td>57.66</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>44.81</td> <td>-29.19</td> <td>74.00</td> <td>57.31</td> <td>35.97</td> <td>11.29</td> <td>59.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4944.00	43.61	-30.35	74.00	57.66	34.33	9.56	57.98	... Peak	2	7416.00	44.81	-29.19	74.00	57.31	35.97	11.29	59.76	... Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4944.00	44.07	-29.93	74.00	58.08	34.33	9.56	57.98	...																																																																									
2	7416.00	45.49	-28.51	74.00	57.99	35.07	11.29	58.76	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4944.00	43.61	-30.35	74.00	57.66	34.33	9.56	57.98	... Peak																																																																									
2	7416.00	44.81	-29.19	74.00	57.31	35.97	11.29	59.76	... Peak																																																																									



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																			
ANT	802.11g CH01 2412MHz																																																																			
1	Horizontal	Vertical																																																																		
Peak Avg.	<p>Date: 15 Date: 2023-02-14</p> <p>Site : 03CH02-02 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 02 SN : #69 G0B2AK0130550029 Plane : Z with Accessories EM power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.47</td> <td>-30.53</td> <td>74.00</td> <td>57.50</td> <td>34.48</td> <td>9.47</td> <td>57.98</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	43.47	-30.53	74.00	57.50	34.48	9.47	57.98	---	--- Peak	<p>Date: 16 Date: 2023-02-14</p> <p>Site : 03CH02-02 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 02 SN : #69 G0B2AK0130550029 Plane : Z with Accessories EM power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.81</td> <td>-30.19</td> <td>74.00</td> <td>57.84</td> <td>34.48</td> <td>9.47</td> <td>57.98</td> <td>---</td> <td>--- Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	43.81	-30.19	74.00	57.84	34.48	9.47	57.98	---	--- Peak
	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4824.00	43.47	-30.53	74.00	57.50	34.48	9.47	57.98	---	--- Peak																																																										
Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4824.00	43.81	-30.19	74.00	57.84	34.48	9.47	57.98	---	--- Peak																																																										



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11g CH06 2437MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode S1 SN : #69 G0B2JK0130550029 Plane : Z with Accessories GM power setting 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.08</td> <td>44.27</td> <td>-29.73</td> <td>74.00</td> <td>58.38</td> <td>54.37</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.08</td> <td>47.39</td> <td>-36.91</td> <td>74.00</td> <td>59.27</td> <td>56.85</td> <td>11.24</td> <td>56.47</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4874.08	44.27	-29.73	74.00	58.38	54.37	9.56	57.98	Peak	2	7311.08	47.39	-36.91	74.00	59.27	56.85	11.24	56.47	Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode S1 SN : #69 G0B2JK0130550029 Plane : Z with Accessories GM power setting 10</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.08</td> <td>43.40</td> <td>-39.95</td> <td>74.00</td> <td>57.88</td> <td>54.31</td> <td>9.58</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.08</td> <td>46.42</td> <td>-27.58</td> <td>74.00</td> <td>58.68</td> <td>56.88</td> <td>11.24</td> <td>58.47</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4874.08	43.40	-39.95	74.00	57.88	54.31	9.58	57.98	Peak	2	7311.08	46.42	-27.58	74.00	58.68	56.88	11.24	58.47	Peak
	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	4874.08	44.27	-29.73	74.00	58.38	54.37	9.56	57.98	Peak																																																																																							
2	7311.08	47.39	-36.91	74.00	59.27	56.85	11.24	56.47	Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	4874.08	43.40	-39.95	74.00	57.88	54.31	9.58	57.98	Peak																																																																																							
2	7311.08	46.42	-27.58	74.00	58.68	56.88	11.24	58.47	Peak																																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																	
ANT	802.11g CH11 2462MHz																																																																																	
1	Horizontal	Vertical																																																																																
Peak Avg.	<p>Date: 15 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode S2 SN : #69 G0B2JK0130550029 Plane : Z with Accessories GM power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.12</td> <td>-30.80</td> <td>74.00</td> <td>57.12</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.08</td> <td>-29.12</td> <td>74.00</td> <td>57.29</td> <td>35.08</td> <td>11.10</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.12	-30.80	74.00	57.12	34.34	9.56	57.98	... Peak	2	7386.00	44.08	-29.12	74.00	57.29	35.08	11.10	59.71	... Peak	<p>Date: 16 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode S2 SN : #69 G0B2JK0130550029 Plane : Z with Accessories GM power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.50</td> <td>-30.45</td> <td>74.00</td> <td>57.55</td> <td>34.34</td> <td>9.50</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.00</td> <td>-29.10</td> <td>74.00</td> <td>57.31</td> <td>35.08</td> <td>11.10</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.50	-30.45	74.00	57.55	34.34	9.50	57.98	... Peak	2	7386.00	44.00	-29.10	74.00	57.31	35.08	11.10	59.71	... Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4924.00	43.12	-30.80	74.00	57.12	34.34	9.56	57.98	... Peak																																																																									
2	7386.00	44.08	-29.12	74.00	57.29	35.08	11.10	59.71	... Peak																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4924.00	43.50	-30.45	74.00	57.55	34.34	9.50	57.98	... Peak																																																																									
2	7386.00	44.00	-29.10	74.00	57.31	35.08	11.10	59.71	... Peak																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11g CH12 2467MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : E3 SN : #69 G0B2JK0130550029 Plane : Z with Accessories GM power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>43.01</td> <td>-39.39</td> <td>74.00</td> <td>57.61</td> <td>34.34</td> <td>9.54</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7461.00</td> <td>44.56</td> <td>-35.44</td> <td>74.00</td> <td>57.83</td> <td>35.07</td> <td>11.13</td> <td>58.76</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4934.00	43.01	-39.39	74.00	57.61	34.34	9.54	57.98	Peak	2	7461.00	44.56	-35.44	74.00	57.83	35.07	11.13	58.76	Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : E3 SN : #69 G0B2JK0130550029 Plane : Z with Accessories GM power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.80</td> <td>-31.14</td> <td>74.00</td> <td>56.86</td> <td>34.34</td> <td>9.50</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7461.00</td> <td>45.81</td> <td>-26.99</td> <td>74.00</td> <td>57.48</td> <td>35.97</td> <td>11.13</td> <td>59.76</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg			1	4934.00	42.80	-31.14	74.00	56.86	34.34	9.50	57.98	Peak	2	7461.00	45.81	-26.99	74.00	57.48	35.97	11.13	59.76	Peak
	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	4934.00	43.01	-39.39	74.00	57.61	34.34	9.54	57.98	Peak																																																																																							
2	7461.00	44.56	-35.44	74.00	57.83	35.07	11.13	58.76	Peak																																																																																							
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																									
1	4934.00	42.80	-31.14	74.00	56.86	34.34	9.50	57.98	Peak																																																																																							
2	7461.00	45.81	-26.99	74.00	57.48	35.97	11.13	59.76	Peak																																																																																							



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11g CH13 2472MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Date: 23 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode S4 SN : #69 G802JK0130550029 Plane : Z with Accessories GM power setting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.33</td> <td>-38.69</td> <td>74.00</td> <td>57.32</td> <td>54.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>44.37</td> <td>-39.83</td> <td>74.00</td> <td>57.47</td> <td>55.07</td> <td>11.28</td> <td>56.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4944.00	43.33	-38.69	74.00	57.32	54.33	9.56	57.98	...	Peak	2	7416.00	44.37	-39.83	74.00	57.47	55.07	11.28	56.76	...	Peak	<p>Date: 24 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode S4 SN : #69 G802JK0130550029 Plane : Z with Accessories GM power setting 11.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.81</td> <td>-38.17</td> <td>74.00</td> <td>57.84</td> <td>54.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>45.41</td> <td>-26.59</td> <td>74.00</td> <td>57.51</td> <td>55.97</td> <td>11.29</td> <td>59.76</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	4944.00	43.81	-38.17	74.00	57.84	54.33	9.56	57.98	...	Peak	2	7416.00	45.41	-26.59	74.00	57.51	55.97	11.29	59.76	...	Peak
	Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4944.00	43.33	-38.69	74.00	57.32	54.33	9.56	57.98	...	Peak																																																																																
2	7416.00	44.37	-39.83	74.00	57.47	55.07	11.28	56.76	...	Peak																																																																																
Freq	Level	Limit	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4944.00	43.81	-38.17	74.00	57.84	54.33	9.56	57.98	...	Peak																																																																																
2	7416.00	45.41	-26.59	74.00	57.51	55.97	11.29	59.76	...	Peak																																																																																



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																															
ANT	802.11n HT20 CH01 2412MHz																																																																															
1	Horizontal	Vertical																																																																														
Peak Avg.	<p>Site : 03CH02-02 Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 55 SN : #69 G082AK0130550029 Plane : Z with Accessories MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Readiantenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.12</td> <td>-30.88</td> <td>74.00</td> <td>57.15</td> <td>34.40</td> <td>9.47</td> <td>57.90</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	Readiantenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBm	dBm	dBm	dBm	dBm	dB	dBm	dB	dB	cm	deg		1	4824.00	43.12	-30.88	74.00	57.15	34.40	9.47	57.90	Peak	<p>Site : 03CH02-02 Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 55 SN : #69 G082AK0130550029 Plane : Z with Accessories MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Readiantenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Hz</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dBm</th> <th>dB</th> <th>dBm</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.50</td> <td>-31.50</td> <td>74.00</td> <td>56.55</td> <td>34.40</td> <td>9.47</td> <td>57.00</td> <td>...</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level	Factor	Readiantenna	Cable	Preamp	A/Pos	T/Pos	Remark	Hz	dBm	dBm	dBm	dBm	dBm	dB	dBm	dB	dB	cm	deg		1	4824.00	42.50	-31.50	74.00	56.55	34.40	9.47	57.00	Peak
	Freq	Level	Limit	Over	Line	Level	Factor	Readiantenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Hz	dBm	dBm	dBm	dBm	dBm	dB	dBm	dB	dB	cm	deg																																																																					
1	4824.00	43.12	-30.88	74.00	57.15	34.40	9.47	57.90	Peak																																																																				
Freq	Level	Limit	Over	Line	Level	Factor	Readiantenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Hz	dBm	dBm	dBm	dBm	dBm	dB	dBm	dB	dB	cm	deg																																																																					
1	4824.00	42.50	-31.50	74.00	56.55	34.40	9.47	57.00	Peak																																																																				



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT20 CH06 2437MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 56 SN : #69 G8B2JK0130550029 Plane : Z with Accessories MCSO power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.98</td> <td>-31.18</td> <td>74.00</td> <td>56.93</td> <td>54.37</td> <td>9.58</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>46.72</td> <td>-27.28</td> <td>74.00</td> <td>58.98</td> <td>56.45</td> <td>11.24</td> <td>58.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	4874.00	42.98	-31.18	74.00	56.93	54.37	9.58	57.98	...	Peak	2	7311.00	46.72	-27.28	74.00	58.98	56.45	11.24	58.47	...	Peak	<p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 56 SN : #69 G8B2JK0130550029 Plane : Z with Accessories MCSO power setting 18</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.60</td> <td>-31.11</td> <td>74.00</td> <td>56.72</td> <td>54.31</td> <td>9.58</td> <td>57.98</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>45.62</td> <td>-28.38</td> <td>74.00</td> <td>57.88</td> <td>56.48</td> <td>11.24</td> <td>58.47</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	4874.00	42.60	-31.11	74.00	56.72	54.31	9.58	57.98	...	Peak	2	7311.00	45.62	-28.38	74.00	57.88	56.48	11.24	58.47	...	Peak
	Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																															
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																	
1	4874.00	42.98	-31.18	74.00	56.93	54.37	9.58	57.98	...	Peak																																																																																
2	7311.00	46.72	-27.28	74.00	58.98	56.45	11.24	58.47	...	Peak																																																																																
Freq	Level	Limit	Over	Line	Level Factor	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																	
1	4874.00	42.60	-31.11	74.00	56.72	54.31	9.58	57.98	...	Peak																																																																																
2	7311.00	45.62	-28.38	74.00	57.88	56.48	11.24	58.47	...	Peak																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																													
ANT	802.11n HT20 CH11 2462MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Date: 15 Level (dBuV/m)</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode 57 SN : #69 GB2JK0130550029 Plane : Z with Accessories MCSO power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.99</td> <td>-38.81</td> <td>74.00</td> <td>57.99</td> <td>34.34</td> <td>9.54</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.50</td> <td>-39.40</td> <td>74.00</td> <td>57.81</td> <td>35.08</td> <td>11.13</td> <td>56.71</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	4924.00	43.99	-38.81	74.00	57.99	34.34	9.54	57.98	... Peak	2	7386.00	44.50	-39.40	74.00	57.81	35.08	11.13	56.71	... Peak	<p>Date: 16 Level (dBuV/m)</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode 57 SN : #69 GB2JK0130550029 Plane : Z with Accessories MCSO power setting 17.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.10</td> <td>-31.00</td> <td>74.00</td> <td>56.10</td> <td>34.34</td> <td>9.50</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>40.10</td> <td>-29.02</td> <td>74.00</td> <td>57.79</td> <td>35.08</td> <td>11.13</td> <td>59.71</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	4924.00	42.10	-31.00	74.00	56.10	34.34	9.50	57.98	... Peak	2	7386.00	40.10	-29.02	74.00	57.79	35.08	11.13	59.71	... Peak
	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	4924.00	43.99	-38.81	74.00	57.99	34.34	9.54	57.98	... Peak																																																																					
2	7386.00	44.50	-39.40	74.00	57.81	35.08	11.13	56.71	... Peak																																																																					
Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	4924.00	42.10	-31.00	74.00	56.10	34.34	9.50	57.98	... Peak																																																																					
2	7386.00	40.10	-29.02	74.00	57.79	35.08	11.13	59.71	... Peak																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																													
ANT	802.11n HT20 CH12 2462MHz																																																																													
1	Horizontal	Vertical																																																																												
Peak Avg.	<p>Date: 23 Level (dBuV/m)</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : Mode S8 SN : #69 G8B2JK0130550029 Plane : Z with Accessories MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>42.03</td> <td>-31.37</td> <td>74.00</td> <td>56.63</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7400.00</td> <td>44.66</td> <td>-29.34</td> <td>74.00</td> <td>57.13</td> <td>35.07</td> <td>11.10</td> <td>56.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4934.00	42.03	-31.37	74.00	56.63	34.34	9.56	57.98	... Peak	2	7400.00	44.66	-29.34	74.00	57.13	35.07	11.10	56.76	... Peak	<p>Date: 24 Level (dBuV/m)</p> <p>Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : Mode S8 SN : #69 G8B2JK0130550029 Plane : Z with Accessories MCSO power setting 14.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Cable Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4934.00</td> <td>44.82</td> <td>-29.08</td> <td>74.00</td> <td>58.02</td> <td>34.34</td> <td>9.56</td> <td>57.98</td> <td>... Peak</td> </tr> <tr> <td>2</td> <td>7400.00</td> <td>45.19</td> <td>-28.81</td> <td>74.00</td> <td>57.66</td> <td>35.07</td> <td>11.10</td> <td>56.76</td> <td>... Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4934.00	44.82	-29.08	74.00	58.02	34.34	9.56	57.98	... Peak	2	7400.00	45.19	-28.81	74.00	57.66	35.07	11.10	56.76	... Peak
	Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	4934.00	42.03	-31.37	74.00	56.63	34.34	9.56	57.98	... Peak																																																																					
2	7400.00	44.66	-29.34	74.00	57.13	35.07	11.10	56.76	... Peak																																																																					
Freq	Level	Limit	Line	Level Factor	Cable Loss Factor	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	4934.00	44.82	-29.08	74.00	58.02	34.34	9.56	57.98	... Peak																																																																					
2	7400.00	45.19	-28.81	74.00	57.66	35.07	11.10	56.76	... Peak																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11n HT20 CH13 2472MHz																																																																																																	
1	Horizontal	Vertical																																																																																																
Peak Avg.	<p>Date: 27 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project : 2N0202-01 Mode : E9 SN : #69 G8B2JK0130550029 Plane : Z with Accessories MCSO power setting 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.21</td> <td>-38.79</td> <td>74.00</td> <td>57.22</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>45.24</td> <td>-38.76</td> <td>74.00</td> <td>57.74</td> <td>35.07</td> <td>11.28</td> <td>56.76</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	4944.00	43.21	-38.79	74.00	57.22	34.33	9.56	57.98	Peak	2	7416.00	45.24	-38.76	74.00	57.74	35.07	11.28	56.76	Peak	<p>Date: 28 Level (dBuV/m) Date: 2023.02.14</p> <p>Site : 03CH02-SZ Condition : PEAK_74 3m HF_ANT_3117_0107 VERTICAL Project : 2N0202-01 Mode : E9 SN : #69 G8B2JK0130550029 Plane : Z with Accessories MCSO power setting 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4944.00</td> <td>43.50</td> <td>-38.43</td> <td>74.00</td> <td>57.56</td> <td>34.33</td> <td>9.56</td> <td>57.98</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7416.00</td> <td>45.08</td> <td>-38.92</td> <td>74.00</td> <td>57.58</td> <td>35.07</td> <td>11.29</td> <td>56.76</td> <td>...</td> <td>...</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1	4944.00	43.50	-38.43	74.00	57.56	34.33	9.56	57.98	Peak	2	7416.00	45.08	-38.92	74.00	57.58	35.07	11.29	56.76	Peak
	Freq	Level	Over	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4944.00	43.21	-38.79	74.00	57.22	34.33	9.56	57.98	Peak																																																																																							
2	7416.00	45.24	-38.76	74.00	57.74	35.07	11.28	56.76	Peak																																																																																							
Freq	Level	Over	Limit	Line	Level Factor	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4944.00	43.50	-38.43	74.00	57.56	34.33	9.56	57.98	Peak																																																																																							
2	7416.00	45.08	-38.92	74.00	57.58	35.07	11.29	56.76	Peak																																																																																							



Emission below 1GHz
2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																
ANT	802.11n HT20 LF																																																																																																																																																																																
1	Horizontal	Vertical																																																																																																																																																																															
QP / Peak	<p>Site : 03CH02-02 Condition : FCC CLASS-B 3m VULB9168-01003 HORIZONTAL Project : ZH0202-01 Mode : Mode 00 SN : #69 G9BZJK0130550029 Plane : Z with Accessories MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>62.01</td> <td>21.63</td> <td>-18.37</td> <td>46.00</td> <td>36.26</td> <td>18.48</td> <td>1.77</td> <td>34.88</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>137.07</td> <td>27.62</td> <td>-15.08</td> <td>41.39</td> <td>18.57</td> <td>2.36</td> <td>34.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>239.52</td> <td>34.98</td> <td>-11.19</td> <td>46.00</td> <td>49.61</td> <td>17.24</td> <td>2.95</td> <td>34.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>331.07</td> <td>16.95</td> <td>-19.15</td> <td>46.00</td> <td>38.07</td> <td>19.62</td> <td>3.26</td> <td>34.68</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>452.92</td> <td>26.18</td> <td>-19.82</td> <td>46.00</td> <td>34.63</td> <td>22.79</td> <td>3.46</td> <td>34.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>722.18</td> <td>31.17</td> <td>-14.83</td> <td>46.00</td> <td>34.51</td> <td>27.52</td> <td>3.74</td> <td>34.48</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	62.01	21.63	-18.37	46.00	36.26	18.48	1.77	34.88	---	Peak	2	137.07	27.62	-15.08	41.39	18.57	2.36	34.78	---	Peak	3	239.52	34.98	-11.19	46.00	49.61	17.24	2.95	34.78	---	Peak	4	331.07	16.95	-19.15	46.00	38.07	19.62	3.26	34.68	---	Peak	5	452.92	26.18	-19.82	46.00	34.63	22.79	3.46	34.58	---	Peak	6	722.18	31.17	-14.83	46.00	34.51	27.52	3.74	34.48	---	Peak	<p>Site : 03CH02-02 Condition : FCC CLASS-B 3m VULB9168-01003 VERTICAL Project : ZH0202-01 Mode : Mode 00 SN : #69 G9BZJK0130550029 Plane : Z with Accessories MCS0 power setting 17.5</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>111.48</td> <td>38.37</td> <td>-11.13</td> <td>43.50</td> <td>47.22</td> <td>15.84</td> <td>2.89</td> <td>34.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>166.77</td> <td>25.48</td> <td>-16.02</td> <td>43.50</td> <td>39.78</td> <td>17.98</td> <td>2.42</td> <td>34.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>239.52</td> <td>28.43</td> <td>-17.57</td> <td>46.00</td> <td>43.94</td> <td>17.24</td> <td>2.95</td> <td>34.78</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>452.92</td> <td>29.24</td> <td>-16.76</td> <td>46.00</td> <td>37.69</td> <td>22.79</td> <td>3.46</td> <td>34.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>518.88</td> <td>28.80</td> <td>-17.15</td> <td>46.00</td> <td>36.26</td> <td>23.67</td> <td>3.42</td> <td>34.58</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>724.52</td> <td>29.38</td> <td>-16.78</td> <td>46.00</td> <td>32.62</td> <td>27.34</td> <td>3.74</td> <td>34.48</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	111.48	38.37	-11.13	43.50	47.22	15.84	2.89	34.78	---	Peak	2	166.77	25.48	-16.02	43.50	39.78	17.98	2.42	34.78	---	Peak	3	239.52	28.43	-17.57	46.00	43.94	17.24	2.95	34.78	---	Peak	4	452.92	29.24	-16.76	46.00	37.69	22.79	3.46	34.58	---	Peak	5	518.88	28.80	-17.15	46.00	36.26	23.67	3.42	34.58	---	Peak	6	724.52	29.38	-16.78	46.00	32.62	27.34	3.74	34.48	---	Peak
	Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	62.01	21.63	-18.37	46.00	36.26	18.48	1.77	34.88	---	Peak																																																																																																																																																																							
2	137.07	27.62	-15.08	41.39	18.57	2.36	34.78	---	Peak																																																																																																																																																																								
3	239.52	34.98	-11.19	46.00	49.61	17.24	2.95	34.78	---	Peak																																																																																																																																																																							
4	331.07	16.95	-19.15	46.00	38.07	19.62	3.26	34.68	---	Peak																																																																																																																																																																							
5	452.92	26.18	-19.82	46.00	34.63	22.79	3.46	34.58	---	Peak																																																																																																																																																																							
6	722.18	31.17	-14.83	46.00	34.51	27.52	3.74	34.48	---	Peak																																																																																																																																																																							
Peak	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	111.48	38.37	-11.13	43.50	47.22	15.84	2.89	34.78	---	Peak																																																																																																																																																																							
2	166.77	25.48	-16.02	43.50	39.78	17.98	2.42	34.78	---	Peak																																																																																																																																																																							
3	239.52	28.43	-17.57	46.00	43.94	17.24	2.95	34.78	---	Peak																																																																																																																																																																							
4	452.92	29.24	-16.76	46.00	37.69	22.79	3.46	34.58	---	Peak																																																																																																																																																																							
5	518.88	28.80	-17.15	46.00	36.26	23.67	3.42	34.58	---	Peak																																																																																																																																																																							
6	724.52	29.38	-16.78	46.00	32.62	27.34	3.74	34.48	---	Peak																																																																																																																																																																							



<Co-location mode>

LoRa(DTS) SF7 CH01 + WLAN 802.11b CH01 + BLE(2M) CH19 + Zigbee CH11





BLE CH19 (Band Edge @ 3m)

		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
		Horizontal	Fundamental																																																													
Peak	<p>Date: 1 Level (dBuV/m) Date: 2023-03-02</p> <p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: Mode 62_2 SN: #99 GOREAK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.48</td> <td>55.38</td> <td>-18.62</td> <td>74.00</td> <td>48.52</td> <td>32.34</td> <td>6.37</td> <td>31.85</td> <td>206</td> <td>107 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2356.48	55.38	-18.62	74.00	48.52	32.34	6.37	31.85	206	107 Peak	<p>Date: 3 Level (dBuV/m) Date: 2023-03-02</p> <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: Mode 62_2 SN: #99 GOREAK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2448.00</td> <td>104.47</td> <td>30.47</td> <td>74.00</td> <td>97.23</td> <td>32.38</td> <td>6.48</td> <td>31.62</td> <td>206</td> <td>107 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2448.00	104.47	30.47	74.00	97.23	32.38	6.48	31.62	206	107 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2356.48	55.38	-18.62	74.00	48.52	32.34	6.37	31.85	206	107 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2448.00	104.47	30.47	74.00	97.23	32.38	6.48	31.62	206	107 Peak																																																						
Avg.	<p>Date: 2 Level (dBuV/m) Date: 2023-03-02</p> <p>Site: 03CH02-SZ Condition: AVG_BE_34 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: Mode 62_2 SN: #99 GOREAK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2356.34</td> <td>44.67</td> <td>-9.33</td> <td>54.00</td> <td>37.81</td> <td>32.34</td> <td>6.37</td> <td>31.85</td> <td>206</td> <td>107 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2356.34	44.67	-9.33	54.00	37.81	32.34	6.37	31.85	206	107 Average	<p>Date: 4 Level (dBuV/m) Date: 2023-03-02</p> <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: Mode 62_2 SN: #99 GOREAK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2448.00</td> <td>101.41</td> <td>47.41</td> <td>54.00</td> <td>94.17</td> <td>32.38</td> <td>6.48</td> <td>31.62</td> <td>206</td> <td>107 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2448.00	101.41	47.41	54.00	94.17	32.38	6.48	31.62	206	107 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2356.34	44.67	-9.33	54.00	37.81	32.34	6.37	31.85	206	107 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2448.00	101.41	47.41	54.00	94.17	32.38	6.48	31.62	206	107 Average																																																						



2.4GHz 2400~2483.5MHz Band Edge @ 3m																																
	Horizontal	Fundamental																														
Peak	<p>Date: 5 Date: 2023-03-02</p> <p>Site : 03CH02-S2 Condition : PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL RF BW : 1000.000kHz VSW: 3000.000kHz Project : 240202-01 Mode : Mode S2_2 SN : #69 G802AK0130550029 Plane : X with Accessories WiFi setting : 1M power setting 19 BLE setting : power setting 5/2/1 Zigbee setting : power setting 14 Lora setting : power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.26</td> <td>55.78</td> <td>-18.22</td> <td>74.00</td> <td>48.42</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>286</td> <td>107</td> <td>Peak</td> </tr> </tbody> </table>	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2487.26	55.78	-18.22	74.00	48.42	32.39	6.53	31.56	286	107	Peak	-
Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																								
dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2487.26	55.78	-18.22	74.00	48.42	32.39	6.53	31.56	286	107	Peak																					
Avg.	<p>Date: 6 Date: 2023-03-02</p> <p>Site : 03CH02-S2 Condition : AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL RF BW : 1000.000kHz VSW: 1.000kHz Project : 240202-01 Mode : Mode S2_2 SN : #69 G802AK0130550029 Plane : X with Accessories WiFi setting : 1M power setting 19 BLE setting : power setting 5/2/1 Zigbee setting : power setting 14 Lora setting : power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.29</td> <td>44.32</td> <td>-9.68</td> <td>54.00</td> <td>37.49</td> <td>32.48</td> <td>6.53</td> <td>31.58</td> <td>286</td> <td>107</td> <td>Average</td> </tr> </tbody> </table>	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg		1	2489.29	44.32	-9.68	54.00	37.49	32.48	6.53	31.58	286	107	Average	-
Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																								
dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																									
1	2489.29	44.32	-9.68	54.00	37.49	32.48	6.53	31.58	286	107	Average																					




		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																										
		Vertical	Fundamental																																																																									
Peak	 <p>Date: 7 Level (dBuV/m) Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 3000 000kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2349.06</td> <td>54.36</td> <td>-19.64</td> <td>74.00</td> <td>47.58</td> <td>32.34</td> <td>6.37</td> <td>31.85</td> <td>364</td> <td>267</td> <td>Peak</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2349.06	54.36	-19.64	74.00	47.58	32.34	6.37	31.85	364	267	Peak	 <p>Date: 9 Level (dBuV/m) Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 3000 000kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2448.00</td> <td>187.59</td> <td>33.59</td> <td>74.00</td> <td>180.35</td> <td>32.38</td> <td>6.48</td> <td>31.62</td> <td>364</td> <td>267</td> <td>Peak</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2448.00	187.59	33.59	74.00	180.35	32.38	6.48	31.62	364	267	Peak
	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2349.06	54.36	-19.64	74.00	47.58	32.34	6.37	31.85	364	267	Peak																																																																	
Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2448.00	187.59	33.59	74.00	180.35	32.38	6.48	31.62	364	267	Peak																																																																	
Avg.	 <p>Date: 8 Level (dBuV/m) Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 1 000kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2368.54</td> <td>44.66</td> <td>-9.34</td> <td>54.00</td> <td>37.74</td> <td>32.34</td> <td>6.37</td> <td>31.79</td> <td>364</td> <td>267</td> <td>Average</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2368.54	44.66	-9.34	54.00	37.74	32.34	6.37	31.79	364	267	Average	 <p>Date: 10 Level (dBuV/m) Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 1 000kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2448.00</td> <td>184.62</td> <td>58.62</td> <td>54.00</td> <td>97.38</td> <td>32.38</td> <td>6.48</td> <td>31.62</td> <td>364</td> <td>267</td> <td>Average</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2448.00	184.62	58.62	54.00	97.38	32.38	6.48	31.62	364	267	Average
	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2368.54	44.66	-9.34	54.00	37.74	32.34	6.37	31.79	364	267	Average																																																																	
Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																					
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	2448.00	184.62	58.62	54.00	97.38	32.38	6.48	31.62	364	267	Average																																																																	







2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
	Vertical	Fundamental																																
Peak	<p>Date: 11 Date: 2023-03-02</p> <p>Site : 01XCH02-S2 Condition : PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBW: 1000 000kHz VBW: 3000 000kHz Project : 200202-01 Mode : Mode S2_2 SN : #09 0802JAK0130550029 Plane : X with Accessories WiFi setting : 1M power setting 19 BLE setting : power setting 5/2/1 Zigbee setting : power setting 14 Lora setting : power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2496.99</td> <td>55.93</td> <td>-18.87</td> <td>74.80</td> <td>48.58</td> <td>32.40</td> <td>6.53 31.58 364 267 Peak</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2496.99	55.93	-18.87	74.80	48.58	32.40	6.53 31.58 364 267 Peak	
Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																											
Freq	Level	Level	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																											
1	2496.99	55.93	-18.87	74.80	48.58	32.40	6.53 31.58 364 267 Peak																											
Avg.	<p>Date: 12 Date: 2023-03-02</p> <p>Site : 01XCH02-S2 Condition : AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBW: 1000 000kHz VBW: 1 000kHz Project : 200202-01 Mode : Mode S2_2 SN : #09 0802JAK0130550029 Plane : X with Accessories WiFi setting : 1M power setting 19 BLE setting : power setting 5/2/1 Zigbee setting : power setting 14 Lora setting : power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.32</td> <td>45.14</td> <td>-8.86</td> <td>54.00</td> <td>37.78</td> <td>32.39</td> <td>6.53 31.56 364 267 Average</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Level	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg	1	2484.32	45.14	-8.86	54.00	37.78	32.39	6.53 31.56 364 267 Average	
Over	Level	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																											
Freq	Level	Level	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm deg																											
1	2484.32	45.14	-8.86	54.00	37.78	32.39	6.53 31.56 364 267 Average																											



WLAN 802.11b CH01 (Band Edge @ 3m)









		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																										
		Vertical	Fundamental																																																									
Peak	 <p>Date: 5 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 3000 000kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #93 G082JK0130550029 Plane: Z with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.85</td> <td>57.34</td> <td>-16.66</td> <td>74.00</td> <td>58.41</td> <td>32.35</td> <td>6.37</td> <td>31.79</td> <td>386</td> <td>251 Peak</td> </tr> </tbody> </table>	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2369.85	57.34	-16.66	74.00	58.41	32.35	6.37	31.79	386	251 Peak	 <p>Date: 7 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 3000 000kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #93 G082JK0130550029 Plane: Z with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>111.04</td> <td>37.04</td> <td>74.00</td> <td>183.90</td> <td>32.37</td> <td>6.44</td> <td>31.67</td> <td>386</td> <td>251 Peak</td> </tr> </tbody> </table>	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2412.00	111.04	37.04	74.00	183.90	32.37	6.44	31.67	386	251 Peak
	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																			
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2369.85	57.34	-16.66	74.00	58.41	32.35	6.37	31.79	386	251 Peak																																																		
Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																				
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2412.00	111.04	37.04	74.00	183.90	32.37	6.44	31.67	386	251 Peak																																																		
Avg.	 <p>Date: 6 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 0 019kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #93 G082JK0130550029 Plane: Z with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2363.87</td> <td>46.37</td> <td>-7.63</td> <td>54.00</td> <td>39.45</td> <td>32.34</td> <td>6.37</td> <td>31.79</td> <td>386</td> <td>251 Average</td> </tr> </tbody> </table>	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2363.87	46.37	-7.63	54.00	39.45	32.34	6.37	31.79	386	251 Average	 <p>Date: 8 Level (dBuV/m)</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL RBNW 1000 000kHz VEW 0 019kHz Project: 2N0202-01 Mode: Mode S2_2 SN: #93 G082JK0130550029 Plane: Z with Accessories WiFi setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>187.88</td> <td>53.88</td> <td>54.00</td> <td>180.74</td> <td>32.37</td> <td>6.44</td> <td>31.67</td> <td>386</td> <td>251 Average</td> </tr> </tbody> </table>	Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2412.00	187.88	53.88	54.00	180.74	32.37	6.44	31.67	386	251 Average
Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																				
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2363.87	46.37	-7.63	54.00	39.45	32.34	6.37	31.79	386	251 Average																																																		
Over	Line	Level	Factor	Loss	Factor	A/Pos	T/Pos	Remark																																																				
Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																				
1	2412.00	187.88	53.88	54.00	180.74	32.37	6.44	31.67	386	251 Average																																																		



Zigbee CH11 (Band Edge @ 3m)


		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
		Horizontal	Fundamental																																																													
Peak	 <p>Date: 1 Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 PEAK_0E_74 3m HF_ANT_3117_0107 HORIZONTAL REW: 1000.000kHz VIEW: 3000.000kHz</p> <p>Project: 2N0202-01 Mode: Mode 62_2 SN: #69 G062JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.83</td> <td>61.83</td> <td>-12.97</td> <td>74.80</td> <td>54.11</td> <td>32.34</td> <td>6.37</td> <td>31.79</td> <td>196</td> <td>185 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2361.83	61.83	-12.97	74.80	54.11	32.34	6.37	31.79	196	185 Peak	 <p>Date: 3 Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW: 1000.000kHz VIEW: 3000.000kHz</p> <p>Project: 2N0202-01 Mode: Mode 62_2 SN: #69 G062JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.88</td> <td>111.85</td> <td>37.85</td> <td>74.80</td> <td>185.87</td> <td>32.37</td> <td>6.44</td> <td>31.73</td> <td>196</td> <td>185 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.88	111.85	37.85	74.80	185.87	32.37	6.44	31.73	196	185 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2361.83	61.83	-12.97	74.80	54.11	32.34	6.37	31.79	196	185 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2485.88	111.85	37.85	74.80	185.87	32.37	6.44	31.73	196	185 Peak																																																						
Avg.	 <p>Date: 2 Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 AVG_0E_54 3m HF_ANT_3117_0107 HORIZONTAL REW: 1000.000kHz VIEW: 0.010kHz</p> <p>Project: 2N0202-01 Mode: Mode 62_2 SN: #69 G062JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2361.56</td> <td>58.26</td> <td>-3.74</td> <td>54.88</td> <td>43.34</td> <td>32.34</td> <td>6.37</td> <td>31.79</td> <td>196</td> <td>185 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2361.56	58.26	-3.74	54.88	43.34	32.34	6.37	31.79	196	185 Average	 <p>Date: 4 Date: 2023-03-02</p> <p>Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW: 1000.000kHz VIEW: 0.010kHz</p> <p>Project: 2N0202-01 Mode: Mode 62_2 SN: #69 G062JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.88</td> <td>189.89</td> <td>55.89</td> <td>54.88</td> <td>182.81</td> <td>32.37</td> <td>6.44</td> <td>31.73</td> <td>196</td> <td>185 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2485.88	189.89	55.89	54.88	182.81	32.37	6.44	31.73	196	185 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2361.56	58.26	-3.74	54.88	43.34	32.34	6.37	31.79	196	185 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2485.88	189.89	55.89	54.88	182.81	32.37	6.44	31.73	196	185 Peak																																																						



		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
		Vertical	Fundamental																																																													
Peak	<p>Date: 5 Date: 2023-03-02</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74.3m HF_ANT_3117_0107 VERTICAL RSW:1000.000kHz VBW:3000.000kHz Project: 2N0202-01 Mode: S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2373.21</td> <td>57.35</td> <td>-16.65</td> <td>74.00</td> <td>50.42</td> <td>32.35</td> <td>6.37</td> <td>31.79</td> <td>368</td> <td>257 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2373.21	57.35	-16.65	74.00	50.42	32.35	6.37	31.79	368	257 Peak	<p>Date: 7 Date: 2023-03-02</p> <p>Site Condition: 03CH02-SZ PEAK_74.3m HF_ANT_3117_0107 VERTICAL RSW:1000.000kHz VBW:3000.000kHz Project: 2N0202-01 Mode: S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.00</td> <td>188.30</td> <td>34.30</td> <td>74.00</td> <td>181.02</td> <td>32.37</td> <td>6.44</td> <td>31.73</td> <td>368</td> <td>257 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.00	188.30	34.30	74.00	181.02	32.37	6.44	31.73	368	257 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2373.21	57.35	-16.65	74.00	50.42	32.35	6.37	31.79	368	257 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2485.00	188.30	34.30	74.00	181.02	32.37	6.44	31.73	368	257 Peak																																																						
Avg.	<p>Date: 6 Date: 2023-03-02</p> <p>Site Condition: 03CH02-SZ AVG_BE_74.3m HF_ANT_3117_0107 VERTICAL RSW:1000.000kHz VBW:0.010kHz Project: 2N0202-01 Mode: S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.54</td> <td>46.53</td> <td>-7.47</td> <td>54.00</td> <td>39.06</td> <td>32.35</td> <td>6.37</td> <td>31.79</td> <td>368</td> <td>257 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2369.54	46.53	-7.47	54.00	39.06	32.35	6.37	31.79	368	257 Average	<p>Date: 8 Date: 2023-03-02</p> <p>Site Condition: 03CH02-SZ AVG_74.3m HF_ANT_3117_0107 VERTICAL RSW:1000.000kHz VBW:0.010kHz Project: 2N0202-01 Mode: S2_2 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: 1M power setting 19 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 4</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.00</td> <td>186.41</td> <td>52.41</td> <td>54.00</td> <td>99.33</td> <td>32.37</td> <td>6.44</td> <td>31.73</td> <td>368</td> <td>257 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2485.00	186.41	52.41	54.00	99.33	32.37	6.44	31.73	368	257 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2369.54	46.53	-7.47	54.00	39.06	32.35	6.37	31.79	368	257 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2485.00	186.41	52.41	54.00	99.33	32.37	6.44	31.73	368	257 Peak																																																						




LoRa(DTS) SF7 CH01 (Band Edge @ 3m)





Harmonic @ 3m





LoRa(DTS) SF 7 CH31 + WLAN 802.11n20 CH01 + BLE(2M) CH39 + Zigbee CH25
WLAN 802.11n20 CH01 (Band Edge @ 3m)





		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																
		Horizontal	Fundamental																																															
Peak	<p>Date: 1 Date: 2023-02-18</p> <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz Project: 2N0202-01 Mode: 61 SN: #59 G082JK0130550029 Plane: Z with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.59</td> <td>62.01</td> <td>-11.99</td> <td>74.00</td> <td>54.04</td> <td>32.36</td> <td>6.44 31.73 215 142 Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2389.59	62.01	-11.99	74.00	54.04	32.36	6.44 31.73 215 142 Peak	<p>Date: 3 Date: 2023-02-18</p> <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz Project: 2N0202-01 Mode: 61 SN: #59 G082JK0130550029 Plane: Z with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>109.26</td> <td>35.26</td> <td>74.00</td> <td>100.12</td> <td>32.37</td> <td>6.44 31.67 215 142 Peak</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2412.00	109.26	35.26	74.00	100.12	32.37	6.44 31.67 215 142 Peak
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																											
1	2389.59	62.01	-11.99	74.00	54.04	32.36	6.44 31.73 215 142 Peak																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																											
1	2412.00	109.26	35.26	74.00	100.12	32.37	6.44 31.67 215 142 Peak																																											
Avg.	<p>Date: 2 Date: 2023-02-18</p> <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:0.010kHz Project: 2N0202-01 Mode: 61 SN: #59 G082JK0130550029 Plane: Z with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2398.00</td> <td>58.25</td> <td>-3.75</td> <td>54.00</td> <td>43.18</td> <td>32.36</td> <td>6.44 31.73 215 142 Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2398.00	58.25	-3.75	54.00	43.18	32.36	6.44 31.73 215 142 Average	<p>Date: 4 Date: 2023-02-18</p> <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:0.010kHz Project: 2N0202-01 Mode: 61 SN: #59 G082JK0130550029 Plane: Z with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>101.69</td> <td>47.69</td> <td>54.00</td> <td>94.55</td> <td>32.37</td> <td>6.44 31.67 215 142 Average</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1	2412.00	101.69	47.69	54.00	94.55	32.37	6.44 31.67 215 142 Average
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																											
1	2398.00	58.25	-3.75	54.00	43.18	32.36	6.44 31.73 215 142 Average																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																											
1	2412.00	101.69	47.69	54.00	94.55	32.37	6.44 31.67 215 142 Average																																											







2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																
	Vertical	Fundamental																																																														
Peak	<p>Date: 5 Date: 2023-02-18</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RSW 1000 000kHz VSW 3000 000kHz 2#0202-01 Project Mode: #69 G082AK0130550029 Mode S1 SN: #69 G082AK0130550029 Plane: Z with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.17</td> <td>61.16</td> <td>-12.84</td> <td>74.00</td> <td>54.09</td> <td>32.36</td> <td>6.44</td> <td>31.73</td> <td>179</td> <td>94 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.17	61.16	-12.84	74.00	54.09	32.36	6.44	31.73	179	94 Peak	<p>Date: 7 Date: 2023-02-18</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF_ANT_3117_0107 VERTICAL RSW 1000 000kHz VSW 3000 000kHz 2#0202-01 Project Mode: #69 G082AK0130550029 Mode S1 SN: #69 G082AK0130550029 Plane: Z with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>186.92</td> <td>32.92</td> <td>74.00</td> <td>99.78</td> <td>32.37</td> <td>6.44</td> <td>31.67</td> <td>179</td> <td>94 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2412.00	186.92	32.92	74.00	99.78	32.37	6.44	31.67	179	94 Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2389.17	61.16	-12.84	74.00	54.09	32.36	6.44	31.73	179	94 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2412.00	186.92	32.92	74.00	99.78	32.37	6.44	31.67	179	94 Peak																																																						
Avg.	<p>Date: 6 Date: 2023-02-18</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RSW 1000 000kHz VSW 0 019kHz 2#0202-01 Project Mode: #69 G082AK0130550029 Mode S1 SN: #69 G082AK0130550029 Plane: Z with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2390.00</td> <td>49.72</td> <td>-4.28</td> <td>54.00</td> <td>42.65</td> <td>32.36</td> <td>6.44</td> <td>31.73</td> <td>179</td> <td>94 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2390.00	49.72	-4.28	54.00	42.65	32.36	6.44	31.73	179	94 Average	<p>Date: 8 Date: 2023-02-18</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF_ANT_3117_0107 VERTICAL RSW 1000 000kHz VSW 0 019kHz 2#0202-01 Project Mode: #69 G082AK0130550029 Mode S1 SN: #69 G082AK0130550029 Plane: Z with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 LoRa setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>99.11</td> <td>45.11</td> <td>54.00</td> <td>91.97</td> <td>32.37</td> <td>6.44</td> <td>31.67</td> <td>179</td> <td>94 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2412.00	99.11	45.11	54.00	91.97	32.37	6.44	31.67	179	94 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2390.00	49.72	-4.28	54.00	42.65	32.36	6.44	31.73	179	94 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2412.00	99.11	45.11	54.00	91.97	32.37	6.44	31.67	179	94 Average																																																						



BLE CH39 (Band Edge @ 3m)





		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
		Horizontal	Fundamental																																																													
Peak	 <p>Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz</p> <p>Project Mode: 2N0202-01 Mode: 61 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.72</td> <td>54.14</td> <td>-19.86</td> <td>74.00</td> <td>46.78</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>180</td> <td>187 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2483.72	54.14	-19.86	74.00	46.78	32.39	6.53	31.56	180	187 Peak	 <p>Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:3000.000kHz</p> <p>Project Mode: 2N0202-01 Mode: 61 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.63</td> <td>25.63</td> <td>74.00</td> <td>92.27</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>180</td> <td>187 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2480.00	99.63	25.63	74.00	92.27	32.39	6.53	31.56	180	187 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2483.72	54.14	-19.86	74.00	46.78	32.39	6.53	31.56	180	187 Peak																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2480.00	99.63	25.63	74.00	92.27	32.39	6.53	31.56	180	187 Peak																																																						
Avg.	 <p>Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:1.000kHz</p> <p>Project Mode: 2N0202-01 Mode: 61 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>44.00</td> <td>-10.00</td> <td>54.00</td> <td>36.64</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>180</td> <td>187 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	44.00	-10.00	54.00	36.64	32.39	6.53	31.56	180	187 Average	 <p>Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 HORIZONTAL REW:1000.000kHz VBW:1.000kHz</p> <p>Project Mode: 2N0202-01 Mode: 61 SN: #69 G082JK0130550029 Plane: X with Accessories WIFI setting: MCS0 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>97.27</td> <td>43.27</td> <td>54.00</td> <td>89.91</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>180</td> <td>187 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.27	43.27	54.00	89.91	32.39	6.53	31.56	180	187 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2483.52	44.00	-10.00	54.00	36.64	32.39	6.53	31.56	180	187 Average																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	97.27	43.27	54.00	89.91	32.39	6.53	31.56	180	187 Average																																																						







		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																						
		Vertical	Fundamental																																																																					
Peak	 <p>Date: 7 Date: 2023-02-17</p> <p>140 Level (dBuV/m)</p> <p>122.5</p> <p>105.0</p> <p>87.5</p> <p>70.0</p> <p>52.5</p> <p>35.0</p> <p>17.5</p> <p>2460 2468 2476 2484 2492 2500</p> <p>Frequency (MHz)</p> <p>PEAK_BE_74</p> <p>Site Condition: 03CH02-S2 PEAK_BE_74 3m HF_ANT_3117_0107 VERTICAL RBNV 1000 000kHz VEW 3000 000kHz 2#0202-01 Project Mode: Mode 61 SN: #69 G082AK0130550029 Plane: X with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>55.44</td> <td>-18.56</td> <td>74.00</td> <td>48.08</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>292</td> <td>16</td> <td>Peak</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.52	55.44	-18.56	74.00	48.08	32.39	6.53	31.56	292	16	Peak	 <p>Date: 5 Date: 2023-02-17</p> <p>140 Level (dBuV/m)</p> <p>122.5</p> <p>105.0</p> <p>87.5</p> <p>70.0</p> <p>52.5</p> <p>35.0</p> <p>17.5</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <p>PEAK_74</p> <p>Site Condition: 03CH02-S2 PEAK_74 3m HF_ANT_3117_0107 VERTICAL RBNV 1000 000kHz VEW 3000 000kHz 2#0202-01 Project Mode: Mode 61 SN: #69 G082AK0130550029 Plane: X with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>99.54</td> <td>25.54</td> <td>74.00</td> <td>92.18</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>292</td> <td>16</td> <td>Peak</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2480.00	99.54	25.54	74.00	92.18	32.39	6.53	31.56	292	16	Peak
	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2483.52	55.44	-18.56	74.00	48.08	32.39	6.53	31.56	292	16	Peak																																																													
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2480.00	99.54	25.54	74.00	92.18	32.39	6.53	31.56	292	16	Peak																																																													
Avg.	 <p>Date: 8 Date: 2023-02-17</p> <p>140 Level (dBuV/m)</p> <p>122.5</p> <p>105.0</p> <p>87.5</p> <p>70.0</p> <p>52.5</p> <p>35.0</p> <p>17.5</p> <p>2460 2468 2476 2484 2492 2500</p> <p>Frequency (MHz)</p> <p>AVG_BE_54</p> <p>Site Condition: 03CH02-S2 AVG_BE_54 3m HF_ANT_3117_0107 VERTICAL RBNV 1000 000kHz VEW 1 000kHz 2#0202-01 Project Mode: Mode 61 SN: #69 G082AK0130550029 Plane: X with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>46.88</td> <td>-7.92</td> <td>54.00</td> <td>38.72</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>292</td> <td>16</td> <td>Average</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2483.52	46.88	-7.92	54.00	38.72	32.39	6.53	31.56	292	16	Average	 <p>Date: 6 Date: 2023-02-17</p> <p>140 Level (dBuV/m)</p> <p>122.5</p> <p>105.0</p> <p>87.5</p> <p>70.0</p> <p>52.5</p> <p>35.0</p> <p>17.5</p> <p>1000 1400 1800 2200 2600 3000</p> <p>Frequency (MHz)</p> <p>AVG_54</p> <p>Site Condition: 03CH02-S2 AVG_54 3m HF_ANT_3117_0107 VERTICAL RBNV 1000 000kHz VEW 1 000kHz 2#0202-01 Project Mode: Mode 61 SN: #69 G082AK0130550029 Plane: X with Accessories WiFi setting: MCS9 power setting 17.5 BLE setting: power setting 5/2/1 Zigbee setting: power setting 14 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Level</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>98.84</td> <td>44.04</td> <td>54.00</td> <td>90.68</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>292</td> <td>16</td> <td>Average</td> </tr> </tbody> </table>	Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2480.00	98.84	44.04	54.00	90.68	32.39	6.53	31.56	292	16	Average
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2483.52	46.88	-7.92	54.00	38.72	32.39	6.53	31.56	292	16	Average																																																													
Over	Level	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2480.00	98.84	44.04	54.00	90.68	32.39	6.53	31.56	292	16	Average																																																													



Zigbee CH25 (Band Edge @ 3m)


		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																														
		Horizontal	Fundamental																																																													
Peak	 <p>Site: 03CH02-SZ Condition: PEAK_BE_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: #69 G062JK0130550029 SN: X with Accessories Plane: MCS0 power setting 17.5 WIFI setting: power setting 5/2/1 BLE setting: power setting 14 Zigbee setting: power setting 0.5 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.16</td> <td>59.26</td> <td>-14.74</td> <td>74.00</td> <td>51.00</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>291</td> <td>200 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2484.16	59.26	-14.74	74.00	51.00	32.39	6.53	31.56	291	200 Peak	 <p>Site: 03CH02-SZ Condition: PEAK_74 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: #69 G062JK0130550029 SN: X with Accessories Plane: MCS0 power setting 17.5 WIFI setting: power setting 5/2/1 BLE setting: power setting 14 Zigbee setting: power setting 0.5 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2475.00</td> <td>112.13</td> <td>38.13</td> <td>74.00</td> <td>104.77</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>291</td> <td>200 Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	2475.00	112.13	38.13	74.00	104.77	32.39	6.53	31.56	291	200 Peak
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2484.16	59.26	-14.74	74.00	51.00	32.39	6.53	31.56	291	200 Peak																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																								
1	2475.00	112.13	38.13	74.00	104.77	32.39	6.53	31.56	291	200 Peak																																																						
Avg.	 <p>Site: 03CH02-SZ Condition: AVG_BE_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: #69 G062JK0130550029 SN: X with Accessories Plane: MCS0 power setting 17.5 WIFI setting: power setting 5/2/1 BLE setting: power setting 14 Zigbee setting: power setting 0.5 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>58.79</td> <td>-3.21</td> <td>54.00</td> <td>43.43</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>291</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.52	58.79	-3.21	54.00	43.43	32.39	6.53	31.56	291	200 Average	 <p>Site: 03CH02-SZ Condition: AVG_54 3m HF_ANT_3117_0107 HORIZONTAL Project: 2N0202-01 Mode: #69 G062JK0130550029 SN: X with Accessories Plane: MCS0 power setting 17.5 WIFI setting: power setting 5/2/1 BLE setting: power setting 14 Zigbee setting: power setting 0.5 Lora setting: power setting 0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2475.00</td> <td>118.23</td> <td>56.23</td> <td>54.00</td> <td>102.87</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>291</td> <td>200 Average</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2475.00	118.23	56.23	54.00	102.87	32.39	6.53	31.56	291	200 Average
	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2483.52	58.79	-3.21	54.00	43.43	32.39	6.53	31.56	291	200 Average																																																						
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1	2475.00	118.23	56.23	54.00	102.87	32.39	6.53	31.56	291	200 Average																																																						



		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																												
		Vertical	Fundamental																																																											
Peak	 <p>Date: 7 Date: 2023-02-17</p> <p>Site Condition: 03CH02-SZ PEAK_BE_74 3m HF ANT_3117_0107 VERTICAL RSW:1000 000kHz VBW:3000 000kHz</p> <p>Project: 2N0202-01 Mode: E1 SN: #69 G082AK0130550029 Plane: X with Accessories WIFI setting: MCS9 power setting 17.5 BLE setting: power setting 5/21 Zigbee setting: power setting 14 Lora setting: power setting -0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.08</td> <td>56.63</td> <td>-17.37</td> <td>74.00</td> <td>49.27</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>390 250 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.08	56.63	-17.37	74.00	49.27	32.39	6.53	31.56	390 250 Peak	 <p>Date: 5 Date: 2023-02-17</p> <p>Site Condition: 03CH02-SZ PEAK_74 3m HF ANT_3117_0107 VERTICAL RSW:1000 000kHz VBW:3000 000kHz</p> <p>Project: 2N0202-01 Mode: E1 SN: #69 G082AK0130550029 Plane: X with Accessories WIFI setting: MCS9 power setting 17.5 BLE setting: power setting 5/21 Zigbee setting: power setting 14 Lora setting: power setting -0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2475.00</td> <td>189.73</td> <td>35.73</td> <td>74.00</td> <td>182.37</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>390 250 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2475.00	189.73	35.73	74.00	182.37	32.39	6.53	31.56	390 250 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2483.08	56.63	-17.37	74.00	49.27	32.39	6.53	31.56	390 250 Peak																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2475.00	189.73	35.73	74.00	182.37	32.39	6.53	31.56	390 250 Peak																																																					
Avg.	 <p>Date: 8 Date: 2023-02-17</p> <p>Site Condition: 03CH02-SZ AVG_BE_54 3m HF ANT_3117_0107 VERTICAL RSW:1000 000kHz VBW:0 010kHz</p> <p>Project: 2N0202-01 Mode: E1 SN: #69 G082AK0130550029 Plane: X with Accessories WIFI setting: MCS9 power setting 17.5 BLE setting: power setting 5/21 Zigbee setting: power setting 14 Lora setting: power setting -0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.52</td> <td>47.61</td> <td>-6.39</td> <td>54.00</td> <td>48.25</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>390 250 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2483.52	47.61	-6.39	54.00	48.25	32.39	6.53	31.56	390 250 Average	 <p>Date: 6 Date: 2023-02-17</p> <p>Site Condition: 03CH02-SZ AVG_54 3m HF ANT_3117_0107 VERTICAL RSW:1000 000kHz VBW:0 010kHz</p> <p>Project: 2N0202-01 Mode: E1 SN: #69 G082AK0130550029 Plane: X with Accessories WIFI setting: MCS9 power setting 17.5 BLE setting: power setting 5/21 Zigbee setting: power setting 14 Lora setting: power setting -0.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2475.00</td> <td>187.95</td> <td>53.96</td> <td>54.00</td> <td>180.68</td> <td>32.39</td> <td>6.53</td> <td>31.56</td> <td>390 250 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2475.00	187.95	53.96	54.00	180.68	32.39	6.53	31.56	390 250 Average
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2483.52	47.61	-6.39	54.00	48.25	32.39	6.53	31.56	390 250 Average																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
1	2475.00	187.95	53.96	54.00	180.68	32.39	6.53	31.56	390 250 Average																																																					




LoRa(DTS) SF7 CH31 (Band Edge @ 3m)





Harmonic @ 3m






Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz

802.11b





802.11g



802.11n HT20

