

FCC SAR EVALUATION REPORT

In accordance with the requirements of FCC 47 CFR Part 2(2.1093), ANSI/IEEE C95.1-1992 and IEEE Std 1528-2013

Product Name : Remote control Trademark : N/A Model Name : MGP01 Family Model : N/A Report No. : S22072603204001 FCC ID : 2A8WC-MGP01

Prepared for

GDU-Tech Co., Ltd.

Building 2, No.5, Huanglongshan South Road, Donghu New Technology Development Zone, Wuhan 430074, China

Prepared by

Shenzhen NTEK Testing Technology Co., Ltd. 1/F, Building E, Fenda Science Park, Sanwei Community, Xixiang Street, Bao'an District, Shenzhen 518126 P.R.China. Tel. 400-800-6106, 0755-2320 0050, 0755-2320 0090 Website: http://www.ntek.org.cn



Page 2 of 72

TEST RESULT CERTIFICATION

Applicant's name	: GDU-Tech Co., Ltd.					
Addroop	Building 2, No.5, Huanglongshan South Road, Donghu New Technology					
Address	Development Zone, Wuhan 430074, China					
Manufacturer's Name	GDU-Tech Co., Ltd.					
Addroso	Building 2, No.5, Huanglongshan South Road, Donghu New Technology					
Audiess	Development Zone, Wuhan 430074, China					
Product description						
Product name	Remote control					
Trademark	: N/A					
Model Name:: MGP01						
Family Model	N/A					
	FCC 47 CFR Part 2(2.1093)					
Ctondordo	ANSI/IEEE C95.1-1992					
Stanuarus	IEEE Std 1528-2013					
	Published RF exposure KDB procedures					

This device described above has been tested by Shenzhen NTEK. In accordance with the measurement methods and procedures specified in IEEE Std 1528-2013 and KDB 865664 D01. Testing has shown that this device is capable of compliance with localized specific absorption rate (SAR) specified in FCC 47 CFR Part 2(2.1093) and ANSI/IEEE C95.1-1992. The test results in this report apply only to the tested sample of the stated device/equipment. Other similar device/equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

This report shall not be reproduced except in full, without the written approval of Shenzhen NTEK, this document may be altered or revised by Shenzhen NTEK, personal only, and shall be noted in the revision of the document.

Test Sample Number

S220726032004

Date of Test

Date (s) of performance of tests: Aug. 29, 2022- Aug. 30, 2022 Date of Issue..... Sep. 20, 2022 Test Result: Pass

> Prepared By (Test Engineer)

Jacob. Chen (Jacob Chen)

Approved By (Lab Manager)

:

(Alex Li)



Page 3 of 72

Report No.: S22072603204001

**** ** Revision History ** ****

REV.	DESCRIPTION	ISSUED DATE	REMARK
Rev.1.0	Initial Test Report Release	Sep. 20, 2022	Jacob Chen





TABLE OF CONTENTS

1.1. RF exposure limits	1.	General Information	6
 Statement of Compliance		1.1. RF exposure limits	6
 1.3. EUT Description		1.2. Statement of Compliance	7
1.4. Test specification(s) 1.5. Ambient Condition 2. SAR Measurement System 2.1. SATIMO SAR Measurement Set-up Diagram 2.2. Robot 2.3. E-Field Probe 2.3.1. E-Field Probe Calibration 2.4. SAM phantoms 2.4.1. Technical Data 2.5. Device Holder 2.6. Test Equipment List 3. SAR Measurement Procedures 3.1. Power Reference 3.2. Area scan & Zoom scan 3.3. Description of interpolation/extrapolation scheme 3.4. Volumetric Scan 3.5. Power Drift 4. System Verification Procedure 4.1. Tissue Verification Procedure 4.2.1. System Verification Procedure 4.2.2. System Verification Procedure 4.3. System Verification Procedure 4.4.1. Tissue Dielectric Parameter Check Results 4.2. System Verification Results 5. SAR Measurement variability and uncertainty 5.1. SAR measurement variability 5.2. SAR measurement variability 6.1. Generic device 7.1. WLAN Output Power. 7.1. WLAN Output Power. 8.1. SAR measurement results 8.1. SAR measurement results		1.3. EUT Description	7
 Ambient Condition		1.4. Test specification(s)	9
 SAR Measurement System		1.5. Ambient Condition	9
 2.1. SATIMO SAR Measurement Set-up Diagram	2.	SAR Measurement System	10
 2.2. Robot 2.3. E-Field Probe 2.3.1. E-Field Probe Calibration 2.4. SAM phantoms 2.4.1. Technical Data 2.5. Device Holder 2.6. Test Equipment List 3. SAR Measurement Procedures 3.1. Power Reference 3.2. Area scan & Zoom scan 3.3. Description of interpolation/extrapolation scheme 3.4. Volumetric Scan 3.5. Power Drift 4. System Verification Procedure 4.1. Tissue Dielectric Parameter Check Results 4.2. System Verification Procedure 4.2.1. System Verification Results 5. SAR Measurement variability and uncertainty 5.1. SAR measurement uncertainty 6. RF Exposure Positions 6.1. Generic device 7. RF Output Power 7.1. WLAN Output Power 8. SAR Results 8.1. SAR measurement results 8.1. SAR measurement results 		2.1. SATIMO SAR Measurement Set-up Diagram	10
 2.3. E-Field Probe		2.2. Robot	11
 2.3.1. E-Field Probe Calibration		2.3. E-Field Probe	12
 2.4. SAM phantoms		2.3.1. E-Field Probe Calibration	12
 2.4.1. Technical Data		2.4. SAM phantoms	13
 2.5. Device Holder		2.4.1. Technical Data	14
 2.6. Test Equipment List 3. SAR Measurement Procedures 3.1. Power Reference 3.2. Area scan & Zoom scan 3.3. Description of interpolation/extrapolation scheme 3.4. Volumetric Scan 3.5. Power Drift 4. System Verification Procedure 4.1. Tissue Verification 4.1.1. Tissue Dielectric Parameter Check Results 4.2. System Verification Procedure 4.2.1. System Verification Results 5. SAR Measurement variability and uncertainty 5.1. SAR measurement uncertainty 6. RF Exposure Positions 6.1. Generic device 7. RF Output Power 7.1. WLAN Output Power 8.1. SAR measurement results 		2.5. Device Holder	15
 SAR Measurement Procedures		2.6. Test Equipment List	16
 3.1. Power Reference	3.	SAR Measurement Procedures	18
 3.2. Area scan & Zoom scan		3.1. Power Reference	18
 3.3. Description of interpolation/extrapolation scheme		3.2. Area scan & Zoom scan	18
 3.4. Volumetric Scan		3.3. Description of interpolation/extrapolation scheme	20
 3.5. Power Drift		3.4. Volumetric Scan	20
 4. System Verification Procedure		3.5. Power Drift	20
 4.1. Tissue Verification	4.	System Verification Procedure	21
 4.1.1. Tissue Dielectric Parameter Check Results		4.1. Tissue Verification	21
 4.2. System Verification Procedure		4.1.1. Tissue Dielectric Parameter Check Results	22
 4.2.1. System Verification Results		4.2. System Verification Procedure	23
 SAR Measurement variability and uncertainty		4.2.1. System Verification Results	24
 5.1. SAR measurement variability	5.	SAR Measurement variability and uncertainty	25
 5.2. SAR measurement uncertainty		5.1. SAR measurement variability	25
 6. RF Exposure Positions		5.2. SAR measurement uncertainty	25
 6.1. Generic device 7. RF Output Power	6.	RF Exposure Positions	26
 7. RF Output Power		6.1. Generic device	26
 7.1. WLAN Output Power 8. SAR Results 8.1. SAR measurement results	7.	RF Output Power	27
 8. SAR Results 8.1. SAR measurement results 8.1.1 SAR measurement Result of User defined 2.4C 		7.1. WLAN Output Power	27
8.1. SAR measurement results	8.	SAR Results	28
9.1.1 CAD management Decult of User defined 2.40		8.1. SAR measurement results	28
O.I.I. SAR IIIEdSULEIIIEIIL RESUL OF USEL-DEIIIIEU 2.40		8.1.1. SAR measurement Result of User-defined 2.4G	28
8.1.2. SAR measurement Result of User-defined 5.8G		8.1.2. SAR measurement Result of User-defined 5.8G	28
9. Appendix A. Photo documentation	9.	Appendix A. Photo documentation	29
10. Appendix B. System Check Plots	10.	Appendix B. System Check Plots	29



Page 5 of 72

11.	Appendix C. Plots of High SAR Measurement	.34
12.	Appendix D. Calibration Certificate	.39



1. General Information

NTEK 北测

1.1. RF exposure limits

(A).Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.4	8.0	20.0

(B).Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.08	1.6	4.0

NOTE: *Whole-Body SAR* is averaged over the entire body, *partial-body SAR* is averaged over any 1 gram of tissue defined as a tissue volume in the shape of a cube. *SAR for hands, wrists, feet and ankles* is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

Occupational/Controlled Environments:

Are defined as locations where there is exposure that may be incurred by people who are aware of the potential for exposure, (i.e. as a result of employment or occupation).

General Population/Uncontrolled Environments:

Are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.

NOTE TRUNK LIMIT 1.6 W/kg APPLIED TO THIS EUT

Page 7 of 72

1.2. Statement of Compliance

The maximum results of Specific Absorption Rate (SAR) found during testing for MGP01 are as follows.

	Max Reported SAR Value(W/kg)	
Band	1-g Body	
	(Separation distance of 0mm)	
User-defined 2.4G	0.920	
User-defined 5.8G	0.334	

Note: This device is in compliance with Specific Absorption Rate (SAR) for general population / uncontrolled exposure limits (1.6 W/kg) specified in FCC 47 CFR Part 2(2.1093) and ANSI/IEEE C95.1-1992, and had been tested in accordance with the measurement methods and procedures specified in IEEE Std 1528-2013 & KDB 865664 D01.

1.3. EUT Description

Device Information					
Product Name	Remote control				
Trade Name	N/A				
Model Name	MGP01				
Family Model	N/A				
FCC ID	2A8WC-MGP01				
Device Phase	Identical Prototype				
Exposure Category	General population / Uncontrolled environment				
Antenna	FPC Antenna				
Battery Information	DC 7.4V, 4600mAh				
Hardware version:	N/A				
Software version	N/A				
Device Operating Configurat	ions				
Supporting Mode(s)	User-defined 2.4G/5.8G				
Test Modulation	BPSK, QPSK, 16QAM, 64QAM	Л			
Device Class	B				
	Band	Tx (MHz)	Rx (MHz)		
	User-defined 2.4G 2420-2460 Note1				
	User-defined 5.8G 5740-5820 Note1				





Note 1:

Number Of Channel List

User-defined 2.4G		User-defined 5.8G		
	2420		5760	
	2430	40M	5780	
	2440		5800	
	2450		5820	
1014/2014/4014	2460		/	
10M/20M/40M	/		5740	
	/		5760	
	/	10M/20M	5780	
	/		5800	
	/		5820	





Page 9 of 72

1.4. Test specification(s)

FCC 47 CFR Part 2(2.1093)

ANSI/IEEE C95.1-1992

IEEE Std 1528-2013

KDB 865664 D01 SAR measurement 100 MHz to 6 GHz

KDB 865664 D02 RF Exposure Reporting

KDB 447498 D01 General RF Exposure Guidance

KDB 248227 D01 802.11 Wi-Fi SAR

1.5. Ambient Condition

Ambient temperature	20°C – 24°C
Relative Humidity	30% – 70%

ACCREDITED Page 10 of 72

2. SAR Measurement System

NTEK 北测

2.1. SATIMO SAR Measurement Set-up Diagram

ilac-MR



These measurements were performed with the automated near-field scanning system OPENSAR from SATIMO. The system is based on a high precision robot (working range: 901 mm), which positions the probes with a positional repeatability of better than ± 0.03 mm. The SAR measurements were conducted with dosimetric probe (manufactured by SATIMO), designed in the classical triangular configuration and optimized for dosimetric evaluation.

The first step of the field measurement is the evaluation of the voltages induced on the probe by the device under test. Probe diode detectors are nonlinear. Below the diode compression point, the output voltage is proportional to the square of the applied E-field; above the diode compression point, it is linear to the applied E-field. The compression point depends on the diode, and a calibration procedure is necessary for each sensor of the probe.

The Keithley multimeter reads the voltage of each sensor and send these three values to the PC. The corresponding E field value is calculated using the probe calibration factors, which are stored in the working directory. This evaluation includes linearization of the diode characteristics. The field calculation is done separately for each sensor. Each component of the E field is displayed on the "Dipole Area Scan Interface" and the total E field is displayed on the "3D Interface"



2.2. Robot

NTEK 北测

The SATIMO SAR system uses the high precision robots from KUKA. For the 6-axis controller system, the robot controller version (KUKA) from KUKA is used. The KUKA robot series have many features that are important for our application:



- High precision (repeatability ±0.03 mm)
- High reliability (industrial design)
- Jerk-free straight movements
- Low ELF interference (the closed metallic construction shields against motor control fields)



2.3. E-Field Probe

NTEK 北测

This E-field detection probe is composed of three orthogonal dipoles linked to special Schottky diodes with low detection thresholds. The probe allows the measurement of electric fields in liquids such as the one defined in the IEEE and CENELEC standards.

For the measurements the Specific Dosimetric E-Field Probe SN 08/16 EPGO287 with following specifications is used



- Dynamic range: 0.01-100 W/kg
- Tip Diameter : 2.5 mm
- Distance between probe tip and sensor center: 1 mm

- Distance between sensor center and the inner phantom surface: 2 mm (repeatability better than ±1 mm).

- Probe linearity: ±0.08 dB
- Axial isotropy: ±0.01 dB
- Hemispherical Isotropy: ±0.01 dB
- Calibration range: 650MHz to 5900MHz for head & body simulating liquid.
- Lower detection limit: 8mW/kg

Angle between probe axis (evaluation axis) and surface normal line: less than 30°.

2.3.1. E-Field Probe Calibration

Each probe needs to be calibrated according to a dosimetric assessment procedure with accuracy better than $\pm 10\%$. The spherical isotropy shall be evaluated and within ± 0.25 dB. The sensitivity parameters (Norm X, Norm Y, and Norm Z), the diode compression parameter (DCP) and the conversion factor (Conv F) of the probe are tested. The calibration data can be referred to appendix D of this report.





Page 13 of 72

2.4. SAM phantoms

Photo of SAM phantom SN 16/15 SAM119



The SAM phantom is used to measure the SAR relative to people exposed to electro-magnetic field radiated by mobile phones.





Page 14 of 72

2.4.1. Technical Data

Serial Number	Shell thickness	Filling volume	Dimensions	Positionner Material	Permittivity	Loss Tangent
SN 16/15 SAM119	2 mm ±0.2 mm	27 liters	Length:1000mm Width:500mm Height:200mm	Gelcoat with fiberglass	3.4	0.02



Serial Number	Left Head(mm)		Right Head(mm)		Flat Part(mm)	
	2	2.02	2	2.08	1	2.09
	3	2.05	3	2.06	2	2.06
	4	2.07	4	2.07	3	2.08
SN 16/15 SAM119	5	2.08	5	2.08	4	2.10
	6	2.05	6	2.07	5	2.10
	7	2.05	7	2.05	6	2.07
	8	2.07	8	2.06	7	2.07
	9	2.08	9	2.06	-	-

The test, based on ultrasonic system, allows measuring the thickness with an accuracy of 10 µm.



2.5. Device Holder

The positioning system allows obtaining cheek and tilting position with a very good accuracy. In compliance with CENELEC, the tilt angle uncertainty is lower than 1 degree.



Serial Number	Holder Material	Permittivity	Loss Tangent
SN 16/15 MSH100	Delrin	3.7	0.005

NTEK 北测[®]



2.6. Test Equipment List

This table gives a complete overview of the SAR measurement equipment.

Devices used during the test described are marked \square

	Manufacturor	Name of		Sorial Number	ial Number Calibrati	
	Mandiacturei	Equipment	i ype/woder	Senar Number	Last Cal.	Due Date
	MVG		SSE2		Feb. 01,	Jan. 31,
	1010		JOLZ	SN 00/10 EF 90207	2022	2023
	MVG	750 MHz Dinole	SID750	SN 03/15 DIP	Mar. 01,	Feb. 28,
			010730	0G750-355	2021	2024
	MVG	835 MHz Dinole	SID835	SN 03/15 DIP	Mar. 01,	Feb. 28,
			012000	0G835-347	2021	2024
	MVG	900 MHz Dipole	SID900	SN 03/15 DIP	Mar. 01,	Feb. 28,
			012000	0G900-348	2021	2024
	MVG	1800 MHz Dipole	SID1800	SN 03/15 DIP	Mar. 01,	Feb. 28,
				1G800-349	2021	2024
	MVG	1900 MHz Dipole	SID1900	SN 03/15 DIP	Mar. 01,	Feb. 28,
				1G900-350	2021	2024
	MVG	2000 MHz Dipole	SID2000	SN 03/15 DIP	Mar. 01,	Feb. 28,
			0102000	2G000-351	2021	2024
	MVG	2450 MHz Dipole	SID2450	SN 03/15 DIP	Mar. 01,	Feb. 28,
			0102400	2G450-352	2021	2024
	MVG	2600 MHz Dipole	SID2600	SN 03/15 DIP	Mar. 01,	Feb. 28,
			0.02000	2G600-356	2021	2024
	MVG	5000 MHz Dipole	SWG5500	SN 13/14 WGA 33	Mar. 01,	Feb. 28,
					2021	2024
	MVG	Liquid measurement Kit	SCLMP	SN 21/15 OCPG 72	NCR	NCR
\square	MVG	Power Amplifier	N.A	AMPLISAR 28/14 003	NCR	NCR
\boxtimes	KEITHLEY	Millivoltmeter	2000	4072790	NCR	NCR
	R&S	Universal radio communication tester	CMU200	117858	Jun. 17, 2022	Jun. 16, 2023
	R&S	Wideband radio communication tester	CMW500	103917	Jun. 17, 2022	Jun. 16, 2023
	HP	Network Analyzer	8753D	3410J01136	Jun. 17, 2022	Jun. 16, 2023
\square	Agilent	MXG Vector Signal Generator	N5182A	MY47070317	Jun. 16, 2022	Jun. 15, 2023



Page 17 of 72

Report No.: S22072603204001

\boxtimes	Agilent	Power meter	E4419B	MY45102538	Jun. 17, 2022	Jun. 16, 2023
\square	Agilent	Power sensor	E9301A	MY41495644	Jun. 17, 2022	Jun. 16, 2023
\boxtimes	Agilent	Power sensor	E9301A	US39212148	Jun. 17, 2022	Jun. 16, 2023
\boxtimes	MCLI/USA	Directional Coupler	CB11-20	0D2L51502	Jul. 17, 2020	Jul. 16, 2023

Page 18 of 72

3. SAR Measurement Procedures

The measurement procedures are as follows:

<Conducted power measurement>

NTEK 北测

(a) For WWAN power measurement, use base station simulator to configure EUT WWAN transmission in conducted connection with RF cable, at maximum power in each supported wireless interface and frequency band.

(b) Read the WWAN RF power level from the base station simulator.

(c) For WLAN/Bluetooth power measurement, use engineering software to configure EUT WLAN/Bluetooth continuously transmission, at maximum RF power in each supported wireless interface and frequency band.

(d) Connect EUT RF port through RF cable to the power meter, and measure WLAN/Bluetooth output power.

<SAR measurement>

(a) Use base station simulator to configure EUT WWAN transmission in radiated connection, and engineering software to configure EUT WLAN/Bluetooth continuously transmission, at maximum RF power, in the highest power channel.

- (b) Place the EUT in the positions as Appendix A demonstrates.
- (c) Set scan area, grid size and other setting on the OPENSAR software.
- (d) Measure SAR results for the highest power channel on each testing position.
- (e) Find out the largest SAR result on these testing positions of each band.

(f) Measure SAR results for other channels in worst SAR testing position if the reported SAR of highest power channel is larger than 0.8 W/kg.

According to the test standard, the recommended procedure for assessing the peak spatial-average SAR value consists of the following steps:

- (a) Power reference measurement
- (b) Area scan
- (c) Zoom scan
- (d) Power drift measurement

3.1. Power Reference

The Power Reference Measurement and Power Drift Measurements are for monitoring the power drift of the device under test in the batch process. The minimum distance of probe sensors to surface determines the closest measurement point to phantom surface. This distance cannot be smaller than the distance of sensor calibration points to probe tip as defined in the probe properties.

3.2. Area scan & Zoom scan

The area scan is a 2D scan to find the hot spot location on the DUT. The zoom scan is a 3D scan above the hot spot to calculate the 1g and 10g SAR value.

8 Certificate #4298.01

NTEK 北测

Measurement of the SAR distribution with a grid of 8 to 16 mm * 8 to 16 mm and a constant distance to the inner surface of the phantom. Since the sensors cannot directly measure at the inner phantom surface, the values between the sensors and the inner phantom surface are extrapolated. With these values the area of the maximum SAR is calculated by an interpolation scheme. Around this point, a cube of 30 * 30 *30 mm or 32 * 32 * 32 mm is assessed by measuring 5 or 8 * 5 or 8 * 4 or 5 mm. With these data, the peak spatial-average SAR value can be calculated.

From the scanned SAR distribution, identify the position of the maximum SAR value, in addition identify the positions of any local maxima with SAR values within 2 dB of the maximum value that will not be within the zoom scan of other peaks; additional peaks shall be measured only when the primary peak is within 2 dB of the SAR compliance limit (e.g., 1 W/kg for 1,6 W/kg 1 g limit, or 1,26 W/kg for 2 W/kg, 10 g limit).

Area scan & Zoom scan scan parameters extracted from FCC KDB 865664 D01 SAR measurement 100 MHz to 6 GHz.

			\leq 3 GHz	> 3 GHz
Maximum distance fro (geometric center of pr	m closest 1 obe sensor	neasurement point rs) to phantom surface	$5 \pm 1 \text{ mm}$	$\frac{1}{2} \cdot \delta \cdot \ln(2) \pm 0.5 \text{ mm}$
Maximum probe angle surface normal at the n	from prob neasureme	e axis to phantom nt location	$30^{\circ} \pm 1^{\circ}$	$20^{\circ} \pm 1^{\circ}$
			\leq 2 GHz: \leq 15 mm 2 - 3 GHz: \leq 12 mm	$3 - 4 \text{ GHz} \le 12 \text{ mm}$ $4 - 6 \text{ GHz} \le 10 \text{ mm}$
Maximum area scan sp	atial resolu	ition: Δx _{Area} , Δy _{Area}	When the x or y dimension o measurement plane orientation the measurement resolution r x or y dimension of the test d measurement point on the test	f the test device, in the on, is smaller than the above, must be \leq the corresponding levice with at least one at device.
Maximum zoom scan s	spatial reso	lution: Δx_{Zoom} , Δy_{Zoom}	≤ 2 GHz: ≤ 8 mm 2 - 3 GHz: ≤ 5 mm [*]	$3 - 4 \text{ GHz} \le 5 \text{ mm}^*$ $4 - 6 \text{ GHz} \le 4 \text{ mm}^*$
	uniform	grid: $\Delta z_{Zoom}(n)$	$\leq 5 \text{ mm}$	$3 - 4$ GHz: ≤ 4 mm $4 - 5$ GHz: ≤ 3 mm $5 - 6$ GHz: ≤ 2 mm
Maximum zoom scan spatial resolution, normal to phantom surface	graded	$\Delta z_{Zoom}(1)$: between 1 st two points closest to phantom surface	\leq 4 mm	$3 - 4$ GHz: ≤ 3 mm $4 - 5$ GHz: ≤ 2.5 mm $5 - 6$ GHz: ≤ 2 mm
	grid	∆z _{Zoom} (n>1): between subsequent points	≤1.5·∆z	_{Zoom} (n-1)
Minimum zoom scan volume	x, y, z	•	\geq 30 mm	$3 - 4 \text{ GHz}: \ge 28 \text{ mm}$ $4 - 5 \text{ GHz}: \ge 25 \text{ mm}$ $5 - 6 \text{ GHz}: \ge 22 \text{ mm}$
Note: δ is the penetrati P1528-2011 for c	on depth o letails.	f a plane-wave at norma	l incidence to the tissue mediu	m; see draft standard IEEE

^{*} When zoom scan is required and the <u>reported</u> SAR from the area scan based 1-g SAR estimation procedures of KDB 447498 is ≤ 1.4 W/kg, ≤ 8 mm, ≤ 7 mm and ≤ 5 mm zoom scan resolution may be applied, respectively, for 2 GHz to 3 GHz, 3 GHz to 4 GHz and 4 GHz to 6 GHz.



3.3. Description of interpolation/extrapolation scheme

The local SAR inside the phantom is measured using small dipole sensing elements inside a probe body. The probe tip must not be in contact with the phantom surface in order to minimise measurements errors, but the highest local SAR will occur at the surface of the phantom.

An extrapolation is using to determinate this highest local SAR values. The extrapolation is based on a fourth-order least-square polynomial fit of measured data. The local SAR value is then extrapolated from the liquid surface with a 1 mm step.

The measurements have to be performed over a limited time (due to the duration of the battery) so the step of measurement is high. It could vary between 5 and 8 mm. To obtain an accurate assessment of the maximum SAR averaged over 10 grams and 1 gram requires a very fine resolution in the three dimensional scanned data array.

3.4. Volumetric Scan

NTEK 北测

The volumetric scan consists to a full 3D scan over a specific area. This 3D scan is useful form multi Tx SAR measurement. Indeed, it is possible with OpenSAR to add, point by point, several volumetric scan to calculate the SAR value of the combined measurement as it is define in the standard IEEE1528 and IEC62209.

3.5. Power Drift

All SAR testing is under the EUT install full charged battery and transmit maximum output power. In OpenSAR measurement software, the power reference measurement and power drift measurement procedures are used for monitoring the power drift of EUT during SAR test. Both these procedures measure the field at a specified reference position before and after the SAR testing. The software will calculate the field difference in V/m. If the power drifts more than $\pm 5\%$, the SAR will be retested.

4. System Verification Procedure

4.1. Tissue Verification

NTEK 北测

The following tissue formulations are provided for reference only as some of the parameters have not been thoroughly verified. The composition of ingredients may be modified accordingly to achieve the desired target tissue parameters required for routine SAR evaluation.

Page 21 of 72

Ingredients (% of weight)		Head Tissue									
Frequency Band (MHz)	750	835	900	1800	1900	2000	2450	2600	5200	5800	
Water	34.40	34.40	34.40	55.36	55.36	57.87	57.87	57.87	65.53	65.53	
NaCl	0.79	0.79	0.79	0.35	0.35	0.16	0.16	0.16	0.00	0.00	
1,2-Propanediol	64.81	64.81	64.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Triton X-100	0.00	0.00	0.00	30.45	30.45	19.97	19.97	19.97	24.24	24.24	
DGBE	0.00	0.00	0.00	13.84	13.84	22.00	22.00	22.00	10.23	10.23	

For SAR measurement of the field distribution inside the phantom, the phantom must be filled with homogeneous tissue simulating liquid to a depth of at least 15 cm. For head SAR testing, the liquid depth from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15 cm.







4.1.1. Tissue Dielectric Parameter Check Results

NTEK 北测

The simulating liquids should be checked at the beginning of a series of SAR measurements to determine of the dielectric parameter are within the tolerances of the specified target values. The measured conductivity and relative permittivity should be within $\pm 5\%$ of the target values.

	Measured	Target T	ïssue	Measure	d Tissue		
Tissue Type	Frequency (MHz)	εr (±5%)	σ (S/m) (±5%)	٤r	σ (S/m)	Liquid Temp.	Test Date
Head	2450	39.20	1.80	27 70	1 70	21 7 %	Aug 20 2022
2450	2430	(37.24~41.16)	(1.71~1.89)	51.19	1.79	21.7 0	Aug. 29, 2022
Head	5900	35.30	5.27	24 54	5 21	21 4 %	Aug 20, 2022
5800	5600	(33.54~37.07)	(5.01~5.53)	34.34	5.21	21.4 C	Aug. 30, 2022

NOTE: The dielectric parameters of the tissue-equivalent liquid should be measured under similar ambient conditions and within 2 °C of the conditions expected during the SAR evaluation to satisfy protocol requirements.

Page 23 of 72

4.2. System Verification Procedure

NTEK 北测

The system verification is performed for verifying the accuracy of the complete measurement system and performance of the software. The dipole is connected to the signal source consisting of signal generator and amplifier via a directional coupler, N-connector cable and adaption to SMA. It is fed with a power of 100mW (below 5GHz) or 100mW (above 5GHz). To adjust this power a power meter is used. The power sensor is connected to the cable before the system verification to measure the power at this point and do adjustments at the signal generator. At the outputs of the directional coupler both return loss as well as forward power are controlled during the system verification to make sure that emitted power at the dipole is kept constant. This can also be checked by the power drift measurement after the test (result on plot).

The system verification is shown as below picture:



ACCREDITED

Page 24 of 72

4.2.1. System Verification Results

NTEK 北测

Comparing to the original SAR value provided by SATIMO, the verification data should be within its specification of $\pm 10\%$. Below table shows the target SAR and measured SAR after normalized to 1W input power. The table below indicates the system performance verification can meet the variation criterion and the plots can be referred to Appendix B of this report.

	Target SA	AR (1W)	Measure	ed SAR			
System	(±10	9%)	(Normalize	ed to 1W)	Liquid	Tak	
Verification	$1 \propto (M/K_{c})$	$10 \alpha (M/K \alpha)$	1-g	10-g	Temp.	lest Date	
	1-g (W/Kg)	10-g (W/Kg)	(W/Kg)	(W/Kg)			
2450MHz	53.69	23.94	58.00	25.27	21 7 %	Aug 20 2022	
243010112	(48.33~59.05)	(21.55~26.33)	56.90	25.27	21.7 0	Aug. 29, 2022	
5800MHz	178.89	59.32	186.87	56 78	21 4 °C	Aug 30 2022	
300010112	(161.01~196.77)	(53.39~65.25)	100.07	50.70	21.4 0	Aug. 30, 2022	

Page 25 of 72

5. SAR Measurement variability and uncertainty

5.1. SAR measurement variability

NTEK 北视

Per KDB865664 D01 SAR measurement 100 MHz to 6 GHz, SAR measurement variability must be assessed for each frequency band, which is determined by the SAR probe calibration point and tissue-equivalent medium used for the device measurements. The additional measurements are repeated after the completion of all measurements requiring the same head or body tissue-equivalent medium in a frequency band. The test device should be returned to ambient conditions (normal room temperature) with the battery fully charged before it is re-mounted on the device holder for the repeated measurement(s) to minimize any unexpected variations in the repeated results.

ertificate #4298.01

Repeated measurement is not required when the original highest measured SAR is < 0.80 W/kg;
 steps 2) through 4) do not apply.

2) When the original highest measured SAR is \geq 0.80 W/kg, repeat that measurement once.

3) Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is > 1.20 or when the original or repeated measurement is \geq 1.45 W/kg (~ 10% from the 1-g SAR limit).

4) Perform a third repeated measurement only if the original, first or second repeated measurement is ≥1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20.

5.2. SAR measurement uncertainty

Per KDB865664 D01 SAR Measurement 100 MHz to 6 GHz, when the highest measured 1-g SAR within a frequency band is < 1.5 W/kg, the extensive SAR measurement uncertainty analysis described in IEEE Std 1528-2013 is not required in SAR reports submitted for equipment approval. The equivalent ratio (1.5/1.6) is applied to extremity and occupational exposure conditions.



6. RF Exposure Positions

6.1. Generic device

The SAR evaluation shall be performed for surface of the DUT that are accessible during intended use, as indicated in Figure 6.1. Adjust the distance between the device surface and the flat phantom to 0mm.



Figure 6.1 – Test positions for generic device

NTEK 北测



Page 27 of 72

Report No.: S22072603204001

7. RF Output Power

7.1. WLAN Output Power

Mode	Frequency (MHz)	Tune-up	Output Power (dBm)	Tune-up	Output Power (dBm)	Tune-up	Output Power (dBm)
		AN	IT1	AN	IT2	MI	NO
	2420	15.00	14.73	15.00	14.62	18.00	17.69
user10M	2440	15.00	14.59	15.00	14.13	18.00	17.38
	2460	15.00	13.99	15.00	14.25	18.00	17.13
	2420	14.50	14.46	14.50	14.31	17.50	17.40
user20M	2440	14.50	14.41	14.50	14.18	17.50	17.31
	2460	14.50	13.89	14.50	14.22	17.50	17.07
	2420	14.50	14.05	14.00	13.79	17.00	16.93
user40M	2440	14.50	13.77	14.00	13.77	17.00	16.78
	2460	14.50	13.31	14.00	13.77	17.00	16.56

NOTE: Power measurement results of User-defined 2.4G

			Output		Output		Output
Mada	Frequency	Tune-up	Power	Output Output Output Tune-up Power Tune-up Power (dBm) 11.00 10.56 14.50 13 11.00 10.70 14.50 14 11.00 10.92 14.50 14 11.00 10.39 14.00 13 11.00 10.39 14.00 13 11.00 10.63 14.00 13 11.00 10.39 14.00 13 11.00 10.63 14.00 13 11.00 10.63 14.00 13 11.50 10.63 15.00 14 11.50 10.68 15.00 14	Power		
wode	(MHz)		(dBm)		(dBm)		(dBm)
		AN	IT1	AN	IT2	MI	ON
	5740	11.50	10.74	11.00	10.56	14.50	13.66
user10M	5780	11.50	11.34	11.00	10.70	14.50	14.04
	5820	11.50	9.49	11.00	10.92	14.50	13.27
	5740	11.50	10.26	11.00	10.39	14.00	13.34
user20M	5780	11.50	11.43	11.00	10.41	14.00	13.96
	5820	11.50	9.59	11.00	10.63	14.00	13.15
	5760	12.50	12.23	11.50	10.81	15.00	14.59
user40M	5780	12.50	11.94	11.50	10.68	15.00	14.37
	5820	12.50	10.41	11.50	11.01	15.00	13.73

NOTE: Power measurement results of User-defined 5.8G





8. SAR Results

8.1. SAR measurement results

8.1.1. SAR measurement Result of User-defined 2.4G

Test Position of	Test		SAR (W/	Value /kg)	Power	Conducted	Tune-up	Scaled SAR		
Body with 0mm	channel /Freq.	Mode	1-g	10-g	Drift(%)	Power (dBm)	Power (dBm)	1-g (W/Kg)	Date	Plot
				A	NT1					
Back Side and ANT Vertical	2420	user10M	0.119	0.052	3.56	14.73	15.00	0.127	2022/8/29	
ANT Horizontal	2420	user10M	0.360	0.160	-3.70	14.73	15.00	0.383	2022/8/29	
				А	NT2					
Back Side and ANT Vertical	2420	user10M	0.178	0.078	3.35	14.62	15.00	0.194	2022/8/29	
ANT Horizontal	2420	user10M	0.540	0.245	1.10	14.62	15.00	0.589	2022/8/29	
				N	1IMO					
Back Side and ANT Vertical	2420	user10M	0.291	0.131	-2.60	17.69	18.00	0.313	2022/8/29	
ANT Horizontal	2420	user10M	0.857	0.393	-1.34	17.69	18.00	0.920	2022/8/29	1#
ANT Horizontal Repeated	2420	user10M	0.850	0.388	1.05	17.69	18.00	0.913	2022/8/29	
ANT Horizontal	2440	user10M	0.746	0.328	0.54	17.38	18.00	0.860	2022/8/29	
ANT Horizontal	2460	user10M	0.711	0.316	-3.11	17.13	18.00	0.869	2022/8/29	

NOTE: Body SAR test results of User-defined 2.4G

8.1.2. SAR measurement Result of User-defined 5.8G

Test Position of	Test	Mada	SAR (W/	Value /kg)	Power	Conducted	Tune-up	Scaled SAR	Doto	Plot
Body with 0mm	/Freq	Mode	1-g	10-g	Drift(%)	(dBm)	(dBm)	1-g (W/Kg)	Dule	FIOL
				A	NT1					
Back Side and ANT Vertical	5760	user40M	0.080	0.029	-0.25	12.23	12.50	0.085	2022/8/30	
ANT Horizontal	5760	user40M	0.243	0.090	-0.93	12.23	12.50	0.259	2022/8/30	
				A	NT2					
Back Side and ANT Vertical	5820	user40M	0.040	0.014	-0.39	11.01	11.50	0.045	2022/8/30	
ANT Horizontal	5820	user40M	0.125	0.045	-3.94	11.01	11.50	0.140	2022/8/30	



Page 29 of 72

Report No.: S22072603204001

	ΜΙΜΟ											
Back Side and	6760	upper40M	0.001	0 0 2 2	0.60	14 50	15.00	0 100	2022/8/20			
ANT Vertical	5760	user40ivi	0.091	0.091 0.033	0.09	14.59	15.00	0.100	2022/0/30			
ANT Horizontal	5760	user40M	0.304	0.115	0.68	14.59	15.00	0.334	2022/8/30	2#		

NOTE: Body SAR test results of User-defined 5.8G

9. Appendix A. Photo documentation

Refer to appendix Test Setup photo---SAR

10. Appendix B. System Check Plots

Table of contents
MEASUREMENT 1 System Performance Check - 2450MHz
MEASUREMENT 2 System Performance Check - 5800MHz





MEASUREMENT 1

Date of measurement: 29/8/2022

A. Experimental conditions.

<u>Area Scan</u>	<u>dx=12mm dy=12mm, h= 5.00 mm</u>
<u>ZoomScan</u>	7x7x7,dx=5mm dy=5mm dz=5mm
Phantom	Validation plane
Device Position	<u>Dipole</u>
Band	<u>CW2450</u>
<u>Channels</u>	Middle
<u>Signal</u>	CW (Crest factor: 1.0)
<u>ConvF</u>	<u>1.98</u>

B. SAR Measurement Results

Frequency (MHz)	2450.000000
Relative permittivity (real part)	37.789563
Relative permittivity (imaginary part)	13.123188
Conductivity (S/m)	1.786212
Variation (%)	-1.590000



Maximum location: X=0.00, Y=1.00 SAR Peak: 8.14 W/kg	
SAR 10g (W/Kg)	2.527204
SAR 1g (W/Kg)	5.890327



NTEK 北测[®]





3D screen shot	Hot spot position





MEASUREMENT 2

Date of measurement: 30/8/2022

A. Experimental conditions.

Area Scan	<u>dx=10mm dy=10mm, h= 2.00 mm</u>
<u>ZoomScan</u>	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	<u>Dipole</u>
Band	<u>CW5800</u>
<u>Channels</u>	Middle
<u>Signal</u>	CW (Crest factor: 1.0)
<u>ConvF</u>	2.07

B. SAR Measurement Results

Frequency (MHz)	5800.000000
Relative permittivity (real part)	34.538773
Relative permittivity (imaginary part)	16.153841
Conductivity (S/m)	5.205127
Variation (%)	-0.970000



Maximum location: X=0.00, Y=6.00 SAR Peak: 57.37 W/kg

SAR 10g (W/Kg)	5.678033
SAR 1g (W/Kg)	18.687114



NTEK 北测[®]

Page 33 of 72







11. Appendix C. Plots of High SAR Measurement

Table of contents

MEASUREMENT 1 User-defined 2.4G Body

MEASUREMENT 2 User-defined 5.8G Body





MEASUREMENT 1

Date of measurement: 29/8/2022

A. Experimental conditions.

<u>Area Scan</u>	<u>dx=12mm dy=12mm, h= 5.00 mm</u>
ZoomScan	7x7x7,dx=5mm dy=5mm dz=5mm
<u>Phantom</u>	Validation plane
Device Position	Body
Band	CUSTOM 2.4G
<u>Channels</u>	Low
<u>Signal</u>	Duty Cycle: 1.00 (Crest factor: 1.0)
<u>ConvF</u>	<u>1.98</u>

B. SAR Measurement Results

Frequency (MHz)	2420.000000
Relative permittivity (real part)	37.854863
Relative permittivity (imaginary part)	13.044188
Conductivity (S/m)	1.753719
Variation (%)	-1.340000



Maximum location: X=-5.00, Y=-36.00 SAR Peak: 1.56 W/kg

SAR 10g (W/Kg)	0.392938
SAR 1g (W/Kg)	0.857112



NTEK 北测[®]

Page 36 of 72








MEASUREMENT 2

Date of measurement: 30/8/2022

A. Experimental conditions.

<u>Area Scan</u>	dx=10mm dy=10mm, h= 2.00 mm		
<u>ZoomScan</u>	7x7x12,dx=4mm dy=4mm dz=2mm		
Phantom	Validation plane		
Device Position	Body		
Band	CUSTOM 5.8G		
<u>Channels</u>	Low		
<u>Signal</u>	Duty Cycle: 1.00 (Crest factor: 1.0)		
<u>ConvF</u>	<u>2.07</u>		

B. SAR Measurement Results

Frequency (MHz)	5760.000000
Relative permittivity (real part)	34.673223
Relative permittivity (imaginary part)	16.129143
Conductivity (S/m)	5.161326
Variation (%)	0.680000



SAR Peak: 0.91 W/kg

SAR 10g (W/Kg)	0.114807	
SAR 1g (W/Kg)	0.303799	



<u>NTEK</u>北测[®]

Page 38 of 72







12. Appendix D. Calibration Certificate

Table of contents

E Field Probe - SN 08/16 EPGO287

2450 MHz Dipole - SN 03/15 DIP 2G450-352

5000-6000 MHz Dipole - SN 13/14 WGA 33

Extended Calibration Certificate





COMOSAR E-Field Probe Calibration Report

Ref: ACR.60.1.21.MVGB.A

SHENZHEN NTEK TESTING TECHNOLOGY CO., LTD.

BUILDING E, FENDA SCIENCE PARK, SANWEI COMMUNITY, XIXIANG STREET, BAO'AN DISTRICT, SHENZHEN GUANGDONG, CHINA MVG COMOSAR DOSIMETRIC E-FIELD PROBE SERIAL NO.: SN 08/16 EPGO287

Calibrated at MVG

Z.I. de la pointe du diable Technopôle Brest Iroise – 295 avenue Alexis de Rochon 29280 PLOUZANE - FRANCE

Calibration date: 02/01/2022



Accreditations #2-6789 and #2-6814 Scope available on www.cofrac.fr

Summary:

This document presents the method and results from an accredited COMOSAR E-Field Probe calibration performed at MVG, using the CALIPROBE test bench, for use with a MVG COMOSAR system only. The test results covered by accreditation are traceable to the International System of Units (SI).









COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

	Name	Function	Date	Signature
Prepared by :	Jérôme Luc	Technical Manager	2/1/2022	JES
Checked by :	Jérôme Luc	Technical Manager	2/1/2022	JS
Approved by :	Yann Toutain	Laboratory Director	2/1/2022	Gann Toutain



	Customer Name
	SHENZHEN NTEK
Distuibution	TESTING
Distribution .	TECHNOLOGY
	CO., LTD.

Issue	Name	Date	Modifications
А	Jérôme Luc	2/1/2022	Initial release

Page: 2/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vH







COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

TABLE OF CONTENTS

1	Devi	ce Under Test4	
2	Prod	uct Description	
	2.1	General Information	4
3	Meas	surement Method	
	3.1	Linearity	4
	3.2	Sensitivity	5
	3.3	Lower Detection Limit	_5
	3.4	Isotropy	5
	3.1	Boundary Effect	5
4	Mea	surement Uncertainty6	
5	Calil	pration Measurement Results	
	5.1	Sensitivity in air	6
	5.2	Linearity	7
	5.3	Sensitivity in liquid	8
	5.4	Isotropy	9
6	List	of Equipment	

Page: 3/10







1

COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

DEVICE UNDER TEST

Device Under Test		
Device Type	COMOSAR DOSIMETRIC E FIELD PROBE	
Manufacturer	MVG	
Model	SSE2	
Serial Number	SN 08/16 EPGO287	
Product Condition (new / used)	Used	
Frequency Range of Probe	0.15 GHz-6GHz	
Resistance of Three Dipoles at Connector	Dipole 1: R1=0.211 MΩ	
	Dipole 2: R2=0.199 MΩ	
	Dipole 3: R3=0.199 MΩ	

2 PRODUCT DESCRIPTION

2.1 GENERAL INFORMATION

MVG's COMOSAR E field Probes are built in accordance to the IEEE 1528, FCC KDB865664 D01, CENELEC EN62209 and CEI/IEC 62209 standards.

1 1	- 10	
	- 3	8

Figure 1 – MVG COMOSAR Dosimetric E field Dipole

Probe Length	330 mm
Length of Individual Dipoles	2 mm
Maximum external diameter	8 mm
Probe Tip External Diameter	2.5 mm
Distance between dipoles / probe extremity	1 mm

3 MEASUREMENT METHOD

The IEEE 1528, FCC KDB865664 D01, CENELEC EN62209 and CEI/IEC 62209 standards provide recommended practices for the probe calibrations, including the performance characteristics of interest and methods by which to assess their affect. All calibrations / measurements performed meet the fore mentioned standards.

3.1 <u>LINEARITY</u>

The evaluation of the linearity was done in free space using the waveguide, performing a power sweep to cover the SAR range 0.01W/kg to 100W/kg.

Page: 4/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vH







COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

3.2 <u>SENSITIVITY</u>

The sensitivity factors of the three dipoles were determined using a two step calibration method (air and tissue simulating liquid) using waveguides as outlined in the standards.

3.3 LOWER DETECTION LIMIT

The lower detection limit was assessed using the same measurement set up as used for the linearity measurement. The required lower detection limit is 10 mW/kg.

3.4 ISOTROPY

The axial isotropy was evaluated by exposing the probe to a reference wave from a standard dipole with the dipole mounted under the flat phantom in the test configuration suggested for system validations and checks. The probe was rotated along its main axis from 0 to 360 degrees in 15-degree steps. The hemispherical isotropy is determined by inserting the probe in a thin plastic box filled with tissue-equivalent liquid, with the plastic box illuminated with the fields from a half wave dipole. The dipole is rotated about its axis (0°–180°) in 15° increments. At each step the probe is rotated about its axis (0°–360°).

3.1 BOUNDARY EFFECT

The boundary effect is defined as the deviation between the SAR measured data and the expected exponential decay in the liquid when the probe is oriented normal to the interface. To evaluate this effect, the liquid filled flat phantom is exposed to fields from either a reference dipole or waveguide. With the probe normal to the phantom surface, the peak spatial average SAR is measured and compared to the analytical value at the surface.

The boundary effect uncertainty can be estimated according to the following uncertainty approximation formula based on linear and exponential extrapolations between the surface and $d_{be} + d_{step}$ along lines that are approximately normal to the surface:

$$\text{SAR}_{\text{uncertainty}}[\%] = \delta \text{SAR}_{\text{be}} \frac{\left(d_{\text{be}} + d_{\text{step}}\right)^2}{2d_{\text{step}}} \frac{\left(e^{-d_{\text{be}}/(\delta/2)}\right)}{\delta/2} \quad \text{for } \left(d_{\text{be}} + d_{\text{step}}\right) < 10 \text{ mm}$$

where is the uncertainty in percent of the probe boundary effect SARuncertainty is the distance between the surface and the closest zoom-scan measurement dbe point, in millimetre is the separation distance between the first and second measurement points that Δ_{step} are closest to the phantom surface, in millimetre, assuming the boundary effect at the second location is negligible δ is the minimum penetration depth in millimetres of the head tissue-equivalent liquids defined in this standard, i.e., $\delta \approx 14 \text{ mm}$ at 3 GHz; **⊿**SAR_{be} in percent of SAR is the deviation between the measured SAR value, at the distance d_{be} from the boundary, and the analytical SAR value.

Page: 5/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vH





Page 45 of 72

Report No.: S22072603204001



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

The measured worst case boundary effect SARuncertainty[%] for scanning distances larger than 4mm is 1.0% Limit ,2%).

4 MEASUREMENT UNCERTAINTY

The guidelines outlined in the IEEE 1528, OET 65 Bulletin C, CENELEC EN50361 and CEI/IEC 62209 standards were followed to generate the measurement uncertainty associated with an E-field probe calibration using the waveguide technique. All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

Uncertainty analysis of the probe calibration in waveguide					
ERROR SOURCES	Uncertainty value (%)	Probability Distribution	Divisor	ci	Standard Uncertainty (%)
Expanded uncertainty 95 % confidence level k = 2					14 %

5 CALIBRATION MEASUREMENT RESULTS

Calibration Parameters		
Liquid Temperature	20 +/- 1 °C	
Lab Temperature	20 +/- 1 °C	
Lab Humidity	30-70 %	

5.1 <u>SENSITIVITY IN AIR</u>

Normx dipole 1 $(\mu V/(V/m)^2)$	Normy dipole $2 (\mu V/(V/m)^2)$	Normz dipole 3 $(\mu V/(V/m)^2)$
0.72	0.66	0.77

DCP dipole 1	DCP dipole 2	DCP dipole 3
(mV)	(mV)	(mV)
107	110	110

Calibration curves ei=f(V) (i=1,2,3) allow to obtain E-field value using the formula: $E = \sqrt{E_1^2 + E_2^2 + E_3^2}$

Page: 6/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_COMOSAR Probe vH





Page 46 of 72

Report No.: S22072603204001



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

Calibration curves



5.2 LINEARITY



Linearity:+/-1.90% (+/-0.08dB)

Page: 7/10







COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

5.3 SENSITIVITY IN LIQUID

<u>Liquid</u>	Frequency	<u>ConvF</u>
	<u>(MHz +/-</u>	
	<u>100MHz)</u>	
HL750	750	1.49
HL850	835	1.50
HL900	900	1.61
HL1800	1800	1.73
HL1900	1900	1.91
HL2000	2000	1.97
HL2300	2300	1.92
HL2450	2450	1.98
HL2600	2600	1.87
HL3300	3300	1.79
HL3500	3500	1.85
HL3700	3700	1.79
HL3900	3900	2.07
HL4200	4200	2.21
HL4600	4600	2.25
HL4900	4900	2.05
HL5200	5200	1.80
HL5400	5400	2.05
HL5600	5600	2.16
HL5800	5800	2.07

LOWER DETECTION LIMIT: 8mW/kg

Page: 8/10





Page 48 of 72

Report No.: S22072603204001



COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

5.4 **ISOTROPY**

HL1800 MHz



Page: 9/10







COMOSAR E-FIELD PROBE CALIBRATION REPORT

Ref: ACR.60.1.21.MVGB.A

LIST OF EQUIPMENT 6

Equipment Summary Sheet				
Equipment Description	Manufacturer / Model	Identification No.	Current Calibration Date	Next Calibration Date
Flat Phantom	MVG	SN-20/09-SAM71	Validated. No cal required.	Validated. No cal required.
COMOSAR Test Bench	Version 3	NA	Validated. No cal required.	Validated. No cal required.
Network Analyzer	Rohde & Schwarz ZVM	100203	05/2019	05/2022
Network Analyzer – Calibration kit	Rohde & Schwarz ZV-Z235	101223	05/2019	05/2022
Multimeter	Keithley 2000	1160271	02/2020	02/2023
Signal Generator	Rohde & Schwarz SMB	106589	04/2019	04/2022
Amplifier	Aethercomm	SN 046	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.
Power Meter	NI-USB 5680	170100013	05/2019	05/2022
Directional Coupler	Narda 4216-20	01386	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.
Waveguide	Mega Industries	069Y7-158-13-712	Validated. No cal required.	Validated. No cal required.
Waveguide Transition	Mega Industries	069Y7-158-13-701	Validated. No cal required.	Validated. No cal required.
Waveguide Termination	Mega Industries	069Y7-158-13-701	Validated. No cal required.	Validated. No cal required.
Temperature / Humidity Sensor	Testo 184 H1	44220687	05/2020	05/2023

Page: 10/10







SAR Reference Dipole Calibration Report

Ref: ACR.60.8.21.MVGB.A

SHENZHEN NTEK TESTING TECHNOLOGY CO., LTD.

BUILDING E, FENDA SCIENCE PARK, SANWEI COMMUNITY, XIXIANG STREET, BAO'AN DISTRICT, SHENZHEN GUANGDONG, CHINA MVG COMOSAR REFERENCE DIPOLE FREQUENCY: 2450 MHZ

SERIAL NO.: SN 03/15 DIP2G450-352

Calibrated at MVG

Z.I. de la pointe du diable Technopôle Brest Iroise – 295 avenue Alexis de Rochon 29280 PLOUZANE - FRANCE

Calibration date: 03/01/2021



Accreditations #2-6789 and #2-6814 Scope available on www.cofrac.fr

Summary:

This document presents the method and results from an accredited SAR reference dipole calibration performed at MVG, using the COMOSAR test bench. The test results covered by accreditation are traceable to the International System of Units (SI).

Page: 1/10





Page 51 of 72

Report No.: S22072603204001



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

	Name	Function	Date	Signature
Prepared by :	Jérôme LUC	Technical Manager	3/1/2021	JS
Checked by :	Jérôme LUC	Technical Manager	3/1/2021	JS
Approved by :	Yann Toutain	Laboratory Director	3/1/2021	Gann Toutain
	•			



	Customer Name
	SHENZHEN NTEK
Distribution	TESTING
Distribution :	TECHNOLOGY
	CO., LTD.

Issue	Name	Date	Modifications
А	Jérôme LE GALL	3/1/2021	Initial release

Page: 2/10







SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

TABLE OF CONTENTS

1	Intro	oduction	
2	Dev	ice Under Test	
3	Proc	luct Description	
	3.1	General Information	4
4	Mea	surement Method	
	4.1	Return Loss Requirements	5
	4.2	Mechanical Requirements	5
5	Mea	surement Uncertainty	
	5.1	Return Loss	5
	5.2	Dimension Measurement	5
	5.3	Validation Measurement	5
6	Cali	bration Measurement Results	
	6.1	Return Loss and Impedance	6
	6.2	Mechanical Dimensions	6
7	Vali	dation measurement	
	7.1	Measurement Condition	7
	7.2	Head Liquid Measurement	7
	7.3	Measurement Result	8
8	List	of Equipment	

Page: 3/10





SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21 MVGB.A

INTRODUCTION 1

This document contains a summary of the requirements set forth by the IEEE 1528, FCC KDBs and CEI/IEC 62209 standards for reference dipoles used for SAR measurement system validations and the measurements that were performed to verify that the product complies with the fore mentioned standards.

DEVICE UNDER TEST 2

Device Under Test		
Device Type COMOSAR 2450 MHz REFERENCE DIPOL		
Manufacturer	MVG	
Model	SID2450	
Serial Number	SN 03/15 DIP2G450-352	
Product Condition (new / used)	Used	

3 PRODUCT DESCRIPTION

GENERAL INFORMATION 3.1

MVG's COMOSAR Validation Dipoles are built in accordance to the IEEE 1528, FCC KDBs and CEI/IEC 62209 standards. The product is designed for use with the COMOSAR test bench only.



Figure 1 – MVG COMOSAR Validation Dipole

Page: 4/10







SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

4 MEASUREMENT METHOD

The IEEE 1528, FCC KDBs and CEI/IEC 62209 standards provide requirements for reference dipoles used for system validation measurements. The following measurements were performed to verify that the product complies with the fore mentioned standards.

4.1 <u>RETURN LOSS REQUIREMENTS</u>

The dipole used for SAR system validation measurements and checks must have a return loss of -20 dB or better. The return loss measurement shall be performed against a liquid filled flat phantom, with the phantom constructed as outlined in the fore mentioned standards. A direct method is used with a network analyser and its calibration kit, both with a valid ISO17025 calibration.

4.2 MECHANICAL REQUIREMENTS

The IEEE Std. 1528 and CEI/IEC 62209 standards specify the mechanical components and dimensions of the validation dipoles, with the dimension's frequency and phantom shell thickness dependent. The COMOSAR test bench employs a 2 mm phantom shell thickness therefore the dipoles sold for use with the COMOSAR test bench comply with the requirements set forth for a 2 mm phantom shell thickness. A direct method is used with a ISO17025 calibrated caliper.

5 MEASUREMENT UNCERTAINTY

All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

5.1 <u>RETURN LOSS</u>

The following uncertainties apply to the return loss measurement:

Frequency band	Expanded Uncertainty on Return Loss
400-6000MHz	0.08 LIN

5.2 DIMENSION MEASUREMENT

The following uncertainties apply to the dimension measurements:

Length (mm)	Expanded Uncertainty on Length
0 - 300	0.20 mm
300 - 450	0.44 mm

5.3 VALIDATION MEASUREMENT

The guidelines outlined in the IEEE 1528, FCC KDBs, CENELEC EN50361 and CEI/IEC 62209 standards were followed to generate the measurement uncertainty for validation measurements.

Scan Volume	Expanded Uncertainty

Page: 5/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Dipole vG







SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

1 g	19 % (SAR)
10 g	19 % (SAR)

6 CALIBRATION MEASUREMENT RESULTS

6.1 RETURN LOSS AND IMPEDANCE



6.2 MECHANICAL DIMENSIONS

Frequency MHz	Ln	nm	h m	m	d r	nm
	required	measured	required	measured	required	measured
300	420.0 ±1 %.		250.0 ±1 %.		6.35 ±1 %.	
450	290.0 ±1 %.		166.7 ±1 %.		6.35 ±1 %.	
750	176.0 ±1 %.		100.0 ±1 %.		6.35 ±1 %.	
835	161.0 ±1 %.		89.8 ±1 %.		3.6 ±1 %.	
900	149.0 ±1 %.		83.3 ±1 %.		3.6 ±1 %.	
1450	89.1 ±1 %.		51.7 ±1 %.		3.6 ±1 %.	
1500	80.5 ±1 %.		50.0 ±1 %.		3.6 ±1 %.	
1640	79.0 ±1 %.		45.7 ±1 %.		3.6 ±1 %.	
1750	75.2 ±1 %.		42.9 ±1 %.		3.6 ±1 %.	
1800	72.0 ±1 %.		41.7 ±1 %.		3.6 ±1 %.	
1900	68.0 ±1 %.		39.5 ±1 %.		3.6 ±1 %.	
1950	66.3 ±1 %.		38.5 ±1 %.		3.6 ±1 %.	
2000	64.5 ±1 %.		37.5 ±1 %.		3.6 ±1 %.	
2100	61.0 ±1 %.		35.7 ±1 %.		3.6 ±1 %.	
2300	55.5 ±1 %.		32.6 ±1 %.		3.6 ±1 %.	
2450	51.5 ±1 %.	-	30.4 ±1 %.	-	3.6 ±1 %.	-

Page: 6/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Dipole vG





Page 56 of 72

Report No.: S22072603204001



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

2600	48.5 ±1 %.	28.8 ±1 %.	3.6 ±1 %.	
3000	41.5 ±1 %.	25.0 ±1 %.	3.6 ±1 %.	
3500	37.0±1 %.	26.4 ±1 %.	3.6 ±1 %.	
3700	34.7±1 %.	26.4 ±1 %.	3.6 ±1 %.	

7 VALIDATION MEASUREMENT

The IEEE Std. 1528, FCC KDBs and CEI/IEC 62209 standards state that the system validation measurements must be performed using a reference dipole meeting the fore mentioned return loss and mechanical dimension requirements. The validation measurement must be performed against a liquid filled flat phantom, with the phantom constructed as outlined in the fore mentioned standards. Per the standards, the dipole shall be positioned below the bottom of the phantom, with the dipole length centered and parallel to the longest dimension of the flat phantom, with the top surface of the dipole at the described distance from the bottom surface of the phantom.

7.1 MEASUREMENT CONDITION

Software	OPENSAR V5
Phantom	SN 13/09 SAM68
Probe	SN 41/18 EPGO333
Liquid	Head Liquid Values: eps' : 41.9 sigma : 1.88
Distance between dipole center and liquid	10.0 mm
Area scan resolution	dx=8mm/dy=8mm
Zoon Scan Resolution	dx=5mm/dy=5mm/dz=5mm
Frequency	24502450 MHz
Input power	20 dBm
Liquid Temperature	20 +/- 1 °C
Lab Temperature	20 +/- 1 °C
Lab Humidity	30-70 %

7.2	HEAD LIQUID MEASUREMENT

Frequency MHz	Relative permittivity (ɛ,')		Conductiv	ity (σ) S/m
	required	measured	required	measured
300	45.3 ±10 %		0.87 ±10 %	
450	43.5 ±10 %		0.87 ±10 %	
750	41.9 ±10 %		0.89 ±10 %	
835	41.5 ±10 %		0.90 ±10 %	
900	41.5 ±10 %		0.97 ±10 %	
1450	40.5 ±10 %		1.20 ±10 %	
1500	40.4 ±10 %		1.23 ±10 %	
1640	40.2 ±10 %		1.31 ±10 %	
1750	40.1 ±10 %		1.37 ±10 %	
1800	40.0 ±10 %		1.40 ±10 %	
1900	40.0 ±10 %		1.40 ±10 %	
1950	40.0 ±10 %		1.40 ±10 %	
2000	40.0 ±10 %		1.40 ±10 %	

Page: 7/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Dipole vG





Page 57 of 72

Report No.: S22072603204001



SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

1	1	1	1	
2100	39.8 ±10 %		1.49 ±10 %	
2300	39.5 ±10 %		1.67 ±10 %	
2450	39.2 ±10 %	41.9	1.80 ±10 %	1.88
2600	39.0 ±10 %		1.96 ±10 %	
3000	38.5 ±10 %		2.40 ±10 %	
3500	37.9 ±10 %		2.91 ±10 %	

7.3 MEASUREMENT RESULT

The IEEE Std. 1528 and CEI/IEC 62209 standards state that the system validation measurements should produce the SAR values shown below (for phantom thickness of 2 mm), within the uncertainty for the system validation. All SAR values are normalized to 1 W forward power. In bracket, the measured SAR is given with the used input power.

Frequency MHz	1 g SAR (W/kg/W)		10 g SAR	W/kg/W)
	required	measured	required	measured
300	2.85		1.94	
450	4.58		3.06	
750	8.49		5.55	
835	9.56		6.22	
900	10.9		6.99	
1450	29		16	
1500	30.5		16.8	
1640	34.2		18.4	
1750	36.4		19.3	
1800	38.4		20.1	
1900	39.7		20.5	
1950	40.5		20.9	
2000	41.1		21.1	
2100	43.6		21.9	
2300	48.7		23.3	
2450	52.4	53.69 (5.37)	24	23.94 (2.39)
2600	55.3		24.6	
3000	63.8		25.7	
3500	67.1		25	

Page: 8/10

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Dipole vG





Page 58 of 72

Report No.: S22072603204001



Page: 9/10







SAR REFERENCE DIPOLE CALIBRATION REPORT

Ref: ACR.60.8.21.MVGB.A

8 LIST OF EQUIPMENT

Equipment Summary Sheet				
Equipment Description	Manufacturer / Model	Identification No.	Current Calibration Date	Next Calibration Date
SAM Phantom	MVG	SN-13/09-SAM68	Validated. No cal required.	Validated. No cal required.
COMOSAR Test Bench	Version 3	NA	Validated. No cal required.	Validated. No cal required.
Network Analyzer	Rohde & Schwarz ZVM	100203	05/2019	05/2022
Network Analyzer – Calibration kit	Rohde & Schwarz ZV-Z235	101223	05/2019	05/2022
Calipers	Mitutoyo	SN 0009732	10/2019	10/2022
Reference Probe	MVG	EPGO333 SN 41/18	05/2020	05/2021
Multimeter	Keithley 2000	1160271	02/2020	02/2023
Signal Generator	Rohde & Schwarz SMB	106589	04/2019	04/2022
Amplifier	Aethercomm	SN 046	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.
Power Meter	NI-USB 5680	170100013	05/2019	05/2022
Directional Coupler	Narda 4216-20	01386	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.
Temperature / Humidity Sensor	Testo 184 H1	44220687	05/2020	05/2023

Page: 10/10







SAR Reference Waveguide Calibration Report

Ref : ACR.60.10.21.MVGB.A

SHENZHEN NTEK TESTING TECHNOLOGY CO., LTD.

BUILDING E, FENDA SCIENCE PARK, SANWEI COMMUNITY, XIXIANG STREET, BAO'AN DISTRICT, SHENZHEN GUANGDONG, CHINA SATIMO COMOSAR REFERENCE WAVEGUIDE

> FREQUENCY: 5000-6000 MHZ SERIAL NO.: SN 13/14 WGA33

Calibrated at MVG

Z.I. de la pointe du diable Technopôle Brest Iroise – 295 avenue Alexis de Rochon 29280 PLOUZANE - FRANCE

Calibration date: 03/01/2021



Accreditations #2-6789 and #2-6814 Scope available on www.cofrac.fr

Summary:

This document presents the method and results from an accredited SAR reference waveguide calibration performed at MVG, using the COMOSAR test bench. The test results covered by accreditation are traceable to the International System of Units (SI).

Page: 1/11







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

	Name	Function	Date	Signature
Prepared by :	Jérôme Luc	Technical Manager	3/1/2021	JES
Checked by :	Jérôme Luc	Technical Manager	3/1/2021	JS
Approved by :	Yann Toutain	Laboratory Director	3/1/2021	Gann Toutain
	•			



	Customer Name
	SHENZHEN NTEK
Distribution :	TECHNOLOGY
	CO., LTD.

Issue	Name	Date	Modifications
А	Jérôme Luc	3/1/2021	Initial release

Page: 2/11







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

TABLE OF CONTENTS

1	Intro	oduction	
2	Dev	ice Under Test	
3	Product Description		
	3.1	General Information	4
4	Mea	surement Method	
	4.1	Return Loss Requirements	4
	4.2	Mechanical Requirements	4
5	Mea	surement Uncertainty	
	5.1	Return Loss	5
	5.2	Dimension Measurement	5
	5.3	Validation Measurement	5
6	Cali	bration Measurement Results	
	6.1	Return Loss	5
	6.2	Mechanical Dimensions	6
7	Vali	dation measurement	
	7.1	Head Liquid Measurement	8
	7.2	Measurement Result	8
8	List	of Equipment	

Page: 3/11







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

1 INTRODUCTION

This document contains a summary of the requirements set forth by the IEEE 1528 and CEI/IEC 62209 standards for reference waveguides used for SAR measurement system validations and the measurements that were performed to verify that the product complies with the fore mentioned standards.

2 DEVICE UNDER TEST

Device Under Test		
Device Type	COMOSAR 5000-6000 MHz REFERENCE WAVEGUIDE	
Manufacturer	MVG	
Model	SWG5500	
Serial Number	SN 13/14 WGA33	
Product Condition (new / used)	Used	

3 PRODUCT DESCRIPTION

3.1 GENERAL INFORMATION

MVG's COMOSAR Validation Waveguides are built in accordance to the IEEE 1528 and CEI/IEC 62209 standards.

4 MEASUREMENT METHOD

The IEEE 1528 and CEI/IEC 62209 standards provide requirements for reference waveguides used for system validation measurements. The following measurements were performed to verify that the product complies with the fore mentioned standards.

4.1 <u>RETURN LOSS REQUIREMENTS</u>

The waveguide used for SAR system validation measurements and checks must have a return loss of -8 dB or better. The return loss measurement shall be performed with matching layer placed in the open end of the waveguide, with the waveguide and matching layer in direct contact with the phantom shell as outlined in the fore mentioned standards. A direct method is used with a network analyser and its calibration kit, both with a valid ISO17025 calibration.

4.2 MECHANICAL REQUIREMENTS

The IEEE 1528 and CEI/IEC 62209 standards specify the mechanical dimensions of the validation waveguide, the specified dimensions are as shown in Section 6.2. Figure 1 shows how the dimensions relate to the physical construction of the waveguide. A direct method is used with a ISO17025 calibrated caliper.

Page: 4/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Waveguide vG







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

5 MEASUREMENT UNCERTAINTY

All uncertainties listed below represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2, traceable to the Internationally Accepted Guides to Measurement Uncertainty.

5.1 RETURN LOSS

The following uncertainties apply to the return loss measurement:

Frequency band	Expanded Uncertainty on Return Loss
400-6000MHz	0.08 LIN

5.2 DIMENSION MEASUREMENT

The following uncertainties apply to the dimension measurements:

Length (mm)	Expanded Uncertainty on Length
0 - 300	0.20 mm

5.3 VALIDATION MEASUREMENT

The guidelines outlined in the IEEE 1528 and CEI/IEC 62209 standards were followed to generate the measurement uncertainty for validation measurements.

Scan Volume	Expanded Uncertainty
1 g	19 % (SAR)
10 g	19 % (SAR)

6 CALIBRATION MEASUREMENT RESULTS

6.1 RETURN LOSS



Page: 5/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Waveguide vG





Page 65 of 72

Report No.: S22072603204001



SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

Frequency (MHz)	Return Loss (dB)	Requirement (dB)	Impedance
5200	-9.15	-8	21.17 Ω + 13.26 jΩ
5400	-13.75	-8	$68.57 \Omega + 6.68 j\Omega$
5600	-16.65	-8	35.76 Ω - 2.15 jΩ
5800	-14.30	-8	$54.74 \Omega + 18.27 j\Omega$

6.2 MECHANICAL DIMENSIONS

Frequency	L (1	nm)	W (mm)	Lí (mm)	Wf (mm)
(MHz)	Required	Measured	Required	Measured	Required	Measured	Required	Measured
5800	40.39 ± 0.13	57	20.19 ± 0.13	15	81.03 ± 0.13	255	61.98 ± 0.13	-



Figure 1: Validation Waveguide Dimensions

7 VALIDATION MEASUREMENT

The IEEE Std. 1528 and CEI/IEC 62209 standards state that the system validation measurements must be performed using a reference waveguide meeting the fore mentioned return loss and mechanical dimension requirements. The validation measurement must be performed with the matching layer placed in the open end of the waveguide, with the waveguide and matching layer in direct contact with the phantom shell.

Page: 6/11

Template_ACR.DDD.N.YY.MVGB.ISSUE_SAR Reference Waveguide vG







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

Measurement Condition				
Software	OPENSAR V5			
Phantom	SN 13/09 SAM68			
Probe	SN 41/18 EPGO333			
Liquid	Head Liquid Values 5200 MHz: eps':34.06 sigma : 4.70 Head Liquid Values 5400 MHz: eps':33.39 sigma : 4.91 Head Liquid Values 5600 MHz: eps':32.77 sigma : 5.13 Head Liquid Values 5800 MHz: eps':32.40 sigma : 5.34			
Distance between dipole waveguide and liquid	0 mm			
Area scan resolution	dx=8mm/dy=8mm			
Zoon Scan Resolution	dx=4mm/dy=4m/dz=2mm			
Frequency	5200 MHz 5400 MHz 5600 MHz 5800 MHz			
Input power	20 dBm			
Liquid Temperature	20 +/- 1 °C			
Lab Temperature	20 +/- 1 °C			
Lab Humidity	30-70 %			

Page: 7/11







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

7.1 HEAD LIQUID MEASUREMENT

Frequency MHz	Relative permittivity (ɛɾ')		Conductivity (σ) S/m		
	required	measured	required	measured	
5000	36.2 ±10 %		4.45 ±10 %		
5100	36.1 ±10 %		4.56 ±10 %		
5200	36.0 ±10 %	34.06	4.66 ±10 %	4.70	
5300	35.9 ±10 %		4.76 ±10 %		
5400	35.8 ±10 %	33.39	4.86 ±10 %	4.91	
5500	35.6 ±10 %		4.97 ±10 %		
5600	35.5 ±10 %	32.77	5.07 ±10 %	5.13	
5700	35.4 ±10 %		5.17 ±10 %		
5800	35.3 ±10 %	32.40	5.27 ±10 %	5.34	
5900	35.2 ±10 %		5.38 ±10 %		
6000	35.1 ±10 %		5.48 ±10 %		

7.2 MEASUREMENT RESULT

At those frequencies, the target SAR value can not be generic. Hereunder is the target SAR value defined by Satimo, within the uncertainty for the system validation. All SAR values are normalized to 1 W net power. In bracket, the measured SAR is given with the used input power.

Frequency (MHz)	1 g SAI	R (W/kg)	10 g SAR (W/kg)		
	required	measured	required	measured	
5200	159.00	162.34 (16.23)	56.90	55.42 (5.54)	
5400	166.40	168.48 (16.85)	58.43	57.03 (5.70)	
5600	173.80	174.92 (17.49)	59.97	58.63 (5.86)	
5800	181.20	178.89 (17.89)	61.50	59.32 (5.93)	

Page: 8/11





Page 68 of 72

Report No.: S22072603204001



SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

SAR MEASUREMENT PLOTS @ 5200 MHz



SAR MEASUREMENT PLOTS @ 5400 MHz



SAR MEASUREMENT PLOTS @ 5600 MHz



Page: 9/11





Page 69 of 72

Report No.: S22072603204001



SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

SAR MEASUREMENT PLOTS @ 5800 MHz



Page: 10/11







SAR REFERENCE WAVEGUIDE CALIBRATION REPORT

Ref: ACR.60.10.21.MVGB.A

LIST OF EQUIPMENT 8

Equipment Summary Sheet						
Equipment Description	Manufacturer / Model	Identification No.	Current Calibration Date	Next Calibration Date		
Flat Phantom	MVG	SN-13/09-SAM68	Validated. No cal required.	Validated. No cal required.		
COMOSAR Test Bench	Version 3	NA	Validated. No cal required.	Validated. No cal required.		
Network Analyzer	Rohde & Schwarz ZVM	100203	05/2019	05/2022		
Network Analyzer – Calibration kit	Rohde & Schwarz ZV-Z235	101223	05/2019	05/2022		
Calipers	Mitutoyo	SN 0009732	10/2019	10/2022		
Reference Probe	MVG	EPGO333 SN 41/18	05/2020	05/2021		
Multimeter	Keithley 2000	1160271	02/2020	02/2023		
Signal Generator	Rohde & Schwarz SMB	106589	04/2019	04/2022		
Amplifier	Aethercomm	SN 046	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.		
Power Meter	NI-USB 5680	170100013	05/2019	05/2022		
Directional Coupler	Narda 4216-20	01386	Characterized prior to test. No cal required.	Characterized prior to test. No cal required.		
Temperature / Humidity Sensor	Testo 184 H1	44220687	05/2020	05/2023		

Page: 11/11



Page 71 of 72

<Justification of the extended calibration>

If dipoles are verified in return loss (<-20dB, within 20% of prior calibration for below 3GHz, and <-8dB, within 20% of prior calibration for 5GHz to 6GHz), and in impedance (within 5 ohm of prior calibration), the annual calibration is not necessary and the calibration interval can be extended.

<Head 2450MHz>

NTEK 北测

Return Loss (dB)	Delta (%)	Impedance	Delta(ohm)	Date of Measurement
-23.18	-	56.30	-	Mar. 01, 2021
-23.39	0.91	56.342	0.042	Feb. 28, 2022

The return loss is <-20dB, within 20% of prior calibration; the impedance is within 5 ohm of prior calibration. Therefore the verification result should support extended calibration.







<Head 5800MHz>

Return Loss (dB)	Delta (%)	Impedance	Delta(ohm)	Date of Measurement
-14.30	-	54.74	-	Mar. 01, 2021
-14.349	0.34	55.115	0.375	Feb. 28, 2022

The return loss is <-8dB, within 20% of prior calibration; the impedance is within 5 ohm of prior calibration. Therefore the verification result should support extended calibration.



END_