







EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 A photograph showing the EUT housing and board components. The housing is a light-colored plastic shell with a lid. Two black plastic components are placed next to it. A ruler is visible for scale, showing measurements in millimeters.
<p>Solder Board-Component View 1</p>	 A photograph showing the solder board-component. The component is a small, circular, black plastic housing with a green PCB inside. A ruler is visible for scale, showing measurements in millimeters.

<p>Solder Board-Component View 2</p>	 A photograph showing a small, circular green printed circuit board (PCB) component mounted on a blue perforated metal surface. The component is positioned next to a black metric ruler for scale. The ruler shows markings from 0 to 100 millimeters. The component is approximately 10 mm in diameter. The component has several surface components, including a small yellow component and a larger black component.
<p>Solder Board-Component View 3</p>	 A photograph showing the same small, circular green PCB component from a different perspective. The component is mounted on the same blue perforated metal surface. A black metric ruler is visible for scale, showing markings from 0 to 100 millimeters. The component is approximately 10 mm in diameter. This view shows the underside of the component, revealing various surface components and solder joints.

<p>Solder Board-Component View 4</p>	 <p>A photograph showing a small green PCB component with a black cap and a black cylindrical component. A black ruler with white markings is placed below the components for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm. The components are positioned on a blue textured surface.</p>
<p>Solder Board-Component View 5</p>	 <p>A close-up photograph of the green PCB component. A black ruler with white markings is placed below the component for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm. The component is positioned on a blue textured surface.</p>