



Verisure Sàrl
Chemin Jean-Baptiste Vandelle 3
CH - 1290 Versoix, Geneva
Switzerland

CONFIDENTIAL

GWL-MD-PIR

PRODUCT LABEL SPECIFICATION

Version 1.0



Verisure Sàrl
Chemin Jean-Baptiste Vandelle 3
CH - 1290 Versoix, Geneva
Switzerland

CONFIDENTIAL

1. DOCUMENT INFORMATION


The purpose of this document is to describe the product label for the GWL-MD-PIR Camera in terms of design and content.



Verisure Sàrl
Chemin Jean-Baptiste Vandelle 3
CH - 1290 Versoix, Geneva
Switzerland

CONFIDENTIAL

2 VISUAL EXAMPLE





Verisure Sàrl
Chemin Jean-Baptiste Vandelle 3
CH - 1290 Versoix, Geneva
Switzerland

CONFIDENTIAL

3 VISUAL APPEARANCE AND POSITION





Verisure Sàrl
Chemin Jean-Baptiste Vandelle 3
CH - 1290 Versoix, Geneva
Switzerland

CONFIDENTIAL

4 ADDITIONAL NOTES

The labels are located in the battery tray compartment, behind the battery and under the bracket of the device.

- The back label is behind the mounting bracket. Before the installation, the bracket is accessible without the use of any tools. To remove the bracket, do the following
 - Grab the camera with one hand with the bracket facing upwards and the white PIR sensor facing towards your body.
 - With your other available hand, grab the bracket and pull it towards your body.
- The front label is located behind the battery. Before and after installation the label is accessible by removing first the battery lid and then the battery. The battery lid and battery are removed by doing the following.
 - Using a flat screwdriver rotate the lock screw 90 degrees and the battery lid will pop loose using a spring mechanism, the lock screw is located on the bottom of the camera, just below the white PIR sensor. After removing the battery lid, the battery will be clearly visible.
 - Remove the battery by first grabbing it on both sides with your hand and then pull it straight out. Now the label will be visible.