



## 5 Maximum Power Spectral Density Level

### 5.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5745	Ant0	-2.1	30	Pass
NVNT	ac20	5745	Ant1	-3.15	30	Pass
NVNT	ac20	5745	Sum	0.42	29.20	Pass
NVNT	ac20	5785	Ant0	-5.29	30	Pass
NVNT	ac20	5785	Ant1	-1.67	30	Pass
NVNT	ac20	5785	Sum	-0.1	29.20	Pass
NVNT	ac20	5825	Ant0	-4.34	30	Pass
NVNT	ac20	5825	Ant1	-1.26	30	Pass
NVNT	ac20	5825	Sum	0.48	29.20	Pass
NVNT	ac40	5755	Ant0	-6.08	30	Pass
NVNT	ac40	5755	Ant1	-6.15	30	Pass
NVNT	ac40	5755	Sum	-3.1	29.20	Pass
NVNT	ac40	5795	Ant0	-6.56	30	Pass
NVNT	ac40	5795	Ant1	-3.95	30	Pass
NVNT	ac40	5795	Sum	-2.05	29.20	Pass
NVNT	ac80	5775	Ant0	-11.04	30	Pass
NVNT	ac80	5775	Ant1	-9.82	30	Pass
NVNT	ac80	5775	Sum	-7.38	29.20	Pass
NVNT	ax20	5745	Ant0	-4.16	30	Pass
NVNT	ax20	5745	Ant1	-3.2	30	Pass
NVNT	ax20	5745	Sum	-0.64	29.20	Pass
NVNT	ax20	5785	Ant0	-5.14	30	Pass
NVNT	ax20	5785	Ant1	-4.27	30	Pass
NVNT	ax20	5785	Sum	-1.67	29.20	Pass
NVNT	ax20	5825	Ant0	-5.61	30	Pass
NVNT	ax20	5825	Ant1	-3.44	30	Pass
NVNT	ax20	5825	Sum	-1.38	29.20	Pass
NVNT	ax40	5755	Ant0	-8.17	30	Pass
NVNT	ax40	5755	Ant1	-7.59	30	Pass
NVNT	ax40	5755	Sum	-4.86	29.20	Pass
NVNT	ax40	5795	Ant0	-7.81	30	Pass
NVNT	ax40	5795	Ant1	-5.11	30	Pass
NVNT	ax40	5795	Sum	-3.24	29.20	Pass
NVNT	ax80	5775	Ant0	-13.39	30	Pass
NVNT	ax80	5775	Ant1	-9.56	30	Pass
NVNT	ax80	5775	Sum	-8.06	29.20	Pass



NVNT	n20	5745	Ant0	-2.73	30	Pass
NVNT	n20	5745	Ant1	-3.31	30	Pass
NVNT	n20	5745	Sum	0	29.20	Pass
NVNT	n20	5785	Ant0	-3.86	30	Pass
NVNT	n20	5785	Ant1	-1.94	30	Pass
NVNT	n20	5785	Sum	0.22	29.20	Pass
NVNT	n20	5825	Ant0	-3.8	30	Pass
NVNT	n20	5825	Ant1	-1.85	30	Pass
NVNT	n20	5825	Sum	0.29	29.20	Pass
NVNT	n40	5755	Ant0	-4.38	30	Pass
NVNT	n40	5755	Ant1	-5.96	30	Pass
NVNT	n40	5755	Sum	-2.09	29.20	Pass
NVNT	n40	5795	Ant0	-6.35	30	Pass
NVNT	n40	5795	Ant1	-4.51	30	Pass
NVNT	n40	5795	Sum	-2.32	29.20	Pass
NVNT	a	5745	Ant0	-0.13	30	Pass
NVNT	a	5785	Ant0	-1.63	30	Pass
NVNT	a	5825	Ant0	-1.77	29.20	Pass
NVNT	a	5745	Ant1	-0.42	30	Pass
NVNT	a	5785	Ant1	0.17	30	Pass
NVNT	a	5825	Ant1	1.5	29.20	Pass

Note:

The duty factor has been compensated into the result.



## 6 Frequency Stability

### 6.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
20C 120V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
20C 138V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
-20C 120V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
-10C 120V	a	5745	Ant0	5744.92	-80000	-13.93	25	Pass
0C 120V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
10C 120V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
30C 120V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
40C 120V	a	5745	Ant0	5744.98	-20000	-3.48	25	Pass
50C 120V	a	5745	Ant0	5744.94	-60000	-10.44	25	Pass
20C 102V	a	5785	Ant0	5784.92	-80000	-13.83	25	Pass
20C 120V	a	5785	Ant0	5784.96	-40000	-6.91	25	Pass
20C 138V	a	5785	Ant0	5784.96	-40000	-6.91	25	Pass
-20C 120V	a	5785	Ant0	5784.94	-60000	-10.37	25	Pass
-10C 120V	a	5785	Ant0	5784.96	-40000	-6.91	25	Pass
0C 120V	a	5785	Ant0	5784.96	-40000	-6.91	25	Pass
10C 120V	a	5785	Ant0	5784.98	-20000	-3.46	25	Pass
30C 120V	a	5785	Ant0	5784.94	-60000	-10.37	25	Pass
40C 120V	a	5785	Ant0	5784.96	-40000	-6.91	25	Pass
50C 120V	a	5785	Ant0	5784.92	-80000	-13.83	25	Pass
20C 102V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
20C 120V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
20C 138V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
-20C 120V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
-10C 120V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
0C 120V	a	5825	Ant0	5824.96	-40000	-6.87	25	Pass
10C 120V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
30C 120V	a	5825	Ant0	5824.98	-20000	-3.43	25	Pass
40C 120V	a	5825	Ant0	5824.96	-40000	-6.87	25	Pass
50C 120V	a	5825	Ant0	5824.94	-60000	-10.3	25	Pass
20C 102V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	a	5745	Ant1	5744.92	-80000	-13.93	25	Pass
20C 138V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-20C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	a	5745	Ant1	5744.96	-40000	-6.96	25	Pass



0C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	a	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 102V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 120V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 138V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
-20C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-10C 120V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
0C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
10C 120V	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
30C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
40C 120V	a	5785	Ant1	5784.94	-60000	-10.37	25	Pass
50C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 102V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 138V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-20C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
0C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
30C 120V	a	5825	Ant1	5824.92	-80000	-13.73	25	Pass
40C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
50C 120V	a	5825	Ant1	5824.94	-60000	-10.3	25	Pass
20C 102V	n20	5745	Ant0	5744.94	-60000	-10.44	25	Pass
20C 120V	n20	5745	Ant0	5744.92	-80000	-13.93	25	Pass
20C 138V	n20	5745	Ant0	5744.92	-80000	-13.93	25	Pass
-20C 120V	n20	5745	Ant0	5744.9	-100000	-17.41	25	Pass
-10C 120V	n20	5745	Ant0	5744.9	-100000	-17.41	25	Pass
0C 120V	n20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
10C 120V	n20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
30C 120V	n20	5745	Ant0	5744.94	-60000	-10.44	25	Pass
40C 120V	n20	5745	Ant0	5744.94	-60000	-10.44	25	Pass
50C 120V	n20	5745	Ant0	5744.92	-80000	-13.93	25	Pass
20C 102V	n20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
20C 120V	n20	5785	Ant0	5784.92	-80000	-13.83	25	Pass
20C 138V	n20	5785	Ant0	5785	0	0	25	Pass
-20C 120V	n20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
-10C 120V	n20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
0C 120V	n20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
10C 120V	n20	5785	Ant0	5785.12	120000	20.74	25	Pass
30C 120V	n20	5785	Ant0	5784.96	-40000	-6.91	25	Pass



40C 120V	n20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
50C 120V	n20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
20C 102V	n20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
20C 120V	n20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
20C 138V	n20	5825	Ant0	5825.08	80000	13.73	25	Pass
-20C 120V	n20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
-10C 120V	n20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
0C 120V	n20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
10C 120V	n20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
30C 120V	n20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
40C 120V	n20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
50C 120V	n20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
20C 102V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 138V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
-20C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
-10C 120V	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
0C 120V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
10C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C 120V	n20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C 120V	n20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
50C 120V	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-20C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
-10C 120V	n20	5785	Ant1	5785	0	0	25	Pass
0C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
10C 120V	n20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
30C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
40C 120V	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
50C 120V	n20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
20C 102V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-20C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
-10C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
0C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
10C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	n20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	n20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 102V	n40	5755	Ant0	5754.96	-40000	-6.95	25	Pass



20C 120V	n40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
20C 138V	n40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
-20C 120V	n40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
-10C 120V	n40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
0C 120V	n40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
10C 120V	n40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
30C 120V	n40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
40C 120V	n40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
50C 120V	n40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
20C 102V	n40	5795	Ant0	5795.04	40000	6.9	25	Pass
20C 120V	n40	5795	Ant0	5795.04	40000	6.9	25	Pass
20C 138V	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
-20C 120V	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
-10C 120V	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
0C 120V	n40	5795	Ant0	5795.04	40000	6.9	25	Pass
10C 120V	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
30C 120V	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
40C 120V	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
50C 120V	n40	5795	Ant0	5794.92	-80000	-13.81	25	Pass
20C 102V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	n40	5755	Ant1	5755.12	120000	20.85	25	Pass
-20C 120V	n40	5755	Ant1	5755.12	120000	20.85	25	Pass
-10C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
30C 120V	n40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
40C 120V	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	n40	5755	Ant1	5755	0	0	25	Pass
20C 102V	n40	5795	Ant1	5795	0	0	25	Pass
20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 138V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
0C 120V	n40	5795	Ant1	5795.12	120000	20.71	25	Pass
10C 120V	n40	5795	Ant1	5795.12	120000	20.71	25	Pass
30C 120V	n40	5795	Ant1	5795.12	120000	20.71	25	Pass
40C 120V	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	n40	5795	Ant1	5795.12	120000	20.71	25	Pass
20C 102V	ac20	5745	Ant0	5744.92	-80000	-13.93	25	Pass
20C 120V	ac20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
20C 138V	ac20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
-20C 120V	ac20	5745	Ant0	5744.94	-60000	-10.44	25	Pass



-10C 120V	ac20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
0C 120V	ac20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
10C 120V	ac20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
30C 120V	ac20	5745	Ant0	5744.94	-60000	-10.44	25	Pass
40C 120V	ac20	5745	Ant0	5744.94	-60000	-10.44	25	Pass
50C 120V	ac20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
20C 102V	ac20	5785	Ant0	5784.9	-100000	-17.29	25	Pass
20C 120V	ac20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
20C 138V	ac20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
-20C 120V	ac20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
-10C 120V	ac20	5785	Ant0	5785	0	0	25	Pass
0C 120V	ac20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
10C 120V	ac20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
30C 120V	ac20	5785	Ant0	5784.92	-80000	-13.83	25	Pass
40C 120V	ac20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
50C 120V	ac20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
20C 102V	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
20C 138V	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
-20C 120V	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
-10C 120V	ac20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
0C 120V	ac20	5825	Ant0	5825.02	20000	3.43	25	Pass
10C 120V	ac20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
30C 120V	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
40C 120V	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
50C 120V	ac20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
20C 102V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
20C 120V	ac20	5745	Ant1	5744.88	-120000	-20.89	25	Pass
20C 138V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-20C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
0C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
10C 120V	ac20	5745	Ant1	5745	0	0	25	Pass
30C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C 120V	ac20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
50C 120V	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
20C 120V	ac20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-20C 120V	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-10C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
0C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
10C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass





30C 120V	ac20	5785	Ant1	5784.92	-80000	-13.83	25	Pass
40C 120V	ac20	5785	Ant1	5785.06	60000	10.37	25	Pass
50C 120V	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 102V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 120V	ac20	5825	Ant1	5824.64	-360000	-61.8	25	Pass
20C 138V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-20C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C 120V	ac20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
0C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
10C 120V	ac20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
30C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
40C 120V	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
50C 120V	ac20	5825	Ant1	5824.9	-100000	-17.17	25	Pass
20C 102V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
20C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
20C 138V	ac40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
-20C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
-10C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant0	5754.92	-80000	-13.9	25	Pass
10C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
30C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
50C 120V	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
20C 102V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
20C 120V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
20C 138V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
-20C 120V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
-10C 120V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
0C 120V	ac40	5795	Ant0	5794.92	-80000	-13.81	25	Pass
10C 120V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
30C 120V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
40C 120V	ac40	5795	Ant0	5794.92	-80000	-13.81	25	Pass
50C 120V	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
20C 102V	ac40	5755	Ant1	5755.16	160000	27.8	25	Pass
20C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 138V	ac40	5755	Ant1	5755	0	0	25	Pass
-20C 120V	ac40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
-10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	ac40	5755	Ant1	5755.16	160000	27.8	25	Pass
10C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
40C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass



20C 102V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 120V	ac40	5795	Ant1	5795.08	80000	13.81	25	Pass
20C 138V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-20C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	ac40	5795	Ant1	5795.04	40000	6.9	25	Pass
0C 120V	ac40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
10C 120V	ac40	5795	Ant1	5795.04	40000	6.9	25	Pass
30C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
40C 120V	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
50C 120V	ac40	5795	Ant1	5795.04	40000	6.9	25	Pass
20C 102V	ac80	5775	Ant0	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant0	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
-10C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
0C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
10C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
50C 120V	ac80	5775	Ant0	5775	0	0	25	Pass
20C 102V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 138V	ac80	5775	Ant1	5775	0	0	25	Pass
-20C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
-10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
0C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
10C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
40C 120V	ac80	5775	Ant1	5775.08	80000	13.85	25	Pass
50C 120V	ac80	5775	Ant1	5775	0	0	25	Pass
20C 102V	ax20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
20C 120V	ax20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
20C 138V	ax20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
-20C 120V	ax20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
-10C 120V	ax20	5745	Ant0	5744.92	-80000	-13.93	25	Pass
0C 120V	ax20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
10C 120V	ax20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
30C 120V	ax20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
40C 120V	ax20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
50C 120V	ax20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
20C 102V	ax20	5785	Ant0	5785.04	40000	6.91	25	Pass
20C 120V	ax20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
20C 138V	ax20	5785	Ant0	5784.98	-20000	-3.46	25	Pass



-20C 120V	ax20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
-10C 120V	ax20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
0C 120V	ax20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
10C 120V	ax20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
30C 120V	ax20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
40C 120V	ax20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
50C 120V	ax20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
20C 102V	ax20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
20C 120V	ax20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
20C 138V	ax20	5825	Ant0	5824.92	-80000	-13.73	25	Pass
-20C 120V	ax20	5825	Ant0	5824.9	-100000	-17.17	25	Pass
-10C 120V	ax20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
0C 120V	ax20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
10C 120V	ax20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
30C 120V	ax20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
40C 120V	ax20	5825	Ant0	5824.94	-60000	-10.3	25	Pass
50C 120V	ax20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
20C 102V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 120V	ax20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 138V	ax20	5745	Ant1	5744.92	-80000	-13.93	25	Pass
-20C 120V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
-10C 120V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
0C 120V	ax20	5745	Ant1	5744.9	-100000	-17.41	25	Pass
10C 120V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
30C 120V	ax20	5745	Ant1	5744.94	-60000	-10.44	25	Pass
40C 120V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
50C 120V	ax20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
20C 102V	ax20	5785	Ant1	5785.02	20000	3.46	25	Pass
20C 120V	ax20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
20C 138V	ax20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
-20C 120V	ax20	5785	Ant1	5785.04	40000	6.91	25	Pass
-10C 120V	ax20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
0C 120V	ax20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
10C 120V	ax20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
30C 120V	ax20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
40C 120V	ax20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
50C 120V	ax20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
20C 102V	ax20	5825	Ant1	5825.02	20000	3.43	25	Pass
20C 120V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
20C 138V	ax20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
-20C 120V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
-10C 120V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
0C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass



10C 120V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
30C 120V	ax20	5825	Ant1	5824.94	-60000	-10.3	25	Pass
40C 120V	ax20	5825	Ant1	5824.96	-40000	-6.87	25	Pass
50C 120V	ax20	5825	Ant1	5824.92	-80000	-13.73	25	Pass
20C 102V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
20C 120V	ax40	5755	Ant0	5754.88	-120000	-20.85	25	Pass
20C 138V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
-20C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
-10C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
0C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
10C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
30C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
40C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
50C 120V	ax40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
20C 102V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
20C 120V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
20C 138V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
-20C 120V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
-10C 120V	ax40	5795	Ant0	5795.08	80000	13.81	25	Pass
0C 120V	ax40	5795	Ant0	5794.92	-80000	-13.81	25	Pass
10C 120V	ax40	5795	Ant0	5795.08	80000	13.81	25	Pass
30C 120V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
40C 120V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
50C 120V	ax40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
20C 102V	ax40	5755	Ant1	5754.92	-80000	-13.9	25	Pass
20C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 138V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
-20C 120V	ax40	5755	Ant1	5755.08	80000	13.9	25	Pass
-10C 120V	ax40	5755	Ant1	5755.12	120000	20.85	25	Pass
0C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
10C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
30C 120V	ax40	5755	Ant1	5755.04	40000	6.95	25	Pass
40C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
50C 120V	ax40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
20C 102V	ax40	5795	Ant1	5795	0	0	25	Pass
20C 120V	ax40	5795	Ant1	5795	0	0	25	Pass
20C 138V	ax40	5795	Ant1	5795	0	0	25	Pass
-20C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
-10C 120V	ax40	5795	Ant1	5794.92	-80000	-13.81	25	Pass
0C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
10C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
30C 120V	ax40	5795	Ant1	5795.04	40000	6.9	25	Pass
40C 120V	ax40	5795	Ant1	5795	0	0	25	Pass





50C 120V	ax40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
20C 102V	ax80	5775	Ant0	5774.92	-80000	-13.85	25	Pass
20C 120V	ax80	5775	Ant0	5774.92	-80000	-13.85	25	Pass
20C 138V	ax80	5775	Ant0	5774.92	-80000	-13.85	25	Pass
-20C 120V	ax80	5775	Ant0	5774.2	-800000	-138.53	25	Pass
-10C 120V	ax80	5775	Ant0	5775	0	0	25	Pass
0C 120V	ax80	5775	Ant0	5775	0	0	25	Pass
10C 120V	ax80	5775	Ant0	5775	0	0	25	Pass
30C 120V	ax80	5775	Ant0	5774.92	-80000	-13.85	25	Pass
40C 120V	ax80	5775	Ant0	5775	0	0	25	Pass
50C 120V	ax80	5775	Ant0	5774.92	-80000	-13.85	25	Pass
20C 102V	ax80	5775	Ant1	5775	0	0	25	Pass
20C 120V	ax80	5775	Ant1	5775	0	0	25	Pass
20C 138V	ax80	5775	Ant1	5775.08	80000	13.85	25	Pass
-20C 120V	ax80	5775	Ant1	5775.08	80000	13.85	25	Pass
-10C 120V	ax80	5775	Ant1	5775	0	0	25	Pass
0C 120V	ax80	5775	Ant1	5775	0	0	25	Pass
10C 120V	ax80	5775	Ant1	5775	0	0	25	Pass
30C 120V	ax80	5775	Ant1	5775	0	0	25	Pass
40C 120V	ax80	5775	Ant1	5775	0	0	25	Pass
50C 120V	ax80	5775	Ant1	5775	0	0	25	Pass

## 7 Band Edge



### 7.1 Test Result



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant0	-34.64	Pass
NVNT	a	5825	Ant0	-35.64	Pass
NVNT	a	5745	Ant1	-34.44	Pass
NVNT	a	5825	Ant1	-34.53	Pass
NVNT	n20	5745	Ant0	-37.07	Pass
NVNT	n20	5825	Ant0	-36.56	Pass
NVNT	n20	5745	Ant1	-34.51	Pass
NVNT	n20	5825	Ant1	-35.66	Pass
NVNT	n40	5755	Ant0	-38.23	Pass
NVNT	n40	5795	Ant0	-36.73	Pass
NVNT	n40	5755	Ant1	-37.07	Pass
NVNT	n40	5795	Ant1	-35.07	Pass
NVNT	ac20	5745	Ant0	-36.05	Pass
NVNT	ac20	5825	Ant0	-35.82	Pass
NVNT	ac20	5745	Ant1	-34.2	Pass
NVNT	ac20	5825	Ant1	-36.31	Pass
NVNT	ac40	5755	Ant0	-37.37	Pass
NVNT	ac40	5795	Ant0	-36.24	Pass
NVNT	ac40	5755	Ant1	-37.04	Pass
NVNT	ac40	5795	Ant1	-35.13	Pass
NVNT	ac80	5775	Ant0	-36.66	Pass
NVNT	ac80	5775	Ant0	-37.26	Pass
NVNT	ac80	5775	Ant1	-36.14	Pass
NVNT	ac80	5775	Ant1	-36.95	Pass
NVNT	ax20	5745	Ant0	-36.92	Pass
NVNT	ax20	5825	Ant0	-35.25	Pass
NVNT	ax20	5745	Ant1	-28.32	Pass
NVNT	ax20	5825	Ant1	-35.89	Pass
NVNT	ax40	5755	Ant0	-36.92	Pass
NVNT	ax40	5795	Ant0	-36.28	Pass
NVNT	ax40	5755	Ant1	-35.05	Pass
NVNT	ax40	5795	Ant1	-36.19	Pass
NVNT	ax80	5775	Ant0	-35.81	Pass
NVNT	ax80	5775	Ant0	-38.15	Pass
NVNT	ax80	5775	Ant1	-36.12	Pass
NVNT	ax80	5775	Ant1	-37.23	Pass























Band Edge NVNT n40 5755MHz Low Ant1







Band Edge NVNT n40 5795MHz High Ant1

























Band Edge NVNT ac80 5775MHz High Ant1







Band Edge NVNT ac80 5775MHz Low Ant1















Band Edge NVNT ax80 5775MHz High Ant0




Band Edge NVNT ax80 5775MHz Low Ant0






Band Edge NVNT ax80 5775MHz High Ant1



Band Edge NVNT ax80 5775MHz Low Ant1







## 8 Conducted RF Spurious Emission

### 8.1 Test Result


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant0	-31.91	-27	Pass
NVNT	a	5785	Ant0	-32.91	-27	Pass
NVNT	a	5825	Ant0	-32.64	-27	Pass
NVNT	a	5745	Ant1	-32.42	-27	Pass
NVNT	a	5785	Ant1	-31.94	-27	Pass
NVNT	a	5825	Ant1	-32.61	-27	Pass
NVNT	n20	5745	Ant0	-32.71	-27	Pass
NVNT	n20	5785	Ant0	-32.53	-27	Pass
NVNT	n20	5825	Ant0	-33.11	-27	Pass
NVNT	n20	5745	Ant1	-32.86	-27	Pass
NVNT	n20	5785	Ant1	-32.48	-27	Pass
NVNT	n20	5825	Ant1	-32.96	-27	Pass
NVNT	n40	5755	Ant0	-30.2	-27	Pass
NVNT	n40	5795	Ant0	-32.15	-27	Pass
NVNT	n40	5755	Ant1	-31.17	-27	Pass
NVNT	n40	5795	Ant1	-32.57	-27	Pass
NVNT	ac20	5745	Ant0	-32.63	-27	Pass
NVNT	ac20	5785	Ant0	-33.03	-27	Pass
NVNT	ac20	5825	Ant0	-31.91	-27	Pass
NVNT	ac20	5745	Ant1	-32.07	-27	Pass
NVNT	ac20	5785	Ant1	-31.73	-27	Pass
NVNT	ac20	5825	Ant1	-27.45	-27	Pass
NVNT	ac40	5755	Ant0	-33.2	-27	Pass
NVNT	ac40	5795	Ant0	-32.13	-27	Pass
NVNT	ac40	5755	Ant1	-32.65	-27	Pass
NVNT	ac40	5795	Ant1	-32.42	-27	Pass
NVNT	ac80	5775	Ant0	-33.13	-27	Pass
NVNT	ac80	5775	Ant1	-32.8	-27	Pass
NVNT	ax20	5745	Ant0	-32.55	-27	Pass
NVNT	ax20	5785	Ant0	-33.06	-27	Pass
NVNT	ax20	5825	Ant0	-32.55	-27	Pass
NVNT	ax20	5745	Ant1	-31.88	-27	Pass
NVNT	ax20	5785	Ant1	-32.44	-27	Pass
NVNT	ax20	5825	Ant1	-32.54	-27	Pass
NVNT	ax40	5755	Ant0	-33.18	-27	Pass
NVNT	ax40	5795	Ant0	-28.39	-27	Pass
NVNT	ax40	5755	Ant1	-32.5	-27	Pass



NVNT	ax40	5795	Ant1	-32.34	-27	Pass
NVNT	ax80	5775	Ant0	-33.64	-27	Pass
NVNT	ax80	5775	Ant1	-32.9	-27	Pass




## 8.2 Test Graphs






Tx. Spurious NVNT a 5825MHz Ant0 Emission




Tx. Spurious NVNT a 5745MHz Ant1 Emission










Tx. Spurious NVNT a 5785MHz Ant1 Emission





Tx. Spurious NVNT a 5825MHz Ant1 Emission























Tx. Spurious NVNT ac20 5745MHz Ant0 Emission




Tx. Spurious NVNT ac20 5785MHz Ant0 Emission






Tx. Spurious NVNT ac20 5825MHz Ant0 Emission




Tx. Spurious NVNT ac20 5745MHz Ant1 Emission






Tx. Spurious NVNT ac20 5785MHz Ant1 Emission




Tx. Spurious NVNT ac20 5825MHz Ant1 Emission






Tx. Spurious NVNT ac40 5755MHz Ant0 Emission




Tx. Spurious NVNT ac40 5795MHz Ant0 Emission






Tx. Spurious NVNT ac40 5755MHz Ant1 Emission




Tx. Spurious NVNT ac40 5795MHz Ant1 Emission






Tx. Spurious NVNT ac80 5775MHz Ant0 Emission




Tx. Spurious NVNT ac80 5775MHz Ant1 Emission








Tx. Spurious NVNT ax20 5745MHz Ant0 Emission




Tx. Spurious NVNT ax20 5785MHz Ant0 Emission






Tx. Spurious NVNT ax20 5825MHz Ant0 Emission




Tx. Spurious NVNT ax20 5745MHz Ant1 Emission






Tx. Spurious NVNT ax20 5785MHz Ant1 Emission




Tx. Spurious NVNT ax20 5825MHz Ant1 Emission






Tx. Spurious NVNT ax40 5755MHz Ant0 Emission




Tx. Spurious NVNT ax40 5795MHz Ant0 Emission






Tx. Spurious NVNT ax40 5755MHz Ant1 Emission




Tx. Spurious NVNT ax40 5795MHz Ant1 Emission






Tx. Spurious NVNT ax80 5775MHz Ant0 Emission



Tx. Spurious NVNT ax80 5775MHz Ant1 Emission





## 9 Restrict Band

### 9.1 Test Result

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBm)	Detector	Limit (dBm/MHz)	Verdict
NVNT	a	5745	Ant0	5650	-38.93	3.72	-35.21	Peak	-27	Pass
NVNT	a	5745	Ant0	5650	-49.11	3.72	-45.39	Average	-27	Pass
NVNT	a	5745	Ant0	5700	-38.68	3.72	-34.96	Peak	10	Pass
NVNT	a	5745	Ant0	5700	-48.65	3.72	-44.93	Average	10	Pass
NVNT	a	5745	Ant0	5720	-37.79	3.72	-34.07	Peak	15.6	Pass
NVNT	a	5745	Ant0	5720	-48.39	3.72	-44.67	Average	15.6	Pass
NVNT	a	5745	Ant0	5725	-31.56	3.72	-27.84	Peak	27	Pass
NVNT	a	5745	Ant0	5725	-45.53	3.72	-41.81	Average	27	Pass
NVNT	a	5825	Ant0	5850	-35.19	3.72	-31.47	Peak	27	Pass
NVNT	a	5825	Ant0	5850	-47.6	3.72	-43.88	Average	27	Pass
NVNT	a	5825	Ant0	5855	-38.81	3.72	-35.09	Peak	15.6	Pass
NVNT	a	5825	Ant0	5855	-47.88	3.72	-44.16	Average	15.6	Pass
NVNT	a	5825	Ant0	5875	-39.9	3.72	-36.18	Peak	10	Pass
NVNT	a	5825	Ant0	5875	-47.77	3.72	-44.05	Average	10	Pass
NVNT	a	5825	Ant0	5925	-38.89	3.72	-35.17	Peak	-27	Pass
NVNT	a	5825	Ant0	5925	-48.35	3.72	-44.63	Average	-27	Pass
NVNT	a	5745	Ant1	5650	-39.01	3.86	-35.15	Peak	-27	Pass
NVNT	a	5745	Ant1	5650	-48.15	3.86	-44.29	Average	-27	Pass
NVNT	a	5745	Ant1	5700	-36.68	3.86	-32.82	Peak	10	Pass
NVNT	a	5745	Ant1	5700	-47.59	3.86	-43.73	Average	10	Pass
NVNT	a	5745	Ant1	5720	-39.71	3.86	-35.85	Peak	15.6	Pass
NVNT	a	5745	Ant1	5720	-47.63	3.86	-43.77	Average	15.6	Pass
NVNT	a	5745	Ant1	5725	-32.12	3.86	-28.26	Peak	27	Pass
NVNT	a	5745	Ant1	5725	-45.55	3.86	-41.69	Average	27	Pass
NVNT	a	5825	Ant1	5850	-39.26	3.86	-35.4	Peak	27	Pass
NVNT	a	5825	Ant1	5850	-46.86	3.86	-43	Average	27	Pass
NVNT	a	5825	Ant1	5855	-40.07	3.86	-36.21	Peak	15.6	Pass
NVNT	a	5825	Ant1	5855	-47.13	3.86	-43.27	Average	15.6	Pass
NVNT	a	5825	Ant1	5875	-39.03	3.86	-35.17	Peak	10	Pass
NVNT	a	5825	Ant1	5875	-47.24	3.86	-43.38	Average	10	Pass
NVNT	a	5825	Ant1	5925	-38.59	3.86	-34.73	Peak	-27	Pass
NVNT	a	5825	Ant1	5925	-47.24	3.86	-43.38	Average	-27	Pass
NVNT	n20	5745	Ant0	5650	-37.95	3.72	-34.23	Peak	-27	Pass
NVNT	n20	5745	Ant0	5650	-47.73	3.72	-44.01	Average	-27	Pass
NVNT	n20	5745	Ant0	5700	-39.84	3.72	-36.12	Peak	10	Pass
NVNT	n20	5745	Ant0	5700	-47.08	3.72	-43.36	Average	10	Pass



NVNT	n20	5745	Ant0	5720	-40.29	3.72	-36.57	Peak	15.6	Pass
NVNT	n20	5745	Ant0	5720	-47.69	3.72	-43.97	Average	15.6	Pass
NVNT	n20	5745	Ant0	5725	-37.36	3.72	-33.64	Peak	27	Pass
NVNT	n20	5745	Ant0	5725	-45.68	3.72	-41.96	Average	27	Pass
NVNT	n20	5825	Ant0	5850	-40.19	3.72	-36.47	Peak	27	Pass
NVNT	n20	5825	Ant0	5850	-47.25	3.72	-43.53	Average	27	Pass
NVNT	n20	5825	Ant0	5855	-41.48	3.72	-37.76	Peak	15.6	Pass
NVNT	n20	5825	Ant0	5855	-47.17	3.72	-43.45	Average	15.6	Pass
NVNT	n20	5825	Ant0	5875	-40.41	3.72	-36.69	Peak	10	Pass
NVNT	n20	5825	Ant0	5875	-46.66	3.72	-42.94	Average	10	Pass
NVNT	n20	5825	Ant0	5925	-39.42	3.72	-35.7	Peak	-27	Pass
NVNT	n20	5825	Ant0	5925	-47.33	3.72	-43.61	Average	-27	Pass
NVNT	n20	5745	Ant1	5650	-39.63	3.86	-35.77	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-47.53	3.86	-43.67	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-37.6	3.86	-33.74	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-46.83	3.86	-42.97	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-40.01	3.86	-36.15	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-46.44	3.86	-42.58	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-33.72	3.86	-29.86	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-44.72	3.86	-40.86	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-39.99	3.86	-36.13	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-46.88	3.86	-43.02	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-37.37	3.86	-33.51	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-46.21	3.86	-42.35	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-37.97	3.86	-34.11	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-47.35	3.86	-43.49	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-39.82	3.86	-35.96	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-46.94	3.86	-43.08	Average	-27	Pass
NVNT	n40	5755	Ant0	5650	-38.72	3.72	-35	Peak	-27	Pass
NVNT	n40	5755	Ant0	5650	-47.78	3.72	-44.06	Average	-27	Pass
NVNT	n40	5755	Ant0	5700	-40.32	3.72	-36.6	Peak	10	Pass
NVNT	n40	5755	Ant0	5700	-48.07	3.72	-44.35	Average	10	Pass
NVNT	n40	5755	Ant0	5720	-39.19	3.72	-35.47	Peak	15.6	Pass
NVNT	n40	5755	Ant0	5720	-48.24	3.72	-44.52	Average	15.6	Pass
NVNT	n40	5755	Ant0	5725	-39.46	3.72	-35.74	Peak	27	Pass
NVNT	n40	5755	Ant0	5725	-47.47	3.72	-43.75	Average	27	Pass
NVNT	n40	5795	Ant0	5850	-39.71	3.72	-35.99	Peak	27	Pass
NVNT	n40	5795	Ant0	5850	-47.62	3.72	-43.9	Average	27	Pass
NVNT	n40	5795	Ant0	5855	-39.28	3.72	-35.56	Peak	15.6	Pass
NVNT	n40	5795	Ant0	5855	-47.67	3.72	-43.95	Average	15.6	Pass
NVNT	n40	5795	Ant0	5875	-38.9	3.72	-35.18	Peak	10	Pass
NVNT	n40	5795	Ant0	5875	-46.75	3.72	-43.03	Average	10	Pass
NVNT	n40	5795	Ant0	5925	-39.82	3.72	-36.1	Peak	-27	Pass





NVNT	n40	5795	Ant0	5925	-47.12	3.72	-43.4	Average	-27	Pass
NVNT	n40	5755	Ant1	5650	-39.44	3.86	-35.58	Peak	-27	Pass
NVNT	n40	5755	Ant1	5650	-46.58	3.86	-42.72	Average	-27	Pass
NVNT	n40	5755	Ant1	5700	-39.06	3.86	-35.2	Peak	10	Pass
NVNT	n40	5755	Ant1	5700	-46.31	3.86	-42.45	Average	10	Pass
NVNT	n40	5755	Ant1	5720	-39.96	3.86	-36.1	Peak	15.6	Pass
NVNT	n40	5755	Ant1	5720	-46.3	3.86	-42.44	Average	15.6	Pass
NVNT	n40	5755	Ant1	5725	-38.62	3.86	-34.76	Peak	27	Pass
NVNT	n40	5755	Ant1	5725	-46.44	3.86	-42.58	Average	27	Pass
NVNT	n40	5795	Ant1	5850	-40.1	3.86	-36.24	Peak	27	Pass
NVNT	n40	5795	Ant1	5850	-47.04	3.86	-43.18	Average	27	Pass
NVNT	n40	5795	Ant1	5855	-39.64	3.86	-35.78	Peak	15.6	Pass
NVNT	n40	5795	Ant1	5855	-47.04	3.86	-43.18	Average	15.6	Pass
NVNT	n40	5795	Ant1	5875	-40	3.86	-36.14	Peak	10	Pass
NVNT	n40	5795	Ant1	5875	-47.07	3.86	-43.21	Average	10	Pass
NVNT	n40	5795	Ant1	5925	-40.44	3.86	-36.58	Peak	-27	Pass
NVNT	n40	5795	Ant1	5925	-46.95	3.86	-43.09	Average	-27	Pass
NVNT	ac20	5745	Ant0	5650	-41.15	3.72	-37.43	Peak	-27	Pass
NVNT	ac20	5745	Ant0	5650	-47.92	3.72	-44.2	Average	-27	Pass
NVNT	ac20	5745	Ant0	5700	-41.28	3.72	-37.56	Peak	10	Pass
NVNT	ac20	5745	Ant0	5700	-47.81	3.72	-44.09	Average	10	Pass
NVNT	ac20	5745	Ant0	5720	-40.4	3.72	-36.68	Peak	15.6	Pass
NVNT	ac20	5745	Ant0	5720	-48.24	3.72	-44.52	Average	15.6	Pass
NVNT	ac20	5745	Ant0	5725	-30.16	3.72	-26.44	Peak	27	Pass
NVNT	ac20	5745	Ant0	5725	-45	3.72	-41.28	Average	27	Pass
NVNT	ac20	5825	Ant0	5850	-39.02	3.72	-35.3	Peak	27	Pass
NVNT	ac20	5825	Ant0	5850	-47.47	3.72	-43.75	Average	27	Pass
NVNT	ac20	5825	Ant0	5855	-40.19	3.72	-36.47	Peak	15.6	Pass
NVNT	ac20	5825	Ant0	5855	-46.38	3.72	-42.66	Average	15.6	Pass
NVNT	ac20	5825	Ant0	5875	-39.16	3.72	-35.44	Peak	10	Pass
NVNT	ac20	5825	Ant0	5875	-47.15	3.72	-43.43	Average	10	Pass
NVNT	ac20	5825	Ant0	5925	-38.75	3.72	-35.03	Peak	-27	Pass
NVNT	ac20	5825	Ant0	5925	-46.41	3.72	-42.69	Average	-27	Pass
NVNT	ac20	5745	Ant1	5650	-38.6	3.86	-34.74	Peak	-27	Pass
NVNT	ac20	5745	Ant1	5650	-48.01	3.86	-44.15	Average	-27	Pass
NVNT	ac20	5745	Ant1	5700	-39.79	3.86	-35.93	Peak	10	Pass
NVNT	ac20	5745	Ant1	5700	-47.5	3.86	-43.64	Average	10	Pass
NVNT	ac20	5745	Ant1	5720	-40.06	3.86	-36.2	Peak	15.6	Pass
NVNT	ac20	5745	Ant1	5720	-47.75	3.86	-43.89	Average	15.6	Pass
NVNT	ac20	5745	Ant1	5725	-37.17	3.86	-33.31	Peak	27	Pass
NVNT	ac20	5745	Ant1	5725	-45.02	3.86	-41.16	Average	27	Pass
NVNT	ac20	5825	Ant1	5850	-39.13	3.86	-35.27	Peak	27	Pass
NVNT	ac20	5825	Ant1	5850	-46.79	3.86	-42.93	Average	27	Pass



NVNT	ac20	5825	Ant1	5855	-38.43	3.86	-34.57	Peak	15.6	Pass
NVNT	ac20	5825	Ant1	5855	-46.76	3.86	-42.9	Average	15.6	Pass
NVNT	ac20	5825	Ant1	5875	-37.81	3.86	-33.95	Peak	10	Pass
NVNT	ac20	5825	Ant1	5875	-47	3.86	-43.14	Average	10	Pass
NVNT	ac20	5825	Ant1	5925	-39.49	3.86	-35.63	Peak	-27	Pass
NVNT	ac20	5825	Ant1	5925	-46.88	3.86	-43.02	Average	-27	Pass
NVNT	ac40	5755	Ant0	5650	-41.46	3.72	-37.74	Peak	-27	Pass
NVNT	ac40	5755	Ant0	5650	-47.55	3.72	-43.83	Average	-27	Pass
NVNT	ac40	5755	Ant0	5700	-40.41	3.72	-36.69	Peak	10	Pass
NVNT	ac40	5755	Ant0	5700	-46.91	3.72	-43.19	Average	10	Pass
NVNT	ac40	5755	Ant0	5720	-40.91	3.72	-37.19	Peak	15.6	Pass
NVNT	ac40	5755	Ant0	5720	-47.89	3.72	-44.17	Average	15.6	Pass
NVNT	ac40	5755	Ant0	5725	-39.46	3.72	-35.74	Peak	27	Pass
NVNT	ac40	5755	Ant0	5725	-46.29	3.72	-42.57	Average	27	Pass
NVNT	ac40	5795	Ant0	5850	-40.92	3.72	-37.2	Peak	27	Pass
NVNT	ac40	5795	Ant0	5850	-47.46	3.72	-43.74	Average	27	Pass
NVNT	ac40	5795	Ant0	5855	-40.02	3.72	-36.3	Peak	15.6	Pass
NVNT	ac40	5795	Ant0	5855	-46.36	3.72	-42.64	Average	15.6	Pass
NVNT	ac40	5795	Ant0	5875	-38.23	3.72	-34.51	Peak	10	Pass
NVNT	ac40	5795	Ant0	5875	-45.49	3.72	-41.77	Average	10	Pass
NVNT	ac40	5795	Ant0	5925	-39.98	3.72	-36.26	Peak	-27	Pass
NVNT	ac40	5795	Ant0	5925	-46.9	3.72	-43.18	Average	-27	Pass
NVNT	ac40	5755	Ant0	5650	-38.38	3.86	-34.52	Peak	-27	Pass
NVNT	ac40	5755	Ant1	5650	-46.32	3.86	-42.46	Average	-27	Pass
NVNT	ac40	5755	Ant1	5700	-40.12	3.86	-36.26	Peak	10	Pass
NVNT	ac40	5755	Ant1	5700	-46.91	3.86	-43.05	Average	10	Pass
NVNT	ac40	5755	Ant1	5720	-40.03	3.86	-36.17	Peak	15.6	Pass
NVNT	ac40	5755	Ant1	5720	-46.51	3.86	-42.65	Average	15.6	Pass
NVNT	ac40	5755	Ant1	5725	-40.12	3.86	-36.26	Peak	27	Pass
NVNT	ac40	5755	Ant1	5725	-46.32	3.86	-42.46	Average	27	Pass
NVNT	ac40	5795	Ant1	5850	-38.82	3.86	-34.96	Peak	27	Pass
NVNT	ac40	5795	Ant1	5850	-46.58	3.86	-42.72	Average	27	Pass
NVNT	ac40	5795	Ant1	5855	-37.96	3.86	-34.1	Peak	15.6	Pass
NVNT	ac40	5795	Ant1	5855	-46.54	3.86	-42.68	Average	15.6	Pass
NVNT	ac40	5795	Ant1	5875	-37.52	3.86	-33.66	Peak	10	Pass
NVNT	ac40	5795	Ant1	5875	-46.41	3.86	-42.55	Average	10	Pass
NVNT	ac40	5795	Ant1	5925	-39.53	3.86	-35.67	Peak	-27	Pass
NVNT	ac40	5795	Ant1	5925	-45.98	3.86	-42.12	Average	-27	Pass
NVNT	ac80	5775	Ant0	5850	-39.73	3.72	-36.01	Peak	27	Pass
NVNT	ac80	5775	Ant0	5850	-44.97	3.72	-41.25	Average	27	Pass
NVNT	ac80	5775	Ant0	5855	-40.04	3.72	-36.32	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5855	-44.54	3.72	-40.82	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5875	-37.18	3.72	-33.46	Peak	10	Pass



NVNT	ac80	5775	Ant0	5875	-45.62	3.72	-41.9	Average	10	Pass
NVNT	ac80	5775	Ant0	5925	-39.15	3.72	-35.43	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5925	-45.16	3.72	-41.44	Average	-27	Pass
NVNT	ac80	5775	Ant0	5650	-39.4	3.72	-35.68	Peak	-27	Pass
NVNT	ac80	5775	Ant0	5650	-46.52	3.72	-42.8	Average	-27	Pass
NVNT	ac80	5775	Ant0	5700	-39.52	3.72	-35.8	Peak	10	Pass
NVNT	ac80	5775	Ant0	5700	-45.57	3.72	-41.85	Average	10	Pass
NVNT	ac80	5775	Ant0	5720	-40.47	3.72	-36.75	Peak	15.6	Pass
NVNT	ac80	5775	Ant0	5720	-46.37	3.72	-42.65	Average	15.6	Pass
NVNT	ac80	5775	Ant0	5725	-40.35	3.72	-36.63	Peak	27	Pass
NVNT	ac80	5775	Ant0	5725	-46.82	3.72	-43.1	Average	27	Pass
NVNT	ac80	5775	Ant1	5850	-40.98	3.86	-37.12	Peak	27	Pass
NVNT	ac80	5775	Ant1	5850	-45.52	3.86	-41.66	Average	27	Pass
NVNT	ac80	5775	Ant1	5855	-39.65	3.86	-35.79	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5855	-45.41	3.86	-41.55	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5875	-40.16	3.86	-36.3	Peak	10	Pass
NVNT	ac80	5775	Ant1	5875	-44.58	3.86	-40.72	Average	10	Pass
NVNT	ac80	5775	Ant1	5925	-39.9	3.86	-36.04	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5925	-45.8	3.86	-41.94	Average	-27	Pass
NVNT	ac80	5775	Ant1	5650	-40.67	3.86	-36.81	Peak	-27	Pass
NVNT	ac80	5775	Ant1	5650	-45.36	3.86	-41.5	Average	-27	Pass
NVNT	ac80	5775	Ant1	5700	-39.49	3.86	-35.63	Peak	10	Pass
NVNT	ac80	5775	Ant1	5700	-44.76	3.86	-40.9	Average	10	Pass
NVNT	ac80	5775	Ant1	5720	-40.1	3.86	-36.24	Peak	15.6	Pass
NVNT	ac80	5775	Ant1	5720	-44.33	3.86	-40.47	Average	15.6	Pass
NVNT	ac80	5775	Ant1	5725	-39.48	3.86	-35.62	Peak	27	Pass
NVNT	ac80	5775	Ant1	5725	-45.32	3.86	-41.46	Average	27	Pass
NVNT	ax20	5745	Ant0	5650	-40.94	3.72	-37.22	Peak	-27	Pass
NVNT	ax20	5745	Ant0	5650	-48.06	3.72	-44.34	Average	-27	Pass
NVNT	ax20	5745	Ant0	5700	-39.69	3.72	-35.97	Peak	10	Pass
NVNT	ax20	5745	Ant0	5700	-47.73	3.72	-44.01	Average	10	Pass
NVNT	ax20	5745	Ant0	5720	-40.76	3.72	-37.04	Peak	15.6	Pass
NVNT	ax20	5745	Ant0	5720	-48.45	3.72	-44.73	Average	15.6	Pass
NVNT	ax20	5745	Ant0	5725	-41.12	3.72	-37.4	Peak	27	Pass
NVNT	ax20	5745	Ant0	5725	-47.37	3.72	-43.65	Average	27	Pass
NVNT	ax20	5825	Ant0	5850	-39.61	3.72	-35.89	Peak	27	Pass
NVNT	ax20	5825	Ant0	5850	-46.95	3.72	-43.23	Average	27	Pass
NVNT	ax20	5825	Ant0	5855	-40.32	3.72	-36.6	Peak	15.6	Pass
NVNT	ax20	5825	Ant0	5855	-47.74	3.72	-44.02	Average	15.6	Pass
NVNT	ax20	5825	Ant0	5875	-39.53	3.72	-35.81	Peak	10	Pass
NVNT	ax20	5825	Ant0	5875	-47.17	3.72	-43.45	Average	10	Pass
NVNT	ax20	5825	Ant0	5925	-40.28	3.72	-36.56	Peak	-27	Pass
NVNT	ax20	5825	Ant0	5925	-47.56	3.72	-43.84	Average	-27	Pass



NVNT	ax20	5745	Ant1	5650	-39.54	3.86	-35.68	Peak	-27	Pass
NVNT	ax20	5745	Ant1	5650	-47.61	3.86	-43.75	Average	-27	Pass
NVNT	ax20	5745	Ant1	5700	-40.83	3.86	-36.97	Peak	10	Pass
NVNT	ax20	5745	Ant1	5700	-47.29	3.86	-43.43	Average	10	Pass
NVNT	ax20	5745	Ant1	5720	-39.88	3.86	-36.02	Peak	15.6	Pass
NVNT	ax20	5745	Ant1	5720	-47.24	3.86	-43.38	Average	15.6	Pass
NVNT	ax20	5745	Ant1	5725	-40.02	3.86	-36.16	Peak	27	Pass
NVNT	ax20	5745	Ant1	5725	-46.56	3.86	-42.7	Average	27	Pass
NVNT	ax20	5825	Ant1	5850	-38.05	3.86	-34.19	Peak	27	Pass
NVNT	ax20	5825	Ant1	5850	-47.02	3.86	-43.16	Average	27	Pass
NVNT	ax20	5825	Ant1	5855	-39.6	3.86	-35.74	Peak	15.6	Pass
NVNT	ax20	5825	Ant1	5855	-47.71	3.86	-43.85	Average	15.6	Pass
NVNT	ax20	5825	Ant1	5875	-40.65	3.86	-36.79	Peak	10	Pass
NVNT	ax20	5825	Ant1	5875	-46.69	3.86	-42.83	Average	10	Pass
NVNT	ax20	5825	Ant1	5925	-38.49	3.86	-34.63	Peak	-27	Pass
NVNT	ax20	5825	Ant1	5925	-46.87	3.86	-43.01	Average	-27	Pass
NVNT	ax40	5755	Ant0	5650	-42.03	3.72	-38.31	Peak	-27	Pass
NVNT	ax40	5755	Ant0	5650	-47.9	3.72	-44.18	Average	-27	Pass
NVNT	ax40	5755	Ant0	5700	-41.09	3.72	-37.37	Peak	10	Pass
NVNT	ax40	5755	Ant0	5700	-47.37	3.72	-43.65	Average	10	Pass
NVNT	ax40	5755	Ant0	5720	-39.61	3.72	-35.89	Peak	15.6	Pass
NVNT	ax40	5755	Ant0	5720	-47.57	3.72	-43.85	Average	15.6	Pass
NVNT	ax40	5755	Ant0	5725	-41.57	3.72	-37.85	Peak	27	Pass
NVNT	ax40	5755	Ant0	5725	-47.98	3.72	-44.26	Average	27	Pass
NVNT	ax40	5795	Ant0	5850	-40.6	3.72	-36.88	Peak	27	Pass
NVNT	ax40	5795	Ant0	5850	-47.52	3.72	-43.8	Average	27	Pass
NVNT	ax40	5795	Ant0	5855	-40.93	3.72	-37.21	Peak	15.6	Pass
NVNT	ax40	5795	Ant0	5855	-47.43	3.72	-43.71	Average	15.6	Pass
NVNT	ax40	5795	Ant0	5875	-39.05	3.72	-35.33	Peak	10	Pass
NVNT	ax40	5795	Ant0	5875	-47.19	3.72	-43.47	Average	10	Pass
NVNT	ax40	5795	Ant0	5925	-39.64	3.72	-35.92	Peak	-27	Pass
NVNT	ax40	5795	Ant0	5925	-46.6	3.72	-42.88	Average	-27	Pass
NVNT	ax40	5755	Ant1	5650	-40.58	3.86	-36.72	Peak	-27	Pass
NVNT	ax40	5755	Ant1	5650	-47.64	3.86	-43.78	Average	-27	Pass
NVNT	ax40	5755	Ant1	5700	-38.47	3.86	-34.61	Peak	10	Pass
NVNT	ax40	5755	Ant1	5700	-47.41	3.86	-43.55	Average	10	Pass
NVNT	ax40	5755	Ant1	5720	-40.3	3.86	-36.44	Peak	15.6	Pass
NVNT	ax40	5755	Ant1	5720	-47.44	3.86	-43.58	Average	15.6	Pass
NVNT	ax40	5755	Ant1	5725	-40.23	3.86	-36.37	Peak	27	Pass
NVNT	ax40	5755	Ant1	5725	-47.69	3.86	-43.83	Average	27	Pass
NVNT	ax40	5795	Ant1	5850	-38.76	3.86	-34.9	Peak	27	Pass
NVNT	ax40	5795	Ant1	5850	-47.09	3.86	-43.23	Average	27	Pass
NVNT	ax40	5795	Ant1	5855	-37.94	3.86	-34.08	Peak	15.6	Pass



NVNT	ax40	5795	Ant1	5855	-47.45	3.86	-43.59	Average	15.6	Pass
NVNT	ax40	5795	Ant1	5875	-40.49	3.86	-36.63	Peak	10	Pass
NVNT	ax40	5795	Ant1	5875	-47.17	3.86	-43.31	Average	10	Pass
NVNT	ax40	5795	Ant1	5925	-38.09	3.86	-34.23	Peak	-27	Pass
NVNT	ax40	5795	Ant1	5925	-46.79	3.86	-42.93	Average	-27	Pass
NVNT	ax80	5775	Ant0	5850	-40.73	3.72	-37.01	Peak	27	Pass
NVNT	ax80	5775	Ant0	5850	-47.34	3.72	-43.62	Average	27	Pass
NVNT	ax80	5775	Ant0	5855	-38.59	3.72	-34.87	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5855	-47.76	3.72	-44.04	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5875	-38.54	3.72	-34.82	Peak	10	Pass
NVNT	ax80	5775	Ant0	5875	-47.17	3.72	-43.45	Average	10	Pass
NVNT	ax80	5775	Ant0	5925	-41.31	3.72	-37.59	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5925	-46.99	3.72	-43.27	Average	-27	Pass
NVNT	ax80	5775	Ant0	5650	-38.87	3.72	-35.15	Peak	-27	Pass
NVNT	ax80	5775	Ant0	5650	-47.99	3.72	-44.27	Average	-27	Pass
NVNT	ax80	5775	Ant0	5700	-39.54	3.72	-35.82	Peak	10	Pass
NVNT	ax80	5775	Ant0	5700	-48.04	3.72	-44.32	Average	10	Pass
NVNT	ax80	5775	Ant0	5720	-41.43	3.72	-37.71	Peak	15.6	Pass
NVNT	ax80	5775	Ant0	5720	-47.9	3.72	-44.18	Average	15.6	Pass
NVNT	ax80	5775	Ant0	5725	-40.79	3.72	-37.07	Peak	27	Pass
NVNT	ax80	5775	Ant0	5725	-48.98	3.72	-45.26	Average	27	Pass
NVNT	ax80	5775	Ant1	5850	-40.43	3.86	-36.57	Peak	27	Pass
NVNT	ax80	5775	Ant1	5850	-46.53	3.86	-42.67	Average	27	Pass
NVNT	ax80	5775	Ant1	5855	-40.6	3.86	-36.74	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5855	-46.52	3.86	-42.66	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5875	-38.1	3.86	-34.24	Peak	10	Pass
NVNT	ax80	5775	Ant1	5875	-47.13	3.86	-43.27	Average	10	Pass
NVNT	ax80	5775	Ant1	5925	-41.42	3.86	-37.56	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5925	-46.37	3.86	-42.51	Average	-27	Pass
NVNT	ax80	5775	Ant1	5650	-41.29	3.86	-37.43	Peak	-27	Pass
NVNT	ax80	5775	Ant1	5650	-47.36	3.86	-43.5	Average	-27	Pass
NVNT	ax80	5775	Ant1	5700	-38.7	3.86	-34.84	Peak	10	Pass
NVNT	ax80	5775	Ant1	5700	-46.89	3.86	-43.03	Average	10	Pass
NVNT	ax80	5775	Ant1	5720	-39.24	3.86	-35.38	Peak	15.6	Pass
NVNT	ax80	5775	Ant1	5720	-46.83	3.86	-42.97	Average	15.6	Pass
NVNT	ax80	5775	Ant1	5725	-39.35	3.86	-35.49	Peak	27	Pass
NVNT	ax80	5775	Ant1	5725	-47.05	3.86	-43.19	Average	27	Pass



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBm)	Detector	Limit (dBm/MHz)	Verdict
NVNT	a	5745	SUM	5650	-35.96	6.80	-29.16	Peak	-27	Pass
NVNT	a	5745	SUM	5650	-45.59	6.80	-38.79	Average	-27	Pass
NVNT	a	5745	SUM	5700	-34.56	6.80	-27.76	Peak	10	Pass
NVNT	a	5745	SUM	5700	-45.08	6.80	-38.28	Average	10	Pass
NVNT	a	5745	SUM	5720	-35.63	6.80	-28.83	Peak	15.6	Pass
NVNT	a	5745	SUM	5720	-44.98	6.80	-38.18	Average	15.6	Pass
NVNT	a	5745	SUM	5725	-28.82	6.80	-22.02	Peak	27	Pass
NVNT	a	5745	SUM	5725	-42.53	6.80	-35.73	Average	27	Pass
NVNT	a	5825	SUM	5850	-33.75	6.80	-26.95	Peak	27	Pass
NVNT	a	5825	SUM	5850	-44.20	6.80	-37.40	Average	27	Pass
NVNT	a	5825	SUM	5855	-36.38	6.80	-29.58	Peak	15.6	Pass
NVNT	a	5825	SUM	5855	-44.48	6.80	-37.68	Average	15.6	Pass
NVNT	a	5825	SUM	5875	-36.43	6.80	-29.63	Peak	10	Pass
NVNT	a	5825	SUM	5875	-44.49	6.80	-37.69	Average	10	Pass
NVNT	a	5825	SUM	5925	-35.73	6.80	-28.93	Peak	-27	Pass
NVNT	a	5825	SUM	5925	-44.75	6.80	-37.95	Average	-27	Pass
NVNT	n20	5745	SUM	5650	-35.70	6.80	-28.90	Peak	-27	Pass
NVNT	n20	5745	SUM	5650	-44.62	6.80	-37.82	Average	-27	Pass
NVNT	n20	5745	SUM	5700	-35.57	6.80	-28.77	Peak	10	Pass
NVNT	n20	5745	SUM	5700	-43.94	6.80	-37.14	Average	10	Pass
NVNT	n20	5745	SUM	5720	-37.14	6.80	-30.34	Peak	15.6	Pass
NVNT	n20	5745	SUM	5720	-44.01	6.80	-37.21	Average	15.6	Pass
NVNT	n20	5745	SUM	5725	-32.16	6.80	-25.36	Peak	27	Pass
NVNT	n20	5745	SUM	5725	-42.16	6.80	-35.36	Average	27	Pass
NVNT	n20	5825	SUM	5850	-37.08	6.80	-30.28	Peak	27	Pass
NVNT	n20	5825	SUM	5850	-44.05	6.80	-37.25	Average	27	Pass
NVNT	n20	5825	SUM	5855	-35.95	6.80	-29.15	Peak	15.6	Pass
NVNT	n20	5825	SUM	5855	-43.65	6.80	-36.85	Average	15.6	Pass
NVNT	n20	5825	SUM	5875	-36.01	6.80	-29.21	Peak	10	Pass
NVNT	n20	5825	SUM	5875	-43.98	6.80	-37.18	Average	10	Pass
NVNT	n20	5825	SUM	5925	-36.61	6.80	-29.81	Peak	-27	Pass
NVNT	n20	5825	SUM	5925	-44.12	6.80	-37.32	Average	-27	Pass
NVNT	n40	5755	SUM	5650	-36.05	6.80	-29.25	Average	-27	Pass
NVNT	n40	5755	SUM	5650	-44.13	6.80	-37.33	Peak	10	Pass
NVNT	n40	5755	SUM	5700	-36.63	6.80	-29.83	Average	10	Pass
NVNT	n40	5755	SUM	5700	-44.09	6.80	-37.29	Peak	15.6	Pass
NVNT	n40	5755	SUM	5720	-36.55	6.80	-29.75	Average	15.6	Pass
NVNT	n40	5755	SUM	5720	-44.15	6.80	-37.35	Peak	27	Pass
NVNT	n40	5755	SUM	5725	-36.01	6.80	-29.21	Average	27	Pass
NVNT	n40	5755	SUM	5725	-43.91	6.80	-37.11	Peak	27	Pass



NVNT	n40	5795	SUM	5850	-36.89	6.80	-30.09	Average	27	Pass
NVNT	n40	5795	SUM	5850	-44.31	6.80	-37.51	Peak	15.6	Pass
NVNT	n40	5795	SUM	5855	-36.45	6.80	-29.65	Average	15.6	Pass
NVNT	n40	5795	SUM	5855	-44.33	6.80	-37.53	Peak	10	Pass
NVNT	n40	5795	SUM	5875	-36.40	6.80	-29.60	Average	10	Pass
NVNT	n40	5795	SUM	5875	-43.90	6.80	-37.10	Peak	-27	Pass
NVNT	n40	5795	SUM	5925	-37.11	6.80	-30.31	Average	-27	Pass
NVNT	n40	5795	SUM	5925	-44.02	6.80	-37.22	Peak	-27	Pass
NVNT	ac20	5745	SUM	5650	-36.68	6.80	-29.88	Average	-27	Pass
NVNT	ac20	5745	SUM	5650	-44.95	6.80	-38.15	Peak	10	Pass
NVNT	ac20	5745	SUM	5700	-37.46	6.80	-30.66	Average	10	Pass
NVNT	ac20	5745	SUM	5700	-44.64	6.80	-37.84	Peak	15.6	Pass
NVNT	ac20	5745	SUM	5720	-37.22	6.80	-30.42	Average	15.6	Pass
NVNT	ac20	5745	SUM	5720	-44.98	6.80	-38.18	Peak	27	Pass
NVNT	ac20	5745	SUM	5725	-29.37	6.80	-22.57	Average	27	Pass
NVNT	ac20	5745	SUM	5725	-42.00	6.80	-35.20	Peak	27	Pass
NVNT	ac20	5825	SUM	5850	-36.06	6.80	-29.26	Average	27	Pass
NVNT	ac20	5825	SUM	5850	-44.11	6.80	-37.31	Peak	15.6	Pass
NVNT	ac20	5825	SUM	5855	-36.21	6.80	-29.41	Average	15.6	Pass
NVNT	ac20	5825	SUM	5855	-43.56	6.80	-36.76	Peak	10	Pass
NVNT	ac20	5825	SUM	5875	-35.42	6.80	-28.62	Average	10	Pass
NVNT	ac20	5825	SUM	5875	-44.06	6.80	-37.26	Peak	-27	Pass
NVNT	ac20	5825	SUM	5925	-36.09	6.80	-29.29	Average	-27	Pass
NVNT	ac20	5825	SUM	5925	-43.63	6.80	-36.83	Peak	-27	Pass
NVNT	ac40	5755	SUM	5650	-36.64	6.80	-29.84	Average	-27	Pass
NVNT	ac40	5755	SUM	5650	-43.88	6.80	-37.08	Peak	10	Pass
NVNT	ac40	5755	SUM	5700	-37.25	6.80	-30.45	Average	10	Pass
NVNT	ac40	5755	SUM	5700	-43.90	6.80	-37.10	Peak	15.6	Pass
NVNT	ac40	5755	SUM	5720	-37.44	6.80	-30.64	Average	15.6	Pass
NVNT	ac40	5755	SUM	5720	-44.14	6.80	-37.34	Peak	27	Pass
NVNT	ac40	5755	SUM	5725	-36.77	6.80	-29.97	Average	27	Pass
NVNT	ac40	5755	SUM	5725	-43.29	6.80	-36.49	Peak	27	Pass
NVNT	ac40	5795	SUM	5850	-36.73	6.80	-29.93	Average	27	Pass
NVNT	ac40	5795	SUM	5850	-43.99	6.80	-37.19	Peak	15.6	Pass
NVNT	ac40	5795	SUM	5855	-35.86	6.80	-29.06	Average	15.6	Pass
NVNT	ac40	5795	SUM	5855	-43.44	6.80	-36.64	Peak	10	Pass
NVNT	ac40	5795	SUM	5875	-34.85	6.80	-28.05	Average	10	Pass
NVNT	ac40	5795	SUM	5875	-42.92	6.80	-36.12	Peak	-27	Pass
NVNT	ac40	5795	SUM	5925	-36.74	6.80	-29.94	Average	-27	Pass
NVNT	ac40	5795	SUM	5925	-43.41	6.80	-36.61	Peak	27	Pass
NVNT	ac80	5775	SUM	5850	-37.30	6.80	-30.50	Average	27	Pass
NVNT	ac80	5775	SUM	5850	-42.23	6.80	-35.43	Peak	15.6	Pass
NVNT	ac80	5775	SUM	5855	-36.83	6.80	-30.03	Average	15.6	Pass





NVNT	ac80	5775	SUM	5855	-41.94	6.80	-35.14	Peak	10	Pass
NVNT	ac80	5775	SUM	5875	-35.41	6.80	-28.61	Average	10	Pass
NVNT	ac80	5775	SUM	5875	-42.06	6.80	-35.26	Peak	-27	Pass
NVNT	ac80	5775	SUM	5925	-36.50	6.80	-29.70	Average	-27	Pass
NVNT	ac80	5775	SUM	5925	-42.46	6.80	-35.66	Peak	-27	Pass
NVNT	ac80	5775	SUM	5650	-36.98	6.80	-30.18	Average	-27	Pass
NVNT	ac80	5775	SUM	5650	-42.89	6.80	-36.09	Peak	10	Pass
NVNT	ac80	5775	SUM	5700	-36.49	6.80	-29.69	Average	10	Pass
NVNT	ac80	5775	SUM	5700	-42.14	6.80	-35.34	Peak	15.6	Pass
NVNT	ac80	5775	SUM	5720	-37.27	6.80	-30.47	Average	15.6	Pass
NVNT	ac80	5775	SUM	5720	-42.22	6.80	-35.42	Peak	27	Pass
NVNT	ac80	5775	SUM	5725	-36.88	6.80	-30.08	Average	27	Pass
NVNT	ac80	5775	SUM	5725	-43.00	6.80	-36.20	Peak	-27	Pass
NVNT	ax20	5745	SUM	5650	-37.17	6.80	-30.37	Average	-27	Pass
NVNT	ax20	5745	SUM	5650	-44.82	6.80	-38.02	Peak	10	Pass
NVNT	ax20	5745	SUM	5700	-37.21	6.80	-30.41	Average	10	Pass
NVNT	ax20	5745	SUM	5700	-44.49	6.80	-37.69	Peak	15.6	Pass
NVNT	ax20	5745	SUM	5720	-37.29	6.80	-30.49	Average	15.6	Pass
NVNT	ax20	5745	SUM	5720	-44.79	6.80	-37.99	Peak	27	Pass
NVNT	ax20	5745	SUM	5725	-37.52	6.80	-30.72	Average	27	Pass
NVNT	ax20	5745	SUM	5725	-43.94	6.80	-37.14	Peak	27	Pass
NVNT	ax20	5825	SUM	5850	-35.75	6.80	-28.95	Average	27	Pass
NVNT	ax20	5825	SUM	5850	-43.97	6.80	-37.17	Peak	15.6	Pass
NVNT	ax20	5825	SUM	5855	-36.93	6.80	-30.13	Average	15.6	Pass
NVNT	ax20	5825	SUM	5855	-44.71	6.80	-37.91	Peak	10	Pass
NVNT	ax20	5825	SUM	5875	-37.04	6.80	-30.24	Average	10	Pass
NVNT	ax20	5825	SUM	5875	-43.91	6.80	-37.11	Peak	-27	Pass
NVNT	ax20	5825	SUM	5925	-36.28	6.80	-29.48	Average	-27	Pass
NVNT	ax20	5825	SUM	5925	-44.19	6.80	-37.39	Peak	-27	Pass
NVNT	ax40	5755	SUM	5650	-38.23	6.80	-31.43	Average	-27	Pass
NVNT	ax40	5755	SUM	5650	-44.76	6.80	-37.96	Peak	10	Pass
NVNT	ax40	5755	SUM	5700	-36.58	6.80	-29.78	Average	10	Pass
NVNT	ax40	5755	SUM	5700	-44.38	6.80	-37.58	Peak	15.6	Pass
NVNT	ax40	5755	SUM	5720	-36.93	6.80	-30.13	Average	15.6	Pass
NVNT	ax40	5755	SUM	5720	-44.49	6.80	-37.69	Peak	27	Pass
NVNT	ax40	5755	SUM	5725	-37.84	6.80	-31.04	Average	27	Pass
NVNT	ax40	5755	SUM	5725	-44.82	6.80	-38.02	Peak	27	Pass
NVNT	ax40	5795	SUM	5850	-36.57	6.80	-29.77	Average	27	Pass
NVNT	ax40	5795	SUM	5850	-44.29	6.80	-37.49	Peak	15.6	Pass
NVNT	ax40	5795	SUM	5855	-36.17	6.80	-29.37	Average	15.6	Pass
NVNT	ax40	5795	SUM	5855	-44.43	6.80	-37.63	Peak	10	Pass
NVNT	ax40	5795	SUM	5875	-36.70	6.80	-29.90	Average	10	Pass
NVNT	ax40	5795	SUM	5875	-44.17	6.80	-37.37	Peak	-27	Pass






NVNT	ax40	5795	SUM	5925	-35.79	6.80	-28.99	Average	-27	Pass
NVNT	ax40	5795	SUM	5925	-43.68	6.80	-36.88	Average	27	Pass
NVNT	ax80	5775	SUM	5850	-37.57	6.80	-30.77	Peak	15.6	Pass
NVNT	ax80	5775	SUM	5850	-43.91	6.80	-37.11	Average	15.6	Pass
NVNT	ax80	5775	SUM	5855	-36.47	6.80	-29.67	Peak	10	Pass
NVNT	ax80	5775	SUM	5855	-44.09	6.80	-37.29	Average	10	Pass
NVNT	ax80	5775	SUM	5875	-35.30	6.80	-28.50	Peak	-27	Pass
NVNT	ax80	5775	SUM	5875	-44.14	6.80	-37.34	Average	-27	Pass
NVNT	ax80	5775	SUM	5925	-38.35	6.80	-31.55	Peak	-27	Pass
NVNT	ax80	5775	SUM	5925	-43.66	6.80	-36.86	Average	-27	Pass
NVNT	ax80	5775	SUM	5650	-36.90	6.80	-30.10	Peak	10	Pass
NVNT	ax80	5775	SUM	5650	-44.65	6.80	-37.85	Average	10	Pass
NVNT	ax80	5775	SUM	5700	-36.09	6.80	-29.29	Peak	15.6	Pass
NVNT	ax80	5775	SUM	5700	-44.42	6.80	-37.62	Average	15.6	Pass
NVNT	ax80	5775	SUM	5720	-37.19	6.80	-30.39	Peak	27	Pass
NVNT	ax80	5775	SUM	5720	-44.32	6.80	-37.52	Average	27	Pass
NVNT	ax80	5775	SUM	5725	-37.00	6.80	-30.20	Peak	15.6	Pass
NVNT	ax80	5775	SUM	5725	-44.90	6.80	-38.10	Average	15.6	Pass







Restrict Band NVNT a 5825MHz Ant0 Peak




Restrict Band NVNT a 5825MHz Ant0 Average




Restrict Band NVNT a 5745MHz Ant1 Peak





Restrict Band NVNT a 5745MHz Ant1 Average







Restrict Band NVNT a 5825MHz Ant1 Peak





Restrict Band NVNT a 5825MHz Ant1 Average


















Restrict Band NVNT n40 5755MHz Ant0 Peak




Restrict Band NVNT n40 5755MHz Ant0 Average





Restrict Band NVNT n40 5795MHz Ant0 Average







Restrict Band NVNT n40 5755MHz Ant1 Peak




Restrict Band NVNT n40 5755MHz Ant1 Average














Restrict Band NVNT ac20 5745MHz Ant1 Peak





Restrict Band NVNT ac20 5745MHz Ant1 Average









Restrict Band NVNT ac40 5755MHz Ant0 Average





Restrict Band NVNT ac40 5795MHz Ant0 Average





Restrict Band NVNT ac40 5755MHz Ant1 Peak




Restrict Band NVNT ac40 5755MHz Ant1 Average








Restrict Band NVNT ac80 5775MHz Ant0 Average




Restrict Band NVNT ac80 5775MHz Ant0 Peak




Restrict Band NVNT ac80 5775MHz Ant0 Average



Restrict Band NVNT ac80 5775MHz Ant1 Average




Restrict Band NVNT ac80 5775MHz Ant1 Peak




Restrict Band NVNT ac80 5775MHz Ant1 Average









Restrict Band NVNT ax20 5745MHz Ant0 Peak





Restrict Band NVNT ax20 5745MHz Ant0 Average





Restrict Band NVNT ax20 5825MHz Ant0 Average





Restrict Band NVNT ax20 5825MHz Ant1 Average



Restrict Band NVNT ax40 5755MHz Ant0 Average