


Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5745	Ant1	-32.29	-27	Pass
NVNT	ac20	5745	Ant2	-37.13	-27	Pass
NVNT	ac20	5785	Ant1	-33	-27	Pass
NVNT	ac20	5785	Ant2	-36.72	-27	Pass
NVNT	ac20	5825	Ant1	-32.22	-27	Pass
NVNT	ac20	5825	Ant2	-37.39	-27	Pass
NVNT	ac40	5755	Ant1	-32.96	-27	Pass
NVNT	ac40	5755	Ant2	-37.61	-27	Pass
NVNT	ac40	5795	Ant1	-32.62	-27	Pass
NVNT	ac40	5795	Ant2	-38.18	-27	Pass
NVNT	ac80	5775	Ant1	-32.91	-27	Pass
NVNT	ac80	5775	Ant2	-37.7	-27	Pass
NVNT	n20	5745	Ant1	-32.07	-27	Pass
NVNT	n20	5745	Ant2	-36.92	-27	Pass
NVNT	n20	5785	Ant1	-32.27	-27	Pass
NVNT	n20	5785	Ant2	-36.88	-27	Pass
NVNT	n20	5825	Ant1	-32.88	-27	Pass
NVNT	n20	5825	Ant2	-37.65	-27	Pass
NVNT	n40	5755	Ant1	-32.9	-27	Pass
NVNT	n40	5755	Ant2	-37.05	-27	Pass
NVNT	n40	5795	Ant1	-31.2	-27	Pass
NVNT	n40	5795	Ant2	-37.46	-27	Pass

Test Graphs

Tx. Spurious NVNT ac20 5745MHz Ant1 Emission



Tx. Spurious NVNT ac20 5745MHz Ant2 Emission

