

Part acknowledgement Part Approval Sheet

Customer name:	HANK ELECTRONICS CO., LTD HANKAI ELECTRONICS., LTD
Product Model:	A17
Risuntek P/N:	108.01.00470
Version:	A
Prodcut Name:	A17 antenna-L
Description:	A pair of semi electrolytic copper materials, adhesive backed3M9471, 2.4-2.5GHZ L
Date:	2022/9/1

(Customer Signatures)

(PM)	(ME)	(QE)

(Inner Signatures)

(QE)	(ME)	(RF)

Address: room 211-212, floor 2, Kushi science and technology innovation center, 4006 Wuhe Avenue, Longgang District, Shenzhen

Telephone: 0755-28700082

www.honant.com.cn


Content

- 1、 Preparation / revision of change record
- 2、 Product drawings
- 3、 Description of electrical and mechanical propertie
- 4、 Full size measurement report
- 5、 CPK Report
- 6、 Expanded list of environmental management substan
Parts
- 7、 Reliability test report
- 8、 Packaging specification

1、Preparation / revision of change record

editi on	Revision page	Change time:	Changed by:	Reason and content of change	remarks
A0	—	2022/9/1	Cindy	First issue	8-layer plate
A1					
A2					
A3					
A4					
A5					
A6					


2、Product drawings



Description of electrical and mechanical properties


1. Matching circuit diagram

Antenna circuit matching description






Element	Value
E1	N/C
E2	0Ω
E3	N/C

2. S11 parameters



3、Passive efficiency

Freq[MHz]	Efficiency(%)	Gain(dBi)
	free space	free space
2400	35.1	1.2
2410	35.9	1
2420	36.8	1.2
2430	39.5	1.3
2440	40.2	1.5
2450	40.4	1.4
2460	39.2	1.4
2470	38.6	1.3
2480	37.8	1.2
2490	36.2	1.2
2500	35.3	1.1



4、Active OTA data

L	channel	TRP (dBm)	TIS (dBm)
free space	0	4.74	-90.54
	39	4.38	-90.79
	78	4.42	-90.77
L	channel	TRP (dBm)	TIS (dBm)
Head mold	0	-0.90	-85.02
	39	-0.03	-86.74
	78	0.17	-87.28

4、 Full size measurement report

	code	108.01.00470		Part name	FPC antenna		Specifica tions	A17-L FPC antenna					Material Science	FPC (1 half)
	supplier	Hung Kai wireless		Measuring tools	Two dimensional element		Unit of measureme	MM					Measurement date:	2022.09.01
NO.	Size (DIMENSIO N)	upper limit	+ TOL.	- TOL.	Lower limit	Measured 1	Measured 2	Measured 3	Measured 4	Measured 5	Measured 6	Measured 7	UPPER ≙ 100%	LOWER ≙ 100%
A17-L	14.57	14.72	0.15	0.15	14.42	14.480	14.610	14.660	14.520	14.490	14.610	14.452	60%	79%
	12.71	12.86	0.15	0.15	12.56	12.610	12.720	12.580	12.780	12.770	12.810	12.826	77%	87%

Tabulation: Cindy

to examine: James

Date: 2022/9/1

5、CPK Report

Hongji wireless communication (Shenzhen) Co., Ltd

Project name	A17-L			Customer	HANK ELECTRONICS CO., LTD HANKAI ELECTRONICS.,LTD				
Description	antenna			Inspected	Cindy				
Material	One half electrolytic copper			Inches/MM	mm				
Revision	A			Date	2022/09/01				
Dim. Designator	14.57	12.71							
Upper Limit	14.72	12.86							
Lower Limit	14.42	12.56							
1	14.60	12.70							
2	14.62	12.75							
3	14.64	12.73							
4	14.57	12.70							
5	14.63	12.76							
6	14.56	12.74							
7	14.59	12.75							
8	14.61	12.70							
9	14.56	12.74							
10	14.59	12.72							
11	14.59	12.72							
12	14.63	12.74							
13	14.59	12.71							
14	14.59	12.72							
15	14.62	12.68							
16	14.63	12.74							
17	14.58	12.73							
18	14.56	12.75							
19	14.58	12.73							
20	14.62	12.71							
21	14.61	12.75							
22	14.61	12.68							
23	14.63	12.75							
24	14.64	12.68							
25	14.64	12.74							
26	14.62	12.72							
27	14.55	12.68							
28	14.62	12.68							
29	14.61	12.68							
30	14.57	12.69							
31	14.62	12.71							
32	14.62	12.74							
MAX.	14.64	12.76							
MIN.	14.55	12.68							
AVERAGE	14.60	12.72							
STDEV	0.03	0.03							
CP	1.93	1.98							
Cpk	1.49	1.85							
TOOLING	calipers	calipers							

Prepared by : Aston Checked by : cindy Approved by : James

6、Expanded list of environmental management substance parts

The Parts List of Enviromental Management Substances

Product Information		Supplier Contact Information	
Part name	FPC antenna	Compony Name	Hongji wireless communication (Shenzhen) Co., Ltd
Risuntek P/N	108.01.00470	Contact Name/Title	Aston
Supplier's P/N	A17-L	Date:YY/MM/DD	2022/9/1
Manufacturering site	Dongguan	E-mail address	
Total weight (g)		Tel. No.	13714345069

Report type	Confirmation results	remarks
<input checked="" type="checkbox"/> RoHS 2.0	<input type="checkbox"/>	Metal provides 4 RoHS items and other 10 items CL & br for non-metallic parts Parts in contact with skin According to the latest SVHC list Such as be, pops, PFOS / PFOA, etc Article 17, seal, validity
<input checked="" type="checkbox"/> HF	<input type="checkbox"/>	
<input checked="" type="checkbox"/> CP65	/	
<input checked="" type="checkbox"/> REACH	/	
<input checked="" type="checkbox"/> other ()	/	
<input checked="" type="checkbox"/> MSDS	<input type="checkbox"/>	

No.	Customer item number	Part name	Homogeneous material	Test Report No.	Test Date (YY/MM/DD)	Test result (ppm)												Test report	MSDS		
						Pb	Cd	Hg	Cr6 +	PBB	PBD E	Cl	Br	DEHP	DBP	BBP	DIBP				
1	108.01.00470	base material	Cai lungedi	SHAEC2202460504	2022. 2. 21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			
2		printing ink	Youli black oil	ETR21805816	2021/9/6	ND	ND	ND	ND	ND	ND	434	ND	ND	ND	ND	ND	ND			
3		Gummed paper	3M9471	SHAEC2118730101	2021/9/4	ND	ND	ND	ND	ND	ND	162	ND	ND	ND	ND	ND	ND			
4		gold-plated	Get rich	A2210513116101001E / A2210513116102001E	2021/12/10	ND	ND	ND	ND	ND	ND	124	ND	ND	ND	ND	ND	ND			

5	White ink	Chuan Yu	ETR21A04957M01	2021/10/29	ND	ND	ND	ND	ND	ND	625	ND	ND	ND	ND	ND	 ETR21A04957M01 ZSR-150白色油墨	 MSDS_ZSR-150 白色文字油墨.pdf
---	-----------	----------	----------------	------------	----	----	----	----	----	----	-----	----	----	----	----	----	--	---


7、Reliability test report

customer		HANK ELECTRONICS CO., LTD HANKAI ELECTRONICS., LTD		entry name	A17-L FPC antenna
Test time:		2022/08/26---2022/08/29		Number of tests	5pcs for each test item
Serial number	Test item	Test instrument	test method	Criteria:	determine
1	Salt spray experiment	Salt spray test machine	Put the tested product into a salt spray test machine containing 5% ± 1% NaCl solution for testing. The laboratory temperature is 35 ° , the pressure barrel temperature is 47 ° , the pressure is 1kgf / cm2, and the test is 48 hours. The product is required to be placed at 45 ° , after the test, take out the product, wash it and dry it for inspection	Appearance after test: the appearance is intact without obvious change. Plating: no peeling and rust. Surface spraying and screen printing: it is qualified if there is no falling off and bubble	PASS
2	Thermal Shock	Constant temperature and humidity box	Place the test product flat in the test machine and set the test conditions. The high temperature is 85 °C, and one cycle test is conducted for 24 hours; The low temperature is - 30 °C, the test is conducted for 2 cycles, and the test is started after setting. After the test, recover for 2 hours and take out the product for inspection.	There is no change in color, luster, surface appearance, hardness, scratch, crack, warping and electrical property damage Judged as qualified	PASS
Remark:					
Tabulation: Aston		to examine: Cindy		Approved by: Mao Luping	



8、 Packing

Item No:	108.01.00470	Product Name:	FPC antenna
Product specificati	A17-1 FPC antenna	packaging:	Seal pockets and cartons
Packing quantity:	5000PCS/package	Packing method::	5000pcs / pack, 1-16 packs per box
Packing quantity:	80000PCS		

1、 Small package






FPC antenna (full plate and half cut : 250*200 shipment)



PE bag of a bag 5000PCS

2、 Large package



one cartone 1-8 bat (5000-80000pcs)

3、 Note: FPC products are manufactured by half cutting,

Small package quantity: 5000pcs / bag;

Large package quantity: 5000-80000pcs / box

4. Precautions:

4.1 the storage of products shall ensure that the ambient temperature is between $-10\text{ }^{\circ}\text{C} \sim +24\text{ }^{\circ}\text{C}$, the humidity is less than 90%, the warehouse is free of rain leakage, the ground is moisture-proof, and the surrounding of the warehouse is protected from acid fog and salt fog. The storage period of the product is 180 days;

4.2 the products can be transported by land, water and air, and shall be protected from rain during transportation;

4.3 stacking requirements: XXX;

(other requirements, such as: no throwing from height, etc.)

draw up: Aston

to examine: Cindy

approval: James