

承 认 书

SPECIFICATION APPROVAL SHEET

客 户 :
CUSTOMER _____

客 户 料 号 : 版次:
CUS PART NO _____ REV X1

品 名 / 规格 : RF Antenna(Black) 单重:
SPECIFICATION 2.4~2.5/5.15~5.85GHz 5dBi(SMA) weight _____

供 方 料 号 :
SUP PART NO SLEingA100070196-F47

日 期 :
DATE 2020.05.25

厂 商 核 准 :
SUP APPROVED

核准 APPROVED	审核 CHECKED	品保审核 QA CHECKED	承办 DESIGNED
<i>Henry Pan</i>	<i>JBX</i>	<i>ZQ</i>	<i>Xiaoyang</i>



客 户 核 准 :
CUS APPROVED

核准 APPROVED	审核 CHECKED	品保审核 QA CHECKED	承办 DESIGNED

东莞市森岭智能科技有限公司
DONGGUAN CITY SLEing INTEL-TECH CO., LTD

中国广东省东莞市松山湖工业东路24号现代企业加速器6栋402
Room 402, No. 6 Plant, Accelerator of Modern Enterprise, No, 24 Industry East Road
Songshanlake District, Donguan City, Guangdong Province, China.

Tel: +86-0769-89208968 Fax: +86-0769-89208969

www.sleing.com


正本由承办单位保存

承认书项目表 (Spec Item)



序号(NO.)	项目(Item)	备注(Remarks)	页码 (page number)
1	承认书封面 (Spec Cover)		1
2	承认书项目表 (Spec Item)		2
3	工程成品图 (Drawing)		3
4	电性测试报告 (Test Reports)		4
5	S参数测试 (S Parameter Test)		5
6	方向图 (Patten)		6-7
7	测试设备 (Test Setup)		8
8	测试效率 (Test Efficiency)		9

- explain:
1. The contents of the letter of acknowledgment shall be arranged in order according to the items in the checklist.
 2. The acknowledgement shall be printed according to the customer's requirements, and the SGS report shall be affixed with the engineering seal
 3. After all materials have been confirmed by the customer, any material/process/change that may affect product quality and environmental quality must be renewed The samples can be imported only after being submitted to the customer for confirmation.
 4. SGS report is valid for one year.
 5. Check in the checklist according to the contents of the attachment to the actual letter of acknowledgment: "Yes" means provided, and "No" means provided according to the customer's requirements

REV.	CONTENT	DATE
X1	First Sample	2020.05.25



Specification:
 Frequency Rang:2.4~2.5/5.15~5.85GHz
 Return Loss:-10dB or less
 VSWR:1.92 Max
 Gain:5.0±0.5 dBi



外箱须贴GP标签与物料标签各1PCS

6	Connector	SMA Straight Plug(母针) for RG-178 Cable	塑胶外壳	1
5	Cable	RG-178,Transparency Brown,50Ω		1
4	Rivet	POM,Color:Black		1
3	Bottom Base	PBT,Color:Black		1
2	Upper Base	PC,Color:Black		1
1	Antenna Cap	TPE,Color:Black		1
NO	PART NAME	DESCRIPTION	REMARK	Q'TY

SLEing® 森岭
 东莞市森岭智能科技有限公司
 DONGGUAN SLEing INTEL-TECH CO.,LTD

TOLERANCE UNLESS OTHERWISE SPECIFIED
 UNIT:mm ANGLES ±0.5° X. ±0.3
 SHEET: 1/1 .XX ±0.05 XX. ±0.5
 SCALE: 1/1 XXX. ±2.0

CUSTOMER			
PART NO			
TITLE	RF ANTENNA ASSEMBLY		
S.L P/NO	SLEingA100070196-F47		
SIZE	DRAWN	CHECKED	APPROVED
A4	X. cmy	2020.05.25 BX	Joan





电性测试报告

Test Reports

电气性能(Electrical Properties)	
频率(Frequency)	2.4-2.5/5.15-5.85GHz
阻抗(Impedance)	50 Ohm Nomina
驻波(V.S.W.R)	≤1.92
回波损耗(Return Loss)	-10 dB Max
辐射(Radiation)	全向性(Omni-directional)
增益(Gain)	5.21 dBi
极化(Polarization)	线性(Linear),垂直(Vertical)
功率(Admitted Power)	2 W
物理性能(Physical Properties)	
工作温度(Operating Temp)	-20°C -75°C
存储温度(Storage Temp)	-20°C -75°C


S 参数测试

S Parameter Test

Agilent E5071C Network Analyzer




RF Antenna (NO.1)



方向图 (2.4G)

Pattern


Gain & Patterns test results 3D patterns



方向图 (5.8G)

Pattern



Gain & Patterns test results 3D patterns



东莞市森岭智能科技有限公司

DONGGUAN SLEing INTEL-TECH. CO., LTD

1.2 Test Setup



Configuration of 3D Chamber

测试效率

Test Efficiency

Test PontD	Freq. (MHz)	Gain (dBi)	Efficiency (%)
1	2400.0	4.60	68.70%
2	2410.0	4.28	67.10%
3	2420.0	5.00	69.80%
4	2430.0	4.65	68.00%
5	2440.0	4.39	4.00%
6	2450.0	4.58	67.80%
7	2460.0	4.43	69.30%
8	2470.0	4.57	68.50%
9	2480.0	4.54	67.90%
10	2490.0	4.64	69.40%
11	2500.0	4.44	68.70%
12	5150.0	4.95	67.60%
13	5200.0	4.78	68.20%
14	5250.0	5.00	68.50%
15	5300.0	4.89	69.10%
16	5350.0	4.67	68.40%
17	5400.0	4.76	67.60%
18	5450.0	4.44	68.60%
19	5500.0	4.96	69.10%
20	5550.0	4.92	68.90%
21	5600.0	4.87	67.50%
22	5650.0	5.00	68.20%
23	5700.0	4.97	67.60%
24	5750.0	4.90	68.40%
25	5800.0	4.96	69.80%
26	5850.0	5.00	67.90%

