




11AC20SISO_Ant 0_5240




11AC20SISO_Ant 0_5260




11AC20SISO_Ant 0_5300




11AC20SISO_Ant 0_5320




11AC20SISO_Ant 0_5500




11AC20SISO_Ant 0_5580




11AC20SISO_Ant 0_5700




11AC20SISO_Ant 0_5745




11AC20SISO_Ant 0_5785




11AC20SISO_Ant 0_5825




11AC40SISO_Ant 0_5190




11AC40SISO_Ant 0_5230




11AC40SISO_Ant 0_5270




11AC40SISO_Ant 0_5310




11AC40SISO_Ant 0_5510




11AC40SISO_Ant 0_5550




11AC40SISO_Ant 0_5670




11AC40SISO_Ant 0_5755




11AC40SISO_Ant 0_5795




11AC80SISO_Ant 0_5210




11AC80SISO_Ant 0_5290




11AC80SISO_Ant 0_5530




11AC80SISO_Ant 0_5775




11AX20SISO_Ant 0_5180




11AX20SISO_Ant 0_5220




11AX20SISO_Ant 0_5240




11AX20SISO_Ant 0_5260




11AX20SISO_Ant 0_5300




11AX20SISO_Ant 0_5320




11AX20SISO_Ant 0_5500




11AX20SISO_Ant 0_5580




11AX20SISO_Ant 0_5700




11AX20SISO_Ant 0_5745




11AX20SISO_Ant 0_5785




11AX20SISO_Ant 0_5825




11AX40SISO_Ant 0_5190




11AX40SISO_Ant 0_5230




11AX40SISO_Ant 0_5270




11AX40SISO_Ant 0_5310




11AX40SISO_Ant 0_5510




11AX40SISO_Ant 0_5550




11AX40SISO_Ant 0_5670




11AX40SISO_Ant 0_5755




11AX40SISO_Ant 0_5795




11AX80SISO_Ant 0_5210




11AX80SISO_Ant 0_5290



11AX80SISO_Ant 0_5530



11AX80SISO_Ant 0_5775



Appendix C: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant 0	5180	---	13.75	95.21	0.21	13.96	≤23.98	PASS
		5220	---	13.25	95.86	0.18	13.43	≤23.98	PASS
		5240	---	13.23	95.89	0.18	13.41	≤23.98	PASS
		5260	---	13.39	95.89	0.18	13.57	≤23.98	PASS
		5300	---	13.42	95.89	0.18	13.60	≤23.98	PASS
		5320	---	13.27	95.86	0.18	13.45	≤23.98	PASS
		5500	---	14.26	95.89	0.18	14.44	≤23.98	PASS
		5580	---	13.86	95.89	0.18	14.04	≤23.98	PASS
		5700	---	12.63	95.21	0.21	12.84	≤23.98	PASS
		5745	---	11.06	95.89	0.18	11.24	≤30.00	PASS
		5785	---	12.25	95.89	0.18	12.43	≤30.00	PASS
		5825	---	13.85	95.89	0.18	14.03	≤30.00	PASS
11N20SI SO	Ant 0	5180	---	13.72	94.89	0.23	13.95	≤23.98	PASS
		5220	---	12.24	95.62	0.19	12.43	≤23.98	PASS
		5240	---	12.05	95.62	0.19	12.24	≤23.98	PASS
		5260	---	12.56	95.59	0.20	12.76	≤23.98	PASS
		5300	---	11.90	95.59	0.20	12.10	≤23.98	PASS
		5320	---	11.77	95.62	0.19	11.96	≤23.98	PASS
		5500	---	12.64	95.62	0.19	12.83	≤23.98	PASS
		5580	---	12.61	95.59	0.20	12.81	≤23.98	PASS
		5700	---	12.40	95.62	0.19	12.59	≤23.98	PASS
		5745	---	11.44	95.62	0.19	11.63	≤30.00	PASS
		5785	---	12.55	95.59	0.20	12.75	≤30.00	PASS
		5825	---	13.38	95.62	0.19	13.57	≤30.00	PASS
11N40SI SO	Ant 0	5190	---	12.95	91.55	0.38	13.33	≤23.98	PASS
		5230	---	12.33	91.55	0.38	12.71	≤23.98	PASS
		5270	---	11.62	91.55	0.38	12.00	≤23.98	PASS
		5310	---	11.80	91.43	0.39	12.19	≤23.98	PASS
		5510	---	12.87	91.43	0.39	13.26	≤23.98	PASS
		5550	---	12.73	91.43	0.39	13.12	≤23.98	PASS
		5670	---	12.68	91.43	0.39	13.07	≤23.98	PASS
		5755	---	10.68	91.43	0.39	11.07	≤30.00	PASS
		5795	---	11.75	91.55	0.38	12.13	≤30.00	PASS
11AC20S ISO	Ant 0	5180	---	13.70	95.62	0.19	13.89	≤23.98	PASS
		5220	---	12.39	95.62	0.19	12.58	≤23.98	PASS
		5240	---	12.36	95.62	0.19	12.55	≤23.98	PASS

		5260	---	12.07	95.62	0.19	12.26	≤23.98	PASS
		5300	---	11.96	95.59	0.20	12.16	≤23.98	PASS
		5320	---	11.77	95.62	0.19	11.96	≤23.98	PASS
		5500	---	12.82	95.62	0.19	13.01	≤23.98	PASS
		5580	---	12.55	94.89	0.23	12.78	≤23.98	PASS
		5700	---	11.60	95.59	0.20	11.80	≤23.98	PASS
		5745	---	10.62	94.89	0.23	10.85	≤30.00	PASS
		5785	---	11.70	94.89	0.23	11.93	≤30.00	PASS
		5825	---	13.40	95.62	0.19	13.59	≤30.00	PASS
11AC40S ISO	Ant 0	5190	---	12.97	91.55	0.38	13.35	≤23.98	PASS
		5230	---	12.37	91.55	0.38	12.75	≤23.98	PASS
		5270	---	11.96	91.55	0.38	12.34	≤23.98	PASS
		5310	---	11.81	91.55	0.38	12.19	≤23.98	PASS
		5510	---	12.78	91.55	0.38	13.16	≤23.98	PASS
		5550	---	12.74	91.55	0.38	13.12	≤23.98	PASS
		5670	---	12.75	91.55	0.38	13.13	≤23.98	PASS
		5755	---	10.53	91.43	0.39	10.92	≤30.00	PASS
		5795	---	11.65	91.55	0.38	12.03	≤30.00	PASS
11AC80S ISO	Ant 0	5210	---	13.04	94.64	0.24	13.28	≤23.98	PASS
		5290	---	11.98	95.54	0.20	12.18	≤23.98	PASS
		5530	---	12.97	95.54	0.20	13.17	≤23.98	PASS
		5775	---	11.50	94.64	0.24	11.74	≤30.00	PASS
11AX20SI SO	Ant 0	5180	---	13.72	95.59	0.20	13.92	≤23.98	PASS
		5220	---	12.58	94.89	0.23	12.81	≤23.98	PASS
		5240	---	12.59	95.62	0.19	12.78	≤23.98	PASS
		5260	---	12.50	95.59	0.20	12.70	≤23.98	PASS
		5300	---	12.14	95.62	0.19	12.33	≤23.98	PASS
		5320	---	11.66	95.62	0.19	11.85	≤23.98	PASS
		5500	---	12.89	94.89	0.23	13.12	≤23.98	PASS
		5580	---	12.65	95.62	0.19	12.84	≤23.98	PASS
		5700	---	11.61	95.62	0.19	11.80	≤23.98	PASS
		5745	---	10.62	95.62	0.19	10.81	≤30.00	PASS
		5785	---	11.71	95.62	0.19	11.90	≤30.00	PASS
5825	---	13.48	95.62	0.19	13.67	≤30.00	PASS		
11AX40SI SO	Ant 0	5190	---	13.03	91.43	0.39	13.42	≤23.98	PASS
		5230	---	12.50	91.43	0.39	12.89	≤23.98	PASS
		5270	---	12.18	91.43	0.39	12.57	≤23.98	PASS
		5310	---	11.94	91.43	0.39	12.33	≤23.98	PASS
		5510	---	12.77	91.43	0.39	13.16	≤23.98	PASS
		5550	---	12.73	91.43	0.39	13.12	≤23.98	PASS
		5670	---	12.78	91.55	0.38	13.16	≤23.98	PASS
		5755	---	10.62	91.55	0.38	11.00	≤30.00	PASS
		5795	---	11.63	91.55	0.38	12.01	≤30.00	PASS

11AX80SI SO	Ant 0	5210	---	12.97	94.64	0.24	13.21	≤23.98	PASS
		5290	---	12.09	95.54	0.20	12.29	≤23.98	PASS
		5530	---	12.89	94.64	0.24	13.13	≤23.98	PASS
		5775	---	11.43	94.64	0.24	11.67	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.

Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant 0	5180	3.58	≤11.00	PASS
		5220	2.9	≤11.00	PASS
		5240	2.55	≤11.00	PASS
		5260	3.07	≤11.00	PASS
		5300	3.47	≤11.00	PASS
		5320	3.22	≤11.00	PASS
		5500	4.03	≤11.00	PASS
		5580	3.66	≤11.00	PASS
		5700	2.43	≤11.00	PASS
		5745	-1.97	≤30.00	PASS
		5785	-0.75	≤30.00	PASS
		5825	0.8	≤30.00	PASS
11N20SISO	Ant 0	5180	3.26	≤11.00	PASS
		5220	1.42	≤11.00	PASS
		5240	1.23	≤11.00	PASS
		5260	2.16	≤11.00	PASS
		5300	1.6	≤11.00	PASS
		5320	1.37	≤11.00	PASS
		5500	2.21	≤11.00	PASS
		5580	2.25	≤11.00	PASS
		5700	1.99	≤11.00	PASS
		5745	-1.81	≤30.00	PASS
		5785	-0.7	≤30.00	PASS
		5825	0.07	≤30.00	PASS
11N40SISO	Ant 0	5190	-0.24	≤11.00	PASS
		5230	-0.91	≤11.00	PASS
		5270	-1.93	≤11.00	PASS
		5310	-1.12	≤11.00	PASS
		5510	-0.35	≤11.00	PASS
		5550	-0.35	≤11.00	PASS
		5670	-0.46	≤11.00	PASS
		5755	-5.24	≤30.00	PASS
		5795	-4.24	≤30.00	PASS
11AC20SISO	Ant 0	5180	3.2	≤11.00	PASS
		5220	1.76	≤11.00	PASS
		5240	1.53	≤11.00	PASS
		5260	1.33	≤11.00	PASS

		5300	1.74	≤11.00	PASS
		5320	1.37	≤11.00	PASS
		5500	2.44	≤11.00	PASS
		5580	2.23	≤11.00	PASS
		5700	1.24	≤11.00	PASS
		5745	-2.53	≤30.00	PASS
		5785	-1.53	≤30.00	PASS
		5825	0.15	≤30.00	PASS
11AC40SISO	Ant 0	5190	-0.31	≤11.00	PASS
		5230	-0.75	≤11.00	PASS
		5270	-1.48	≤11.00	PASS
		5310	-1.37	≤11.00	PASS
		5510	-0.42	≤11.00	PASS
		5550	-0.42	≤11.00	PASS
		5670	-0.32	≤11.00	PASS
		5755	-5.46	≤30.00	PASS
		5795	-4.18	≤30.00	PASS
11AC80SISO	Ant 0	5210	-2.57	≤11.00	PASS
		5290	-3.8	≤11.00	PASS
		5530	-2.61	≤11.00	PASS
		5775	-6.4	≤30.00	PASS
11AX20SISO	Ant 0	5180	3.19	≤11.00	PASS
		5220	2.11	≤11.00	PASS
		5240	2.04	≤11.00	PASS
		5260	1.89	≤11.00	PASS
		5300	1.51	≤11.00	PASS
		5320	1.3	≤11.00	PASS
		5500	2.61	≤11.00	PASS
		5580	2.31	≤11.00	PASS
		5700	1.1	≤11.00	PASS
		5745	-2.62	≤30.00	PASS
		5785	-1.45	≤30.00	PASS
		5825	0.36	≤30.00	PASS
11AX40SISO	Ant 0	5190	-0.21	≤11.00	PASS
		5230	-0.69	≤11.00	PASS
		5270	-1.14	≤11.00	PASS
		5310	-1.42	≤11.00	PASS
		5510	-0.36	≤11.00	PASS
		5550	-0.39	≤11.00	PASS
		5670	-0.35	≤11.00	PASS
		5755	-5.31	≤30.00	PASS
		5795	-4.26	≤30.00	PASS
11AX80SISO	Ant 0	5210	-1.99	≤11.00	PASS

		5290	-3.2	≤11.00	PASS
		5530	-1.94	≤11.00	PASS
		5775	-5.33	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs


11A_Ant 0_5180




11A_Ant 0_5220



11A_Ant 0_5240



11A_Ant 0_5260



11A_Ant 0_5300

