



11AX20SISO_Ant 0_5785




11AX20SISO_Ant 0_5825



11AX40SISO_Ant 0_5190



11AX40SISO_Ant 0_5230



11AX40SISO_Ant 0_5270



11AX40SISO_Ant 0_5310



11AX40SISO_Ant 0_5510



11AX40SISO_Ant 0_5550




11AX40SISO_Ant 0_5670



11AX40SISO_Ant 0_5755



11AX40SISO_Ant 0_5795



11AX80SISO_Ant 0_5210



11AX80SISO_Ant 0_5290



11AX80SISO_Ant 0_5530



11AX80SISO_Ant 0_5775



Appendix E: Band edge measurements

Test Result B1/2/3

TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant 0	Low	5180	-46.85	≤-27	PASS
		High	5320	-47	≤-27	PASS
		Low	5500	-43.51	≤-27	PASS
		High	5700	-42.29	≤-27	PASS
11N20SISO	Ant 0	Low	5180	-46.72	≤-27	PASS
		High	5320	-48.59	≤-27	PASS
		Low	5500	-47.45	≤-27	PASS
		High	5700	-42.61	≤-27	PASS
11N40SISO	Ant 0	Low	5190	-45.28	≤-27	PASS
		High	5310	-47.11	≤-27	PASS
		Low	5510	-43.9	≤-27	PASS
		High	5670	-44.3	≤-27	PASS
11AC20SISO	Ant 0	Low	5180	-47.06	≤-27	PASS
		High	5320	-48.27	≤-27	PASS
		Low	5500	-46.97	≤-27	PASS
		High	5700	-44.22	≤-27	PASS
11AC40SISO	Ant 0	Low	5190	-45.62	≤-27	PASS
		High	5310	-47.28	≤-27	PASS
		Low	5510	-44.52	≤-27	PASS
		High	5670	-42.05	≤-27	PASS
11AC80SISO	Ant 0	Low	5210	-42.46	≤-27	PASS
		High	5290	-46.39	≤-27	PASS
		Low	5530	-42.2	≤-27	PASS
11AX20SISO	Ant 0	Low	5180	-45.95	≤-27	PASS
		High	5320	-48.01	≤-27	PASS
		Low	5500	-47.76	≤-27	PASS
		High	5700	-44.22	≤-27	PASS
11AX40SISO	Ant 0	Low	5190	-45.42	≤-27	PASS
		High	5310	-47.68	≤-27	PASS
		Low	5510	-43.83	≤-27	PASS
		High	5670	-43.52	≤-27	PASS
11AX80SISO	Ant 0	Low	5210	-40.19	≤-27	PASS
		High	5290	-41.53	≤-27	PASS
		Low	5530	-39.59	≤-27	PASS

Test Result B4


TestMode	Antenna	ChName	Frequency[FreqRange	Result	Limit	Verdict
----------	---------	--------	------------	-----------	--------	-------	---------

			[MHz]	[MHz]	[dBm]	[dBm]	
11A	Ant 0	Low	5745	5650~5700	-48.17	≤-3.89	PASS
				5700~5720	-43.17	≤15.05	PASS
				5720~5725	-38.39	≤26.04	PASS
				5760~5650	-49.46	≤-27	PASS
		High	5825	5850~5855	-40.49	≤19.80	PASS
				5855~5875	-43.48	≤10.32	PASS
				5875~5925	-47.95	≤-14.97	PASS
				5925~5935	-48.42	≤-27	PASS
11N20SI SO	Ant 0	Low	5745	5650~5700	-49.03	≤-26.45	PASS
				5700~5720	-42.67	≤15.34	PASS
				5720~5725	-37.55	≤26.04	PASS
				5760~5650	-49.34	≤-27	PASS
		High	5825	5850~5855	-41.31	≤18.26	PASS
				5855~5875	-43.36	≤10.44	PASS
				5875~5925	-47.12	≤-5.28	PASS
				5925~5935	-47.71	≤-27	PASS
11N40SI SO	Ant 0	Low	5755	5650~5700	-43.07	≤8.16	PASS
				5700~5720	-39.57	≤13.50	PASS
				5720~5725	-36.56	≤18.81	PASS
				5780~5650	-49.61	≤-27	PASS
		High	5795	5850~5855	-43.89	≤18.29	PASS
				5855~5875	-46.33	≤11.06	PASS
				5875~5925	-47.75	≤-19.60	PASS
				5925~5935	-48.04	≤-27	PASS
11AC20S ISO	Ant 0	Low	5745	5650~5700	-48.3	≤-10.11	PASS
				5700~5720	-43.94	≤15.50	PASS
				5720~5725	-39.89	≤26.83	PASS
				5760~5650	-49.85	≤-27	PASS
		High	5825	5850~5855	-40.66	≤18.26	PASS
				5855~5875	-43.05	≤10.21	PASS
				5875~5925	-47.51	≤-7.48	PASS
				5925~5935	-47.68	≤-27	PASS
11AC40S ISO	Ant 0	Low	5755	5650~5700	-44.95	≤8.16	PASS
				5700~5720	-40.05	≤11.72	PASS
				5720~5725	-37.98	≤21.58	PASS
				5780~5650	-49.32	≤-27	PASS
		High	5795	5850~5855	-46.09	≤18.29	PASS
				5855~5875	-46.88	≤10.59	PASS
				5875~5925	-46.9	≤-13.37	PASS
				5925~5935	-47.79	≤-27	PASS
11AC80S ISO	Ant 0	Low	5775	5650~5700	-41.8	≤9.45	PASS
				5700~5720	-39.1	≤14.35	PASS


				5720~5725	-38.93	≤24.13	PASS
				5800~5650	-47.83	≤-27	PASS
		High	5775	5850~5855	-38.79	≤18.32	PASS
				5855~5875	-40.84	≤10.07	PASS
				5875~5925	-44.62	≤-25.04	PASS
				5925~5935	-47.67	≤-27	PASS
11AX20SI SO	Ant 0	Low	5745	5650~5700	-48.55	≤-21.17	PASS
				5700~5720	-43.16	≤15.11	PASS
				5720~5725	-38.5	≤23.94	PASS
				5760~5650	-49.07	≤-27	PASS
		High	5825	5850~5855	-40.33	≤16.10	PASS
				5855~5875	-43.45	≤10.17	PASS
				5875~5925	-47.32	≤9.31	PASS
				5925~5935	-48.51	≤-27	PASS
11AX40SI SO	Ant 0	Low	5755	5650~5700	-44	≤8.16	PASS
				5700~5720	-39.17	≤13.46	PASS
				5720~5725	-35.63	≤18.81	PASS
				5780~5650	-49.65	≤-27	PASS
		High	5795	5850~5855	-43.78	≤21.30	PASS
				5855~5875	-46.11	≤12.07	PASS
				5875~5925	-47.39	≤-20.21	PASS
				5925~5935	-48.26	≤-27	PASS
11AX80SI SO	Ant 0	Low	5775	5650~5700	-42.55	≤-0.88	PASS
				5700~5720	-38.24	≤15.22	PASS
				5720~5725	-38.09	≤20.59	PASS
				5800~5650	-47.21	≤-27	PASS
		High	5775	5850~5855	-38.88	≤17.48	PASS
				5855~5875	-41.19	≤10.28	PASS
				5875~5925	-44.34	≤-24.22	PASS
				5925~5935	-48.02	≤-27	PASS

Test Graphs B1/2/3

11A_Ant 0_Low_5180



11A_Ant 0_High_5320



11A_Ant 0_Low_5500




11A_Ant 0_High_5700




11N20SISO_Ant 0_Low_5180



11N20SISO_Ant 0_High_5320




11N20SISO_Ant 0_Low_5500



11N20SISO_Ant 0_High_5700




11N40SISO_Ant 0_Low_5190



11N40SISO_Ant 0_High_5310




11N40SISO_Ant 0_Low_5510




11N40SISO_Ant 0_High_5670




11AC20SISO_Ant 0_Low_5180



11AC20SISO_Ant 0_High_5320




11AC20SISO_Ant 0_Low_5500



11AC20SISO_Ant 0_High_5700




11AC40SISO_Ant 0_Low_5190



11AC40SISO_Ant 0_High_5310




11AC40SISO_Ant 0_Low_5510




11AC40SISO_Ant 0_High_5670




11AC80SISO_Ant 0_Low_5210




11AC80SISO_Ant 0_High_5290




11AC80SISO_Ant 0_Low_5530




11AX20SISO_Ant 0_Low_5180



11AX20SISO_Ant 0_High_5320




11AX20SISO_Ant 0_Low_5500




11AX20SISO_Ant 0_High_5700




11AX40SISO_Ant 0_Low_5190



11AX40SISO_Ant 0_High_5310




11AX40SISO_Ant 0_Low_5510




11AX40SISO_Ant 0_High_5670




11AX80SISO_Ant 0_Low_5210



11AX80SISO_Ant 0_High_5290



11AX80SISO_Ant 0_Low_5530



Test Graphs B4

11A_Ant 0_Low_5745




11A_Ant 0_High_5825



11N20SISO_Ant 0_Low_5745



11N20SISO_Ant 0_High_5825



11N40SISO_Ant 0_Low_5755

