


Test Mode	UNII-2C_TX AC(VHT20) Mode 5700 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 X	5700.600	65.38	41.37	106.75	68.20	38.55	AVG	No Limit
2 *	5701.000	72.39	41.37	113.76	68.20	45.56	peak	No Limit
3	5725.000	20.17	41.43	61.60	68.20	-6.60	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11019.980	46.41	-0.82	45.59	54.00	-8.41	AVG	
2	11019.935	54.83	-0.82	54.01	74.00	-19.99	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5510 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	14.18	40.80	54.98	74.00	-19.02	peak	
2		5460.000	8.25	40.80	49.05	54.00	-4.95	AVG	
3		5470.000	17.62	40.82	58.44	68.20	-9.76	peak	
4	*	5508.600	69.27	40.90	110.17	68.20	41.97	peak	No Limit
5	X	5509.000	63.44	40.90	104.34	68.20	36.14	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5550 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11099.950	45.29	-0.81	44.48	54.00	-9.52	AVG	
2		11100.005	53.66	-0.81	52.85	74.00	-21.15	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11339.930	45.73	-0.78	44.95	54.00	-9.05	AVG	
2		11339.685	54.41	-0.78	53.63	74.00	-20.37	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5670 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5671.200	63.66	41.30	104.96	68.20	36.76	AVG	No Limit
2	*	5671.600	70.71	41.30	112.01	68.20	43.81	peak	No Limit
3		5725.000	15.37	41.43	56.80	68.20	-11.40	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11059.985	45.38	-0.82	44.56	54.00	-9.44	AVG	
2	11059.905	54.32	-0.82	53.50	74.00	-20.50	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5530 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	16.10	40.80	56.90	74.00	-17.10	peak	
2	5460.000	8.75	40.80	49.55	54.00	-4.45	AVG	
3	5470.000	16.81	40.82	57.63	68.20	-10.57	peak	
4 *	5528.400	66.94	40.94	107.88	68.20	39.68	peak	No Limit
5 X	5528.800	60.30	40.94	101.24	68.20	33.04	AVG	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	11219.955	46.36	-0.80	45.56	54.00	-8.44	AVG	
2	11219.750	54.99	-0.80	54.19	74.00	-19.81	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5610 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5611.200	59.96	41.15	101.11	68.20	32.91	AVG	No Limit
2	*	5611.600	66.83	41.15	107.98	68.20	39.78	peak	No Limit
3		5725.000	15.75	41.43	57.18	68.20	-11.02	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Vertical
-----------	-------------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11139.930	45.66	-0.81	44.85	54.00	-9.15	AVG	
2		11139.865	54.33	-0.81	53.52	74.00	-20.48	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AC(VHT160) Mode 5570 MHz	Polarization	Horizontal
-----------	-------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5439.600	18.79	40.76	59.55	74.00	-14.45	peak	
2		5439.600	12.79	40.76	53.55	54.00	-0.45	AVG	
3		5460.000	17.12	40.80	57.92	74.00	-16.08	peak	
4		5460.000	12.04	40.80	52.84	54.00	-1.16	AVG	
5		5470.000	18.54	40.82	59.36	68.20	-8.84	peak	
6	*	5559.600	64.48	41.02	105.50	68.20	37.30	peak	No Limit
7	X	5579.600	58.00	41.08	99.08	68.20	30.88	AVG	No Limit
8		5725.000	16.72	41.43	58.15	68.20	-10.05	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11000.050	42.50	-0.83	41.67	54.00	-12.33	AVG	
2		11001.605	53.84	-0.83	53.01	74.00	-20.99	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5500 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	5460.000	13.15	40.80	53.95	74.00	-20.05	peak	
2	5460.000	7.60	40.80	48.40	54.00	-5.60	AVG	
3	5470.000	15.49	40.82	56.31	68.20	-11.89	peak	
4 *	5499.200	73.34	40.87	114.21	68.20	46.01	peak	No Limit
5 X	5499.400	65.78	40.87	106.65	68.20	38.45	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5580 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11158.375	56.26	-0.82	55.44	74.00	-18.56	peak	
2	*	11159.790	43.09	-0.82	42.27	54.00	-11.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11400.125	43.16	-0.78	42.38	54.00	-11.62	AVG	
2		11401.975	54.02	-0.78	53.24	74.00	-20.76	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE20) Mode 5700 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5698.800	73.07	41.37	114.44	68.20	46.24	peak	No Limit
2	X	5700.800	65.34	41.37	106.71	68.20	38.51	AVG	No Limit
3		5725.000	16.29	41.43	57.72	68.20	-10.48	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11019.915	43.35	-0.82	42.53	54.00	-11.47	AVG	
2	11020.085	53.61	-0.82	52.79	74.00	-21.21	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5510 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	15.30	40.80	56.10	74.00	-17.90	peak	
2	5460.000	8.05	40.80	48.85	54.00	-5.15	AVG	
3	5470.000	17.08	40.82	57.90	68.20	-10.30	peak	
4 *	5510.800	69.54	40.90	110.44	68.20	42.24	peak	No Limit
5 X	5510.800	63.40	40.90	104.30	68.20	36.10	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5550 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11099.850	43.86	-0.81	43.05	54.00	-10.95	AVG	
2		11100.180	53.13	-0.81	52.32	74.00	-21.68	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11339.945	44.78	-0.78	44.00	54.00	-10.00	AVG	
2	11340.105	54.37	-0.78	53.59	74.00	-20.41	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE40) Mode 5670 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5670.800	71.09	41.29	112.38	68.20	44.18	peak	No Limit
2	X	5670.800	63.64	41.29	104.93	68.20	36.73	AVG	No Limit
3		5725.000	15.37	41.43	56.80	68.20	-11.40	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11060.000	45.30	-0.82	44.48	54.00	-9.52	AVG	
2		11059.735	53.73	-0.82	52.91	74.00	-21.09	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5530 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	16.10	40.80	56.90	74.00	-17.10	peak	
2	5460.000	8.75	40.80	49.55	54.00	-4.45	AVG	
3	5470.000	16.81	40.82	57.63	68.20	-10.57	peak	
4 *	5528.400	66.94	40.94	107.88	68.20	39.68	peak	No Limit
5 X	5528.800	60.30	40.94	101.24	68.20	33.04	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11219.990	46.83	-0.80	46.03	54.00	-7.97	AVG	
2		11219.865	54.77	-0.80	53.97	74.00	-20.03	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE80) Mode 5610 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5611.200	59.96	41.15	101.11	68.20	32.91	AVG	No Limit
2	*	5611.600	66.83	41.15	107.98	68.20	39.78	peak	No Limit
3		5725.000	15.75	41.43	57.18	68.20	-11.02	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Vertical
-----------	------------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11139.945	46.09	-0.81	45.28	54.00	-8.72	AVG	
2	11139.970	54.00	-0.81	53.19	74.00	-20.81	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-2C_TX AX(HE160) Mode 5570 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5450.800	19.27	40.78	60.05	74.00	-13.95	peak	
2	5450.800	12.30	40.78	53.08	54.00	-0.92	AVG	
3	5460.000	20.04	40.80	60.84	74.00	-13.16	peak	
4	5460.000	12.20	40.80	53.00	54.00	-1.00	AVG	
5	5470.000	19.85	40.82	60.67	68.20	-7.53	peak	
6 *	5560.400	66.49	41.02	107.51	68.20	39.31	peak	No Limit
7 X	5571.600	57.82	41.06	98.88	68.20	30.68	AVG	No Limit
8	5725.000	15.79	41.43	57.22	68.20	-10.98	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11487.715	54.98	-0.77	54.21	74.00	-19.79	peak	
2	*	11488.470	44.44	-0.77	43.67	54.00	-10.33	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5745 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	16.73	41.41	58.14	109.40	-51.26	peak	
2	5725.000	20.12	41.43	61.55	122.20	-60.65	peak	
3 *	5745.600	73.76	41.48	115.24	122.20	-6.96	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5785 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11568.505	44.40	-0.82	43.58	54.00	-10.42	AVG	
2		11569.465	55.24	-0.82	54.42	74.00	-19.58	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11648.300	44.48	-0.86	43.62	54.00	-10.38	AVG	
2		11652.155	54.96	-0.86	54.10	74.00	-19.90	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX A Mode 5825 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.000	73.77	41.68	115.45	122.20	-6.75	peak	No Limit
2	5850.000	12.28	41.74	54.02	122.20	-68.18	peak	
3	5860.000	15.34	41.76	57.10	109.40	-52.30	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11488.905	44.31	-0.77	43.54	54.00	-10.46	AVG	
2	11490.940	54.41	-0.76	53.65	74.00	-20.35	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5745 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	13.72	41.41	55.13	109.40	-54.27	peak	
2	5725.000	17.86	41.43	59.29	122.20	-62.91	peak	
3 *	5746.800	73.04	41.49	114.53	122.20	-7.67	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5785 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.000	54.26	-0.82	53.44	74.00	-20.56	peak	
2	*	11570.000	43.76	-0.82	42.94	54.00	-11.06	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT20) Mode 5825 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.800	71.02	41.68	112.70	122.20	-9.50	peak	No Limit
2		5850.000	13.69	41.74	55.43	122.20	-66.77	peak	
3		5860.000	14.16	41.76	55.92	109.40	-53.48	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11510.005	44.37	-0.77	43.60	54.00	-10.40	AVG	
2		11509.900	53.90	-0.77	53.13	74.00	-20.87	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5755 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	15.48	41.41	56.89	109.40	-52.51	peak	
2	5725.000	16.89	41.43	58.32	122.20	-63.88	peak	
3 *	5756.000	70.66	41.51	112.17	122.20	-10.03	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11590.045	44.33	-0.83	43.50	54.00	-10.50	AVG	
2		11590.125	54.29	-0.83	53.46	74.00	-20.54	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT40) Mode 5795 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5797.400	71.35	41.61	112.96	122.20	-9.24	peak	No Limit
2	5850.000	16.66	41.74	58.40	122.20	-63.80	peak	
3	5860.000	15.01	41.76	56.77	109.40	-52.63	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Vertical
-----------	-----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11549.910	44.80	-0.80	44.00	54.00	-10.00	AVG	
2		11550.065	54.15	-0.80	53.35	74.00	-20.65	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AC(VHT80) Mode 5775 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	19.73	41.41	61.14	109.40	-48.26	peak	
2	5725.000	20.87	41.43	62.30	122.20	-59.90	peak	
3 *	5777.000	68.88	41.56	110.44	122.20	-11.76	peak	No Limit
4	5850.000	14.97	41.74	56.71	122.20	-65.49	peak	
5	5860.000	15.68	41.76	57.44	109.40	-51.96	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11489.090	54.95	-0.77	54.18	74.00	-19.82	peak	
2	*	11491.810	43.56	-0.77	42.79	54.00	-11.21	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5745 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	13.34	41.41	54.75	109.40	-54.65	peak	
2		5725.000	19.04	41.43	60.47	122.20	-61.73	peak	
3	*	5747.000	73.62	41.49	115.11	122.20	-7.09	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5785 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11569.980	45.06	-0.82	44.24	54.00	-9.76	AVG	
2		11570.780	55.60	-0.82	54.78	74.00	-19.22	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11653.140	56.17	-0.86	55.31	74.00	-18.69	peak	
2 *	11653.860	46.94	-0.87	46.07	54.00	-7.93	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE20) Mode 5825 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5826.600	75.40	41.68	117.08	122.20	-5.12	peak	No Limit
2	5850.000	16.03	41.74	57.77	122.20	-64.43	peak	
3	5860.000	14.07	41.76	55.83	109.40	-53.57	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11509.890	44.39	-0.77	43.62	54.00	-10.38	AVG	
2		11510.120	53.89	-0.77	53.12	74.00	-20.88	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5755 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	16.86	41.41	58.27	109.40	-51.13	peak	
2		5725.000	18.03	41.43	59.46	122.20	-62.74	peak	
3 *		5755.800	71.13	41.51	112.64	122.20	-9.56	peak	No Limit

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11590.030	44.31	-0.83	43.48	54.00	-10.52	AVG	
2		11590.125	54.21	-0.83	53.38	74.00	-20.62	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE40) Mode 5795 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.800	71.31	41.61	112.92	122.20	-9.28	peak	No Limit
2	5850.000	19.28	41.74	61.02	122.20	-61.18	peak	
3	5860.000	15.75	41.76	57.51	109.40	-51.89	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Vertical
-----------	----------------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11549.805	53.90	-0.80	53.10	74.00	-20.90	peak	
2	*	11549.990	44.43	-0.80	43.63	54.00	-10.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	UNII-3_TX AX(HE80) Mode 5775 MHz	Polarization	Horizontal
-----------	----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	23.39	41.41	64.80	109.40	-44.60	peak	
2	5725.000	21.09	41.43	62.52	122.20	-59.68	peak	
3 *	5775.800	68.49	41.56	110.05	122.20	-12.15	peak	No Limit
4	5850.000	16.50	41.74	58.24	122.20	-63.96	peak	
5	5860.000	17.46	41.76	59.22	109.40	-50.18	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Test Mode	UNII-2C_TX A Mode 5720 MHz	Polarization	Horizontal
-----------	----------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5460.000	15.50	40.80	56.30	74.00	-17.70	peak	
2		5460.000	8.06	40.80	48.86	54.00	-5.14	AVG	
3		5470.000	15.64	40.82	56.46	68.20	-11.74	peak	
4	*	5719.400	73.12	41.41	114.53	68.20	46.33	peak	No Limit
5	X	5720.600	65.55	41.42	106.97	68.20	38.77	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AC(VHT20) Mode 5720 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5460.000	15.68	40.80	56.48	74.00	-17.52	peak	
2		5460.000	8.17	40.80	48.97	54.00	-5.03	AVG	
3		5470.000	16.29	40.82	57.11	68.20	-11.09	peak	
4	X	5720.600	66.11	41.42	107.53	68.20	39.33	AVG	No Limit
5	*	5721.200	72.93	41.43	114.36	68.20	46.16	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AC(VHT40) Mode 5710 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	5460.000	15.79	40.80	56.59	74.00	-17.41	peak	
2	5460.000	8.16	40.80	48.96	54.00	-5.04	AVG	
3	5470.000	16.04	40.82	56.86	68.20	-11.34	peak	
4 *	5708.800	73.39	41.39	114.78	68.20	46.58	peak	No Limit
5 X	5711.200	66.69	41.39	108.08	68.20	39.88	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AC(VHT80) Mode 5690 MHz	Polarization	Horizontal
-----------	------------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	5460.000	16.02	40.80	56.82	74.00	-17.18	peak	
2	5460.000	8.17	40.80	48.97	54.00	-5.03	AVG	
3	5470.000	15.76	40.82	56.58	68.20	-11.62	peak	
4 X	5691.200	64.65	41.35	106.00	68.20	37.80	AVG	No Limit
5 *	5691.800	71.82	41.35	113.17	68.20	44.97	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE20) Mode 5720 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5460.000	14.83	40.80	55.63	74.00	-18.37	peak	
2		5460.000	8.08	40.80	48.88	54.00	-5.12	AVG	
3		5470.000	15.98	40.82	56.80	68.20	-11.40	peak	
4	*	5719.400	75.18	41.41	116.59	68.20	48.39	peak	No Limit
5	X	5720.600	65.42	41.42	106.84	68.20	38.64	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE40) Mode 5710 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	5460.000	16.46	40.80	57.26	74.00	-16.74	peak	
2	5460.000	8.12	40.80	48.92	54.00	-5.08	AVG	
3	5470.000	15.85	40.82	56.67	68.20	-11.53	peak	
4 X	5710.600	64.43	41.39	105.82	68.20	37.62	AVG	No Limit
5 *	5711.200	72.46	41.39	113.85	68.20	45.65	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	UNII-2C_TX AX(HE80) Mode 5690 MHz	Polarization	Horizontal
-----------	-----------------------------------	--------------	------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	5460.000	16.94	40.80	57.74	74.00	-16.26	peak	
2	5460.000	8.14	40.80	48.94	54.00	-5.06	AVG	
3	5470.000	16.35	40.82	57.17	68.20	-11.03	peak	
4 *	5691.200	72.70	41.35	114.05	68.20	45.85	peak	No Limit
5 X	5691.200	64.53	41.35	105.88	68.20	37.68	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3.
The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges.
The band edges are considered to be 5.47 GHz and 5.85 GHz. In addition, the actual limit of the U-NII-3's band edge 5.850GHz is 122.20dBuV/m, so the result of this item should be pass.

Test Mode	TX A Mode 5720 MHz	Polarization	Horizontal
-----------	--------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		11439.802	51.87	-0.77	51.10	74.00	-22.90	peak	
2	*	11440.050	41.50	-0.77	40.73	54.00	-13.27	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT20) Mode 5720 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		11439.832	54.44	-0.77	53.67	74.00	-20.33	peak	
2	*	11439.942	44.59	-0.77	43.82	54.00	-10.18	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT40) Mode 5710 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	11439.965	44.72	-0.77	43.95	54.00	-10.05	AVG	
2		11440.080	54.18	-0.77	53.41	74.00	-20.59	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AC(VHT80) Mode 5690 MHz	Polarization	Vertical
-----------	----------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		11379.980	53.78	-0.79	52.99	74.00	-21.01	peak	
2	*	11379.980	44.42	-0.79	43.63	54.00	-10.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE20) Mode 5720 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	11439.865	44.61	-0.77	43.84	54.00	-10.16	AVG	
2		11439.965	54.96	-0.77	54.19	74.00	-19.81	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 5710 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	11419.920	43.84	-0.78	43.06	54.00	-10.94	AVG	
2		11420.105	53.84	-0.78	53.06	74.00	-20.94	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE80) Mode 5690 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	11379.815	54.01	-0.79	53.22	74.00	-20.78	peak	
2 *	11379.885	44.58	-0.79	43.79	54.00	-10.21	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


APPENDIX E - BANDWIDTH

Test Mode		UNII-1_TX A Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	19.288	16.400
40	5200	19.289	16.400
48	5240	19.247	16.400

CH36




Date: 16-SEP-2022 14:46:09

CH40
26 dB Bandwidth



Date: 16-SEP-2022 14:47:22

CH48




Date: 16-SEP-2022 14:48:27


99 % Occupied Bandwidth



Date: 16-SEP-2022 14:47:21




Date: 16-SEP-2022 14:46:33




Date: 16-SEP-2022 14:47:42

Test Mode		UNII-1_TX AC(VHT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.250	17.600
40	5200	20.399	17.600
48	5240	20.699	17.600

CH36




Date: 26.SEP.2022 09:16:53

CH40
26 dB Bandwidth



Date: 20.SEP.2022 09:19:58

CH48




Date: 20.SEP.2022 09:20:58


99 % Occupied Bandwidth



Date: 26.SEP.2022 09:16:07



Date: 20.SEP.2022 09:19:11




Date: 20.SEP.2022 09:20:14


Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.700	36.200
46	5230	39.209	36.200

CH38




Date: 20/SEP/2022 09:25:23


CH46
26 dB Bandwidth


Date: 20/SEP/2022 09:26:01

99 % Occupied Bandwidth



Date: 20/SEP/2022 09:24:36




Date: 20/SEP/2022 09:25:46

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	81.190	75.200

CH42 26 dB Bandwidth



Date: 20.SEP.2022 09:48:07


99 % Occupied Bandwidth




Date: 20.SEP.2022 09:47:06

Test Mode		UNII-1_TX AX(HE20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.050	18.900
40	5200	21.150	18.900
48	5240	20.950	18.900

CH36




Date: 26.SEP.2022 09:56:42

CH40
26 dB Bandwidth



Date: 20.SEP.2022 09:57:48

CH48




Date: 20.SEP.2022 09:59:02


99 % Occupied Bandwidth



Date: 26.SEP.2022 09:55:57



Date: 20.SEP.2022 09:57:04




Date: 20.SEP.2022 09:58:19

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	82.800	77.200

CH42 26 dB Bandwidth



Date: 20.SEP.2022 10:44:57


99 % Occupied Bandwidth




Date: 20.SEP.2022 10:44:01

Test Mode		UNII-2A_TX A Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.698	16.400
60	5300	20.050	16.400
64	5320	19.808	16.400

CH52




Date: 16-SEP-2022 14:50:46

CH60
26 dB Bandwidth



Date: 16-SEP-2022 14:51:54

CH64




Date: 16-SEP-2022 14:53:08


99 % Occupied Bandwidth



Date: 16-SEP-2022 14:50:01




Date: 16-SEP-2022 14:51:09




Date: 16-SEP-2022 14:52:21

Test Mode		UNII-2A_TX AC(VHT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.689	17.600
60	5300	20.709	17.600
64	5320	21.000	17.600

CH52




Date: 26.SEP.2022 09:22:47

CH60
26 dB Bandwidth



Date: 20.SEP.2022 09:23:50

CH64




Date: 20.SEP.2022 09:24:54


99 % Occupied Bandwidth



Date: 26.SEP.2022 09:22:50



Date: 20.SEP.2022 09:23:55




Date: 20.SEP.2022 09:24:50

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.200	75.200

CH58 26 dB Bandwidth



Date: 20.SEP.2022 09:49:11


99 % Occupied Bandwidth




Date: 20.SEP.2022 09:49:16

Test Mode	UNII-2A_TX AX(HE20) Mode		
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.950	18.900
60	5300	21.190	18.900
64	5320	20.849	18.900

CH52




Date: 26-SEP-2022 10:00:16

CH60
26 dB Bandwidth



Date: 20-SEP-2022 10:01:45

CH64




Date: 20-SEP-2022 10:04:59


99 % Occupied Bandwidth



Date: 26-SEP-2022 09:59:35



Date: 20-SEP-2022 10:01:00




Date: 20-SEP-2022 10:04:14


Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.300	37.800
62	5310	39.700	37.800

CH54




Date: 20/SEP/2022 10:53:14


CH62
26 dB Bandwidth


Date: 20/SEP/2022 10:54:26

99 % Occupied Bandwidth



Date: 20/SEP/2022 10:53:30




Date: 20/SEP/2022 10:53:41

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.400	76.800

CH58 26 dB Bandwidth



Date: 20.SEP.2022 10:47:06

99 % Occupied Bandwidth




Date: 20.SEP.2022 10:46:11

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	164.000	155.200

CH50 26 dB Bandwidth



Date: 16.SEP.2022 11:51:38

99 % Occupied Bandwidth




Date: 16.SEP.2022 11:50:48

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	164.000	155.200

CH50 26 dB Bandwidth



Date: 16.SEP.2022 14:40:06

99 % Occupied Bandwidth




Date: 16.SEP.2022 14:39:15


Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.798	16.400
116	5580	20.189	16.400
140	5700	19.789	16.500
144	5720	15.100	16.400

CH100




Date: 16.SEP.2022 14:54:18

CH116
26 dB Bandwidth



Date: 16.SEP.2022 14:55:21

CH140




Date: 16.SEP.2022 14:56:11


99 % Occupied Bandwidth




Date: 16.SEP.2022 14:53:33




Date: 16.SEP.2022 14:54:17



Date: 16.SEP.2022 14:55:44

CH144
26 dB Bandwidth



Date: 7.SEP.2022 14:41:30

CH144
99 % Occupied Bandwidth



Date: 7.SEP.2022 14:09:57

Test Mode		UNII-2C_TX AC(VHT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.550	17.600
116	5580	20.550	17.600
140	5700	20.699	17.600
144	5720	15.200	17.700

CH100




Date: 20.SEP.2022 09:12:00

CH116
26 dB Bandwidth



Date: 20.SEP.2022 09:12:06

CH140




Date: 20.SEP.2022 09:12:06


99 % Occupied Bandwidth




Date: 20.SEP.2022 09:12:15




Date: 20.SEP.2022 09:12:23



Date: 20.SEP.2022 09:12:20

CH144
26 dB Bandwidth



Date: 7.SEP.2022 14:43:14

CH144
99 % Occupied Bandwidth



Date: 7.SEP.2022 14:43:22

Test Mode		UNII-2C_TX AC(VHT40) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.999	36.200
110	5550	39.300	36.200
134	5670	39.600	36.200
142	5710	34.600	36.200

CH102




Date: 20.SEP.2022 09:40:52

CH110
26 dB Bandwidth



Date: 20.SEP.2022 09:41:54

CH134




Date: 20.SEP.2022 09:43:05


99 % Occupied Bandwidth




Date: 20.SEP.2022 09:40:09




Date: 20.SEP.2022 09:41:09



Date: 20.SEP.2022 09:42:20

CH142
26 dB Bandwidth



Date: 7.SEP.2022 14:39:15

CH142
99 % Occupied Bandwidth



Date: 7.SEP.2022 14:33:08

Test Mode		UNII-2C_TX AC(VHT80) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.400	75.200
122	5610	81.400	75.200
138	5690	75.800	75.200

CH106




Date: 26.SEP.2022 09:51:01

CH122
26 dB Bandwidth



Date: 20.SEP.2022 09:52:28

CH138




Date: 7.SEP.2022 14:47:57


99 % Occupied Bandwidth



Date: 26.SEP.2022 09:50:04



Date: 20.SEP.2022 09:51:31




Date: 7.SEP.2022 14:47:13

Test Mode	UNII-2C_TX AC(VHT160) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.400	154.400

CH114 26 dB Bandwidth



Date: 16-SEP-2022 11:50:08

99 % Occupied Bandwidth




Date: 16-SEP-2022 11:50:15


Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.790	18.900
116	5580	20.889	18.900
140	5700	20.899	18.900
144	5720	15.500	18.900

CH100




Date: 20.SEP.2022 10:08:26

CH116
26 dB Bandwidth



Date: 20.SEP.2022 10:07:28

CH140




Date: 20.SEP.2022 10:08:47


99 % Occupied Bandwidth




Date: 20.SEP.2022 10:07:40




Date: 20.SEP.2022 10:06:54



Date: 20.SEP.2022 10:08:01

CH144
26 dB Bandwidth



Date: 7.SEP.2022 16:33:51

CH144
99 % Occupied Bandwidth



Date: 7.SEP.2022 14:51:15

Test Mode		UNII-2C_TX AX(HE40) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.100	37.800
110	5550	40.209	37.800
134	5670	39.800	38.000
142	5710	34.800	38.000

CH102




Date: 20.SEP.2022 10:17:43

CH110
26 dB Bandwidth



Date: 20.SEP.2022 10:17:07

CH134




Date: 20.SEP.2022 10:18:20


99 % Occupied Bandwidth




Date: 20.SEP.2022 10:17:43




Date: 20.SEP.2022 10:16:24



Date: 20.SEP.2022 10:17:36

CH142
26 dB Bandwidth



Date: 7.SEP.2022 14:56:21

CH142
99 % Occupied Bandwidth


Date: 7.SEP.2022 14:55:19


Test Mode	UNII-2C_TX AX(HE80) Mode		
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	82.200	77.200
122	5610	82.798	76.800
138	5690	76.200	76.800

CH106




Date: 20.SEP.2022 10:48:51

CH122
26 dB Bandwidth




Date: 20.SEP.2022 10:50:22

CH138




Date: 7.SEP.2022 15:12:46


99 % Occupied Bandwidth



Date: 20.SEP.2022 10:47:53



Date: 20.SEP.2022 10:49:25




Date: 7.SEP.2022 15:12:00

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	162.406	156.000

CH114 26 dB Bandwidth



Date: 16-SEP-2022 14:41:32


99 % Occupied Bandwidth




Date: 16-SEP-2022 14:40:34

Test Mode		UNII-3_TX A Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.150	16.400	0.5	Complies
157	5785	15.150	16.400	0.5	Complies
165	5825	15.250	16.400	0.5	Complies

CH149




Date: 16.SEP.2022 14:57:54

CH157
6 dB Bandwidth



Date: 16.SEP.2022 15:00:13

CH165




Date: 16.SEP.2022 15:01:16


99 % Occupied Bandwidth



Date: 16.SEP.2022 14:57:54




Date: 16.SEP.2022 14:59:23




Date: 16.SEP.2022 15:00:27

Test Mode		UNII-3_TX AC(VHT20) Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.650	17.600	0.5	Complies
157	5785	15.800	17.600	0.5	Complies
165	5825	15.050	17.600	0.5	Complies

CH149




Date: 20.SEP.2022 09:29:21

CH157
6 dB Bandwidth



Date: 20.SEP.2022 09:30:31

CH165




Date: 20.SEP.2022 09:32:22


99 % Occupied Bandwidth



Date: 20.SEP.2022 09:29:31



Date: 20.SEP.2022 09:29:43




Date: 20.SEP.2022 09:31:31

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	70.790	75.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 20.SEP.2022 09:53:59


99 % Occupied Bandwidth




Date: 20.SEP.2022 09:52:42

Test Mode		UNII-3_TX AX(HE20) Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.000	18.900	0.5	Complies
157	5785	13.090	18.800	0.5	Complies
165	5825	15.099	18.900	0.5	Complies

CH149




Date: 26.SEP.2022 10:11:07

CH157
6 dB Bandwidth



Date: 20.SEP.2022 10:12:32

CH165




Date: 20.SEP.2022 10:14:42


99 % Occupied Bandwidth



Date: 26.SEP.2022 10:11:08



Date: 20.SEP.2022 10:11:28




Date: 20.SEP.2022 10:13:50

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.590	37.800	0.5	Complies
159	5795	37.200	37.800	0.5	Complies

CH151




Date: 20/SEP/2022 10:40:57

CH159 6 dB Bandwidth




Date: 20/SEP/2022 10:42:10

99 % Occupied Bandwidth



Date: 20/SEP/2022 10:40:10




Date: 20/SEP/2022 10:41:22

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.196	76.800	0.5	Complies

CH155
6 dB Bandwidth



Date: 20.SEP.2022 19:54:10

99 % Occupied Bandwidth



Date: 20.SEP.2022 10:52:59

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.03	0.38	20.41	30.00	1.0000	Complies
40	5200	20.01	0.38	20.39	30.00	1.0000	Complies
48	5240	19.94	0.38	20.32	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.68	0.38	20.06	30.00	1.0000	Complies
40	5200	19.48	0.38	19.86	30.00	1.0000	Complies
48	5240	19.42	0.38	19.80	30.00	1.0000	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.24	30.00	1.0000	Complies
40	5200	23.14	30.00	1.0000	Complies
48	5240	23.07	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.59	0.71	20.30	30.00	1.0000	Complies
40	5200	19.61	0.71	20.32	30.00	1.0000	Complies
48	5240	19.55	0.71	20.26	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.36	0.71	20.07	30.00	1.0000	Complies
40	5200	19.38	0.71	20.09	30.00	1.0000	Complies
48	5240	19.32	0.71	20.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.19	30.00	1.0000	Complies
40	5200	23.21	30.00	1.0000	Complies
48	5240	23.15	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.35	0.50	19.85	30.00	1.0000	Complies
46	5230	19.86	0.50	20.36	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.22	0.50	19.72	30.00	1.0000	Complies
46	5230	19.53	0.50	20.03	30.00	1.0000	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.79	30.00	1.0000	Complies
46	5230	23.21	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.04	0.35	20.39	30.00	1.0000	Complies
40	5200	20.08	0.35	20.43	30.00	1.0000	Complies
48	5240	20.11	0.35	20.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.76	0.35	20.11	30.00	1.0000	Complies
40	5200	19.79	0.35	20.14	30.00	1.0000	Complies
48	5240	19.83	0.35	20.18	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.27	30.00	1.0000	Complies
40	5200	23.30	30.00	1.0000	Complies
48	5240	23.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.52	0.72	20.24	30.00	1.0000	Complies
46	5230	19.97	0.72	20.69	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.11	0.72	19.83	30.00	1.0000	Complies
46	5230	19.63	0.72	20.35	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.05	30.00	1.0000	Complies
46	5230	23.54	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.28	0.52	18.80	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.96	0.52	18.48	30.00	1.0000	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.66	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.96	0.38	20.34	30.00	1.0000	Complies
40	5200	20.02	0.38	20.40	30.00	1.0000	Complies
48	5240	20.08	0.38	20.46	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.75	0.38	20.13	30.00	1.0000	Complies
40	5200	19.83	0.38	20.21	30.00	1.0000	Complies
48	5240	19.89	0.38	20.27	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.24	30.00	1.0000	Complies
40	5200	23.31	30.00	1.0000	Complies
48	5240	23.37	30.00	1.0000	Complies