

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.45	0.38	18.83	30.00	1.0000	Complies
46	5230	19.96	0.38	20.34	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.27	0.38	18.65	30.00	1.0000	Complies
46	5230	19.75	0.38	20.13	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.75	30.00	1.0000	Complies
46	5230	23.24	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.62	0.38	19.00	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.27	0.38	18.65	30.00	1.0000	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.84	30.00	1.0000	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.87	0.38	15.25	23.98	0.2500	Complies
60	5300	14.48	0.38	14.86	23.98	0.2500	Complies
64	5320	14.49	0.38	14.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.32	0.38	14.70	23.98	0.2500	Complies
60	5300	14.04	0.38	14.42	23.98	0.2500	Complies
64	5320	14.07	0.38	14.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.99	23.98	0.2500	Complies
60	5300	17.65	23.98	0.2500	Complies
64	5320	17.67	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.15	0.71	15.86	23.98	0.2500	Complies
60	5300	15.22	0.71	15.93	23.98	0.2500	Complies
64	5320	15.25	0.71	15.96	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.90	0.71	15.61	23.98	0.2500	Complies
60	5300	14.98	0.71	15.69	23.98	0.2500	Complies
64	5320	15.00	0.71	15.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.74	23.98	0.2500	Complies
60	5300	18.82	23.98	0.2500	Complies
64	5320	18.84	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.97	0.50	17.47	23.98	0.2500	Complies
62	5310	17.53	0.50	18.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.66	0.50	17.16	23.98	0.2500	Complies
62	5310	17.20	0.50	17.70	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.33	23.98	0.2500	Complies
62	5310	20.88	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.74	0.35	16.09	23.98	0.2500	Complies
60	5300	15.73	0.35	16.08	23.98	0.2500	Complies
64	5320	15.84	0.35	16.19	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.43	0.35	15.78	23.98	0.2500	Complies
60	5300	15.42	0.35	15.77	23.98	0.2500	Complies
64	5320	15.55	0.35	15.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.95	23.98	0.2500	Complies
60	5300	18.94	23.98	0.2500	Complies
64	5320	19.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.04	0.72	17.76	23.98	0.2500	Complies
62	5310	17.61	0.72	18.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.78	0.72	17.50	23.98	0.2500	Complies
62	5310	17.17	0.72	17.89	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.64	23.98	0.2500	Complies
62	5310	21.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.62	0.52	19.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.48	0.52	19.00	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.52	0.38	16.90	23.98	0.2500	Complies
60	5300	17.16	0.38	17.54	23.98	0.2500	Complies
64	5320	17.16	0.38	17.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.24	0.38	16.62	23.98	0.2500	Complies
60	5300	16.87	0.38	17.25	23.98	0.2500	Complies
64	5320	16.97	0.38	17.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.77	23.98	0.2500	Complies
60	5300	20.40	23.98	0.2500	Complies
64	5320	20.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.49	0.38	17.87	23.98	0.2500	Complies
62	5310	17.25	0.38	17.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	17.31	0.38	17.69	23.98	0.2500	Complies
62	5310	17.05	0.38	17.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.79	23.98	0.2500	Complies
62	5310	20.54	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.26	0.38	19.64	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.93	0.38	19.31	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.49	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.36	0.54	19.90	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.02	0.54	19.56	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.75	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.24	0.42	19.66	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.93	0.42	19.35	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	22.52	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.21	0.38	14.59	23.98	0.2500	Complies
116	5580	14.09	0.38	14.47	23.98	0.2500	Complies
140	5700	14.14	0.38	14.52	23.98	0.2500	Complies
144	5720	14.28	0.38	14.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.81	0.38	14.19	23.98	0.2500	Complies
116	5580	13.71	0.38	14.09	23.98	0.2500	Complies
140	5700	13.79	0.38	14.17	23.98	0.2500	Complies
144	5720	14.32	0.38	14.70	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.40	23.98	0.2500	Complies
116	5580	17.29	23.98	0.2500	Complies
140	5700	17.35	23.98	0.2500	Complies
144	5720	17.69	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.56	0.71	15.27	23.98	0.2500	Complies
116	5580	14.62	0.71	15.33	23.98	0.2500	Complies
140	5700	14.67	0.71	15.38	23.98	0.2500	Complies
144	5720	14.44	0.71	15.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.20	0.71	14.91	23.98	0.2500	Complies
116	5580	14.30	0.71	15.01	23.98	0.2500	Complies
140	5700	14.32	0.71	15.03	23.98	0.2500	Complies
144	5720	14.13	0.71	14.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.10	23.98	0.2500	Complies
116	5580	18.18	23.98	0.2500	Complies
140	5700	18.22	23.98	0.2500	Complies
144	5720	18.00	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.40	0.50	17.90	23.98	0.2500	Complies
110	5550	17.41	0.50	17.91	23.98	0.2500	Complies
134	5670	17.47	0.50	17.97	23.98	0.2500	Complies
142	5710	17.72	0.50	18.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.17	0.50	17.67	23.98	0.2500	Complies
110	5550	17.07	0.50	17.57	23.98	0.2500	Complies
134	5670	17.28	0.50	17.78	23.98	0.2500	Complies
142	5710	17.39	0.50	17.89	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.79	23.98	0.2500	Complies
110	5550	20.75	23.98	0.2500	Complies
134	5670	20.88	23.98	0.2500	Complies
142	5710	21.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.95	0.35	15.30	23.98	0.2500	Complies
116	5580	15.03	0.35	15.38	23.98	0.2500	Complies
140	5700	15.06	0.35	15.41	23.98	0.2500	Complies
144	5720	15.02	0.35	15.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.78	0.35	15.13	23.98	0.2500	Complies
116	5580	14.73	0.35	15.08	23.98	0.2500	Complies
140	5700	14.82	0.35	15.17	23.98	0.2500	Complies
144	5720	14.76	0.35	15.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.23	23.98	0.2500	Complies
116	5580	18.25	23.98	0.2500	Complies
140	5700	18.30	23.98	0.2500	Complies
144	5720	18.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.43	0.72	18.15	23.98	0.2500	Complies
110	5550	17.47	0.72	18.19	23.98	0.2500	Complies
134	5670	17.49	0.72	18.21	23.98	0.2500	Complies
142	5710	17.78	0.72	18.50	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.19	0.72	17.91	23.98	0.2500	Complies
110	5550	17.31	0.72	18.03	23.98	0.2500	Complies
134	5670	17.29	0.72	18.01	23.98	0.2500	Complies
142	5710	17.43	0.72	18.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.04	23.98	0.2500	Complies
110	5550	21.12	23.98	0.2500	Complies
134	5670	21.12	23.98	0.2500	Complies
142	5710	21.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.49	0.52	20.01	23.98	0.2500	Complies
122	5610	20.08	0.52	20.60	23.98	0.2500	Complies
138	5690	19.96	0.52	20.48	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.21	0.52	19.73	23.98	0.2500	Complies
122	5610	19.82	0.52	20.34	23.98	0.2500	Complies
138	5690	19.71	0.52	20.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.88	23.98	0.2500	Complies
122	5610	23.48	23.98	0.2500	Complies
138	5690	23.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.13	0.54	20.67	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.92	0.54	20.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.58	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.58	0.38	15.96	23.98	0.2500	Complies
116	5580	15.66	0.38	16.04	23.98	0.2500	Complies
140	5700	15.72	0.38	16.10	23.98	0.2500	Complies
144	5720	14.78	0.38	15.16			

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.11	0.38	15.49	23.98	0.2500	Complies
116	5580	15.19	0.38	15.57	23.98	0.2500	Complies
140	5700	15.43	0.38	15.81	23.98	0.2500	Complies
144	5720	14.54	0.38	14.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.74	23.98	0.2500	Complies
116	5580	18.82	23.98	0.2500	Complies
140	5700	18.96	23.98	0.2500	Complies
144	5720	18.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.58	0.38	17.96	23.98	0.2500	Complies
110	5550	17.13	0.38	17.51	23.98	0.2500	Complies
134	5670	17.04	0.38	17.42	23.98	0.2500	Complies
142	5710	17.53	0.38	17.91	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.29	0.38	17.67	23.98	0.2500	Complies
110	5550	16.95	0.38	17.33	23.98	0.2500	Complies
134	5670	16.87	0.38	17.25	23.98	0.2500	Complies
142	5710	17.27	0.38	17.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.82	23.98	0.2500	Complies
110	5550	20.43	23.98	0.2500	Complies
134	5670	20.34	23.98	0.2500	Complies
142	5710	20.79	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.64	0.38	20.02	23.98	0.2500	Complies
122	5610	20.08	0.38	20.46	23.98	0.2500	Complies
138	5690	19.87	0.38	20.25	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.36	0.38	19.74	23.98	0.2500	Complies
122	5610	19.76	0.38	20.14	23.98	0.2500	Complies
138	5690	19.55	0.38	19.93	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.89	23.98	0.2500	Complies
122	5610	23.31	23.98	0.2500	Complies
138	5690	23.10	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	20.24	0.42	20.66	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	19.93	0.42	20.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	23.52	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.32	0.38	20.70	30.00	1.0000	Complies
157	5785	20.26	0.38	20.64	30.00	1.0000	Complies
165	5825	20.12	0.38	20.50	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.92	0.38	20.30	30.00	1.0000	Complies
157	5785	19.93	0.38	20.31	30.00	1.0000	Complies
165	5825	19.85	0.38	20.23	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.51	30.00	1.0000	Complies
157	5785	23.48	30.00	1.0000	Complies
165	5825	23.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.45	0.71	20.16	30.00	1.0000	Complies
157	5785	19.37	0.71	20.08	30.00	1.0000	Complies
165	5825	19.39	0.71	20.10	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.10	0.71	19.81	30.00	1.0000	Complies
157	5785	19.04	0.71	19.75	30.00	1.0000	Complies
165	5825	19.08	0.71	19.79	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.00	30.00	1.0000	Complies
157	5785	22.92	30.00	1.0000	Complies
165	5825	22.95	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.08	0.50	20.58	30.00	1.0000	Complies
159	5795	20.03	0.50	20.53	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.82	0.50	20.32	30.00	1.0000	Complies
159	5795	19.93	0.50	20.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.46	30.00	1.0000	Complies
159	5795	23.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.83	0.35	20.18	30.00	1.0000	Complies
157	5785	19.95	0.35	20.30	30.00	1.0000	Complies
165	5825	19.98	0.35	20.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.45	0.35	19.80	30.00	1.0000	Complies
157	5785	19.53	0.35	19.88	30.00	1.0000	Complies
165	5825	19.62	0.35	19.97	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.01	30.00	1.0000	Complies
157	5785	23.11	30.00	1.0000	Complies
165	5825	23.17	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.08	0.72	20.80	30.00	1.0000	Complies
159	5795	20.13	0.72	20.85	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.85	0.72	20.57	30.00	1.0000	Complies
159	5795	19.89	0.72	20.61	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.70	30.00	1.0000	Complies
159	5795	23.74	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.15	0.52	20.67	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.88	0.52	20.40	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.92	0.38	20.30	30.00	1.0000	Complies
157	5785	19.98	0.38	20.36	30.00	1.0000	Complies
165	5825	20.05	0.38	20.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.68	0.38	20.06	30.00	1.0000	Complies
157	5785	19.74	0.38	20.12	30.00	1.0000	Complies
165	5825	19.83	0.38	20.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.19	30.00	1.0000	Complies
157	5785	23.25	30.00	1.0000	Complies
165	5825	23.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.24	0.38	20.62	30.00	1.0000	Complies
159	5795	20.31	0.38	20.69	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.93	0.38	20.31	30.00	1.0000	Complies
159	5795	20.05	0.38	20.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.47	30.00	1.0000	Complies
159	5795	23.57	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.11	0.38	20.49	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.92	0.38	20.30	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.41	30.00	1.0000	Complies

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode UNII-1_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.42	0.38	10.80	14.75	Complies
40	5200	10.25	0.38	10.63	14.75	Complies
48	5240	9.98	0.38	10.36	14.75	Complies



Test Mode UNII-1_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.30	0.38	10.68	14.75	Complies
40	5200	10.57	0.38	10.95	14.75	Complies
48	5240	10.50	0.38	10.88	14.75	Complies



Test Mode		UNII-1_TX A Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.75	14.75	Complies
40	5200	13.80	14.75	Complies
48	5240	13.63	14.75	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.73	0.35	10.08	14.75	Complies
40	5200	9.83	0.35	10.18	14.75	Complies
48	5240	9.57	0.35	9.92	14.75	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	10.26	0.35	10.61	14.75	Complies
40	5200	10.21	0.35	10.56	14.75	Complies
48	5240	10.33	0.35	10.68	14.75	Complies




Test Mode		UNII-1_TX AC(VHT20) Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.37	14.75	Complies
40	5200	13.39	14.75	Complies
48	5240	13.33	14.75	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.26	0.72	7.98	14.75	Complies
46	5230	8.14	0.72	8.86	14.75	Complies

CH38



Date: 16-SEP-2022 11:01:16

CH46




Date: 16-SEP-2022 11:02:01

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.74	0.72	8.46	14.75	Complies
46	5230	8.21	0.72	8.93	14.75	Complies

CH38



Date: 16-SEP-2022 11:02:56

CH46




Date: 16-SEP-2022 11:03:36

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.24	14.75	Complies
46	5230	11.91	14.75	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.00	0.52	3.52	14.75	Complies



Date: 16-SEP-2022 11:16:58

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.37	0.52	3.89	14.75	Complies




Date: 16-SEP-2022 11:23:25

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.72	14.75	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.48	0.38	8.86	14.75	Complies
40	5200	8.45	0.38	8.83	14.75	Complies
48	5240	8.12	0.38	8.50	14.75	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.01	0.38	9.39	14.75	Complies
40	5200	9.01	0.38	9.39	14.75	Complies
48	5240	9.07	0.38	9.45	14.75	Complies




Test Mode		UNII-1_TX AX(HE20) Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.14	14.75	Complies
40	5200	12.12	14.75	Complies
48	5240	12.01	14.75	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.97	0.38	6.35	14.75	Complies
46	5230	7.57	0.38	7.95	14.75	Complies

CH38



Date: 16-SEP-2022 14:07:28

CH46




Date: 16-SEP-2022 14:06:18

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.60	0.38	6.98	14.75	Complies
46	5230	8.02	0.38	8.40	14.75	Complies

CH38



Date: 16-SEP-2022 14:09:09

CH46




Date: 16-SEP-2022 14:09:51

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.68	14.75	Complies
46	5230	11.19	14.75	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.92	0.38	4.30	14.75	Complies



Date: 16-SEP-2022 14:25:04

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.14	0.38	4.52	14.75	Complies



Date: 16-SEP-2022 14:26:10


Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.42	14.75	Complies

Test Mode UNII-2A_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.68	0.38	5.06	8.75	Complies
60	5300	4.34	0.38	4.72	8.75	Complies
64	5320	3.98	0.38	4.36	8.75	Complies

CH52




Date: 16-SEP-2022 10:05:27

CH60



Date: 16-SEP-2022 10:05:55

CH64




Date: 16-SEP-2022 10:06:25

Test Mode UNII-2A_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.09	0.38	5.47	8.75	Complies
60	5300	4.87	0.38	5.25	8.75	Complies
64	5320	4.93	0.38	5.31	8.75	Complies

CH52




Date: 16-SEP-2022 10:29:45

CH60



Date: 16-SEP-2022 10:29:15

CH64




Date: 16-SEP-2022 10:29:44

Test Mode		UNII-2A_TX A Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.28	8.75	Complies
60	5300	8.00	8.75	Complies
64	5320	7.87	8.75	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.87	0.35	5.22	8.75	Complies
60	5300	4.67	0.35	5.02	8.75	Complies
64	5320	4.47	0.35	4.82	8.75	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.31	0.35	5.66	8.75	Complies
60	5300	5.04	0.35	5.39	8.75	Complies
64	5320	5.07	0.35	5.42	8.75	Complies




Test Mode		UNII-2A_TX AC(VHT20) Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.46	8.75	Complies
60	5300	8.22	8.75	Complies
64	5320	8.14	8.75	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.18	0.72	4.90	8.75	Complies
62	5310	4.48	0.72	5.20	8.75	Complies

CH54



Date: 16,SEP,2022 11:16:25

CH62




Date: 16,SEP,2022 11:16:56

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.68	0.72	5.40	8.75	Complies
62	5310	5.21	0.72	5.93	8.75	Complies

CH54



Date: 16,SEP,2022 11:19:32

CH62




Date: 16,SEP,2022 11:19:49

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.17	8.75	Complies
62	5310	8.59	8.75	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.91	0.52	3.43	8.75	Complies



Date: 16-SEP-2022 11:27:48

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.68	0.52	4.20	8.75	Complies




Date: 16-SEP-2022 11:24:12

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.84	8.75	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.30	0.38	4.68	8.75	Complies
60	5300	4.45	0.38	4.83	8.75	Complies
64	5320	4.30	0.38	4.68	8.75	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.12	0.38	5.50	8.75	Complies
60	5300	5.38	0.38	5.76	8.75	Complies
64	5320	5.26	0.38	5.64	8.75	Complies




Test Mode		UNII-2A_TX AX(HE20) Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.12	8.75	Complies
60	5300	8.33	8.75	Complies
64	5320	8.19	8.75	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.64	0.38	5.02	8.75	Complies
62	5310	4.32	0.38	4.70	8.75	Complies

CH54



Date: 16-SEP-2022 14:20:14

CH62




Date: 16-SEP-2022 14:20:19

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.15	0.38	5.53	8.75	Complies
62	5310	4.96	0.38	5.34	8.75	Complies

CH54



Date: 16-SEP-2022 14:11:04

CH62




Date: 16-SEP-2022 14:11:06

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	8.29	8.75	Complies
62	5310	8.04	8.75	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.46	0.38	3.84	8.75	Complies



Date: 16-SEP-2022 14:01:19

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.17	0.38	4.55	8.75	Complies




Date: 16-SEP-2022 14:26:51

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	7.22	8.75	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.11	0.54	1.65	8.75	Complies



Date: 16-SEP-2022 11:45:49

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.86	0.54	2.40	8.75	Complies




Date: 16-SEP-2022 11:52:45

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	5.05	8.75	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.22	0.42	1.64	8.75	Complies



Date: 16-SEP-2022 14:25:44

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	1.98	0.42	2.40	8.75	Complies



Date: 16-SEP-2022 14:27:19


Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	5.05	8.75	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.73	0.38	5.11	8.75	Complies
116	5580	4.49	0.38	4.87	8.75	Complies
140	5700	5.00	0.38	5.38	8.75	Complies
144	5720	5.07	0.38	5.45	8.75	Complies

CH100




Date: 16.SEP.2022 10:38:59

CH116




Date: 16.SEP.2022 10:37:24

CH140



Date: 16.SEP.2022 10:40:00

CH144




Date: 7.SEP.2022 11:20:27

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.92	0.38	5.30	8.75	Complies
116	5580	4.92	0.38	5.30	8.75	Complies
140	5700	4.98	0.38	5.36	8.75	Complies
144	5720	5.27	0.38	5.65	8.75	Complies

CH100




Date: 16.SEP.2022 10:10:28

CH116




Date: 16.SEP.2022 10:10:56

CH140



Date: 16.SEP.2022 10:11:01

CH144



Date: 7.SEP.2022 11:19:40


Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.21	8.75	Complies
116	5580	8.10	8.75	Complies
140	5700	8.38	8.75	Complies
144	5720	8.56	8.75	Complies


Test Mode UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.93	0.35	5.28	8.75	Complies
116	5580	4.71	0.35	5.06	8.75	Complies
140	5700	5.00	0.35	5.35	8.75	Complies
144	5720	5.41	0.35	5.76	8.75	Complies


CH100




CH116



CH140




CH144



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.03	0.35	5.38	8.75	Complies
116	5580	5.21	0.35	5.56	8.75	Complies
140	5700	5.20	0.35	5.55	8.75	Complies
144	5720	5.32	0.35	5.67	8.75	Complies

CH100




Date: 16.SEP.2022 10:50:28

CH116




Date: 16.SEP.2022 10:50:55

CH140



Date: 16.SEP.2022 10:51:26

CH144



Date: 7.SEP.2022 11:30:14


Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.34	8.75	Complies
116	5580	8.33	8.75	Complies
140	5700	8.46	8.75	Complies
144	5720	8.73	8.75	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.99	0.72	5.71	8.75	Complies
110	5550	5.00	0.72	5.72	8.75	Complies
134	5670	4.83	0.72	5.55	8.75	Complies
142	5710	4.78	0.72	5.50	8.75	Complies


CH102




CH110



CH134




CH142




Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.01	0.72	5.73	8.75	Complies
110	5550	5.01	0.72	5.73	8.75	Complies
134	5670	5.05	0.72	5.77	8.75	Complies
142	5710	5.20	0.72	5.92	8.75	Complies


CH102




CH110



CH134



CH142




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.73	8.75	Complies
110	5550	8.74	8.75	Complies
134	5670	8.67	8.75	Complies
142	5710	8.73	8.75	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.82	0.52	5.34	8.75	Complies
122	5610	5.21	0.52	5.73	8.75	Complies
138	5690	5.03	0.52	5.55	8.75	Complies

CH106




Date: 16.SEP.2022 11:08:33

CH122



Date: 16.SEP.2022 11:09:42

CH138




Date: 7.SEP.2022 11:40:35

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.06	0.52	5.58	8.75	Complies
122	5610	5.17	0.52	5.69	8.75	Complies
138	5690	5.05	0.52	5.57	8.75	Complies

CH106




Date: 16.SEP.2022 11:24:33

CH122



Date: 16.SEP.2022 11:28:15

CH138




Date: 7.SEP.2022 11:41:08

Test Mode		UNII-2C_TX AC(VHT80) Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.47	8.75	Complies
122	5610	8.72	8.75	Complies
138	5690	8.57	8.75	Complies


Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.51	0.54	3.05	8.75	Complies



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.00	0.54	3.54	8.75	Complies




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	6.31	8.75	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.29	0.38	5.67	8.75	Complies
116	5580	5.37	0.38	5.75	8.75	Complies
140	5700	5.46	0.38	5.84	8.75	Complies
144	5720	5.14	0.38	5.52	8.75	Complies

CH100




Date: 16.SEP.2022 13:19:17

CH116




Date: 16.SEP.2022 14:09:20

CH140



Date: 16.SEP.2022 14:09:57

CH144




Date: 7.SEP.2022 11:49:02

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.22	0.38	5.60	8.75	Complies
116	5580	5.25	0.38	5.63	8.75	Complies
140	5700	5.26	0.38	5.64	8.75	Complies
144	5720	5.03	0.38	5.41	8.75	Complies

CH100




Date: 16.SEP.2022 13:56:04

CH116




Date: 16.SEP.2022 13:56:33

CH140



Date: 16.SEP.2022 13:56:59

CH144



Date: 7.SEP.2022 11:44:17


Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.64	8.75	Complies
116	5580	8.70	8.75	Complies
140	5700	8.75	8.75	Complies
144	5720	8.47	8.75	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.30	0.38	5.68	8.75	Complies
110	5550	4.97	0.38	5.35	8.75	Complies
134	5670	4.61	0.38	4.99	8.75	Complies
142	5710	5.16	0.38	5.54	8.75	Complies

CH102




Date: 16.SEP.2022 14:21:08

CH110




Date: 16.SEP.2022 14:21:51

CH134



Date: 16.SEP.2022 14:22:28

CH142




Date: 7.SEP.2022 11:48:11

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.32	0.38	5.70	8.75	Complies
110	5550	5.04	0.38	5.42	8.75	Complies
134	5670	4.85	0.38	5.23	8.75	Complies
142	5710	5.26	0.38	5.64	8.75	Complies

CH102




Date: 16.SEP.2022 14:12:34

CH110




Date: 16.SEP.2022 14:14:47

CH134



Date: 16.SEP.2022 14:17:35

CH142




Date: 7.SEP.2022 11:48:55

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	8.70	8.75	Complies
110	5550	8.39	8.75	Complies
134	5670	8.12	8.75	Complies
142	5710	8.60	8.75	Complies


Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.94	0.38	5.32	8.75	Complies
122	5610	5.38	0.38	5.76	8.75	Complies
138	5690	5.04	0.38	5.42	8.75	Complies



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.25	0.38	5.63	8.75	Complies
122	5610	5.10	0.38	5.48	8.75	Complies
138	5690	5.33	0.38	5.71	8.75	Complies




Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.49	8.75	Complies
122	5610	8.63	8.75	Complies
138	5690	8.58	8.75	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	2.74	0.42	3.16	8.75	Complies



Date: 16-SEP-2022 14:16:29

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	3.16	0.42	3.58	8.75	Complies



Date: 16-SEP-2022 14:38:20


Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	6.39	8.75	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.19	0.38	9.57	27.75	Complies
157	5785	9.22	0.38	9.60	27.75	Complies
165	5825	9.14	0.38	9.52	27.75	Complies

CH149




Date: 16.SEP.2022 10:40:32

CH157



Date: 16.SEP.2022 10:40:59

CH165




Date: 16.SEP.2022 10:41:31

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.28	0.38	9.66	27.75	Complies
157	5785	9.53	0.38	9.91	27.75	Complies
165	5825	9.33	0.38	9.71	27.75	Complies

CH149




Date: 16.SEP.2022 10:32:25

CH157



Date: 16.SEP.2022 10:32:54

CH165




Date: 16.SEP.2022 10:33:24


Test Mode		UNII-3_TX A Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.62	27.75	Complies
157	5785	12.76	27.75	Complies
165	5825	12.62	27.75	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.39	0.35	8.74	27.75	Complies
157	5785	8.31	0.35	8.66	27.75	Complies
165	5825	8.06	0.35	8.41	27.75	Complies



Date: 16.SEP.2022 10:57:27




Date: 16.SEP.2022 10:57:55




Date: 16.SEP.2022 10:58:34

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.25	0.35	8.60	27.75	Complies
157	5785	8.62	0.35	8.97	27.75	Complies
165	5825	8.57	0.35	8.92	27.75	Complies



Date: 16.SEP.2022 10:52:16



Date: 16.SEP.2022 10:52:43




Date: 16.SEP.2022 10:53:17

Test Mode		UNII-3_TX AC(VHT20) Mode_Total		
Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.68	27.75	Complies
157	5785	11.83	27.75	Complies
165	5825	11.69	27.75	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.55	0.72	6.27	27.75	Complies
159	5795	5.89	0.72	6.61	27.75	Complies

CH151



Date: 16-SEP-2022 11:19:17

CH159




Date: 16-SEP-2022 11:19:53

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.90	0.72	6.62	27.75	Complies
159	5795	5.89	0.72	6.61	27.75	Complies

CH151



Date: 16-SEP-2022 11:14:17

CH159




Date: 16-SEP-2022 11:14:57

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.46	27.75	Complies
159	5795	9.62	27.75	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.46	0.52	2.98	27.75	Complies



Date: 16-SEP-2022 11:40:19

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.50	0.52	3.02	27.75	Complies




Date: 16-SEP-2022 11:27:34

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.01	27.75	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.42	0.38	7.80	27.75	Complies
157	5785	7.36	0.38	7.74	27.75	Complies
165	5825	7.51	0.38	7.89	27.75	Complies



Date: 16.SEP.2022 14:01:39




Date: 16.SEP.2022 14:02:04




Date: 16.SEP.2022 14:02:32

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.69	0.38	8.07	27.75	Complies
157	5785	7.40	0.38	7.78	27.75	Complies
165	5825	7.58	0.38	7.96	27.75	Complies



Date: 16.SEP.2022 13:57:52



Date: 16.SEP.2022 13:58:36



Date: 16.SEP.2022 13:59:01


Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.94	27.75	Complies
157	5785	10.77	27.75	Complies
165	5825	10.93	27.75	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.92	0.38	5.30	27.75	Complies
159	5795	4.89	0.38	5.27	27.75	Complies

CH151



Date: 16.SEP.2022 14:23:10

CH159




Date: 16.SEP.2022 14:23:17

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.26	0.38	5.64	27.75	Complies
159	5795	5.24	0.38	5.62	27.75	Complies

CH151



Date: 16.SEP.2022 14:18:29

CH159




Date: 16.SEP.2022 14:18:56

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.48	27.75	Complies
159	5795	8.45	27.75	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.34	0.38	2.72	27.75	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.52	0.38	2.90	27.75	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.82	27.75	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
55.2	5179.9348
48	5179.9750
40.8	5179.9550
Maximum Deviation (MHz)	0.0652
Maximum Deviation (ppm)	12.5869

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-10	5179.9600
0	5179.9550
10	5179.9600
20	5179.9550
30	5179.9702
40	5179.9550
50	5179.9600
60	5179.9702
65	5179.9550
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.6848

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
55.2	5259.9750
48	5259.9800
40.8	5259.9550
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.5528

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-10	5259.9750
0	5259.9599
10	5259.9600
20	5259.9750
30	5259.9599
40	5259.9599
50	5259.9599
60	5259.9600
65	5259.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.6283

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
55.2	5499.9550
48	5499.9550
40.8	5499.9550
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.1795

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-10	5499.9599
0	5499.9599
10	5499.9550
20	5499.9550
30	5499.9550
40	5499.9550
50	5499.9550
60	5499.9550
65	5499.9550
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.1818

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
55.2	5744.9550
48	5744.9550
40.8	5744.9350
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.3142

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-10	5744.9600
0	5744.9550
10	5744.9600
20	5744.9599
30	5744.9548
40	5744.9600
50	5744.9548
60	5744.9600
65	5744.9600
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	7.8655

End of Test Report