



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Bluetooth FM Transmitter

Test Model: BC76

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.91	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.836	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.852	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.273	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.263	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.277	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.25	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.268	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	1.08	21	Pass
NVNT	1-DH5	2441	Ant1	0.63	21	Pass
NVNT	1-DH5	2480	Ant1	1.96	21	Pass
NVNT	2-DH5	2402	Ant1	0.4	21	Pass
NVNT	2-DH5	2441	Ant1	-0.13	21	Pass
NVNT	2-DH5	2480	Ant1	1.23	21	Pass
NVNT	3-DH5	2402	Ant1	0.48	21	Pass
NVNT	3-DH5	2441	Ant1	-0.05	21	Pass
NVNT	3-DH5	2480	Ant1	1.29	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.018	2403.004	0.986	0.607	Pass
NVNT	2-DH5	Ant1	2401.844	2403.028	1.184	0.855	Pass
NVNT	3-DH5	Ant1	2402.012	2403	0.988	0.851	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	296.846	103	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	311.58	108	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	285.813	99	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-57.41	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-58.62	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-54.61	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-55.4	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-53.12	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-57.4	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-55.97	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-58.23	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-55.71	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-57.21	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-55.65	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-56.85	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.23	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.47	-20	Pass
NVNT	1-DH5	2480	Ant1	-56.71	-20	Pass
NVNT	2-DH5	2402	Ant1	-55.01	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.55	-20	Pass
NVNT	2-DH5	2480	Ant1	-55.73	-20	Pass
NVNT	3-DH5	2402	Ant1	-55.05	-20	Pass
NVNT	3-DH5	2441	Ant1	-55.11	-20	Pass
NVNT	3-DH5	2480	Ant1	-56.46	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2441	Ant1	76.88	1.14	0.35
NVNT	1-DH5	2480	Ant1	76.88	1.14	0.35
NVNT	2-DH5	2402	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.96	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.04	1.13	0.35
NVNT	3-DH5	2441	Ant1	77.04	1.13	0.35
NVNT	3-DH5	2480	Ant1	77.01	1.13	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1






Duty Cycle NVNT 3-DH5 2402MHz Ant1




Duty Cycle NVNT 3-DH5 2441MHz Ant1





Duty Cycle NVNT 3-DH5 2480MHz Ant1





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.78	2.7	-	47.18	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.31	2.7	1.14	40.79	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2367.312	-47.21	2.7	-	50.75	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2388.24	-57.53	2.7	1.14	41.57	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.99	2.7	-	47.97	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-57.64	2.7	1.14	41.46	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-48.95	2.7	-	49.01	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.98	2.7	1.14	41.12	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2488.72	-47.09	2.7	-	50.87	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2492.224	-57.11	2.7	1.14	41.99	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.18	2.7	-	48.78	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.14	2.7	1.14	40.96	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.74	2.7	-	47.22	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.41	2.7	1.14	40.69	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2367.696	-47.56	2.7	-	50.4	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2383.632	-57.5	2.7	1.14	41.6	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.63	2.7	-	48.33	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.46	2.7	1.14	40.64	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.26	2.7	-	47.7	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.6	2.7	1.14	41.5	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2492.968	-47.25	2.7	-	50.71	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2489.416	-57.12	2.7	1.14	41.98	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.31	2.7	-	48.65	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.35	2.7	1.14	40.75	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.38	2.7	-	47.58	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.51	2.7	1.13	40.58	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2364.24	-47.49	2.7	-	50.47	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2385.072	-57.68	2.7	1.13	41.41	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.15	2.7	-	49.81	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.51	2.7	1.13	40.58	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.83	2.7	-	48.13	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.58	2.7	1.13	41.51	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2492.92	-47.43	2.7	-	50.53	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2496.856	-56.89	2.7	1.13	42.2	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.64	2.7	-	47.32	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.32	2.7	1.13	40.77	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

