
4、APP將自動檢測到上電的Tag,如圖: 5、填寫註冊信息,可以選擇你要綁定的物品圖標, 定位器說明書 出廠狀態的Tag,接通電源後成功可聽到滴一聲,表 也可以自定義命名,如圖: 示上電成功,同時也能看到LED快閃一次。 1、下載APP,請根據手機系統掃描相應的QRcode, 並使用手機內置瀏覽器下載,使用前請打開手機藍芽。 3、打開APP頁面,如圖: 8:56 🖾 🏲 😉 • Condens. To findmyTag Min FedFy1938 進入App後Android系統手機請點選 findmyTag UPS快級 ← 顺丰快遞 ob 自行車 2、抽出電池的絕緣片(如圖) ark price 自定义 确定 结胎入槽链名箱 **第** 手模號碼 **第** 手機製品 Poll out to Power up 折叠



Global Locator User Guider App Download Scan the QR codes according to your phone OS, open	One beep sound will play if power up successfully, and the LED will flash one time if not activated. • Launch the findmyTag app, click + to add a new tag.	() My Items ∰	939 € Z P •
website and download the findmyTag App via phone native browser, enable your Bluetooth function before launch the App.	My Items findmy Tag Weak Strong	findmyTag ⊗	Matrix DHL FECEX UPS UPS Customize OK Fector Customize OK
(iOS & Android) ● Pull out the battery insulation film (As the picture shown) **Pollout to Power up** **Pollout to Po	+ Fold up	Enter Tag Name Mobile Bioded, Retrieve it? Continue App will detect the new Tag automatically.	 Select your favorite item icon and enter your contact information to activate the Tag. Once activated, your phone number or email will be bound to the Tag until unpairing (restore to factory).



FCC Warnning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection againstharmful interference in a residential installation. This equipment generates, uses and can radiateradio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmfulinterference to radio or television reception, which can be determined by turning the equipmentoff and on, the user is encouraged to try to correct the interference by one or more of thefollowing measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.