



深圳市凯普深通讯科技有限公司
Shenzhen cape deep communication technology co., LTD

Antenna Specifications


**Address: 2nd Floor, Yulong Office Building, Longcheng Industrial Zone,
440 Longguan Avenue, Longhua District, Shenzhen City, China**

深圳市凯普深通讯科技有限公司
Shenzhen cape deep communication technology co., LTD



凯普深

Test equipment




	Test equipment
S11、S12、VSWR、LOSS	E5071B、E5062A
Efficiency、Gain 3D Radiation Pattern	Satimo SG16、GP7*4*3、E5071B
TRP、TIS	Satimo SG16、GP7*4*3、8960、 CMW500、MT8820C、E4438C、




凯普深

Antenna Size



Standing wave ratio





Efficiency and gain


Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
2400	22.38	-6.34	-3.33
2410	22.46	-6.30	-3.41
2420	23.23	-6.25	-3.22
2430	23.28	-6.24	-3.13
2440	24.23	-6.18	-2.59
2450	24.22	-6.18	-2.29
2460	24.16	-6.19	-2.13
2470	23.11	-6.27	-2.23
2480	23.71	-6.22	-2.12




2D

凯普深


E1 Face



E2 Face



Horizontal





3D

凯普深

