




Band n77_40MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH



Band n77_50MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n77_40MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n77_50MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n77_40MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n77_50MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n77_60MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n77_70MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n77_60MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n77_70MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n77_60MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n77_70MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n77_80MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n77_90MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n77_80MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n77_90MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n77_80MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n77_90MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n77_100MHz_DFT-s-OFDM_PI_2-BPSK_ Outer_Full_Mid_CH



Band n77_100MHz_DFT-s-OFDM_QPSK_ Outer_Full_Mid_CH




Band n77_100MHz_DFT-s-OFDM_16QAM_ Outer_Full_Mid_CH




Band n78_20MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_30MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_20MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_30MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_20MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_30MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_40MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_50MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_40MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_50MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_40MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_50MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_60MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_70MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_60MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_70MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_60MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_70MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_80MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_90MHz_DFT-s-OFDM_PI_2-BPSK_
Outer_Full_Mid_CH




Band n78_80MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_90MHz_DFT-s-OFDM_QPSK_
Outer_Full_Mid_CH




Band n78_80MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_90MHz_DFT-s-OFDM_16QAM_
Outer_Full_Mid_CH




Band n78_100MHz_DFT-s-OFDM_PI_2-BPSK_ Outer_Full_Mid_CH



Band n78_100MHz_DFT-s-OFDM_QPSK_ Outer_Full_Mid_CH



Band n78_100MHz_DFT-s-OFDM_16QAM_ Outer_Full_Mid_CH



Frequency Stability

NR Band	Bandwidth (MHz)	Freq (MHz)	Modulation	Temperature	Voltage	Deviation (ppm)	Limit (ppm)	Verdict
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	Normal	Low	-0.00299	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	Normal	Normal	-0.00509	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	Normal	High	-0.00237	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	50	Normal	-0.00156	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	40	Normal	-0.00094	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	30	Normal	-0.00201	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	20	Normal	-0.00064	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	10	Normal	-0.00145	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	0	Normal	-0.00039	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	-10	Normal	-0.00026	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	-20	Normal	-0.00484	/	PASS
n2	20	826.5	DFT-s-OFDM_PI_2-BPSK	-30	Normal	-0.00154	/	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	Normal	Low	-0.00629	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	Normal	Normal	-0.00850	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	Normal	High	-0.01759	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	50	Normal	-0.00134	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	40	Normal	-0.00955	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	30	Normal	-0.00032	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	20	Normal	-0.00467	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_PI_2-BPSK	10	Normal	-0.00099	±2.5	PASS

			PI_2-BPSK					
n5	20	826.5	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00693	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00085	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00793	±2.5	PASS
n5	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00147	±2.5	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00329	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00109	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00097	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00156	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	40	Normal	-0.00256	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00152	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00118	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00114	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00101	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00256	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00222	/	PASS
n7	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00312	/	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00336	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00494	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00068	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00037	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	40	Normal	-0.00100	±2.5	PASS



n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00107	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00049	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00251	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00130	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00159	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00004	±2.5	PASS
n26_Part 22	20	826.5	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00008	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00265	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00080	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00374	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00443	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	40	Normal	-0.00084	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00131	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00225	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00731	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00241	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00148	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00354	±2.5	PASS
n26_Part 90	10	819.0	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00175	±2.5	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00250	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00121	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00175	/	PASS

			PI_2-BPSK					
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00279	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	40	Normal	-0.00015	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00244	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00139	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00109	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00181	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00176	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00220	/	PASS
n66	40	1745.0	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00159	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00584	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00650	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00678	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00648	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	40	Normal	-0.00230	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00149	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00290	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00352	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00453	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00407	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00501	/	PASS
n41	100	2592.99	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00552	/	PASS

n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00210	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00139	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00241	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00156	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	40	Normal	0.00241	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00145	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00187	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00198	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00053	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00132	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00087	/	PASS
n77	100	3840.0	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00164	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	Normal	Low	-0.00170	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	Normal	Normal	-0.00259	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	Normal	High	-0.00159	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	50	Normal	-0.00103	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	40	Normal	0.00183	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	30	Normal	-0.00165	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	20	Normal	-0.00160	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	10	Normal	-0.00098	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	0	Normal	-0.00007	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	-10	Normal	-0.00036	/	PASS



			PI_2-BPSK					
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	-20	Normal	-0.00026	/	PASS
n78	100	3500.01	DFT-s-OFDM_ PI_2-BPSK	-30	Normal	-0.00159	/	PASS

Note 1: Normal Voltage = 7.78V, Low Voltage = 6.61V, High Voltage = 8.96V, Normal Temperature = 20°C.

Note 2: Judge based on the measured frequency error result, the fundamental wave emission of Band n2//n7/n66/n41/n77/n78 is kept within the authorized frequency band.

Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Freq (MHz)	Modulation	RB Configuration	Result	Verdict
n2	15	5	1852.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n2	15	5	1852.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n2	15	5	1907.5	DFT-s-OFDM PI/2 BPSK	1@24	see graph	PASS
n2	15	5	1907.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n2	15	10	1855.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n2	15	10	1855.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n2	15	10	1905.0	DFT-s-OFDM PI/2 BPSK	1@51	see graph	PASS
n2	15	10	1905.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n2	15	15	1857.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n2	15	15	1857.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n2	15	15	1902.5	DFT-s-OFDM PI/2 BPSK	1@78	see graph	PASS
n2	15	15	1902.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n2	15	20	1860.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n2	15	20	1860.0	DFT-s-OFDM PI/2 BPSK	106@0	see graph	PASS
n2	15	20	1900.0	DFT-s-OFDM PI/2 BPSK	1@105	see graph	PASS
n2	15	20	1900.0	DFT-s-OFDM PI/2 BPSK	100@0	see graph	PASS
n5	15	5	826.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n5	15	5	826.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n5	15	5	846.5	DFT-s-OFDM PI/2 BPSK	1@24	see graph	PASS
n5	15	5	846.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n5	15	10	829.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n5	15	10	829.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n5	15	10	844.0	DFT-s-OFDM PI/2 BPSK	1@51	see graph	PASS
n5	15	10	844.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n5	15	15	831.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n5	15	15	831.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n5	15	15	841.5	DFT-s-OFDM PI/2 BPSK	1@78	see graph	PASS
n5	15	15	841.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS



n5	15	20	834.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n5	15	20	834.0	DFT-s-OFDM PI/2 BPSK	106@0	see graph	PASS
n5	15	20	839.0	DFT-s-OFDM PI/2 BPSK	1@105	see graph	PASS
n5	15	20	839.0	DFT-s-OFDM PI/2 BPSK	100@0	see graph	PASS
n7	15	5	2502.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n7	15	5	2502.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n7	15	5	2567.5	DFT-s-OFDM PI/2 BPSK	1@24	see graph	PASS
n7	15	5	2567.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n7	15	10	2505.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n7	15	10	2505.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n7	15	10	2565.0	DFT-s-OFDM PI/2 BPSK	1@51	see graph	PASS
n7	15	10	2565.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n7	15	15	2507.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n7	15	15	2507.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n7	15	15	2562.5	DFT-s-OFDM PI/2 BPSK	1@78	see graph	PASS
n7	15	15	2562.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n7	15	20	2510.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n7	15	20	2510.0	DFT-s-OFDM PI/2 BPSK	106@0	see graph	PASS
n7	15	20	2560.0	DFT-s-OFDM PI/2 BPSK	1@105	see graph	PASS
n7	15	20	2560.0	DFT-s-OFDM PI/2 BPSK	100@0	see graph	PASS
n26_Part 22	15	5	826.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n26_Part 22	15	5	826.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n26_Part 22	15	5	846.5	DFT-s-OFDM PI/2 BPSK	1@24	see graph	PASS
n26_Part 22	15	5	846.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n26_Part 22	15	10	829.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n26_Part 22	15	10	829.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n26_Part 22	15	10	844.0	DFT-s-OFDM PI/2 BPSK	1@51	see graph	PASS
n26_Part 22	15	10	844.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n26_Part 22	15	15	831.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n26_Part 22	15	15	831.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n26_Part 22	15	15	841.5	DFT-s-OFDM PI/2 BPSK	1@78	see graph	PASS



n26_Part 22	15	15	841.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n26_Part 22	15	20	834.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n26_Part 22	15	20	834.0	DFT-s-OFDM PI/2 BPSK	106@0	see graph	PASS
n26_Part 22	15	20	839.0	DFT-s-OFDM PI/2 BPSK	1@105	see graph	PASS
n26_Part 22	15	20	839.0	DFT-s-OFDM PI/2 BPSK	100@0	see graph	PASS
n26_Part 90	15	5	816.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n26_Part 90	15	5	816.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n26_Part 90	15	5	821.5	DFT-s-OFDM PI/2 BPSK	1@24	see graph	PASS
n26_Part 90	15	5	821.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n26_Part 90	15	10	819.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n26_Part 90	15	10	819.0	DFT-s-OFDM PI/2 BPSK	1@51	see graph	PASS
n26_Part 90	15	10	819.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n66	15	5	1712.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	5	1712.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n66	15	5	1777.5	DFT-s-OFDM PI/2 BPSK	1@24	see graph	PASS
n66	15	5	1777.5	DFT-s-OFDM PI/2 BPSK	25@0	see graph	PASS
n66	15	10	1715.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	10	1715.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n66	15	10	1775.0	DFT-s-OFDM PI/2 BPSK	1@51	see graph	PASS
n66	15	10	1775.0	DFT-s-OFDM PI/2 BPSK	50@0	see graph	PASS
n66	15	15	1717.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	15	1717.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n66	15	15	1772.5	DFT-s-OFDM PI/2 BPSK	1@78	see graph	PASS
n66	15	15	1772.5	DFT-s-OFDM PI/2 BPSK	75@0	see graph	PASS
n66	15	20	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	20	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	see graph	PASS
n66	15	20	1770.0	DFT-s-OFDM PI/2 BPSK	1@105	see graph	PASS
n66	15	20	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	see graph	PASS
n66	15	25	1722.5	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	25	1722.5	DFT-s-OFDM PI/2 BPSK	128@0	see graph	PASS
n66	15	25	1767.5	DFT-s-OFDM PI/2 BPSK	1@132	see graph	PASS

n66	15	25	1767.5	DFT-s-OFDM PI/2 BPSK	128@0	see graph	PASS
n66	15	30	1725.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	30	725.0	DFT-s-OFDM PI/2 BPSK	160@0	see graph	PASS
n66	15	30	1765.0	DFT-s-OFDM PI/2 BPSK	1@159	see graph	PASS
n66	15	30	1765.0	DFT-s-OFDM PI/2 BPSK	160@0	see graph	PASS
n66	15	40	1730.0	DFT-s-OFDM PI/2 BPSK	1@0	see graph	PASS
n66	15	40	1730.0	DFT-s-OFDM PI/2 BPSK	216@0	see graph	PASS
n66	15	40	1760.0	DFT-s-OFDM PI/2 BPSK	1@215	see graph	PASS
n66	15	40	1760.0	DFT-s-OFDM PI/2 BPSK	216@0	see graph	PASS
n41	30	20	2506.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	20	2506.02	DFT-s-OFDM BPSK	50@0	see graph	PASS
n41	30	20	2679.99	DFT-s-OFDM BPSK	1@50	see graph	PASS
n41	30	20	2679.99	DFT-s-OFDM BPSK	50@0	see graph	PASS
n41	30	30	2511.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	30	2511.00	DFT-s-OFDM BPSK	75@0	see graph	PASS
n41	30	30	2674.98	DFT-s-OFDM BPSK	1@77	see graph	PASS
n41	30	30	2674.98	DFT-s-OFDM BPSK	75@0	see graph	PASS
n41	30	40	2511.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	40	2511.00	DFT-s-OFDM BPSK	75@0	see graph	PASS
n41	30	40	2674.98	DFT-s-OFDM BPSK	1@77	see graph	PASS
n41	30	40	2674.98	DFT-s-OFDM BPSK	75@0	see graph	PASS
n41	30	50	2521.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	50	2521.02	DFT-s-OFDM BPSK	128@0	see graph	PASS
n41	30	50	2664.99	DFT-s-OFDM BPSK	1@132	see graph	PASS
n41	30	50	2664.99	DFT-s-OFDM BPSK	128@0	see graph	PASS
n41	30	60	2526.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	60	2526.00	DFT-s-OFDM BPSK	162@0	see graph	PASS
n41	30	60	2659.98	DFT-s-OFDM BPSK	1@161	see graph	PASS
n41	30	60	2659.98	DFT-s-OFDM BPSK	162@0	see graph	PASS
n41	30	70	2531.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	70	2531.01	DFT-s-OFDM BPSK	180@0	see graph	PASS




n41	30	70	2655.00	DFT-s-OFDM BPSK	1@188	see graph	PASS
n41	30	70	2655.00	DFT-s-OFDM BPSK	180@0	see graph	PASS
n41	30	80	2536.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	80	2536.02	DFT-s-OFDM BPSK	216@0	see graph	PASS
n41	30	80	2649.99	DFT-s-OFDM BPSK	1@216	see graph	PASS
n41	30	80	2649.99	DFT-s-OFDM BPSK	216@0	see graph	PASS
n41	30	90	2541.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	90	2541.00	DFT-s-OFDM BPSK	240@0	see graph	PASS
n41	30	90	2644.98	DFT-s-OFDM BPSK	1@244	see graph	PASS
n41	30	90	2644.98	DFT-s-OFDM BPSK	240@0	see graph	PASS
n41	30	100	2546.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n41	30	100	2546.01	DFT-s-OFDM BPSK	270@0	see graph	PASS
n41	30	100	2640.00	DFT-s-OFDM BPSK	1@272	see graph	PASS
n41	30	100	2640.00	DFT-s-OFDM BPSK	270@0	see graph	PASS
n77	30	20	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	20	3710.01	DFT-s-OFDM BPSK	50@0	see graph	PASS
n77	30	20	3969.99	DFT-s-OFDM BPSK	1@50	see graph	PASS
n77	30	20	3969.99	DFT-s-OFDM BPSK	50@0	see graph	PASS
n77	30	30	3715.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	30	3715.02	DFT-s-OFDM BPSK	75@0	see graph	PASS
n77	30	30	3964.98	DFT-s-OFDM BPSK	1@77	see graph	PASS
n77	30	30	3964.98	DFT-s-OFDM BPSK	75@0	see graph	PASS
n77	30	40	3720.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	40	3720.00	DFT-s-OFDM BPSK	75@0	see graph	PASS
n77	30	40	3960.00	DFT-s-OFDM BPSK	1@77	see graph	PASS
n77	30	40	3960.00	DFT-s-OFDM BPSK	75@0	see graph	PASS
n77	30	50	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	50	3725.01	DFT-s-OFDM BPSK	128@0	see graph	PASS
n77	30	50	3954.99	DFT-s-OFDM BPSK	1@132	see graph	PASS
n77	30	50	3954.99	DFT-s-OFDM BPSK	128@0	see graph	PASS
n77	30	60	3730.02	DFT-s-OFDM BPSK	1@0	see graph	PASS

n77	30	60	3730.02	DFT-s-OFDM BPSK	162@0	see graph	PASS
n77	30	60	3949.98	DFT-s-OFDM BPSK	1@161	see graph	PASS
n77	30	60	3949.98	DFT-s-OFDM BPSK	162@0	see graph	PASS
n77	30	70	3735.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	70	3735.00	DFT-s-OFDM BPSK	180@0	see graph	PASS
n77	30	70	3945.00	DFT-s-OFDM BPSK	1@188	see graph	PASS
n77	30	70	3945.00	DFT-s-OFDM BPSK	180@0	see graph	PASS
n77	30	80	3740.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	80	3740.01	DFT-s-OFDM BPSK	216@0	see graph	PASS
n77	30	80	3939.99	DFT-s-OFDM BPSK	1@216	see graph	PASS
n77	30	80	3939.99	DFT-s-OFDM BPSK	216@0	see graph	PASS
n77	30	90	3745.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	90	3745.02	DFT-s-OFDM BPSK	240@0	see graph	PASS
n77	30	90	3934.98	DFT-s-OFDM BPSK	1@244	see graph	PASS
n77	30	90	3934.98	DFT-s-OFDM BPSK	240@0	see graph	PASS
n77	30	100	3750.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n77	30	100	3750.00	DFT-s-OFDM BPSK	270@0	see graph	PASS
n77	30	100	3930.00	DFT-s-OFDM BPSK	1@272	see graph	PASS
n77	30	100	3930.00	DFT-s-OFDM BPSK	270@0	see graph	PASS
n78	30	20	3460.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	20	3460.02	DFT-s-OFDM BPSK	50@0	see graph	PASS
n78	30	20	3540.00	DFT-s-OFDM BPSK	1@50	see graph	PASS
n78	30	20	3540.00	DFT-s-OFDM BPSK	50@0	see graph	PASS
n78	30	30	3465.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	30	3465.00	DFT-s-OFDM BPSK	75@0	see graph	PASS
n78	30	30	3534.99	DFT-s-OFDM BPSK	1@77	see graph	PASS
n78	30	30	3534.99	DFT-s-OFDM BPSK	75@0	see graph	PASS
n78	30	40	3470.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	40	3470.01	DFT-s-OFDM BPSK	75@0	see graph	PASS
n78	30	40	3529.98	DFT-s-OFDM BPSK	1@77	see graph	PASS
n78	30	40	3529.98	DFT-s-OFDM BPSK	75@0	see graph	PASS




n78	30	50	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	50	3475.02	DFT-s-OFDM BPSK	128@0	see graph	PASS
n78	30	50	3525.00	DFT-s-OFDM BPSK	1@132	see graph	PASS
n78	30	50	3525.00	DFT-s-OFDM BPSK	128@0	see graph	PASS
n78	30	60	3480.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	60	3480.00	DFT-s-OFDM BPSK	162@0	see graph	PASS
n78	30	60	3519.99	DFT-s-OFDM BPSK	1@161	see graph	PASS
n78	30	60	3519.99	DFT-s-OFDM BPSK	162@0	see graph	PASS
n78	30	70	3485.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	70	3485.01	DFT-s-OFDM BPSK	180@0	see graph	PASS
n78	30	70	3514.98	DFT-s-OFDM BPSK	1@188	see graph	PASS
n78	30	70	3514.98	DFT-s-OFDM BPSK	180@0	see graph	PASS
n78	30	80	3490.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	80	3490.02	DFT-s-OFDM BPSK	216@0	see graph	PASS
n78	30	80	3510.00	DFT-s-OFDM BPSK	1@216	see graph	PASS
n78	30	80	3510.00	DFT-s-OFDM BPSK	216@0	see graph	PASS
n78	30	90	3495.00	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	90	3495.00	DFT-s-OFDM BPSK	240@0	see graph	PASS
n78	30	90	3504.99	DFT-s-OFDM BPSK	1@244	see graph	PASS
n78	30	90	3504.99	DFT-s-OFDM BPSK	240@0	see graph	PASS
n78	30	100	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
n78	30	100	3500.01	DFT-s-OFDM BPSK	1@272	see graph	PASS
n78	30	100	3500.01	DFT-s-OFDM BPSK	270@0	see graph	PASS


N2_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH




N2_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N2_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH




N2_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N2_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH




N2_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N2_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH




N2_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N2_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N2_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N2_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH




N2_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N2_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ 1RB_Left_Low_CH



N2_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ Outer_Full_Low_CH




N2_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ 1RB_Right_High_CH



N2_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ Outer_Full_High_CH




N5_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N5_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N5_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH



N5_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N5_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N5_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N5_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH



N5_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N5_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N5_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N5_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH




N5_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N5_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N5_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N5_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH



N5_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N7_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N7_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N7_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH




N7_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N7_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N7_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N7_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH



N7_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N7_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N7_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH




N7_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH



N7_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH




N7_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ 1RB_Left_Low_CH




N7_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ Outer_Full_Low_CH




N7_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ 1RB_Right_High_CH




N7_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_ Outer_Full_High_CH




N26_Part 22_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Left_Low_CH



N26_Part 22_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_Low_CH




N26_Part 22_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Right_High_CH



N26_Part 22_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_High_CH




N26_Part 22_10MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Left_Low_CH



N26_Part 22_10MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_Low_CH




N26_Part 22_10MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Right_High_CH



N26_Part 22_10MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_High_CH




N26_Part 22_15MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Left_Low_CH



N26_Part 22_15MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_Low_CH




N26_Part 22_15MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Right_High_CH



N26_Part 22_15MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_High_CH




N26_Part 22_20MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Left_Low_CH



N26_Part 22_20MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_Low_CH




N26_Part 22_20MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Right_High_CH




N26_Part 22_20MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_High_CH




N26_Part 90_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Left_Low_CH



N26_Part 90_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_Low_CH




N26_Part 90_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Right_High_CH




N26_Part 90_5MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_Outer_Full_High_CH




N26_Part 90_10MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Left_Mid_CH








N26_Part 90_10MHz_DFT-s-OFDM_PI/2-BPSK_
Edge_1RB_Right_Mid_CH









N26_Part 90_10MHz_DFT-s-OFDM_PI/2-BPSK_ Edge_Outer_Full_Mid_CH






N66_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH

N66_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH

N66_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH

N66_5MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH


N66_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH

N66_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH



N66_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH

N66_10MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH

N66_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH

N66_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH

N66_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH

N66_15MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH



N66_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH

N66_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH

N66_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH

N66_20MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH


N66_25MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH

N66_25MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH


N66_25MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH

N66_25MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH


N66_30MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH

N66_30MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH

N66_30MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH

N66_30MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH



N66_40MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Left_Low_CH



N66_40MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_Low_CH



N66_40MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
1RB_Right_High_CH



N66_40MHz_DFT-s-OFDM_PI/2-BPSK_Edge_
Outer_Full_High_CH

