

## Appendix A: 20dB Emission Bandwidth

### Test Result

| TestMode | Antenna | Frequency[MHz] | 20db<br>EBW[MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|----------|---------|----------------|------------------|----------|----------|------------|---------|
| DH5      | Ant1    | 2402           | 0.933            | 2401.484 | 2402.417 | ---        | ---     |
|          |         | 2441           | 0.954            | 2440.469 | 2441.423 | ---        | ---     |
|          |         | 2480           | 0.945            | 2479.472 | 2480.417 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.293            | 2401.298 | 2402.591 | ---        | ---     |
|          |         | 2441           | 1.308            | 2440.277 | 2441.585 | ---        | ---     |
|          |         | 2480           | 1.317            | 2479.271 | 2480.588 | ---        | ---     |
| 3DH5     | Ant1    | 2402           | 1.317            | 2401.277 | 2402.594 | ---        | ---     |
|          |         | 2441           | 1.314            | 2440.277 | 2441.591 | ---        | ---     |
|          |         | 2480           | 1.317            | 2479.277 | 2480.594 | ---        | ---     |

## Test Graphs

DH5\_Ant1\_2402



DH5\_Ant1\_2441



DH5\_Ant1\_2480



2DH5\_Ant1\_2402



2DH5\_Ant1\_2441



## 2DH5\_Ant1\_2480



## 3DH5\_Ant1\_2402



## 3DH5\_Ant1\_2441





3DH5\_Ant1\_2480



## Appendix B: Occupied Channel Bandwidth

### Test Result

| TestMode | Antenna | Frequency[MHz] | OCB [MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|----------|---------|----------------|-----------|-----------|-----------|------------|---------|
| DH5      | Ant1    | 2402           | 0.82272   | 2401.5182 | 2402.3409 | ---        | ---     |
|          |         | 2441           | 0.83422   | 2440.5119 | 2441.3462 | ---        | ---     |
|          |         | 2480           | 0.84124   | 2479.5086 | 2480.3498 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.1867    | 2401.3403 | 2402.5270 | ---        | ---     |
|          |         | 2441           | 1.1774    | 2440.3435 | 2441.5209 | ---        | ---     |
|          |         | 2480           | 1.1936    | 2479.3346 | 2480.5282 | ---        | ---     |
| 3DH5     | Ant1    | 2402           | 1.1881    | 2401.3397 | 2402.5278 | ---        | ---     |
|          |         | 2441           | 1.1850    | 2440.3419 | 2441.5269 | ---        | ---     |
|          |         | 2480           | 1.2016    | 2479.3277 | 2480.5293 | ---        | ---     |

## Test Graphs

DH5\_Ant1\_2402



DH5\_Ant1\_2441



DH5\_Ant1\_2480



2DH5\_Ant1\_2402



2DH5\_Ant1\_2441





## 2DH5\_Ant1\_2480



## 3DH5\_Ant1\_2402



## 3DH5\_Ant1\_2441



3DH5\_Ant1\_2480



## Appendix C: Maximum conducted output power

### Test Result

| Test Mode | Antenna | Frequency[MHz] | Conducted Power[dBm] | Conducted Limit[dBm] | Verdict |
|-----------|---------|----------------|----------------------|----------------------|---------|
| DH5       | Ant1    | 2402           | 1.19                 | ≤30                  | PASS    |
|           |         | 2441           | 2.07                 | ≤30                  | PASS    |
|           |         | 2480           | 1.39                 | ≤30                  | PASS    |
| 2DH5      | Ant1    | 2402           | 3.12                 | ≤20.97               | PASS    |
|           |         | 2441           | 4.15                 | ≤20.97               | PASS    |
|           |         | 2480           | 3.33                 | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2402           | 3.48                 | ≤20.97               | PASS    |
|           |         | 2441           | 4.36                 | ≤20.97               | PASS    |
|           |         | 2480           | 3.66                 | ≤20.97               | PASS    |

## Appendix D: Carrier frequency separation

### Test Result

| TestMode | Antenna | Frequency[MHz] | Result[MHz] | Limit[MHz]   | Verdict |
|----------|---------|----------------|-------------|--------------|---------|
| DH5      | Ant1    | Hop            | 1.128       | $\geq 0.954$ | PASS    |
| 2DH5     | Ant1    | Hop            | 0.962       | $\geq 0.878$ | PASS    |
| 3DH5     | Ant1    | Hop            | 0.986       | $\geq 0.878$ | PASS    |

## Test Graphs

DH5\_Ant1\_Hop



2DH5\_Ant1\_Hop



3DH5\_Ant1\_Hop





## Appendix E: Time of occupancy

### Test Result

| TestMode | Antenna | Frequency[MHz] | BurstWidth<br>[ms] | TotalHops<br>[Num] | Result[s] | Limit[s] | Verdict |
|----------|---------|----------------|--------------------|--------------------|-----------|----------|---------|
| DH5      | Ant1    | Hop            | 2.880              | 106.67             | 0.307     | ≤0.4     | PASS    |
| 2DH5     | Ant1    | Hop            | 2.887              | 106.67             | 0.308     | ≤0.4     | PASS    |
| 3DH5     | Ant1    | Hop            | 2.891              | 106.67             | 0.308     | ≤0.4     | PASS    |

## Test Graphs


DH5\_Ant1\_Hop



2DH5\_Ant1\_Hop



3DH5\_Ant1\_Hop



## Appendix F: Number of hopping channels

### Test Result

| TestMode | Antenna | Frequency[MHz] | Result[Num] | Limit[Num] | Verdict |
|----------|---------|----------------|-------------|------------|---------|
| DH5      | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 2DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 3DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |

## Test Graphs

DH5\_Ant1\_Hop



2DH5\_Ant1\_Hop



3DH5\_Ant1\_Hop





## Appendix G: Band edge measurements

### Test Result

| TestMode | Antenna | ChName | Frequency[MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | Low    | 2402           | 0.41           | -46.44       | ≤-19.59     | PASS    |
|          |         | High   | 2480           | 1.10           | -46.99       | ≤-18.9      | PASS    |
|          |         | Low    | Hop_2402       | 0.16           | -46.53       | ≤-19.84     | PASS    |
|          |         | High   | Hop_2480       | 0.40           | -46.69       | ≤-19.6      | PASS    |
| 2DH5     | Ant1    | Low    | 2402           | 0.24           | -47.02       | ≤-19.76     | PASS    |
|          |         | High   | 2480           | 0.88           | -47.21       | ≤-19.12     | PASS    |
|          |         | Low    | Hop_2402       | 0.71           | -45.74       | ≤-19.29     | PASS    |
|          |         | High   | Hop_2480       | -1.15          | -46.5        | ≤-21.15     | PASS    |
| 3DH5     | Ant1    | Low    | 2402           | 0.11           | -46.73       | ≤-19.89     | PASS    |
|          |         | High   | 2480           | 0.64           | -46.39       | ≤-19.36     | PASS    |
|          |         | Low    | Hop_2402       | -2.11          | -46.84       | ≤-22.11     | PASS    |
|          |         | High   | Hop_2480       | 0.56           | -45.81       | ≤-19.45     | PASS    |

## Test Graphs

DH5\_Ant1\_Low\_2402



DH5\_Ant1\_High\_2480



DH5\_Ant1\_Low\_Hop\_2402



DH5\_Ant1\_High\_Hop\_2480



2DH5\_Ant1\_Low\_2402



## 2DH5\_Ant1\_High\_2480



## 2DH5\_Ant1\_Low\_Hop\_2402



## 2DH5\_Ant1\_High\_Hop\_2480





3DH5\_Ant1\_Low\_2402



3DH5\_Ant1\_High\_2480





### 3DH5\_Ant1\_Low\_Hop\_2402



### 3DH5\_Ant1\_High\_Hop\_2480





## Appendix H: Conducted Spurious Emission

### Test Result

| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | 2402           | Reference       | 0.70           | 0.70         | ---         | PASS    |
|          |         |                | 30~1000         | 0.70           | -41.54       | ≤-19.3      | PASS    |
|          |         |                | 1000~26500      | 0.70           | -50.24       | ≤-19.3      | PASS    |
|          |         | 2441           | Reference       | 1.41           | 1.41         | ---         | PASS    |
|          |         |                | 30~1000         | 1.41           | -44.7        | ≤-18.59     | PASS    |
|          |         |                | 1000~26500      | 1.41           | -50.06       | ≤-18.59     | PASS    |
|          |         | 2480           | Reference       | 0.97           | 0.97         | ---         | PASS    |
|          |         |                | 30~1000         | 0.97           | -46.41       | ≤-19.03     | PASS    |
|          |         |                | 1000~26500      | 0.97           | -50.21       | ≤-19.03     | PASS    |
| 2DH5     | Ant1    | 2402           | Reference       | 0.77           | 0.77         | ---         | PASS    |
|          |         |                | 30~1000         | 0.77           | -46.84       | ≤-19.23     | PASS    |
|          |         |                | 1000~26500      | 0.77           | -49.8        | ≤-19.23     | PASS    |
|          |         | 2441           | Reference       | 1.63           | 1.63         | ---         | PASS    |
|          |         |                | 30~1000         | 1.63           | -47.39       | ≤-18.37     | PASS    |
|          |         |                | 1000~26500      | 1.63           | -50.51       | ≤-18.37     | PASS    |
|          |         | 2480           | Reference       | 0.81           | 0.81         | ---         | PASS    |
|          |         |                | 30~1000         | 0.81           | -47.24       | ≤-19.19     | PASS    |
|          |         |                | 1000~26500      | 0.81           | -50.27       | ≤-19.19     | PASS    |
| 3DH5     | Ant1    | 2402           | Reference       | 0.57           | 0.57         | ---         | PASS    |
|          |         |                | 30~1000         | 0.57           | -47.66       | ≤-19.43     | PASS    |
|          |         |                | 1000~26500      | 0.57           | -50.28       | ≤-19.43     | PASS    |
|          |         | 2441           | Reference       | 1.59           | 1.59         | ---         | PASS    |
|          |         |                | 30~1000         | 1.59           | -47.63       | ≤-18.41     | PASS    |
|          |         |                | 1000~26500      | 1.59           | -50.55       | ≤-18.41     | PASS    |
|          |         | 2480           | Reference       | 0.94           | 0.94         | ---         | PASS    |
|          |         |                | 30~1000         | 0.94           | -44.64       | ≤-19.06     | PASS    |
|          |         |                | 1000~26500      | 0.94           | -50.4        | ≤-19.06     | PASS    |


## DH5\_Ant1\_2402\_0~Reference



DH5\_Ant1\_2402\_1000~26500



DH5\_Ant1\_2441\_0~Reference



DH5\_Ant1\_2441\_30~1000



# DH5\_Ant1\_2441\_1000~26500



# DH5\_Ant1\_2480\_0~Reference



# DH5\_Ant1\_2480\_30~1000





DH5\_Ant1\_2480\_1000~26500



2DH5\_Ant1\_2402\_0~Reference





## 2DH5\_Ant1\_2402\_30~1000



## 2DH5\_Ant1\_2402\_1000~26500



## 2DH5\_Ant1\_2441\_0~Reference



2DH5\_Ant1\_2441\_30~1000



2DH5\_Ant1\_2441\_1000~26500



## 2DH5\_Ant1\_2480\_0~Reference



## 2DH5\_Ant1\_2480\_30~1000



## 2DH5\_Ant1\_2480\_1000~26500





3DH5\_Ant1\_2402\_0~Reference



3DH5\_Ant1\_2402\_30~1000



### 3DH5\_Ant1\_2402\_1000~26500




### 3DH5\_Ant1\_2441\_0~Reference



### 3DH5\_Ant1\_2441\_30~1000





3DH5\_Ant1\_2441\_1000~26500



3DH5\_Ant1\_2480\_0~Reference



3DH5\_Ant1\_2480\_30~1000



3DH5\_Ant1\_2480\_1000~26500



## Appendix I: Duty Cycle

### Test Result

| TestMode | Antenna | Frequency[MHz] | ON Time[ms] | Period[ms] | Duty Cycle[%] |
|----------|---------|----------------|-------------|------------|---------------|
| DH5      | Ant1    | 2402           | 2.88        | 3.75       | 76.80         |
|          |         | 2441           | 2.88        | 3.75       | 76.80         |
|          |         | 2480           | 2.89        | 3.75       | 77.07         |
| 2DH5     | Ant1    | 2402           | 0.14        | 0.15       | 93.33         |
|          |         | 2441           | 2.89        | 3.75       | 77.07         |
|          |         | 2480           | 2.90        | 3.76       | 77.13         |
| 3DH5     | Ant1    | 2402           | 2.89        | 3.75       | 77.07         |
|          |         | 2441           | 2.89        | 3.75       | 77.07         |
|          |         | 2480           | 2.89        | 3.74       | 77.27         |

## Test Graphs

DH5\_Ant1\_2402



DH5\_Ant1\_2441



DH5\_Ant1\_2480





2DH5\_Ant1\_2402



2DH5\_Ant1\_2441





## 2DH5\_Ant1\_2480



## 3DH5\_Ant1\_2402



## 3DH5\_Ant1\_2441



3DH5\_Ant1\_2480



## Appendix J: Emissions in Restricted Bands

### Test Result

|       |          |
|-------|----------|
| Mode: | DH5-2402 |
|-------|----------|

| PK Final Data List |                |                        |                   |                  |                   |                |            |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 2310           | 39.57                  | 47.03             | 7.46             | 74.00             | 26.97          | Horizontal | PASS    |
| 2                  | 2334.26        | 41.80                  | 49.25             | 7.45             | 74.00             | 24.75          | Horizontal | PASS    |
| 3                  | 2344.51        | 40.91                  | 48.36             | 7.45             | 74.00             | 25.64          | Horizontal | PASS    |
| 4                  | 2355.56        | 40.80                  | 48.26             | 7.46             | 74.00             | 25.74          | Horizontal | PASS    |
| 5                  | 2374.14        | 41.16                  | 48.61             | 7.45             | 74.00             | 25.39          | Horizontal | PASS    |
| 6                  | 2390           | 39.26                  | 46.71             | 7.45             | 74.00             | 27.29          | Horizontal | PASS    |

| PK Final Data List |                |                        |                   |                  |                   |                |          |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity | Verdict |
| 1                  | 2310           | 39.44                  | 46.90             | 7.46             | 74.00             | 27.10          | Vertical | PASS    |
| 2                  | 2320.41        | 41.78                  | 49.24             | 7.46             | 74.00             | 24.76          | Vertical | PASS    |
| 3                  | 2327.45        | 41.37                  | 48.83             | 7.46             | 74.00             | 25.17          | Vertical | PASS    |
| 4                  | 2349.47        | 41.57                  | 49.03             | 7.46             | 74.00             | 24.97          | Vertical | PASS    |
| 5                  | 2354.92        | 41.12                  | 48.57             | 7.45             | 74.00             | 25.43          | Vertical | PASS    |
| 6                  | 2390           | 39.58                  | 47.03             | 7.45             | 74.00             | 26.97          | Vertical | PASS    |

|       |          |
|-------|----------|
| Mode: | DH5-2480 |
|-------|----------|

| PK Final Data List |                |                        |                   |                  |                   |                |            |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 2483.5         | 40.34                  | 48.30             | 7.96             | 74.00             | 25.70          | Horizontal | PASS    |
| 2                  | 2488.31        | 40.88                  | 48.87             | 7.99             | 74.00             | 25.13          | Horizontal | PASS    |
| 3                  | 2491.27        | 41.05                  | 49.06             | 8.01             | 74.00             | 24.94          | Horizontal | PASS    |
| 4                  | 2495.26        | 40.92                  | 48.96             | 8.04             | 74.00             | 25.04          | Horizontal | PASS    |
| 5                  | 2496.30        | 41.02                  | 49.06             | 8.04             | 74.00             | 24.94          | Horizontal | PASS    |
| 6                  | 2500           | 39.32                  | 47.38             | 8.06             | 74.00             | 26.62          | Horizontal | PASS    |

| PK Final Data List |                |                        |                   |                  |                   |                |          |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity | Verdict |
| 1                  | 2483.5         | 39.45                  | 47.41             | 7.96             | 74.00             | 26.59          | Vertical | PASS    |
| 2                  | 2486.70        | 41.69                  | 49.67             | 7.98             | 74.00             | 24.33          | Vertical | PASS    |
| 3                  | 2490.94        | 40.33                  | 48.33             | 8.00             | 74.00             | 25.67          | Vertical | PASS    |
| 4                  | 2493.96        | 42.16                  | 50.18             | 8.02             | 74.00             | 23.82          | Vertical | PASS    |
| 5                  | 2496.53        | 40.98                  | 49.02             | 8.04             | 74.00             | 24.98          | Vertical | PASS    |
| 6                  | 2500           | 40.99                  | 49.05             | 8.06             | 74.00             | 24.95          | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 2DH5-2402 |
|-------|-----------|

| PK Final Data List |                |                        |                   |                  |                   |                |            |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 2310           | 40.12                  | 47.58             | 7.46             | 74.00             | 26.42          | Horizontal | PASS    |
| 2                  | 2336.74        | 42.15                  | 49.61             | 7.46             | 74.00             | 24.39          | Horizontal | PASS    |
| 3                  | 2358.36        | 41.04                  | 48.50             | 7.46             | 74.00             | 25.50          | Horizontal | PASS    |
| 4                  | 2375.42        | 40.75                  | 48.21             | 7.46             | 74.00             | 25.79          | Horizontal | PASS    |
| 5                  | 2380.07        | 40.77                  | 48.22             | 7.45             | 74.00             | 25.78          | Horizontal | PASS    |
| 6                  | 2390           | 39.91                  | 47.36             | 7.45             | 74.00             | 26.64          | Horizontal | PASS    |

| PK Final Data List |                |                        |                   |                  |                   |                |          |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity | Verdict |
| 1                  | 2310           | 40.23                  | 47.69             | 7.46             | 74.00             | 26.31          | Vertical | PASS    |
| 2                  | 2334.58        | 41.76                  | 49.21             | 7.45             | 74.00             | 24.79          | Vertical | PASS    |
| 3                  | 2357.80        | 40.95                  | 48.41             | 7.46             | 74.00             | 25.59          | Vertical | PASS    |
| 4                  | 2369.25        | 40.83                  | 48.28             | 7.45             | 74.00             | 25.72          | Vertical | PASS    |
| 5                  | 2374.54        | 40.78                  | 48.23             | 7.45             | 74.00             | 25.77          | Vertical | PASS    |
| 6                  | 2390           | 39.89                  | 47.34             | 7.45             | 74.00             | 26.66          | Vertical | PASS    |



|       |           |
|-------|-----------|
| Mode: | 2DH5-2480 |
|-------|-----------|

| PK Final Data List |                |                        |                   |                  |                   |                |            |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 2483.5         | 40.09                  | 48.05             | 7.96             | 74.00             | 25.95          | Horizontal | PASS    |
| 2                  | 2487.54        | 41.65                  | 49.64             | 7.99             | 74.00             | 24.36          | Horizontal | PASS    |
| 3                  | 2490.19        | 40.78                  | 48.78             | 8.00             | 74.00             | 25.22          | Horizontal | PASS    |
| 4                  | 2493.10        | 41.21                  | 49.22             | 8.01             | 74.00             | 24.78          | Horizontal | PASS    |
| 5                  | 2498.08        | 41.03                  | 49.08             | 8.05             | 74.00             | 24.92          | Horizontal | PASS    |
| 6                  | 2500           | 39.51                  | 47.57             | 8.06             | 74.00             | 26.43          | Horizontal | PASS    |

| PK Final Data List |                |                        |                   |                  |                   |                |          |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity | Verdict |
| 1                  | 2483.5         | 39.13                  | 47.09             | 7.96             | 74.00             | 26.91          | Vertical | PASS    |
| 2                  | 2487.93        | 41.40                  | 49.39             | 7.99             | 74.00             | 24.61          | Vertical | PASS    |
| 3                  | 2493.59        | 40.86                  | 48.88             | 8.02             | 74.00             | 25.12          | Vertical | PASS    |
| 4                  | 2496.32        | 40.80                  | 48.84             | 8.04             | 74.00             | 25.16          | Vertical | PASS    |
| 5                  | 2497.69        | 40.99                  | 49.04             | 8.05             | 74.00             | 24.96          | Vertical | PASS    |
| 6                  | 2500           | 39.14                  | 47.20             | 8.06             | 74.00             | 26.80          | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2402 |
|-------|-----------|

| PK Final Data List |                |                        |                   |                  |                   |                |            |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 2310           | 39.41                  | 46.87             | 7.46             | 74.00             | 27.13          | Horizontal | PASS    |
| 2                  | 2340.27        | 41.18                  | 48.64             | 7.46             | 74.00             | 25.36          | Horizontal | PASS    |
| 3                  | 2362.05        | 41.31                  | 48.76             | 7.45             | 74.00             | 25.24          | Horizontal | PASS    |
| 4                  | 2369.89        | 41.17                  | 48.62             | 7.45             | 74.00             | 25.38          | Horizontal | PASS    |
| 5                  | 2374.22        | 41.82                  | 49.27             | 7.45             | 74.00             | 24.73          | Horizontal | PASS    |
| 6                  | 2390           | 40.53                  | 47.98             | 7.45             | 74.00             | 26.02          | Horizontal | PASS    |

| PK Final Data List |                |                        |                   |                  |                   |                |          |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity | Verdict |
| 1                  | 2310           | 39.14                  | 46.60             | 7.46             | 74.00             | 27.40          | Vertical | PASS    |
| 2                  | 2331.62        | 40.77                  | 48.23             | 7.46             | 74.00             | 25.77          | Vertical | PASS    |
| 3                  | 2344.11        | 40.91                  | 48.36             | 7.45             | 74.00             | 25.64          | Vertical | PASS    |
| 4                  | 2367.57        | 41.38                  | 48.84             | 7.46             | 74.00             | 25.16          | Vertical | PASS    |
| 5                  | 2373.18        | 41.21                  | 48.66             | 7.45             | 74.00             | 25.34          | Vertical | PASS    |
| 6                  | 2390           | 39.48                  | 46.93             | 7.45             | 74.00             | 27.07          | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2480 |
|-------|-----------|


| PK Final Data List |                |                        |                   |                  |                   |                |            |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 2483.5         | 39.75                  | 47.71             | 7.96             | 74.00             | 26.29          | Horizontal | PASS    |
| 2                  | 2488.21        | 41.54                  | 49.53             | 7.99             | 74.00             | 24.47          | Horizontal | PASS    |
| 3                  | 2491.22        | 41.05                  | 49.06             | 8.01             | 74.00             | 24.94          | Horizontal | PASS    |
| 4                  | 2493.03        | 40.86                  | 48.87             | 8.01             | 74.00             | 25.13          | Horizontal | PASS    |
| 5                  | 2496.41        | 40.92                  | 48.96             | 8.04             | 74.00             | 25.04          | Horizontal | PASS    |
| 6                  | 2500           | 39.05                  | 47.11             | 8.06             | 74.00             | 26.89          | Horizontal | PASS    |

| PK Final Data List |                |                        |                   |                  |                   |                |          |         |
|--------------------|----------------|------------------------|-------------------|------------------|-------------------|----------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity | Verdict |
| 1                  | 2483.5         | 39.57                  | 47.53             | 7.96             | 74.00             | 26.47          | Vertical | PASS    |
| 2                  | 2487.83        | 40.96                  | 48.95             | 7.99             | 74.00             | 25.05          | Vertical | PASS    |
| 3                  | 2490.19        | 41.21                  | 49.21             | 8.00             | 74.00             | 24.79          | Vertical | PASS    |
| 4                  | 2493.38        | 41.90                  | 49.92             | 8.02             | 74.00             | 24.08          | Vertical | PASS    |
| 5                  | 2495.54        | 40.97                  | 49.01             | 8.04             | 74.00             | 24.99          | Vertical | PASS    |
| 6                  | 2500           | 39.20                  | 47.26             | 8.06             | 74.00             | 26.74          | Vertical | PASS    |

Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Appendix K: Radiated emissions



| NO. | Freq. [MHz] | Reading [dBµV/m] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|------------------|----------------|---------------|----------------|-------------|------------|---------|
| 1   | 30.971      | 53.14            | 36.17          | -16.97        | 40.00          | 3.83        | Horizontal | PASS    |
| 2   | 47.4775     | 48.29            | 31.85          | -16.44        | 40.00          | 8.15        | Horizontal | PASS    |
| 3   | 96.026      | 55.93            | 35.51          | -20.42        | 43.50          | 7.99        | Horizontal | PASS    |
| 4   | 107.677     | 55.28            | 35.71          | -19.57        | 43.50          | 7.79        | Horizontal | PASS    |
| 5   | 119.329     | 56.97            | 38.55          | -18.42        | 43.50          | 4.95        | Horizontal | PASS    |
| 6   | 167.877     | 55.38            | 38.27          | -17.11        | 43.50          | 5.23        | Horizontal | PASS    |

|       |          |
|-------|----------|
| Mode: | DH5-2402 |
|-------|----------|



| NO. | Freq. [MHz] | Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|------------------|----------------|---------------|----------------|-------------|----------|---------|
| 1   | 32.9129     | 54.69            | 38.02          | -16.67        | 40.00          | 1.98        | Vertical | PASS    |
| 2   | 38.7387     | 53.07            | 37.30          | -15.77        | 40.00          | 2.70        | Vertical | PASS    |
| 3   | 47.4775     | 54.97            | 38.53          | -16.44        | 40.00          | 1.47        | Vertical | PASS    |
| 4   | 55.2452     | 52.14            | 34.97          | -17.17        | 40.00          | 5.03        | Vertical | PASS    |
| 5   | 119.329     | 59.38            | 40.96          | -18.42        | 43.50          | 2.54        | Vertical | PASS    |
| 6   | 143.603     | 58.37            | 41.40          | -16.97        | 43.50          | 2.10        | Vertical | PASS    |



|       |          |
|-------|----------|
| Mode: | DH5-2402 |
|-------|----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3205.0684      | 60.27                     | -16.07         | 44.20                | 74.00                | 29.80                | Horizontal | PASS    |
| 2                  | 4804.0419      | 71.47                     | -12.26         | 59.21                | 74.00                | 14.79                | Horizontal | PASS    |
| 3                  | 6541.1804      | 52.83                     | -9.73          | 43.10                | 74.00                | 30.90                | Horizontal | PASS    |
| 4                  | 8171.7239      | 51.85                     | -7.77          | 44.08                | 74.00                | 29.92                | Horizontal | PASS    |
| 5                  | 10692.5642     | 50.1                      | -4.02          | 46.08                | 74.00                | 27.92                | Horizontal | PASS    |
| 6                  | 17134.7116     | 47.15                     | 4.91           | 52.06                | 74.00                | 21.94                | Horizontal | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3205.0684      | -24.79       | -16.07         | 34.03                | 54.00                | 19.97                | Horizontal | PASS    |
| 2                  | 4804.0419      | -24.79       | -12.26         | 34.42                | 54.00                | 19.58                | Horizontal | PASS    |
| 3                  | 6541.1804      | -24.79       | -9.73          | 33.51                | 54.00                | 20.49                | Horizontal | PASS    |
| 4                  | 8171.7239      | -24.79       | -7.77          | 34.58                | 54.00                | 19.42                | Horizontal | PASS    |
| 5                  | 10692.5642     | -24.79       | -4.02          | 35.80                | 54.00                | 18.20                | Horizontal | PASS    |
| 6                  | 17134.7116     | -24.79       | 4.91           | 41.60                | 54.00                | 12.40                | Horizontal | PASS    |

|       |          |
|-------|----------|
| Mode: | DH5-2402 |
|-------|----------|

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3205.0684      | 62.65                     | -16.07         | 46.58                | 74.00                | 27.42                | Vertical | PASS    |
| 2                  | 4805.6019      | 70.34                     | -12.26         | 58.08                | 74.00                | 15.92                | Vertical | PASS    |
| 3                  | 6581.1937      | 51.96                     | -9.80          | 42.16                | 74.00                | 31.84                | Vertical | PASS    |
| 4                  | 8211.7372      | 50.72                     | -7.68          | 43.04                | 74.00                | 30.96                | Vertical | PASS    |
| 5                  | 13763.5879     | 46.63                     | 0.60           | 47.23                | 74.00                | 26.77                | Vertical | PASS    |
| 6                  | 17644.8816     | 46.59                     | 4.79           | 51.38                | 74.00                | 22.62                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3205.0684      | -24.79       | -16.07         | 35.33                | 54.00                | 18.67                | Vertical | PASS    |
| 2                  | 4805.6019      | -24.79       | -12.26         | 33.29                | 54.00                | 20.71                | Vertical | PASS    |
| 3                  | 6581.1937      | -24.79       | -9.80          | 33.58                | 54.00                | 20.42                | Vertical | PASS    |
| 4                  | 8211.7372      | -24.79       | -7.68          | 34.35                | 54.00                | 19.65                | Vertical | PASS    |
| 5                  | 13763.5879     | -24.79       | 0.60           | 37.93                | 54.00                | 16.07                | Vertical | PASS    |
| 6                  | 17644.8816     | -24.79       | 4.79           | 41.46                | 54.00                | 12.54                | Vertical | PASS    |

|       |          |
|-------|----------|
| Mode: | DH5-2441 |
|-------|----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3255.085       | 60.98                     | -16.52         | 44.46                | 74.00                | 29.54                | Horizontal | PASS    |
| 2                  | 4880.6269      | 63.57                     | -12.95         | 50.62                | 74.00                | 23.38                | Horizontal | PASS    |
| 3                  | 6901.3004      | 51.92                     | -9.16          | 42.76                | 74.00                | 31.24                | Horizontal | PASS    |
| 4                  | 7861.6205      | 51.69                     | -8.14          | 43.55                | 74.00                | 30.45                | Horizontal | PASS    |
| 5                  | 12008.0027     | 49.11                     | -2.08          | 47.03                | 74.00                | 26.97                | Horizontal | PASS    |
| 6                  | 16884.6282     | 46.17                     | 4.94           | 51.11                | 74.00                | 22.89                | Horizontal | PASS    |

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3255.085       | 65.09                     | -16.52         | 48.57                | 74.00                | 25.43                | Vertical | PASS    |
| 2                  | 4880.6269      | 65.08                     | -12.95         | 52.13                | 74.00                | 21.87                | Vertical | PASS    |
| 3                  | 6396.132       | 53.22                     | -9.85          | 43.37                | 74.00                | 30.63                | Vertical | PASS    |
| 4                  | 10177.3925     | 49.45                     | -4.98          | 44.47                | 74.00                | 29.53                | Vertical | PASS    |
| 5                  | 13623.5412     | 47.55                     | 0.88           | 48.43                | 74.00                | 25.57                | Vertical | PASS    |
| 6                  | 17769.9233     | 45.96                     | 5.62           | 51.58                | 74.00                | 22.42                | Vertical | PASS    |

|       |          |
|-------|----------|
| Mode: | DH5-2480 |
|-------|----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3305.1017      | 62.21                     | -16.89         | 45.32                | 74.00                | 28.68                | Horizontal | PASS    |
| 2                  | 4960.6536      | 64.14                     | -12.91         | 51.23                | 74.00                | 22.77                | Horizontal | PASS    |
| 3                  | 6486.1621      | 53.41                     | -9.67          | 43.74                | 74.00                | 30.26                | Horizontal | PASS    |
| 4                  | 10182.3941     | 49                        | -4.97          | 44.03                | 74.00                | 29.97                | Horizontal | PASS    |
| 5                  | 12953.3178     | 47.74                     | -0.86          | 46.88                | 74.00                | 27.12                | Horizontal | PASS    |
| 6                  | 17764.9216     | 46.75                     | 5.56           | 52.31                | 74.00                | 21.69                | Horizontal | PASS    |

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3305.1017      | 65.65                     | -16.89         | 48.76                | 74.00                | 25.24                | Vertical | PASS    |
| 2                  | 4960.6536      | 63.29                     | -12.91         | 50.38                | 74.00                | 23.62                | Vertical | PASS    |
| 3                  | 5760.9203      | 53.8                      | -10.76         | 43.04                | 74.00                | 30.96                | Vertical | PASS    |
| 4                  | 8416.8056      | 51.06                     | -7.42          | 43.64                | 74.00                | 30.36                | Vertical | PASS    |
| 5                  | 15844.2814     | 46.56                     | 2.10           | 48.66                | 74.00                | 25.34                | Vertical | PASS    |
| 6                  | 17189.7299     | 46.46                     | 4.79           | 51.25                | 74.00                | 22.75                | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 2DH5-2402 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3205.0684      | 60.56                     | -16.07         | 44.49                | 74.00                | 29.51                | Horizontal | PASS    |
| 2                  | 4230.4101      | 55.62                     | -14.24         | 41.38                | 74.00                | 32.62                | Horizontal | PASS    |
| 3                  | 4805.6019      | 72.3                      | -12.26         | 60.04                | 74.00                | 13.96                | Horizontal | PASS    |
| 4                  | 9627.2091      | 48.71                     | -6.02          | 42.69                | 74.00                | 31.31                | Horizontal | PASS    |
| 5                  | 13258.4195     | 47.25                     | 0.21           | 47.46                | 74.00                | 26.54                | Horizontal | PASS    |
| 6                  | 17329.7766     | 46.56                     | 5.41           | 51.97                | 74.00                | 22.03                | Horizontal | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3205.0684      | -24.79       | -16.07         | 34.78                | 54.00                | 19.22                | Horizontal | PASS    |
| 2                  | 4230.4101      | -24.79       | -14.24         | 32.90                | 54.00                | 21.10                | Horizontal | PASS    |
| 3                  | 4805.6019      | -24.79       | -12.26         | 35.25                | 54.00                | 18.75                | Horizontal | PASS    |
| 4                  | 9627.2091      | -24.79       | -6.02          | 34.47                | 54.00                | 19.53                | Horizontal | PASS    |
| 5                  | 13258.4195     | -24.79       | 0.21           | 37.99                | 54.00                | 16.01                | Horizontal | PASS    |
| 6                  | 17329.7766     | -24.79       | 5.41           | 41.93                | 54.00                | 12.07                | Horizontal | PASS    |

|       |           |
|-------|-----------|
| Mode: | 2DH5-2402 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3205.0684      | 62.75                     | -16.07         | 46.68                | 74.00                | 27.32                | Vertical | PASS    |
| 2                  | 3965.3218      | 55.68                     | -14.76         | 40.92                | 74.00                | 33.08                | Vertical | PASS    |
| 3                  | 4805.6019      | 71.35                     | -12.26         | 59.09                | 74.00                | 14.91                | Vertical | PASS    |
| 4                  | 6481.1604      | 52.85                     | -9.68          | 43.17                | 74.00                | 30.83                | Vertical | PASS    |
| 5                  | 7211.4038      | 53.16                     | -9.32          | 43.84                | 74.00                | 30.16                | Vertical | PASS    |
| 6                  | 13283.4278     | 46.67                     | 0.37           | 47.04                | 74.00                | 26.96                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3205.0684      | -24.79       | -16.07         | 34.99                | 54.00                | 19.01                | Vertical | PASS    |
| 2                  | 3965.3218      | -24.79       | -14.76         | 32.31                | 54.00                | 21.69                | Vertical | PASS    |
| 3                  | 4805.6019      | -24.79       | -12.26         | 34.30                | 54.00                | 19.70                | Vertical | PASS    |
| 4                  | 6481.1604      | -24.79       | -9.68          | 34.79                | 54.00                | 19.21                | Vertical | PASS    |
| 5                  | 7211.4038      | -24.79       | -9.32          | 34.54                | 54.00                | 19.46                | Vertical | PASS    |
| 6                  | 13283.4278     | -24.79       | 0.37           | 38.92                | 54.00                | 15.08                | Vertical | PASS    |



|       |           |
|-------|-----------|
| Mode: | 2DH5-2441 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4882.0669      | 69.55                     | -12.95         | 56.60                | 74.00                | 17.40                | Horizontal | PASS    |
| 2                  | 6016.0053      | 53.08                     | -9.85          | 43.23                | 74.00                | 30.77                | Horizontal | PASS    |
| 3                  | 7836.6122      | 51.4                      | -8.06          | 43.34                | 74.00                | 30.66                | Horizontal | PASS    |
| 4                  | 11562.8543     | 48.51                     | -2.25          | 46.26                | 74.00                | 27.74                | Horizontal | PASS    |
| 5                  | 14493.8313     | 46.99                     | 0.94           | 47.93                | 74.00                | 26.07                | Horizontal | PASS    |
| 6                  | 17699.9        | 47.8                      | 4.74           | 52.54                | 74.00                | 21.46                | Horizontal | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4882.0669      | -24.79       | -12.95         | 31.81                | 54.00                | 22.19                | Horizontal | PASS    |
| 2                  | 6016.0053      | -24.79       | -9.85          | 33.89                | 54.00                | 20.11                | Horizontal | PASS    |
| 3                  | 7836.6122      | -24.79       | -8.06          | 33.60                | 54.00                | 20.40                | Horizontal | PASS    |
| 4                  | 11562.8543     | -24.79       | -2.25          | 36.91                | 54.00                | 17.09                | Horizontal | PASS    |
| 5                  | 14493.8313     | -24.79       | 0.94           | 39.43                | 54.00                | 14.57                | Horizontal | PASS    |
| 6                  | 17699.9        | -24.79       | 4.74           | 42.79                | 54.00                | 11.21                | Horizontal | PASS    |

|       |           |
|-------|-----------|
| Mode: | 2DH5-2441 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3255.085       | 64.87                     | -16.52         | 48.35                | 74.00                | 25.65                | Vertical | PASS    |
| 2                  | 4882.2169      | 69.74                     | -12.95         | 56.79                | 74.00                | 17.21                | Vertical | PASS    |
| 3                  | 6471.1571      | 53.36                     | -9.70          | 43.66                | 74.00                | 30.34                | Vertical | PASS    |
| 4                  | 7736.5789      | 51.69                     | -8.68          | 43.01                | 74.00                | 30.99                | Vertical | PASS    |
| 5                  | 10707.5692     | 49.08                     | -3.99          | 45.09                | 74.00                | 28.91                | Vertical | PASS    |
| 6                  | 16784.5949     | 45.32                     | 4.86           | 50.18                | 74.00                | 23.82                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3255.085       | -24.79       | -16.52         | 30.76                | 54.00                | 23.24                | Vertical | PASS    |
| 2                  | 4882.2169      | -24.79       | -12.95         | 32.05                | 54.00                | 21.95                | Vertical | PASS    |
| 3                  | 6471.1571      | -24.79       | -9.70          | 33.77                | 54.00                | 20.23                | Vertical | PASS    |
| 4                  | 7736.5789      | -24.79       | -8.68          | 34.83                | 54.00                | 19.17                | Vertical | PASS    |
| 5                  | 10707.5692     | -24.79       | -3.99          | 36.14                | 54.00                | 17.86                | Vertical | PASS    |
| 6                  | 16784.5949     | -24.79       | 4.86           | 41.35                | 54.00                | 12.65                | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 2DH5-2480 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3305.1017      | 60.88                     | -16.89         | 43.99                | 74.00                | 30.01                | Horizontal | PASS    |
| 2                  | 3935.3118      | 55.05                     | -14.50         | 40.55                | 74.00                | 33.45                | Horizontal | PASS    |
| 3                  | 4960.0236      | 69.12                     | -12.91         | 56.21                | 74.00                | 17.79                | Horizontal | PASS    |
| 4                  | 7781.5939      | 52.26                     | -8.15          | 44.11                | 74.00                | 29.89                | Horizontal | PASS    |
| 5                  | 14428.8096     | 46.99                     | 0.71           | 47.70                | 74.00                | 26.30                | Horizontal | PASS    |
| 6                  | 17339.7799     | 45.67                     | 5.31           | 50.98                | 74.00                | 23.02                | Horizontal | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3305.1017      | -24.79       | -16.89         | 30.22                | 54.00                | 23.78                | Horizontal | PASS    |
| 2                  | 3935.3118      | -24.79       | -14.50         | 32.51                | 54.00                | 21.49                | Horizontal | PASS    |
| 3                  | 4960.0236      | -24.79       | -12.91         | 31.52                | 54.00                | 22.48                | Horizontal | PASS    |
| 4                  | 7781.5939      | -24.79       | -8.15          | 34.69                | 54.00                | 19.31                | Horizontal | PASS    |
| 5                  | 14428.8096     | -24.79       | 0.71           | 37.85                | 54.00                | 16.15                | Horizontal | PASS    |
| 6                  | 17339.7799     | -24.79       | 5.31           | 41.50                | 54.00                | 12.50                | Horizontal | PASS    |

|       |           |
|-------|-----------|
| Mode: | 2DH5-2480 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3305.1017      | 64.78                     | -16.89         | 47.89                | 74.00                | 26.11                | Vertical | PASS    |
| 2                  | 4210.4035      | 55.87                     | -14.18         | 41.69                | 74.00                | 32.31                | Vertical | PASS    |
| 3                  | 4959.8736      | 70.19                     | -12.91         | 57.28                | 74.00                | 16.72                | Vertical | PASS    |
| 4                  | 6476.1587      | 53.05                     | -9.69          | 43.36                | 74.00                | 30.64                | Vertical | PASS    |
| 5                  | 12108.036      | 47.28                     | -1.16          | 46.12                | 74.00                | 27.88                | Vertical | PASS    |
| 6                  | 17514.8383     | 45.03                     | 5.65           | 50.68                | 74.00                | 23.32                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3305.1017      | -24.79       | -16.89         | 30.28                | 54.00                | 23.72                | Vertical | PASS    |
| 2                  | 4210.4035      | -24.79       | -14.18         | 33.40                | 54.00                | 20.60                | Vertical | PASS    |
| 3                  | 4959.8736      | -24.79       | -12.91         | 45.4                 | 54.00                | 3.47                 | Vertical | PASS    |
| 4                  | 6476.1587      | -24.79       | -9.69          | 33.74                | 54.00                | 20.26                | Vertical | PASS    |
| 5                  | 12108.036      | -24.79       | -1.16          | 37.02                | 54.00                | 16.98                | Vertical | PASS    |
| 6                  | 17514.8383     | -24.79       | 5.65           | 41.69                | 54.00                | 12.31                | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2402 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3200.0667      | 60.91                     | -16.02         | 44.89                | 74.00                | 29.11                | Horizontal | PASS    |
| 2                  | 4803.8019      | 73.08                     | -12.26         | 60.82                | 74.00                | 13.18                | Horizontal | PASS    |
| 3                  | 6811.2704      | 51.98                     | -8.85          | 43.13                | 74.00                | 30.87                | Horizontal | PASS    |
| 4                  | 7866.6222      | 51.9                      | -8.16          | 43.74                | 74.00                | 30.26                | Horizontal | PASS    |
| 5                  | 13263.4211     | 47.41                     | 0.24           | 47.65                | 74.00                | 26.35                | Horizontal | PASS    |
| 6                  | 16774.5915     | 46.6                      | 4.80           | 51.40                | 74.00                | 22.60                | Horizontal | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3200.0667      | -24.79       | -16.02         | 34.78                | 54.00                | 19.22                | Horizontal | PASS    |
| 2                  | 4803.8019      | -24.79       | -12.26         | 36.03                | 54.00                | 17.97                | Horizontal | PASS    |
| 3                  | 6811.2704      | -24.79       | -8.85          | 33.84                | 54.00                | 20.16                | Horizontal | PASS    |
| 4                  | 7866.6222      | -24.79       | -8.16          | 33.96                | 54.00                | 20.04                | Horizontal | PASS    |
| 5                  | 13263.4211     | -24.79       | 0.24           | 37.35                | 54.00                | 16.65                | Horizontal | PASS    |
| 6                  | 16774.5915     | -24.79       | 4.80           | 41.03                | 54.00                | 12.97                | Horizontal | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2402 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3205.0684      | 62.05                     | -16.07         | 45.98                | 74.00                | 28.02                | Vertical | PASS    |
| 2                  | 3815.2718      | 55.7                      | -15.07         | 40.63                | 74.00                | 33.37                | Vertical | PASS    |
| 3                  | 4803.7719      | 72.47                     | -12.26         | 60.21                | 74.00                | 13.79                | Vertical | PASS    |
| 4                  | 7081.3605      | 53.07                     | -8.92          | 44.15                | 74.00                | 29.85                | Vertical | PASS    |
| 5                  | 9967.3224      | 49.43                     | -5.25          | 44.18                | 74.00                | 29.82                | Vertical | PASS    |
| 6                  | 11502.8343     | 49.5                      | -2.26          | 47.24                | 74.00                | 26.76                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3205.0684      | -24.79       | -16.07         | 34.55                | 54.00                | 19.45                | Vertical | PASS    |
| 2                  | 3815.2718      | -24.79       | -15.07         | 30.94                | 54.00                | 23.06                | Vertical | PASS    |
| 3                  | 4803.7719      | -24.79       | -12.26         | 35.42                | 54.00                | 18.58                | Vertical | PASS    |
| 4                  | 7081.3605      | -24.79       | -8.92          | 33.37                | 54.00                | 20.63                | Vertical | PASS    |
| 5                  | 9967.3224      | -24.79       | -5.25          | 35.54                | 54.00                | 18.46                | Vertical | PASS    |
| 6                  | 11502.8343     | -24.79       | -2.26          | 36.18                | 54.00                | 17.82                | Vertical | PASS    |



|       |           |
|-------|-----------|
| Mode: | 3DH5-2441 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3255.085       | 59.29                     | -16.52         | 42.77                | 74.00                | 31.23                | Horizontal | PASS    |
| 2                  | 3855.2851      | 56.72                     | -14.65         | 42.07                | 74.00                | 31.93                | Horizontal | PASS    |
| 3                  | 4881.7369      | 67.70                     | -12.95         | 54.75                | 74.00                | 19.25                | Horizontal | PASS    |
| 4                  | 6811.2704      | 52.17                     | -8.85          | 43.32                | 74.00                | 30.68                | Horizontal | PASS    |
| 5                  | 10257.4191     | 49.75                     | -4.88          | 44.87                | 74.00                | 29.13                | Horizontal | PASS    |
| 6                  | 17629.8766     | 46.62                     | 4.79           | 51.41                | 74.00                | 22.59                | Horizontal | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3255.085       | -24.79       | -16.52         | 30.35                | 54.00                | 23.65                | Horizontal | PASS    |
| 2                  | 3855.2851      | -24.79       | -14.65         | 32.19                | 54.00                | 21.81                | Horizontal | PASS    |
| 3                  | 4881.7369      | -24.79       | -12.95         | 29.96                | 54.00                | 24.04                | Horizontal | PASS    |
| 4                  | 6811.2704      | -24.79       | -8.85          | 34.22                | 54.00                | 19.78                | Horizontal | PASS    |
| 5                  | 10257.4191     | -24.79       | -4.88          | 35.29                | 54.00                | 18.71                | Horizontal | PASS    |
| 6                  | 17629.8766     | -24.79       | 4.79           | 42.88                | 54.00                | 11.12                | Horizontal | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2441 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3255.085       | 65.19                     | -16.52         | 48.67                | 74.00                | 25.33                | Vertical | PASS    |
| 2                  | 4882.1869      | 69.31                     | -12.95         | 56.36                | 74.00                | 17.64                | Vertical | PASS    |
| 3                  | 7861.6205      | 51.55                     | -8.14          | 43.41                | 74.00                | 30.59                | Vertical | PASS    |
| 4                  | 11652.8843     | 48.28                     | -2.16          | 46.12                | 74.00                | 27.88                | Vertical | PASS    |
| 5                  | 13303.4345     | 47.39                     | 0.45           | 47.84                | 74.00                | 26.16                | Vertical | PASS    |
| 6                  | 16994.6649     | 46.08                     | 4.91           | 50.99                | 74.00                | 23.01                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3255.085       | -24.79       | -16.52         | 31.11                | 54.00                | 22.89                | Vertical | PASS    |
| 2                  | 4882.1869      | -24.79       | -12.95         | 31.57                | 54.00                | 22.43                | Vertical | PASS    |
| 3                  | 7861.6205      | -24.79       | -8.14          | 34.00                | 54.00                | 20.00                | Vertical | PASS    |
| 4                  | 11652.8843     | -24.79       | -2.16          | 38.16                | 54.00                | 15.84                | Vertical | PASS    |
| 5                  | 13303.4345     | -24.79       | 0.45           | 38.27                | 54.00                | 15.73                | Vertical | PASS    |
| 6                  | 16994.6649     | -24.79       | 4.91           | 41.66                | 54.00                | 12.34                | Vertical | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2480 |
|-------|-----------|

| PK Final Data List |                |                           |                |                      |                      |                      |            |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3305.1017      | 61.57                     | -16.89         | 44.68                | 74.00                | 29.32                | Horizontal | PASS    |
| 2                  | 6701.2337      | 53.65                     | -9.76          | 43.89                | 74.00                | 30.11                | Horizontal | PASS    |
| 3                  | 9992.3308      | 50.17                     | -5.09          | 45.08                | 74.00                | 28.92                | Horizontal | PASS    |
| 4                  | 13273.4245     | 47.52                     | 0.30           | 47.82                | 74.00                | 26.18                | Horizontal | PASS    |
| 5                  | 17799.9333     | 46.32                     | 5.99           | 52.31                | 74.00                | 21.69                | Horizontal | PASS    |


| AV Final Data List |                |              |                |                      |                      |                      |            |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 3305.1017      | -24.79       | -16.89         | 30.78                | 54.00                | 23.22                | Horizontal | PASS    |
| 2                  | 6701.2337      | -24.79       | -9.76          | 32.96                | 54.00                | 21.04                | Horizontal | PASS    |
| 3                  | 9992.3308      | -24.79       | -5.09          | 34.38                | 54.00                | 19.62                | Horizontal | PASS    |
| 4                  | 13273.4245     | -24.79       | 0.30           | 38.31                | 54.00                | 15.69                | Horizontal | PASS    |
| 5                  | 17799.9333     | -24.79       | 5.99           | 42.02                | 54.00                | 11.98                | Horizontal | PASS    |

|       |           |
|-------|-----------|
| Mode: | 3DH5-2480 |
|-------|-----------|


| PK Final Data List |                |                           |                |                      |                      |                      |          |         |
|--------------------|----------------|---------------------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK<br>Reading<br>[dBμV/m] | Factor<br>[dB] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3305.1017      | 65.46                     | -16.89         | 48.57                | 74.00                | 25.43                | Vertical | PASS    |
| 2                  | 4959.6936      | 70.56                     | -12.91         | 57.65                | 74.00                | 16.35                | Vertical | PASS    |
| 3                  | 7766.5889      | 51.37                     | -8.32          | 43.05                | 74.00                | 30.95                | Vertical | PASS    |
| 4                  | 9572.1907      | 50.2                      | -6.23          | 43.97                | 74.00                | 30.03                | Vertical | PASS    |
| 5                  | 12478.1594     | 48.07                     | -1.34          | 46.73                | 74.00                | 27.27                | Vertical | PASS    |
| 6                  | 17449.8166     | 46.44                     | 5.27           | 51.71                | 74.00                | 22.29                | Vertical | PASS    |

| AV Final Data List |                |              |                |                      |                      |                      |          |         |
|--------------------|----------------|--------------|----------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | DCCF<br>[dB] | Factor<br>[dB] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 3305.1017      | -24.79       | -16.89         | 30.34                | 54.00                | 23.66                | Vertical | PASS    |
| 2                  | 4959.6936      | -24.79       | -12.91         | 32.86                | 54.00                | 21.14                | Vertical | PASS    |
| 3                  | 7766.5889      | -24.79       | -8.32          | 34.78                | 54.00                | 19.22                | Vertical | PASS    |
| 4                  | 9572.1907      | -24.79       | -6.23          | 34.37                | 54.00                | 19.63                | Vertical | PASS    |
| 5                  | 12478.1594     | -24.79       | -1.34          | 37.26                | 54.00                | 16.74                | Vertical | PASS    |
| 6                  | 17449.8166     | -24.79       | 5.27           | 42.32                | 54.00                | 11.68                | Vertical | PASS    |

# Appendix L: Conducted emission AC power port



| Final Data List |             |             |                 |                 |                |                 |                 |                |      |         |
|-----------------|-------------|-------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|------|---------|
| NO.             | Freq. [MHz] | Factor [dB] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Type | Verdict |
| 1               | 0.1989      | 10.26       | 50.96           | 63.66           | 12.70          | 47.75           | 53.66           | 5.91           | L1   | PASS    |
| 2               | 0.3991      | 10.26       | 44.48           | 57.87           | 13.39          | 43.74           | 47.87           | 4.13           | L1   | PASS    |
| 3               | 0.4640      | 10.27       | 44.91           | 56.62           | 11.71          | 44.15           | 46.62           | 2.47           | L1   | PASS    |
| 4               | 0.5277      | 10.28       | 44.54           | 56.00           | 11.46          | 43.71           | 46.00           | 2.29           | L1   | PASS    |
| 5               | 0.6231      | 10.27       | 42.70           | 56.00           | 13.30          | 42.44           | 46.00           | 3.56           | L1   | PASS    |
| 6               | 1.0077      | 10.28       | 41.49           | 56.00           | 14.51          | 40.03           | 46.00           | 5.97           | L1   | PASS    |



| Final Data List |             |             |                 |                 |                |                 |                 |                |      |         |
|-----------------|-------------|-------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|------|---------|
| NO.             | Freq. [MHz] | Factor [dB] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Type | Verdict |
| 1               | 0.1974      | 10.26       | 51.86           | 63.72           | 11.86          | 48.61           | 53.72           | 5.11           | N    | PASS    |
| 2               | 0.4628      | 10.27       | 45.14           | 56.64           | 11.50          | 44.25           | 46.64           | 2.39           | N    | PASS    |
| 3               | 0.4958      | 10.28       | 45.00           | 56.07           | 11.07          | 44.43           | 46.07           | 1.64           | N    | PASS    |
| 4               | 0.5288      | 10.28       | 45.13           | 56.00           | 10.87          | 43.91           | 46.00           | 2.09           | N    | PASS    |
| 5               | 0.8788      | 10.28       | 40.10           | 56.00           | 15.90          | 39.24           | 46.00           | 6.76           | N    | PASS    |
| 6               | 1.0083      | 10.28       | 40.50           | 56.00           | 15.50          | 38.96           | 46.00           | 7.04           | N    | PASS    |