

Name:INOI Limited

**Address:Office 302, Dominion Centre 43-59, Queens Road,
East Wanchai, Hong Kong, China**

Model Name:A151

Antenna Type:FPC


Gain(dBi):-0.2

Brand:INOI

| | | | |
|------|-----|------|------|
| 2160 | 16% | -7.9 | -2.4 |
| 2180 | 16% | -7.9 | -2.7 |


| Diversity antenna | EFF | | GAIN |
|-------------------|-----|-------|-------|
| 700 | 2% | -16.4 | -13.1 |
| 710 | 3% | -15.9 | -12.5 |
| 720 | 3% | -15.5 | -12.2 |
| 730 | 3% | -15.2 | -11.6 |
| 740 | 3% | -15.0 | -11.3 |
| 750 | 3% | -14.6 | -10.6 |
| 760 | 4% | -14.4 | -10.5 |
| 770 | 4% | -14.2 | -10.2 |
| 780 | 4% | -13.8 | -10.0 |
| 790 | 4% | -13.5 | -9.8 |
| 800 | 5% | -13.1 | -9.4 |
| 810 | 5% | -12.7 | -9.1 |
| 820 | 6% | -12.4 | -8.7 |
| 830 | 6% | -12.1 | -8.3 |
| 840 | 7% | -11.8 | -7.9 |
| 850 | 7% | -11.4 | -7.3 |
| 860 | 8% | -10.9 | -7.0 |
| 870 | 9% | -10.3 | -6.0 |
| 880 | 11% | -9.8 | -5.5 |
| 890 | 12% | -9.0 | -4.7 |
| 900 | 14% | -8.5 | -4.1 |
| 910 | 16% | -7.9 | -3.6 |
| 920 | 19% | -7.2 | -2.7 |
| 930 | 21% | -6.7 | -2.3 |
| 940 | 24% | -6.2 | -1.4 |
| 950 | 25% | -6.0 | -1.2 |
| 960 | 25% | -6.0 | -0.9 |
| 1700 | 4% | -13.5 | -10.1 |
| 1720 | 5% | -13.2 | -10.0 |
| 1740 | 5% | -12.8 | -9.4 |
| 1760 | 6% | -12.0 | -8.4 |

| Diversity antenna | EFF | | GAIN |
|-------------------|-----|-------|------|
| 1780 | 8% | -11.1 | -7.4 |
| 1800 | 9% | -10.6 | -6.8 |
| 1820 | 10% | -9.8 | -6.0 |
| 1840 | 13% | -9.0 | -5.3 |
| 1860 | 15% | -8.3 | -4.7 |
| 1880 | 18% | -7.5 | -4.0 |
| 1900 | 22% | -6.6 | -3.4 |
| 1920 | 26% | -5.8 | -2.7 |
| 1940 | 31% | -5.1 | -2.1 |
| 1960 | 37% | -4.4 | -1.6 |
| 1980 | 43% | -3.7 | -1.0 |
| 2000 | 47% | -3.3 | -0.6 |
| 2020 | 50% | -3.0 | -0.3 |
| 2040 | 50% | -3.0 | -0.3 |
| 2060 | 48% | -3.2 | -0.5 |
| 2080 | 44% | -3.6 | -0.9 |
| 2100 | 38% | -4.2 | -1.6 |
| 2120 | 32% | -4.9 | -2.2 |
| 2140 | 28% | -5.6 | -2.7 |
| 2160 | 23% | -6.3 | -3.3 |
| 2180 | 20% | -7.1 | -3.7 |
| 2300 | 16% | -7.9 | -4.0 |
| 2320 | 16% | -7.9 | -3.7 |
| 2340 | 17% | -7.7 | -3.5 |
| 2360 | 17% | -7.7 | -3.2 |
| 2380 | 17% | -7.7 | -3.1 |
| 2400 | 17% | -7.7 | -2.9 |
| 2420 | 16% | -8.1 | -3.2 |
| 2440 | 16% | -8.1 | -3.3 |
| 2460 | 16% | -7.9 | -3.2 |
| 2480 | 17% | -7.8 | -3.1 |
| 2500 | 17% | -7.6 | -3.0 |
| 2520 | 18% | -7.5 | -2.9 |
| 2540 | 18% | -7.4 | -2.8 |
| 2560 | 19% | -7.2 | -2.6 |
| 2580 | 20% | -7.0 | -2.4 |
| 2600 | 21% | -6.9 | -2.3 |
| 2620 | 21% | -6.8 | -2.5 |
| 2640 | 20% | -6.9 | -2.7 |
| 2660 | 20% | -7.1 | -3.1 |
| 2680 | 19% | -7.2 | -3.6 |
| 2700 | 18% | -7.4 | -4.1 |




| Three-in-one antenna | EFF | | BT/wifi GAIN |
|----------------------|-----|------|--------------|
| 1550 | 42% | -3.8 | 0.9 |
| 1560 | 42% | -3.7 | 1.1 |
| 1570 | 42% | -3.7 | 1.2 |
| 1580 | 42% | -3.7 | 1.3 |
| 1590 | 41% | -3.8 | 1.2 |
| 1600 | 40% | -4.0 | 1.2 |
| 1610 | 38% | -4.2 | 1.0 |
| 1620 | 35% | -4.5 | 0.7 |
| 1630 | 32% | -5.0 | 0.4 |
| 1640 | 29% | -5.4 | -0.1 |
| 1650 | 26% | -5.9 | -0.5 |
| 1660 | 22% | -6.5 | -1.1 |
| 1670 | 19% | -7.1 | -1.7 |
| 2400 | 29% | -5.4 | -0.2 |
| 2410 | 29% | -5.4 | -0.2 |
| 2420 | 28% | -5.6 | -0.4 |
| 2430 | 27% | -5.7 | -0.6 |
| 2440 | 26% | -5.8 | -0.8 |
| 2450 | 25% | -5.9 | -1.2 |
| 2460 | 25% | -6.1 | -1.4 |
| 2470 | 24% | -6.2 | -1.7 |
| 2480 | 23% | -6.4 | -2.0 |
| 2490 | 22% | -6.5 | -2.2 |
| 2500 | 22% | -6.5 | -2.4 |


| | |
|------|------|
| B40 | 无源图档 |
| 2397 | |




B3
1783


无源图档






B41
2662 无源图档







| | |
|------|------|
| GPS | 无源图档 |
| 1575 | |

