



Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	159.374MHz	-70.85	-13.00	-57.85	PK	Hor
2*	408.785MHz	-68.50	-13.00	-55.50	PK	Hor
3*	973.083MHz	-53.98	-13.00	-40.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	167.134MHz	-70.32	-13.00	-57.32	PK	Ver
2*	303.904MHz	-70.46	-13.00	-57.46	PK	Ver
3*	629.460MHz	-60.03	-13.00	-47.03	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.614MHz	-71.16	-13.00	-58.16	PK	Hor
2*	307.905MHz	-70.48	-13.00	-57.48	PK	Hor
3*	769.140MHz	-57.32	-13.00	-44.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	176.591MHz	-71.06	-13.00	-58.06	PK	Ver
2*	438.976MHz	-68.29	-13.00	-55.29	PK	Ver
3*	854.015MHz	-57.30	-13.00	-44.30	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	164.466MHz	-70.53	-13.00	-57.53	PK	Hor
2*	481.656MHz	-66.87	-13.00	-53.87	PK	Hor
3*	782.114MHz	-58.37	-13.00	-45.37	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	154.645MHz	-70.78	-13.00	-57.78	PK	Ver
2*	437.521MHz	-67.51	-13.00	-54.51	PK	Ver
3*	874.264MHz	-56.96	-13.00	-43.96	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.221MHz	-72.31	-13.00	-59.31	PK	Hor
2*	456.436MHz	-67.18	-13.00	-54.18	PK	Hor
3*	730.825MHz	-58.32	-13.00	-45.32	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.613MHz	-71.43	-13.00	-58.43	PK	Ver
2*	468.683MHz	-66.19	-13.00	-53.19	PK	Ver
3*	976.720MHz	-55.09	-13.00	-42.09	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.128MHz	-70.88	-13.00	-57.88	PK	Hor
2*	415.454MHz	-68.77	-13.00	-55.77	PK	Hor
3*	977.448MHz	-54.02	-13.00	-41.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.343MHz	-71.21	-13.00	-58.21	PK	Ver
2*	392.901MHz	-68.59	-13.00	-55.59	PK	Ver
3*	730.219MHz	-58.84	-13.00	-45.84	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.614MHz	-70.62	-13.00	-57.62	PK	Hor
2*	378.715MHz	-69.76	-13.00	-56.76	PK	Hor
3*	919.126MHz	-55.82	-13.00	-42.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	146.764MHz	-70.20	-13.00	-57.20	PK	Ver
2*	492.933MHz	-67.49	-13.00	-54.49	PK	Ver
3*	947.135MHz	-56.13	-13.00	-43.13	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.373MHz	-70.61	-13.00	-57.61	PK	Hor
2*	407.330MHz	-67.73	-13.00	-54.73	PK	Hor
3*	983.025MHz	-55.55	-13.00	-42.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.890MHz	-72.19	-13.00	-59.19	PK	Ver
2*	443.705MHz	-67.82	-13.00	-54.82	PK	Ver
3*	982.783MHz	-53.85	-13.00	-40.85	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	147.613MHz	-71.50	-13.00	-58.50	PK	Hor
2*	472.320MHz	-66.26	-13.00	-53.26	PK	Hor
3*	984.844MHz	-54.94	-13.00	-41.94	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	151.978MHz	-70.92	-13.00	-57.92	PK	Ver
2*	473.169MHz	-66.49	-13.00	-53.49	PK	Ver
3*	995.999MHz	-55.69	-13.00	-42.69	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	142.884MHz	-71.43	-13.00	-58.43	PK	Hor
2*	410.119MHz	-68.81	-13.00	-55.81	PK	Hor
3*	993.816MHz	-55.19	-13.00	-42.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	156.221MHz	-71.23	-13.00	-58.23	PK	Ver
2*	359.558MHz	-69.14	-13.00	-56.14	PK	Ver
3*	946.165MHz	-54.52	-13.00	-41.52	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	172.226MHz	-71.02	-13.00	-58.02	PK	Hor
2*	412.301MHz	-68.56	-13.00	-55.56	PK	Hor
3*	965.565MHz	-55.62	-13.00	-42.62	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	162.648MHz	-70.59	-13.00	-57.59	PK	Ver
2*	437.885MHz	-67.08	-13.00	-54.08	PK	Ver
3*	985.450MHz	-54.51	-13.00	-41.51	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	155.858MHz	-70.86	-13.00	-57.86	PK	Hor
2*	463.954MHz	-66.06	-13.00	-53.06	PK	Hor
3*	881.296MHz	-56.82	-13.00	-43.82	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	161.193MHz	-71.35	-13.00	-58.35	PK	Ver
2*	349.130MHz	-69.98	-13.00	-56.98	PK	Ver
3*	972.476MHz	-55.09	-13.00	-42.09	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 15.6°C
M/N: A151	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	153.675MHz	-70.47	-13.00	-57.47	PK	Hor
2*	495.721MHz	-65.95	-13.00	-52.95	PK	Hor
3*	998.909MHz	-55.11	-13.00	-42.11	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	166.043MHz	-71.15	-13.00	-58.15	PK	Ver
2*	499.359MHz	-66.10	-13.00	-53.10	PK	Ver
3*	963.625MHz	-56.31	-13.00	-43.31	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.136GHz	-49.08	-13.00	-36.08	PK	Hor
2*	8.990GHz	-41.93	-13.00	-28.93	PK	Hor
3*	17.892GHz	-38.20	-13.00	-25.20	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.284GHz	-49.38	-13.00	-36.38	PK	Ver
2*	8.933GHz	-41.45	-13.00	-28.45	PK	Ver
3*	17.998GHz	-38.22	-13.00	-25.22	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.942GHz	-49.39	-13.00	-36.39	PK	Hor
2*	8.948GHz	-42.05	-13.00	-29.05	PK	Hor
3*	17.968GHz	-38.58	-13.00	-25.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.887GHz	-47.27	-13.00	-34.27	PK	Ver
2*	8.931GHz	-42.47	-13.00	-29.47	PK	Ver
3*	17.790GHz	-38.42	-13.00	-25.42	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.313GHz	-46.85	-13.00	-33.85	PK	Hor
2*	8.988GHz	-41.44	-13.00	-28.44	PK	Hor
3*	17.766GHz	-38.21	-13.00	-25.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.066GHz	-48.46	-13.00	-35.46	PK	Ver
2*	8.931GHz	-42.37	-13.00	-29.37	PK	Ver
3*	17.911GHz	-38.12	-13.00	-25.12	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.844GHz	-47.34	-13.00	-34.34	PK	Hor
2*	8.966GHz	-42.26	-13.00	-29.26	PK	Hor
3*	14.398GHz	-40.41	-13.00	-27.41	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.854GHz	-46.98	-13.00	-33.98	PK	Ver
2*	9.000GHz	-42.99	-13.00	-29.99	PK	Ver
3*	16.462GHz	-41.80	-13.00	-28.80	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.928GHz	-49.98	-13.00	-36.98	PK	Hor
2*	4.840GHz	-47.01	-13.00	-34.01	PK	Hor
3*	9.020GHz	-41.58	-13.00	-28.58	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.328GHz	-48.10	-13.00	-35.10	PK	Ver
2*	9.010GHz	-41.73	-13.00	-28.73	PK	Ver
3*	16.460GHz	-41.15	-13.00	-28.15	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.872GHz	-47.36	-13.00	-34.36	PK	Hor
2*	8.932GHz	-42.57	-13.00	-29.57	PK	Hor
3*	16.440GHz	-41.66	-13.00	-28.66	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.844GHz	-46.94	-13.00	-33.94	PK	Ver
2*	8.986GHz	-40.42	-13.00	-27.42	PK	Ver
3*	14.408GHz	-42.11	-13.00	-29.11	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.025GHz	-48.36	-13.00	-35.36	PK	Hor
2*	4.919GHz	-46.95	-13.00	-33.95	PK	Hor
3*	8.982GHz	-42.26	-13.00	-29.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.264GHz	-48.43	-13.00	-35.43	PK	Ver
2*	4.874GHz	-46.91	-13.00	-33.91	PK	Ver
3*	8.932GHz	-41.87	-13.00	-28.87	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.244GHz	-49.08	-13.00	-36.08	PK	Hor
2*	4.828GHz	-46.15	-13.00	-33.15	PK	Hor
3*	8.971GHz	-41.07	-13.00	-28.07	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.060GHz	-48.50	-13.00	-35.50	PK	Ver
2*	4.866GHz	-47.57	-13.00	-34.57	PK	Ver
3*	8.937GHz	-42.51	-13.00	-29.51	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.966GHz	-49.18	-13.00	-36.18	PK	Hor
2*	5.314GHz	-47.36	-13.00	-34.36	PK	Hor
3*	8.996GHz	-42.63	-13.00	-29.63	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.902GHz	-49.43	-13.00	-36.43	PK	Ver
2*	4.365GHz	-47.45	-13.00	-34.45	PK	Ver
3*	8.976GHz	-42.42	-13.00	-29.42	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.219GHz	-49.16	-13.00	-36.16	PK	Hor
2*	8.867GHz	-42.58	-13.00	-29.58	PK	Hor
3*	17.773GHz	-37.89	-13.00	-24.89	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.855GHz	-49.47	-13.00	-36.47	PK	Ver
2*	8.990GHz	-41.94	-13.00	-28.94	PK	Ver
3*	17.822GHz	-38.92	-13.00	-25.92	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.391GHz	-49.29	-13.00	-36.29	PK	Hor
2*	8.440GHz	-40.60	-13.00	-27.60	PK	Hor
3*	17.885GHz	-38.15	-13.00	-25.15	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.840GHz	-47.93	-13.00	-34.93	PK	Ver
2*	8.994GHz	-42.28	-13.00	-29.28	PK	Ver
3*	17.911GHz	-37.46	-13.00	-24.46	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 7 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.779GHz	-50.07	-13.00	-37.07	PK	Hor
2*	8.941GHz	-42.12	-13.00	-29.12	PK	Hor
3*	17.958GHz	-38.59	-13.00	-25.59	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.917GHz	-49.93	-13.00	-36.93	PK	Ver
2*	8.937GHz	-42.50	-13.00	-29.50	PK	Ver
3*	17.987GHz	-38.48	-13.00	-25.48	PK	Ver