



Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 40 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.947GHz	-49.46	-13.00	-36.46	PK	Hor
2*	8.440GHz	-43.14	-13.00	-30.14	PK	Hor
3*	17.896GHz	-38.16	-13.00	-25.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.204GHz	-48.77	-13.00	-35.77	PK	Ver
2*	8.988GHz	-42.18	-13.00	-29.18	PK	Ver
3*	17.641GHz	-38.04	-13.00	-25.04	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 40 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.831GHz	-47.13	-13.00	-34.13	PK	Hor
2*	8.962GHz	-42.26	-13.00	-29.26	PK	Hor
3*	17.900GHz	-38.42	-13.00	-25.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.876GHz	-47.54	-13.00	-34.54	PK	Ver
2*	8.937GHz	-42.23	-13.00	-29.23	PK	Ver
3*	17.785GHz	-38.23	-13.00	-25.23	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.840GHz	-47.19	-13.00	-34.19	PK	Hor
2*	8.996GHz	-42.69	-13.00	-29.69	PK	Hor
3*	17.934GHz	-38.05	-13.00	-25.05	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.882GHz	-47.25	-13.00	-34.25	PK	Ver
2*	8.873GHz	-42.04	-13.00	-29.04	PK	Ver
3*	17.887GHz	-38.96	-13.00	-25.96	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.780GHz	-47.63	-13.00	-34.63	PK	Hor
2*	8.943GHz	-42.46	-13.00	-29.46	PK	Hor
3*	17.783GHz	-38.28	-13.00	-25.28	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.772GHz	-47.07	-13.00	-34.07	PK	Ver
2*	8.988GHz	-41.67	-13.00	-28.67	PK	Ver
3*	17.949GHz	-37.06	-13.00	-24.06	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.093GHz	-48.64	-13.00	-35.64	PK	Hor
2*	8.943GHz	-41.74	-13.00	-28.74	PK	Hor
3*	17.771GHz	-38.39	-13.00	-25.39	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.825GHz	-47.37	-13.00	-34.37	PK	Ver
2*	8.969GHz	-41.38	-13.00	-28.38	PK	Ver
3*	17.953GHz	-38.11	-13.00	-25.11	PK	Ver

Project: LGT23A013	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 17.7°C
M/N: A151	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-01-17
Test Mode: LTE Band 41 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.834GHz	-47.00	-13.00	-34.00	PK	Hor
2*	8.994GHz	-42.73	-13.00	-29.73	PK	Hor
3*	17.945GHz	-38.13	-13.00	-25.13	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.823GHz	-47.92	-13.00	-34.92	PK	Ver
2*	8.992GHz	-41.82	-13.00	-28.82	PK	Ver
3*	17.885GHz	-37.80	-13.00	-24.80	PK	Ver

※※※※※END OF THE REPORT※※※※※