














































Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	6.02	0.35	6.37	11	Pass
NVNT	a	5200	Ant1	-1.9	0.35	-1.55	11	Pass
NVNT	a	5240	Ant1	-1.33	0.35	-0.98	11	Pass
NVNT	a	5260	Ant1	-2.81	0.35	-2.46	11	Pass
NVNT	a	5300	Ant1	-1.82	0.35	-1.47	11	Pass
NVNT	a	5320	Ant1	-3.03	0.35	-2.68	11	Pass
NVNT	a	5500	Ant1	-4.43	0.35	-4.08	11	Pass
NVNT	a	5580	Ant1	-3.44	0.35	-3.09	11	Pass
NVNT	a	5700	Ant1	-4.42	0.35	-4.07	11	Pass
NVNT	a	5745	Ant1	-6	0.35	-5.65	30	Pass
NVNT	a	5785	Ant1	-5.81	0.35	-5.46	30	Pass
NVNT	a	5825	Ant1	-6.96	0.35	-6.61	30	Pass
NVNT	ac20	5180	Ant1	-0.96	0.41	-0.55	11	Pass
NVNT	ac20	5200	Ant1	-2.73	0.41	-2.32	11	Pass
NVNT	ac20	5240	Ant1	-0.26	0.41	0.15	11	Pass
NVNT	ac20	5260	Ant1	-1.52	0.41	-1.11	11	Pass
NVNT	ac20	5300	Ant1	-1.72	0.41	-1.31	11	Pass
NVNT	ac20	5320	Ant1	-3.1	0.41	-2.69	11	Pass
NVNT	ac20	5500	Ant1	-4.69	0.41	-4.28	11	Pass
NVNT	ac20	5580	Ant1	-4.61	0.41	-4.2	11	Pass
NVNT	ac20	5700	Ant1	-4.27	0.41	-3.86	11	Pass
NVNT	ac20	5745	Ant1	-5.71	0.41	-5.3	30	Pass
NVNT	ac20	5785	Ant1	-6.2	0.41	-5.79	30	Pass
NVNT	ac20	5825	Ant1	-7.64	0.41	-7.23	30	Pass
NVNT	ac40	5190	Ant1	-15.27	0.79	-14.48	11	Pass
NVNT	ac40	5230	Ant1	-9.48	0.79	-8.69	11	Pass
NVNT	ac40	5270	Ant1	-9.46	0.79	-8.67	11	Pass
NVNT	ac40	5310	Ant1	-7.07	0.79	-6.28	11	Pass
NVNT	ac40	5510	Ant1	-11.98	0.79	-11.19	11	Pass
NVNT	ac40	5550	Ant1	-11.44	0.79	-10.65	11	Pass
NVNT	ac40	5670	Ant1	-8.91	0.79	-8.12	11	Pass
NVNT	ac40	5755	Ant1	-12.07	0.79	-11.28	30	Pass
NVNT	ac40	5795	Ant1	-12.74	0.79	-11.95	30	Pass
NVNT	ac80	5210	Ant1	-19.01	1.51	-17.5	11	Pass
NVNT	ac80	5290	Ant1	-18.47	1.51	-16.96	11	Pass
NVNT	ac80	5530	Ant1	-19.27	1.51	-17.76	11	Pass
NVNT	ac80	5610	Ant1	-16.56	1.51	-15.05	11	Pass
NVNT	ac80	5775	Ant1	-21.04	1.51	-19.53	30	Pass











































-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.351	0.5	Pass
NVNT	a	5785	Ant1	16.301	0.5	Pass
NVNT	a	5825	Ant1	16.28	0.5	Pass
NVNT	ac20	5745	Ant1	17.289	0.5	Pass
NVNT	ac20	5785	Ant1	17.389	0.5	Pass
NVNT	ac20	5825	Ant1	17.147	0.5	Pass
NVNT	ac40	5755	Ant1	36.029	0.5	Pass
NVNT	ac40	5795	Ant1	35.495	0.5	Pass
NVNT	ac80	5775	Ant1	75.509	0.5	Pass











APPENDIX II:PHOTOS OF TEST SETUP

Radiated Spurious Emission Test Setup Photo - Below 1GHz




Radiated Spurious Emission Test Setup Photo - Above 1GHz





Conducted Emission Test Setup Photo



※※※※※END OF THE REPORT※※※※※