



Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	60.7975MHz	-77.69	-13.00	-64.69	PK	Hor
2*	141.3075MHz	-75.95	-13.00	-62.95	PK	Hor
3*	368.6513MHz	-76.28	-13.00	-63.28	PK	Hor
4*	632.6125MHz	-66.59	-13.00	-53.59	PK	Hor
5*	796.3000MHz	-64.03	-13.00	-51.03	PK	Hor
6*	995.6350MHz	-60.56	-13.00	-47.56	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	32.6675MHz	-78.41	-13.00	-65.41	PK	Ver
2*	60.6763MHz	-77.98	-13.00	-64.98	PK	Ver
3*	153.7963MHz	-76.92	-13.00	-63.92	PK	Ver
4*	365.9838MHz	-74.51	-13.00	-61.51	PK	Ver
5*	687.4175MHz	-65.12	-13.00	-52.12	PK	Ver
6*	943.3763MHz	-60.85	-13.00	-47.85	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	40.9125MHz	-78.47	-13.00	-65.47	PK	Hor
2*	52.3100MHz	-77.96	-13.00	-64.96	PK	Hor
3*	148.5825MHz	-77.04	-13.00	-64.04	PK	Hor
4*	320.6363MHz	-76.10	-13.00	-63.10	PK	Hor
5*	637.0988MHz	-66.77	-13.00	-53.77	PK	Hor
6*	990.3000MHz	-60.14	-13.00	-47.14	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.4888MHz	-78.19	-13.00	-65.19	PK	Ver
2*	154.1600MHz	-77.32	-13.00	-64.32	PK	Ver
3*	335.1863MHz	-76.09	-13.00	-63.09	PK	Ver
4*	567.0163MHz	-69.29	-13.00	-56.29	PK	Ver
5*	993.4525MHz	-60.26	-13.00	-47.26	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	56.4325MHz	-78.07	-13.00	-65.07	PK	Hor
2*	154.8875MHz	-76.44	-13.00	-63.44	PK	Hor
3*	278.0775MHz	-77.39	-13.00	-64.39	PK	Hor
4*	424.0625MHz	-73.42	-13.00	-60.42	PK	Hor
5*	603.5125MHz	-68.69	-13.00	-55.69	PK	Hor
6*	975.0225MHz	-60.35	-13.00	-47.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.3663MHz	-77.01	-13.00	-64.01	PK	Ver
2*	54.4925MHz	-77.69	-13.00	-64.69	PK	Ver
3*	163.2538MHz	-76.17	-13.00	-63.17	PK	Ver
4*	269.7113MHz	-77.30	-13.00	-64.30	PK	Ver
5*	530.5200MHz	-71.38	-13.00	-58.38	PK	Ver
6*	950.5300MHz	-60.01	-13.00	-47.01	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.5813MHz	-78.04	-13.00	-65.04	PK	Hor
2*	157.6763MHz	-75.65	-13.00	-62.65	PK	Hor
3*	390.9613MHz	-74.11	-13.00	-61.11	PK	Hor
4*	640.2513MHz	-66.30	-13.00	-53.30	PK	Hor
5*	894.0275MHz	-60.69	-13.00	-47.69	PK	Hor
6*	998.1813MHz	-60.64	-13.00	-47.64	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	35.0925MHz	-78.49	-13.00	-65.49	PK	Ver
2*	52.3100MHz	-77.44	-13.00	-64.44	PK	Ver
3*	168.8313MHz	-76.82	-13.00	-63.82	PK	Ver
4*	272.8638MHz	-77.76	-13.00	-64.76	PK	Ver
5*	472.3200MHz	-73.11	-13.00	-60.11	PK	Ver
6*	999.0300MHz	-60.46	-13.00	-47.46	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 40 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.1250MHz	-78.03	-13.00	-65.03	PK	Hor
2*	61.0400MHz	-78.79	-13.00	-65.79	PK	Hor
3*	151.2500MHz	-76.52	-13.00	-63.52	PK	Hor
4*	298.0838MHz	-76.19	-13.00	-63.19	PK	Hor
5*	636.8563MHz	-65.93	-13.00	-52.93	PK	Hor
6*	997.6963MHz	-59.98	-13.00	-46.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	49.7638MHz	-77.81	-13.00	-64.81	PK	Ver
2*	67.5875MHz	-79.23	-13.00	-66.23	PK	Ver
3*	150.5225MHz	-76.07	-13.00	-63.07	PK	Ver
4*	381.5038MHz	-74.49	-13.00	-61.49	PK	Ver
5*	638.1900MHz	-66.43	-13.00	-53.43	PK	Ver
6*	991.2700MHz	-60.03	-13.00	-47.03	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.3963MHz	-78.02	-13.00	-65.02	PK	Hor
2*	48.6725MHz	-78.60	-13.00	-65.60	PK	Hor
3*	128.9400MHz	-76.12	-13.00	-63.12	PK	Hor
4*	176.7125MHz	-76.76	-13.00	-63.76	PK	Hor
5*	624.8525MHz	-65.58	-13.00	-52.58	PK	Hor
6*	966.2925MHz	-60.47	-13.00	-47.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	31.0913MHz	-78.06	-13.00	-65.06	PK	Ver
2*	49.0363MHz	-77.19	-13.00	-64.19	PK	Ver
3*	151.3713MHz	-77.00	-13.00	-64.00	PK	Ver
4*	296.7500MHz	-77.45	-13.00	-64.45	PK	Ver
5*	488.6888MHz	-71.47	-13.00	-58.47	PK	Ver
6*	958.2900MHz	-60.24	-13.00	-47.24	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 40 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.2150MHz	-77.80	-13.00	-64.80	PK	Hor
2*	67.8300MHz	-78.13	-13.00	-65.13	PK	Hor
3*	150.4013MHz	-77.11	-13.00	-64.11	PK	Hor
4*	340.7638MHz	-76.24	-13.00	-63.24	PK	Hor
5*	706.0900MHz	-64.80	-13.00	-51.80	PK	Hor
6*	970.4150MHz	-61.26	-13.00	-48.26	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	34.7288MHz	-78.31	-13.00	-65.31	PK	Ver
2*	67.8300MHz	-76.88	-13.00	-63.88	PK	Ver
3*	144.4600MHz	-77.47	-13.00	-64.47	PK	Ver
4*	343.0675MHz	-75.44	-13.00	-62.44	PK	Ver
5*	637.4625MHz	-66.61	-13.00	-53.61	PK	Ver
6*	958.8963MHz	-60.13	-13.00	-47.13	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.6088MHz	-77.00	-13.00	-64.00	PK	Hor
2*	63.2225MHz	-78.13	-13.00	-65.13	PK	Hor
3*	111.3588MHz	-80.06	-13.00	-67.06	PK	Hor
4*	161.4350MHz	-76.02	-13.00	-63.02	PK	Hor
5*	474.9875MHz	-73.34	-13.00	-60.34	PK	Hor
6*	981.9338MHz	-60.21	-13.00	-47.21	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	33.3950MHz	-78.76	-13.00	-65.76	PK	Ver
2*	61.4038MHz	-77.54	-13.00	-64.54	PK	Ver
3*	152.5838MHz	-76.65	-13.00	-63.65	PK	Ver
4*	376.0475MHz	-75.41	-13.00	-62.41	PK	Ver
5*	620.4875MHz	-65.51	-13.00	-52.51	PK	Ver
6*	967.3838MHz	-60.56	-13.00	-47.56	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	47.7025MHz	-77.64	-13.00	-64.64	PK	Hor
2*	127.9700MHz	-78.49	-13.00	-65.49	PK	Hor
3*	154.4025MHz	-76.90	-13.00	-63.90	PK	Hor
4*	408.1788MHz	-73.91	-13.00	-60.91	PK	Hor
5*	719.3063MHz	-64.23	-13.00	-51.23	PK	Hor
6*	952.1063MHz	-60.89	-13.00	-47.89	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	38.0025MHz	-77.05	-13.00	-64.05	PK	Ver
2*	55.3413MHz	-77.42	-13.00	-64.42	PK	Ver
3*	155.4938MHz	-76.45	-13.00	-63.45	PK	Ver
4*	393.1438MHz	-74.56	-13.00	-61.56	PK	Ver
5*	704.0288MHz	-64.85	-13.00	-51.85	PK	Ver
6*	997.0900MHz	-59.37	-13.00	-46.37	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25.9°C
M/N: A180	Humidity: 55%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 41 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	39.8213MHz	-77.08	-13.00	-64.08	PK	Hor
2*	57.8875MHz	-78.32	-13.00	-65.32	PK	Hor
3*	166.2850MHz	-76.62	-13.00	-63.62	PK	Hor
4*	283.6550MHz	-76.27	-13.00	-63.27	PK	Hor
5*	470.9863MHz	-72.83	-13.00	-59.83	PK	Hor
6*	998.7875MHz	-60.35	-13.00	-47.35	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	42.0038MHz	-77.15	-13.00	-64.15	PK	Ver
2*	54.0075MHz	-78.12	-13.00	-65.12	PK	Ver
3*	150.7650MHz	-76.91	-13.00	-63.91	PK	Ver
4*	298.2050MHz	-76.57	-13.00	-63.57	PK	Ver
5*	478.6250MHz	-71.22	-13.00	-58.22	PK	Ver
6*	993.8163MHz	-60.81	-13.00	-47.81	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 2 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.175GHz	-51.99	-13.00	-38.99	PK	Hor
2*	3.395GHz	-49.61	-13.00	-36.61	PK	Hor
3*	4.827GHz	-47.27	-13.00	-34.27	PK	Hor
4*	8.986GHz	-41.22	-13.00	-28.22	PK	Hor
5*	14.290GHz	-38.78	-13.00	-25.78	PK	Hor
6*	17.926GHz	-36.74	-13.00	-23.74	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.402GHz	-56.12	-13.00	-43.12	PK	Ver
2*	2.445GHz	-49.45	-13.00	-36.45	PK	Ver
3*	6.650GHz	-46.35	-13.00	-33.35	PK	Ver
4*	8.922GHz	-41.77	-13.00	-28.77	PK	Ver
5*	11.342GHz	-40.38	-13.00	-27.38	PK	Ver
6*	17.958GHz	-37.70	-13.00	-24.70	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.219GHz	-56.13	-13.00	-43.13	PK	Hor
2*	2.454GHz	-50.94	-13.00	-37.94	PK	Hor
3*	4.840GHz	-47.61	-13.00	-34.61	PK	Hor
4*	7.549GHz	-43.47	-13.00	-30.47	PK	Hor
5*	8.863GHz	-42.32	-13.00	-29.32	PK	Hor
6*	18.000GHz	-37.24	-13.00	-24.24	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.899GHz	-53.42	-13.00	-40.42	PK	Ver
2*	3.087GHz	-49.20	-13.00	-36.20	PK	Ver
3*	4.636GHz	-47.96	-13.00	-34.96	PK	Ver
4*	9.409GHz	-42.15	-13.00	-29.15	PK	Ver
5*	11.421GHz	-41.02	-13.00	-28.02	PK	Ver
6*	17.811GHz	-38.17	-13.00	-25.17	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 2 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.835GHz	-54.15	-13.00	-41.15	PK	Hor
2*	3.199GHz	-49.76	-13.00	-36.76	PK	Hor
3*	4.831GHz	-47.80	-13.00	-34.80	PK	Hor
4*	9.067GHz	-42.19	-13.00	-29.19	PK	Hor
5*	11.389GHz	-40.40	-13.00	-27.40	PK	Hor
6*	17.941GHz	-37.23	-13.00	-24.23	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.967GHz	-53.36	-13.00	-40.36	PK	Ver
2*	2.834GHz	-48.77	-13.00	-35.77	PK	Ver
3*	4.780GHz	-46.67	-13.00	-33.67	PK	Ver
4*	8.931GHz	-41.48	-13.00	-28.48	PK	Ver
5*	11.402GHz	-40.34	-13.00	-27.34	PK	Ver
6*	16.364GHz	-36.84	-13.00	-23.84	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 4 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.560GHz	-54.89	-13.00	-41.89	PK	Hor
2*	1.836GHz	-53.39	-13.00	-40.39	PK	Hor
3*	4.284GHz	-48.66	-13.00	-35.66	PK	Hor
4*	7.060GHz	-44.86	-13.00	-31.86	PK	Hor
5*	8.922GHz	-40.86	-13.00	-27.86	PK	Hor
6*	14.410GHz	-38.08	-13.00	-25.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.514GHz	-55.59	-13.00	-42.59	PK	Ver
2*	2.530GHz	-50.51	-13.00	-37.51	PK	Ver
3*	2.900GHz	-49.68	-13.00	-36.68	PK	Ver
4*	4.870GHz	-47.22	-13.00	-34.22	PK	Ver
5*	8.938GHz	-42.09	-13.00	-29.09	PK	Ver
6*	16.354GHz	-38.72	-13.00	-25.72	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.276GHz	-52.28	-13.00	-39.28	PK	Hor
2*	3.238GHz	-50.29	-13.00	-37.29	PK	Hor
3*	4.754GHz	-47.14	-13.00	-34.14	PK	Hor
4*	8.984GHz	-41.93	-13.00	-28.93	PK	Hor
5*	11.264GHz	-41.30	-13.00	-28.30	PK	Hor
6*	14.414GHz	-38.36	-13.00	-25.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.962GHz	-53.41	-13.00	-40.41	PK	Ver
2*	2.358GHz	-52.33	-13.00	-39.33	PK	Ver
3*	3.292GHz	-49.30	-13.00	-36.30	PK	Ver
4*	4.848GHz	-47.52	-13.00	-34.52	PK	Ver
5*	8.924GHz	-41.60	-13.00	-28.60	PK	Ver
6*	13.858GHz	-38.40	-13.00	-25.40	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 4 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.546GHz	-55.33	-13.00	-42.33	PK	Hor
2*	3.058GHz	-49.60	-13.00	-36.60	PK	Hor
3*	4.858GHz	-46.22	-13.00	-33.22	PK	Hor
4*	11.208GHz	-41.57	-13.00	-28.57	PK	Hor
5*	13.818GHz	-39.92	-13.00	-26.92	PK	Hor
6*	16.460GHz	-38.16	-13.00	-25.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.050GHz	-53.75	-13.00	-40.75	PK	Ver
2*	2.974GHz	-48.93	-13.00	-35.93	PK	Ver
3*	4.878GHz	-46.92	-13.00	-33.92	PK	Ver
4*	9.494GHz	-41.91	-13.00	-28.91	PK	Ver
5*	14.348GHz	-38.95	-13.00	-25.95	PK	Ver
6*	16.880GHz	-37.95	-13.00	-24.95	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 5 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.381GHz	-55.15	-13.00	-42.15	PK	Hor
2*	2.679GHz	-50.51	-13.00	-37.51	PK	Hor
3*	2.933GHz	-48.98	-13.00	-35.98	PK	Hor
4*	4.654GHz	-45.85	-13.00	-32.85	PK	Hor
5*	7.162GHz	-44.24	-13.00	-31.24	PK	Hor
6*	8.951GHz	-41.42	-13.00	-28.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.419GHz	-55.01	-13.00	-42.01	PK	Ver
2*	2.768GHz	-49.27	-13.00	-36.27	PK	Ver
3*	3.117GHz	-49.07	-13.00	-36.07	PK	Ver
4*	4.779GHz	-48.18	-13.00	-35.18	PK	Ver
5*	6.654GHz	-45.74	-13.00	-32.74	PK	Ver
6*	8.439GHz	-41.83	-13.00	-28.83	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.258GHz	-55.53	-13.00	-42.53	PK	Hor
2*	2.742GHz	-49.72	-13.00	-36.72	PK	Hor
3*	4.310GHz	-48.02	-13.00	-35.02	PK	Hor
4*	4.848GHz	-47.32	-13.00	-34.32	PK	Hor
5*	7.601GHz	-43.59	-13.00	-30.59	PK	Hor
6*	8.938GHz	-41.83	-13.00	-28.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.441GHz	-54.70	-13.00	-41.70	PK	Ver
2*	2.530GHz	-50.83	-13.00	-37.83	PK	Ver
3*	3.413GHz	-49.83	-13.00	-36.83	PK	Ver
4*	4.776GHz	-47.25	-13.00	-34.25	PK	Ver
5*	7.538GHz	-43.72	-13.00	-30.72	PK	Ver
6*	8.506GHz	-41.85	-13.00	-28.85	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 5 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.282GHz	-55.65	-13.00	-42.65	PK	Hor
2*	2.128GHz	-52.65	-13.00	-39.65	PK	Hor
3*	2.982GHz	-49.52	-13.00	-36.52	PK	Hor
4*	4.717GHz	-48.01	-13.00	-35.01	PK	Hor
5*	6.680GHz	-45.46	-13.00	-32.46	PK	Hor
6*	8.936GHz	-41.98	-13.00	-28.98	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.239GHz	-56.62	-13.00	-43.62	PK	Ver
2*	1.789GHz	-54.32	-13.00	-41.32	PK	Ver
3*	3.020GHz	-50.04	-13.00	-37.04	PK	Ver
4*	4.788GHz	-47.19	-13.00	-34.19	PK	Ver
5*	6.657GHz	-45.66	-13.00	-32.66	PK	Ver
6*	8.814GHz	-42.18	-13.00	-29.18	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 7 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.774GHz	-54.90	-13.00	-41.90	PK	Hor
2*	2.736GHz	-48.81	-13.00	-35.81	PK	Hor
3*	4.834GHz	-47.64	-13.00	-34.64	PK	Hor
4*	9.020GHz	-41.97	-13.00	-28.97	PK	Hor
5*	14.405GHz	-41.27	-13.00	-28.27	PK	Hor
6*	17.898GHz	-38.55	-13.00	-25.55	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.387GHz	-56.70	-13.00	-43.70	PK	Ver
2*	1.720GHz	-54.19	-13.00	-41.19	PK	Ver
3*	2.738GHz	-49.94	-13.00	-36.94	PK	Ver
4*	7.061GHz	-45.29	-13.00	-32.29	PK	Ver
5*	9.479GHz	-41.65	-13.00	-28.65	PK	Ver
6*	13.886GHz	-38.27	-13.00	-25.27	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-10
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.380GHz	-55.26	-13.00	-42.26	PK	Hor
2*	2.972GHz	-48.79	-13.00	-35.79	PK	Hor
3*	4.715GHz	-47.77	-13.00	-34.77	PK	Hor
4*	7.598GHz	-42.80	-13.00	-29.80	PK	Hor
5*	8.994GHz	-41.11	-13.00	-28.11	PK	Hor
6*	17.943GHz	-40.03	-13.00	-27.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.270GHz	-56.10	-13.00	-43.10	PK	Ver
2*	2.239GHz	-53.10	-13.00	-40.10	PK	Ver
3*	3.204GHz	-49.63	-13.00	-36.63	PK	Ver
4*	4.842GHz	-47.55	-13.00	-34.55	PK	Ver
5*	9.077GHz	-42.67	-13.00	-29.67	PK	Ver
6*	14.307GHz	-38.92	-13.00	-25.92	PK	Ver
7*	17.781GHz	-37.59	-13.00	-24.59	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 7 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.094GHz	-51.67	-13.00	-38.67	PK	Hor
2*	4.855GHz	-47.79	-13.00	-34.79	PK	Hor
3*	7.594GHz	-43.11	-13.00	-30.11	PK	Hor
4*	9.009GHz	-40.24	-13.00	-27.24	PK	Hor
5*	14.360GHz	-39.05	-13.00	-26.05	PK	Hor
6*	17.924GHz	-36.72	-13.00	-23.72	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.441GHz	-50.30	-13.00	-37.30	PK	Ver
2*	4.368GHz	-48.25	-13.00	-35.25	PK	Ver
3*	8.070GHz	-42.80	-13.00	-29.80	PK	Ver
4*	11.432GHz	-39.75	-13.00	-26.75	PK	Ver
5*	14.407GHz	-38.43	-13.00	-25.43	PK	Ver
6*	17.647GHz	-37.63	-13.00	-24.63	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 40 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.589GHz	-55.43	-13.00	-42.43	PK	Hor
2*	2.706GHz	-50.68	-13.00	-37.68	PK	Hor
3*	4.846GHz	-47.39	-13.00	-34.39	PK	Hor
4*	8.922GHz	-41.85	-13.00	-28.85	PK	Hor
5*	11.353GHz	-41.25	-13.00	-28.25	PK	Hor
6*	17.892GHz	-38.16	-13.00	-25.16	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.559GHz	-54.16	-13.00	-41.16	PK	Ver
2*	2.086GHz	-52.31	-13.00	-39.31	PK	Ver
3*	2.749GHz	-50.69	-13.00	-37.69	PK	Ver
4*	3.261GHz	-48.54	-13.00	-35.54	PK	Ver
5*	8.975GHz	-41.89	-13.00	-28.89	PK	Ver
6*	17.953GHz	-37.93	-13.00	-24.93	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 40 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.782GHz	-54.52	-13.00	-41.52	PK	Hor
2*	2.947GHz	-49.37	-13.00	-36.37	PK	Hor
3*	6.663GHz	-45.28	-13.00	-32.28	PK	Hor
4*	8.937GHz	-42.32	-13.00	-29.32	PK	Hor
5*	14.305GHz	-39.87	-13.00	-26.87	PK	Hor
6*	17.977GHz	-38.13	-13.00	-25.13	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.918GHz	-54.41	-13.00	-41.41	PK	Ver
2*	3.004GHz	-50.25	-13.00	-37.25	PK	Ver
3*	4.787GHz	-47.58	-13.00	-34.58	PK	Ver
4*	8.155GHz	-42.86	-13.00	-29.86	PK	Ver
5*	11.264GHz	-40.83	-13.00	-27.83	PK	Ver
6*	16.377GHz	-37.41	-13.00	-24.41	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 40 Upper	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.844GHz	-54.81	-13.00	-41.81	PK	Hor
2*	2.318GHz	-52.49	-13.00	-39.49	PK	Hor
3*	4.670GHz	-47.27	-13.00	-34.27	PK	Hor
4*	7.560GHz	-44.27	-13.00	-31.27	PK	Hor
5*	9.479GHz	-42.25	-13.00	-29.25	PK	Hor
6*	14.413GHz	-38.02	-13.00	-25.02	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.878GHz	-53.41	-13.00	-40.41	PK	Ver
2*	2.915GHz	-49.33	-13.00	-36.33	PK	Ver
3*	4.793GHz	-47.78	-13.00	-34.78	PK	Ver
4*	7.583GHz	-43.60	-13.00	-30.60	PK	Ver
5*	11.381GHz	-40.12	-13.00	-27.12	PK	Ver
6*	17.781GHz	-36.83	-13.00	-23.83	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 41 Lower	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.277GHz	-51.77	-13.00	-38.77	PK	Hor
2*	3.206GHz	-49.67	-13.00	-36.67	PK	Hor
3*	4.893GHz	-47.73	-13.00	-34.73	PK	Hor
4*	9.003GHz	-41.96	-13.00	-28.96	PK	Hor
5*	14.407GHz	-39.82	-13.00	-26.82	PK	Hor
6*	17.890GHz	-37.97	-13.00	-24.97	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.999GHz	-53.21	-13.00	-40.21	PK	Ver
2*	2.536GHz	-51.38	-13.00	-38.38	PK	Ver
3*	2.857GHz	-49.82	-13.00	-36.82	PK	Ver
4*	4.727GHz	-46.99	-13.00	-33.99	PK	Ver
5*	8.988GHz	-41.59	-13.00	-28.59	PK	Ver
6*	16.453GHz	-37.82	-13.00	-24.82	PK	Ver

Project: LGT23C066	Test Engineer: Dylan.shi
EUT: Smartphone	Temperature: 25°C
M/N: A180	Humidity: 62%RH
Test Voltage: Battery	Test Data: 2023-04-08
Test Mode: LTE Band 41 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.916GHz	-53.96	-13.00	-40.96	PK	Hor
2*	2.734GHz	-49.92	-13.00	-36.92	PK	Hor
3*	4.853GHz	-48.34	-13.00	-35.34	PK	Hor
4*	8.924GHz	-41.90	-13.00	-28.90	PK	Hor
5*	11.268GHz	-40.70	-13.00	-27.70	PK	Hor
6*	17.552GHz	-38.40	-13.00	-25.40	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.264GHz	-51.82	-13.00	-38.82	PK	Ver
2*	3.057GHz	-49.95	-13.00	-36.95	PK	Ver
3*	4.838GHz	-47.04	-13.00	-34.04	PK	Ver
4*	8.926GHz	-42.02	-13.00	-29.02	PK	Ver
5*	11.393GHz	-40.22	-13.00	-27.22	PK	Ver
6*	17.809GHz	-38.43	-13.00	-25.43	PK	Ver