Software Access & Integration

At PEGO, we are conscious of the need to avoid creating an isolated technological bubble. From the onset, we have designed our system to be integrated with other facilities management technologies.

There are three main ways in which clients can access and utilise the PEGO technology.

Options are non-exclusive, and can run in parallel.



Standalone Ecosystem

Hosted and maintained by PEGO.


Dashboard is a web application that can be accessed from most web browsers.

App can be downloaded from the respective app store on iOS and Android devices.



Open API

We provide an open API that allows you to integrate PEGO metrics and live data into your Integrated Workplace Management Systems.



Bespoke Client Integration

Our team of engineers is available to develop client-specific integrations. We will support part of the costs of these projects, as an investment in the long-term relationship.

WORKPLACE HYGIENE MONITORING SYSTEM
PAGE 20

Why PEGO?

We consider PEGO to be the market leader in technology solutions to monitor and improve commercial cleaning. Our product and services are unique.

While other companies may offer a broad range of smart-building solutions, we are solely dedicated to workplace cleaning and hygiene. This allows us to concentrate all our efforts into delivering the most effective solutions, the market leading analytics, and world class client support.

We are passionate about improving commercial cleaning for the benefit of all, and we believe in the power of partnerships.

Let us change commercial cleaning, together.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation. RF Exposure Information

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

Contains FCC ID:UXS-SMR-3X4 Contains FCC ID:2ABCB-RPICM4

WORKPLACE HYGIENE MONITORING SYSTEM





WORKPLACE HYGIENE MONITORING SYSTEM

Telephone:

+44 (0) 20 3026 0185

Email:

contact@pego.co.uk

Website:

www.pego.co.uk

