






5.2G:


Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	97.61	0.11	0.71
NVNT	a	5200	Ant1	97.57	0.11	0.71
NVNT	a	5240	Ant1	97.58	0.11	0.72
NVNT	n20	5180	Ant1	97.44	0.11	0.77
NVNT	n20	5200	Ant1	97.41	0.11	0.77
NVNT	n20	5240	Ant1	97.43	0.11	0.77
NVNT	n40	5190	Ant1	95.06	0.22	1.54
NVNT	n40	5230	Ant1	95.1	0.22	1.54
NVNT	ac20	5180	Ant1	97.49	0.11	0.76
NVNT	ac20	5200	Ant1	97.48	0.11	0.76
NVNT	ac20	5240	Ant1	97.49	0.11	0.76
NVNT	ac40	5190	Ant1	95.11	0.22	1.54
NVNT	ac40	5230	Ant1	95.1	0.22	1.54
NVNT	ac80	5210	Ant1	90.63	0.43	3.13





















Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.92	0.11	10.03	24	Pass
NVNT	a	5200	Ant1	10.04	0.11	10.15	24	Pass
NVNT	a	5240	Ant1	9.66	0.11	9.77	24	Pass
NVNT	n20	5180	Ant1	10.27	0.11	10.38	24	Pass
NVNT	n20	5200	Ant1	10.06	0.11	10.17	24	Pass
NVNT	n20	5240	Ant1	10.05	0.11	10.16	24	Pass
NVNT	n40	5190	Ant1	10.08	0.22	10.3	24	Pass
NVNT	n40	5230	Ant1	9.73	0.22	9.95	24	Pass
NVNT	ac20	5180	Ant1	10.25	0.11	10.36	24	Pass
NVNT	ac20	5200	Ant1	10	0.11	10.11	24	Pass
NVNT	ac20	5240	Ant1	9.71	0.11	9.82	24	Pass
NVNT	ac40	5190	Ant1	9.98	0.22	10.2	24	Pass
NVNT	ac40	5230	Ant1	10.31	0.22	10.53	24	Pass
NVNT	ac80	5210	Ant1	10.2	0.43	10.63	24	Pass



-26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.779	Pass
NVNT	a	5200	Ant1	19.965	Pass
NVNT	a	5240	Ant1	19.815	Pass
NVNT	n20	5180	Ant1	20.379	Pass
NVNT	n20	5200	Ant1	20.226	Pass
NVNT	n20	5240	Ant1	20.025	Pass
NVNT	n40	5190	Ant1	45.084	Pass
NVNT	n40	5230	Ant1	46.608	Pass
NVNT	ac20	5180	Ant1	20.01	Pass
NVNT	ac20	5200	Ant1	20.31	Pass
NVNT	ac20	5240	Ant1	20.346	Pass
NVNT	ac40	5190	Ant1	40.584	Pass
NVNT	ac40	5230	Ant1	44.838	Pass
NVNT	ac80	5210	Ant1	89.928	Pass


























Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.501
NVNT	a	5200	Ant1	16.393
NVNT	a	5240	Ant1	16.42
NVNT	n20	5180	Ant1	17.599
NVNT	n20	5200	Ant1	17.521
NVNT	n20	5240	Ant1	17.575
NVNT	n40	5190	Ant1	36.044
NVNT	n40	5230	Ant1	36.086
NVNT	ac20	5180	Ant1	17.545
NVNT	ac20	5200	Ant1	17.521
NVNT	ac20	5240	Ant1	17.563
NVNT	ac40	5190	Ant1	36.02
NVNT	ac40	5230	Ant1	36.056
NVNT	ac80	5210	Ant1	75.196


























Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.54	0.11	0.65	11	Pass
NVNT	a	5200	Ant1	0.38	0.11	0.49	11	Pass
NVNT	a	5240	Ant1	-0.03	0.11	0.08	11	Pass
NVNT	n20	5180	Ant1	0.71	0.11	0.82	11	Pass
NVNT	n20	5200	Ant1	-0.45	0.11	-0.34	11	Pass
NVNT	n20	5240	Ant1	-0.05	0.11	0.06	11	Pass
NVNT	n40	5190	Ant1	-3.97	0.22	-3.75	11	Pass
NVNT	n40	5230	Ant1	-3.36	0.22	-3.14	11	Pass
NVNT	ac20	5180	Ant1	0.08	0.11	0.19	11	Pass
NVNT	ac20	5200	Ant1	-0.44	0.11	-0.33	11	Pass
NVNT	ac20	5240	Ant1	0.18	0.11	0.29	11	Pass
NVNT	ac40	5190	Ant1	-3.99	0.22	-3.77	11	Pass
NVNT	ac40	5230	Ant1	-3.21	0.22	-2.99	11	Pass
NVNT	ac80	5210	Ant1	-8.76	0.43	-8.33	11	Pass


























Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.97	-27	Pass
NVNT	a	5240	Ant1	-45.74	-27	Pass
NVNT	n20	5180	Ant1	-31.95	-27	Pass
NVNT	n20	5240	Ant1	-46.1	-27	Pass
NVNT	n40	5190	Ant1	-27.51	-27	Pass
NVNT	n40	5230	Ant1	-46.49	-27	Pass
NVNT	ac20	5180	Ant1	-34.03	-27	Pass
NVNT	ac20	5240	Ant1	-46.26	-27	Pass
NVNT	ac40	5190	Ant1	-27.08	-27	Pass
NVNT	ac40	5230	Ant1	-46.68	-27	Pass
NVNT	ac80	5210	Ant1	-27.39	-27	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-37.08	-27	Pass
NVNT	a	5200	Ant1	-36.98	-27	Pass
NVNT	a	5240	Ant1	-37.26	-27	Pass
NVNT	n20	5180	Ant1	-36.06	-27	Pass
NVNT	n20	5200	Ant1	-36.45	-27	Pass
NVNT	n20	5240	Ant1	-37.43	-27	Pass
NVNT	n40	5190	Ant1	-37.11	-27	Pass
NVNT	n40	5230	Ant1	-36.48	-27	Pass
NVNT	ac20	5180	Ant1	-36.82	-27	Pass
NVNT	ac20	5200	Ant1	-37.95	-27	Pass
NVNT	ac20	5240	Ant1	-37.11	-27	Pass
NVNT	ac40	5190	Ant1	-37.4	-27	Pass
NVNT	ac40	5230	Ant1	-37.13	-27	Pass
NVNT	ac80	5210	Ant1	-37.21	-27	Pass

