

Page: 79 of 272


9.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measure-
- Record the max. reading and add 10 log(1/duty cycle). 5.
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

9.3 Measurement Equipment Used

	SGS Conducted Room											
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due							
Power Meter	Anritsu	ML2496A	1326001	2017/07/26	2018/07/25							
Power Sensor	Anritsu	MA2411B	1315048	2017/07/26	2018/07/25							
Power Sensor	Anritsu	MA2411B	1315049	2017/07/26	2018/07/25							
Attenuator	Marvelous	MVE2213-10	RF31	2017/12/26	2018/12/25							
Notebook	Lenovo	L430	P0000195	N/A	N/A							

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report efter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

<mark>SGS Taiwan Ltd. N</mark>0.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 80 of 272

9.5 Measurement Result

Conducted output power (FCC)

802 11a Main

002.11a_	Mairi							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	8.69	7.401		23.98		PASS
44	5220	6	8.57	7.200		23.98		PASS
48	5240	6	8.61	7.266		23.98		PASS
52	5260	6	8.57	7.200	23.98	or 11+10log(B) =	24.19	PASS
60	5300	6	8.52	7.117	23.98	or 11+10log(B) =	24.29	PASS
64	5320	6	8.49	7.068	23.98	or 11+10log(B) =	24.23	PASS
100	5500	6	8.67	7.367	23.98	or 11+10log(B) =	24.24	PASS
116	5580	6	8.75	7.499	23.98	or 11+10log(B) =	24.26	PASS
140	5700	6	8.49	7.068	23.98	or 11+10log(B) =	24.19	PASS
149	5745	6	8.69	7.401		30		PASS
157	5785	6	8.56	7.178		30		PASS
165	5825	6	8.47	7.031		30		PASS

802 11a Auy1

802.11a_	Auxi							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	8.77	7.534		23.98		PASS
44	5220	6	8.66	7.350		23.98		PASS
48	5240	6	8.71	7.436		23.98		PASS
52	5260	6	8.74	7.487	23.98	or 11+10log(B) =	24.25	PASS
60	5300	6	8.72	7.453	23.98	or 11+10log(B) =	24.24	PASS
64	5320	6	8.75	7.504	23.98	or 11+10log(B) =	24.21	PASS
100	5500	6	8.72	7.453	23.98	or 11+10log(B) =	24.24	PASS
116	5580	6	8.77	7.534	23.98	or 11+10log(B) =	24.28	PASS
140	5700	6	8.74	7.487	23.98	or 11+10log(B) =	24.22	PASS
149	5745	6	8.73	7.470		30	_	PASS
157	5785	6	8.61	7.261		30		PASS
165	5825	6	8.36	6.855		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 81 of 272

802.11a 2TX

611	Frequency	Data	Avg. POW	ER (dBm)	TOTAL	TOTAL		REQUIRED		DE0111 T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	6	8.93	8.39	11.98	15.776		23.98		PASS
44	5220	6	8.91	8.36	11.96	15.693		23.98		PASS
48	5240	6	8.87	8.32	11.92	15.549		23.98		PASS
52	5260	6	8.86	8.29	11.90	15.480	23.98	or 11+10log(B) =	24.19	PASS
60	5300	6	8.89	8.35	11.94	15.638	23.98	or 11+10log(B) =	24.24	PASS
64	5320	6	8.85	8.28	11.89	15.445	23.98	or 11+10log(B) =	24.21	PASS
100	5500	6	8.92	8.33	11.95	15.662	23.98	or 11+10log(B) =	24.24	PASS
116	5580	6	8.91	8.35	11.95	15.668	23.98	or 11+10log(B) =	24.26	PASS
140	5700	6	8.92	8.35	11.96	15.696	23.98	or 11+10log(B) =	24.19	PASS
149	5745	6	8.91	8.36	11.96	15.693		30		PASS
157	5785	6	8.87	8.31	11.91	15.524		30		PASS
165	5825	6	8.91	8.34	11.95	15.668		30		PASS

802.11n_HT20_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	11.85	15.311		23.98		PASS
44	5220	MCS0	11.89	15.454		23.98		PASS
48	5240	MCS0	11.87	15.383		23.98		PASS
52	5260	MCS0	11.92	15.561	23.98	or 11+10log(B) =	24.25	PASS
60	5300	MCS0	11.87	15.383	23.98	or 11+10log(B) =	24.26	PASS
64	5320	MCS0	11.86	15.347	23.98	or 11+10log(B) =	24.30	PASS
100	5500	MCS0	11.92	15.561	23.98	or 11+10log(B) =	24.28	PASS
116	5580	MCS0	11.88	15.417	23.98	or 11+10log(B) =	24.29	PASS
140	5700	MCS0	11.85	15.312	23.98	or 11+10log(B) =	24.28	PASS
149	5745	MCS0	11.88	15.418		30		PASS
157	5785	MCS0	11.83	15.241		30		PASS
165	5825	MCS0	11.80	15.136		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 82 of 272

802.11n_HT20_Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	11.78	15.066		23.98		PASS
44	5220	MCS0	11.80	15.137		23.98		PASS
48	5240	MCS0	11.82	15.207		23.98		PASS
52	5260	MCS0	11.87	15.383	23.98	or 11+10log(B) =	24.26	PASS
60	5300	MCS0	11.81	15.172	23.98	or 11+10log(B) =	24.26	PASS
64	5320	MCS0	11.80	15.137	23.98	or 11+10log(B) =	24.33	PASS
100	5500	MCS0	11.91	15.525	23.98	or 11+10log(B) =	24.25	PASS
116	5580	MCS0	11.84	15.276	23.98	or 11+10log(B) =	24.31	PASS
140	5700	MCS0	11.80	15.137	23.98	or 11+10log(B) =	24.37	PASS
149	5745	MCS0	11.78	15.067		30		PASS
157	5785	MCS0	11.72	14.859		30		PASS
165	5825	MCS0	11.76	14.997		30		PASS

802.11n_HT20_MIMO

011	Frequency	Data	Avg. POW	ER (dBm)	TOTAL	TOTAL		REQUIRED		DE0111 T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
36	5180	MCS8	8.53	8.12	11.95	15.668		23.98		PASS
44	5220	MCS8	8.51	8.11	11.94	15.614		23.98		PASS
48	5240	MCS8	8.54	8.13	11.96	15.705		23.98		PASS
52	5260	MCS8	8.52	8.11	11.94	15.633	23.98	or 11+10log(B) =	24.25	PASS
60	5300	MCS8	8.47	8.06	11.89	15.454	23.98	or 11+10log(B) =	24.26	PASS
64	5320	MCS8	8.5	8.1	11.93	15.578	23.98	or 11+10log(B) =	24.30	PASS
100	5500	MCS8	8.49	8.12	11.93	15.594	23.98	or 11+10log(B) =	24.25	PASS
116	5580	MCS8	8.49	8.12	11.93	15.596	23.98	or 11+10log(B) =	24.29	PASS
140	5700	MCS8	8.45	8.07	11.88	15.434	23.98	or 11+10log(B) =	24.28	PASS
149	5745	MCS8	8.49	8.08	11.91	15.526		30		PASS
157	5785	MCS8	8.48	8.08	11.91	15.524		30		PASS
165	5825	MCS8	8.43	8.04	11.86	15.346		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be accessived the full set valent of the law. may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 83 of 272

802.11n_HT40_Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	11.81	15.184		23.98		PASS
46	5230	MCS0	11.80	15.149		23.98		PASS
54	5270	MCS0	11.77	15.045	23.98	or 11+10log(B) =	26.97	PASS
62	5310	MCS0	11.78	15.080	23.98	or 11+10log(B) =	26.99	PASS
102	5510	MCS0	11.82	15.219	23.98	or 11+10log(B) =	27.00	PASS
110	5550	MCS0	11.79	15.114	23.98	or 11+10log(B) =	26.96	PASS
134	5670	MCS0	11.83	15.254	23.98	or 11+10log(B) =	26.97	PASS
151	5755	MCS0	11.84	15.289		30		PASS
159	5795	MCS0	11.86	15.360		30		PASS

802.11n HT40 Aux1

002111111_	TTT TO_AGXT							
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	11.59	14.434		23.98		PASS
46	5230	MCS0	11.52	14.203		23.98		PASS
54	5270	MCS0	11.58	14.401	23.98	or 11+10log(B) =	26.99	PASS
62	5310	MCS0	11.55	14.302	23.98	or 11+10log(B) =	26.98	PASS
102	5510	MCS0	11.57	14.368	23.98	or 11+10log(B) =	26.95	PASS
110	5550	MCS0	11.60	14.467	23.98	or 11+10log(B) =	26.99	PASS
134	5670	MCS0	11.63	14.568	23.98	or 11+10log(B) =	26.95	PASS
151	5755	MCS0	11.65	14.635		30		PASS
159	5795	MCS0	11.53	14.236		30	•	PASS

802 11n HT40 MIMO

OI.	Frequency	Data	Avg. POW	/ER (dBm)		TOTAL		REQUIRED		DECL!! T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
38	5190	MCS8	7.94	7.68	11.95	15.654		23.98		PASS
46	5230	MCS8	7.93	7.64	11.92	15.565		23.98		PASS
54	5270	MCS8	7.95	7.71	11.97	15.725	23.98	or 11+10log(B) =	26.97	PASS
62	5310	MCS8	7.96	7.72	11.98	15.761	23.98	or 11+10log(B) =	26.98	PASS
102	5510	MCS8	7.93	7.68	11.94	15.635	23.98	or 11+10log(B) =	26.95	PASS
110	5550	MCS8	7.92	7.64	11.92	15.547	23.98	or 11+10log(B) =	26.96	PASS
134	5670	MCS8	7.94	7.62	11.92	15.549	23.98	or 11+10log(B) =	26.95	PASS
151	5755	MCS8	7.95	7.7	11.96	15.707		30		PASS
159	5795	MCS8	7.93	7.66	11.93	15.600		30	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 84 of 272

802.11ac VHT20 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	11.76	14.997		23.98		PASS
44	5220	MCS0	11.74	14.920		23.98		PASS
48	5240	MCS0	11.71	14.817		23.98		PASS
52	5260	MCS0	11.69	14.749	23.98	or 11+10log(B) =	24.09	PASS
60	5300	MCS0	11.75	14.955	23.98	or 11+10log(B) =	24.06	PASS
64	5320	MCS0	11.74	14.920	23.98	or 11+10log(B) =	24.12	PASS
100	5500	MCS0	11.68	14.715	23.98	or 11+10log(B) =	24.06	PASS
116	5580	MCS0	11.73	14.894	23.98	or 11+10log(B) =	24.11	PASS
140	5700	MCS0	11.67	14.682	23.98	or 11+10log(B) =	24.02	PASS
149	5745	MCS0	11.68	14.715		30		PASS
157	5785	MCS0	11.76	14.997		30		PASS
165	5825	MCS0	11.67	14.689		30		PASS

802.11ac VHT20 Aux1

	_VIII 20_Aux			TOTAL		DECLUBED		
СН	Frequency (MHz)	Data Rate	11.60	POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	11.60	14.454		23.98		PASS
44	5220	MCS0	11.61	14.480		23.98		PASS
48	5240	MCS0	11.59	14.414		23.98		PASS
52	5260	MCS0	11.57	14.347	23.98	or 11+10log(B) =	24.08	PASS
60	5300	MCS0	11.61	14.480	23.98	or 11+10log(B) =	24.07	PASS
64	5320	MCS0	11.62	14.514	23.98	or 11+10log(B) =	24.13	PASS
100	5500	MCS0	11.59	14.414	23.98	or 11+10log(B) =	24.14	PASS
116	5580	MCS0	11.67	14.689	23.98	or 11+10log(B) =	24.09	PASS
140	5700	MCS0	11.62	14.514	23.98	or 11+10log(B) =	24.11	PASS
149	5745	MCS0	11.61	14.480		30		PASS
157	5785	MCS0	11.69	14.757		30		PASS
165	5825	MCS0	11.60	14.454		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 85 of 272

802.11ac VHT20 MIMO

СН	Frequency	Data	Avg. POW	ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СП	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)		(dBm)		RESULT
36	5180	MCS8	8.65	8.34	11.84	15.261		23.98		PASS
44	5220	MCS8	8.66	8.39	11.87	15.364		23.98		PASS
48	5240	MCS8	8.61	8.35	11.82	15.205		23.98		PASS
52	5260	MCS8	8.59	8.33	11.80	15.136	23.98	or 11+10log(B) =	24.25	PASS
60	5300	MCS8	8.59	8.32	11.80	15.119	23.98	or 11+10log(B) =	24.26	PASS
64	5320	MCS8	8.62	8.33	11.82	15.190	23.98	or 11+10log(B) =	24.30	PASS
100	5500	MCS8	8.65	8.35	11.84	15.278	23.98	or 11+10log(B) =	24.25	PASS
116	5580	MCS8	8.66	8.37	11.86	15.330	23.98	or 11+10log(B) =	24.29	PASS
140	5700	MCS8	8.61	8.3	11.80	15.121	23.98	or 11+10log(B) =	24.28	PASS
149	5745	MCS8	8.59	8.27	11.77	15.035		30		PASS
157	5785	MCS8	8.63	8.33	11.82	15.205		30		PASS
165	5825	MCS8	8.62	8.33	11.82	15.205		30		PASS

802 11ac VHT40 Main

002.11ac	_VH14U_IVIAI	[]						
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	11.47	14.027		23.98		PASS
46	5230	MCS0	11.45	13.962		23.98		PASS
54	5270	MCS0	11.49	14.092	23.98	or 11+10log(B) =	26.81	PASS
62	5310	MCS0	11.46	13.995	23.98	or 11+10log(B) =	26.81	PASS
102	5510	MCS0	11.43	13.898	23.98	or 11+10log(B) =	26.83	PASS
110	5550	MCS0	11.44	13.930	23.98	or 11+10log(B) =	26.84	PASS
134	5670	MCS0	11.53	14.222	23.98	or 11+10log(B) =	26.79	PASS
151	5755	MCS0	11.54	14.255		30		PASS
159	5795	MCS0	11.55	14.288		30		PASS

802.11ac VHT40 Aux1

OUL: I I GO	_VIII4U_Aux	\ I						
СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	11.24	13.303		23.98		PASS
46	5230	MCS0	11.26	13.365		23.98		PASS
54	5270	MCS0	11.23	13.273	23.98	or 11+10log(B) =	26.84	PASS
62	5310	MCS0	11.20	13.181	23.98	or 11+10log(B) =	26.84	PASS
102	5510	MCS0	11.17	13.091	23.98	or $11+10\log(B) =$	26.84	PASS
110	5550	MCS0	11.21	13.212	23.98	or $11+10\log(B) =$	26.83	PASS
134	5670	MCS0	11.23	13.273	23.98	or 11+10log(B) =	26.81	PASS
151	5755	MCS0	11.20	13.181		30		PASS
159	5795	MCS0	11.19	13.151		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 86 of 272

802.11ac VHT40 MIMO

011	Frequency	Data	Avg. POW	/ER (dBm)		TOTAL		REQUIRED		550
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)				RESULT
38	5190	MCS8	8.09	7.94	11.65	14.607		23.98		PASS
46	5230	MCS8	8.12	7.96	11.67	14.691		23.98		PASS
54	5270	MCS8	8.04	7.89	11.60	14.440	23.98	or 11+10log(B) =	26.97	PASS
62	5310	MCS8	8.07	7.91	11.62	14.523	23.98	or 11+10log(B) =	26.98	PASS
102	5510	MCS8	8.06	7.89	11.61	14.473	23.98	or 11+10log(B) =	26.95	PASS
110	5550	MCS8	8.03	7.84	11.57	14.341	23.98	or 11+10log(B) =	26.96	PASS
134	5670	MCS8	8.08	7.92	11.63	14.557	23.98	or 11+10log(B) =	26.95	PASS
151	5755	MCS8	8.04	7.88	11.59	14.423		30		PASS
159	5795	MCS8	8.07	7.89	11.61	14.490		30	•	PASS

802.11ac VHT80 Main

СН	Frequency (MHz)	Data Rate	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		
	` ′		(dBm)	(mW)		(dBm)		
42	5210	MCS0	8.86	7.695		23.98		PASS
58	5290	MCS0	8.83	7.642	23.98	or 11+10log(B) =	30.09	PASS
106	5530	MCS0	8.85	7.677	23.98	or $11+10\log(B) =$	30.24	PASS
122	5610	MCS0	8.87	7.712	23.98	or 11+10log(B) =	30.09	PASS
155	5775	MCS0	8.82	7.624		30		PASS

802.11ac_VHT80_Aux1

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		
42	5210	MCS0	8.78	7.554		23.98		PASS
58	5290	MCS0	8.75	7.502	23.98	or 11+10log(B) =	30.09	PASS
106	5530	MCS0	8.76	7.519	23.98	or 11+10log(B) =	30.26	PASS
122	5610	MCS0	8.74	7.485	23.98	or 11+10log(B) =	30.10	PASS
155	5775	MCS0	8.77	7.537		30		PASS

802.11ac_VHT80_MIMO

O.I.	CH Frequency I		Avg. POWER (dBm)			TOTAL		REQUIRED		DECLU T
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULT
42	5210	MCS8	4.94	4.57	8.96	7.872		23.98		PASS
58	5290	MCS8	4.95	4.59	8.98	7.899	23.98	or 11+10log(B) =	30.09	PASS
106	5530	MCS8	4.93	4.55	8.95	7.846	23.98	or 11+10log(B) =	30.24	PASS
122	5610	MCS8	4.91	4.51	8.92	7.792	23.98	or 11+10log(B) =	30.09	PASS
155	5775	MCS8	4.96	4.56	8.97	7.883		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.



Page: 87 of 272

Conducted output power (IC)

802.11a Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	8.57	7.200	23.98	or 11+10log(B) =	23.26	PASS
60	5300	8.52	7.117	23.98	or 11+10log(B) =	23.26	PASS
64	5320	8.49	7.068	23.98	or 11+10log(B) =	23.25	PASS
100	5500	8.67	7.367	23.98	or $11+10\log(B) =$	23.26	PASS
116	5580	8.75	7.499	23.98	or 11+10log(B) =	23.27	PASS
140	5700	8.49	7.068	23.98	or 11+10log(B) =	23.26	PASS
149	5745	8.69	7.401		30		PASS
157	5785	8.56	7.178		30		PASS
165	5825	8.47	7.031		30	•	PASS

802.11a Aux1

002.11a							
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	8.74	7.487	23.98	or 11+10log(B) =	23.24	PASS
60	5300	8.72	7.453	23.98	or 11+10log(B) =	23.26	PASS
64	5320	8.75	7.504	23.98	or 11+10log(B) =	23.26	PASS
100	5500	8.72	7.453	23.98	or 11+10log(B) =	23.26	PASS
116	5580	8.77	7.534	23.98	or 11+10log(B) =	23.26	PASS
140	5700	8.74	7.487	23.98	or 11+10log(B) =	23.25	PASS
149	5745	8.73	7.470		30		PASS
157	5785	8.61	7.261		30	•	PASS
165	5825	8.36	6.855		30		PASS

802.11a 2TX

002.11a_21A											
СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT		
OII	(MHz)	CH 0	CH 1	(dBm)	(mW)			KLOOLI			
52	5260	8.86	8.29	11.90	15.480	23.98	or 11+10log(B) =	23.24	PASS		
60	5300	8.89	8.35	11.94	15.638	23.98	or 11+10log(B) =	23.26	PASS		
64	5320	8.85	8.28	11.89	15.445	23.98	or 11+10log(B) =	23.25	PASS		
100	5500	8.92	8.33	11.95	15.662	23.98	or 11+10log(B) =	23.26	PASS		
116	5580	8.91	8.35	11.95	15.668	23.98	or 11+10log(B) =	23.26	PASS		
140	5700	8.92	8.35	11.96	15.696	23.98	or 11+10log(B) =	23.25	PASS		
149	5745	8.91	8.36	11.96	15.693		30.00		PASS		
157	5785	8.87	8.31	11.91	15.524		30.00		PASS		
165	5825	8.91	8.34	11.95	15.668		30.00		PASS		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.



Page: 88 of 272

802.11n HT20 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	11.92	15.561	23.98	or 11+10log(B) =	23.54	PASS
60	5300	11.87	15.383	23.98	or 11+10log(B) =	23.52	PASS
64	5320	11.86	15.347	23.98	or 11+10log(B) =	23.52	PASS
100	5500	11.92	15.561	23.98	or 11+10log(B) =	23.53	PASS
116	5580	11.88	15.417	23.98	or 11+10log(B) =	23.52	PASS
140	5700	11.85	15.312	23.98	or 11+10log(B) =	23.52	PASS
149	5745	11.88	15.418		30		PASS
157	5785	11.83	15.241		30		PASS
165	5825	11.80	15.136		30		PASS

802.11n HT20 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	11.87	15.383	23.98	or 11+10log(B) =	23.53	PASS
60	5300	11.81	15.172	23.98	or 11+10log(B) =	23.53	PASS
64	5320	11.80	15.137	23.98	or 11+10log(B) =	23.52	PASS
100	5500	11.91	15.525	23.98	or 11+10log(B) =	23.51	PASS
116	5580	11.84	15.276	23.98	or 11+10log(B) =	23.52	PASS
140	5700	11.80	15.137	23.98	or 11+10log(B) =	23.53	PASS
149	5745	11.78	15.067		30		PASS
157	5785	11.72	14.859		30		PASS
165	5825	11.76	14.997		30		PASS

802.11n HT20 MIMO

002.1111_11120_INIMIC												
СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT			
011	(MHz)	CH 0	CH 1	(dBm)	(mW)		(dBm)		KLOOLI			
52	5260	8.52	8.11	11.94	15.633	23.98	or 11+10log(B) =	23.53	PASS			
60	5300	8.47	8.06	11.89	15.454	23.98	or 11+10log(B) =	23.52	PASS			
64	5320	8.5	8.1	11.93	15.578	23.98	or 11+10log(B) =	23.52	PASS			
100	5500	8.49	8.12	11.93	15.594	23.98	or 11+10log(B) =	23.51	PASS			
116	5580	8.49	8.12	11.93	15.596	23.98	or 11+10log(B) =	23.52	PASS			
140	5700	8.45	8.07	11.88	15.434	23.98	or 11+10log(B) =	23.52	PASS			
149	5745	8.49	8.08	11.91	15.526		30.00		PASS			
157	5785	8.48	8.08	11.91	15.524		30.00		PASS			
165	5825	8.43	8.04	11.86	15.346		30.00		PASS			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.



Page: 89 of 272

802.11n HT40 Main

	oa.	="="					
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	11.77	15.045	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.78	15.080	23.98	or 11+10log(B) =	26.58	PASS
102	5510	11.82	15.219	23.98	or 11+10log(B) =	26.58	PASS
110	5550	11.79	15.114	23.98	or 11+10log(B) =	26.57	PASS
134	5670	11.83	15.254	23.98	or 11+10log(B) =	26.58	PASS
151	5755	11.84	15.289		30		PASS
159	5795	11.86	15.360		30		PASS

802.11n HT40 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	11.58	14.401	23.98	or 11+10log(B) =	26.58	PASS
62	5310	11.55	14.302	23.98	or 11+10log(B) =	26.58	PASS
102	5510	11.57	14.368	23.98	or 11+10log(B) =	26.58	PASS
110	5550	11.60	14.467	23.98	or 11+10log(B) =	26.58	PASS
134	5670	11.63	14.568	23.98	or 11+10log(B) =	26.58	PASS
151	5755	11.65	14.635		30		PASS
159	5795	11.53	14.236		30		PASS

802.11n HT40 MIMO

СН	Frequency		RAGE R (dBm)	TOTAL	TOTAL TOTAL POWER		REQUIRED LIMIT		RESULT
(MHz)		CH 0	CH 1	(dBm)	(mW)	(dBm)			KESSET
54	5270	7.95	7.71	11.97	15.725	23.98	or 11+10log(B) =	26.57	PASS
62	5310	7.96	7.72	11.98	15.761	23.98	or 11+10log(B) =	26.58	PASS
102	5510	7.93	7.68	11.94	15.635	23.98	or 11+10log(B) =	26.58	PASS
110	5550	7.92	7.64	11.92	15.547	23.98	or 11+10log(B) =	26.57	PASS
134	5670	7.94	7.62	11.92	15.549	23.98	or 11+10log(B) =	26.58	PASS
151	5755	7.95	7.7	11.96	15.707		30.00	•	PASS
159	5795	7.93	7.66	11.93	15.600		30.00	•	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the prescribed by the fullest extent of the law. may be prosecuted to the fullest extent of the law.



Page: 90 of 272

802.11ac VHT20 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	11.69	14.749	23.98	or 11+10log(B) =	23.55	PASS
60	5300	11.75	14.955	23.98	or 11+10log(B) =	23.53	PASS
64	5320	11.74	14.920	23.98	or 11+10log(B) =	23.52	PASS
100	5500	11.68	14.715	23.98	or 11+10log(B) =	23.54	PASS
116	5580	11.73	14.894	23.98	or 11+10log(B) =	23.53	PASS
140	5700	11.67	14.682	23.98	or 11+10log(B) =	23.52	PASS
149	5745	11.68	14.715		30		PASS
157	5785	11.76	14.997		30		PASS
165	5825	11.67	14.689		30		PASS

802.11ac VHT20 Aux1

	<u></u>						
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
52	5260	11.57	14.347	23.98	or 11+10log(B) =	23.54	PASS
60	5300	11.61	14.480	23.98	or 11+10log(B) =	23.54	PASS
64	5320	11.62	14.514	23.98	or 11+10log(B) =	23.54	PASS
100	5500	11.59	14.414	23.98	or 11+10log(B) =	23.52	PASS
116	5580	11.67	14.689	23.98	or 11+10log(B) =	23.54	PASS
140	5700	11.62	14.514	23.98	or 11+10log(B) =	23.51	PASS
149	5745	11.61	14.480		30		PASS
157	5785	11.69	14.757		30		PASS
165	5825	11.60	14.454		30		PASS

802.11ac_VHT20_MIMO

СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	(MHz)	CH 0	CH 1	(dBm)	(mW)				
52	5260	8.59	8.33	11.80	15.136	23.98	or 11+10log(B) =	23.53	PASS
60	5300	8.59	8.32	11.80	15.119	23.98	or 11+10log(B) =	23.52	PASS
64	5320	8.62	8.33	11.82	15.190	23.98	or 11+10log(B) =	23.52	PASS
100	5500	8.65	8.35	11.84	15.278	23.98	or 11+10log(B) =	23.51	PASS
116	5580	8.66	8.37	11.86	15.330	23.98	or 11+10log(B) =	23.52	PASS
140	5700	8.61	8.3	11.80	15.121	23.98	or 11+10log(B) =	23.52	PASS
149	5745	8.59	8.27	11.77	15.035		30.00		PASS
157	5785	8.63	8.33	11.82	15.205		30.00		PASS
165	5825	8.62	8.33	11.82	15.205		30.00	_	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 91 of 272

802.11ac VHT40 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	11.49	14.092	23.98	or 11+10log(B) =	26.58	PASS
62	5310	11.46	13.995	23.98	or 11+10log(B) =	26.58	PASS
102	5510	11.43	13.898	23.98	or 11+10log(B) =	26.58	PASS
110	5550	11.44	13.930	23.98	or 11+10log(B) =	26.57	PASS
134	5670	11.53	14.222	23.98	or 11+10log(B) =	26.58	PASS
151	5755	11.54	14.255		30		PASS
159	5795	11.55	14.288		30		PASS

802.11ac VHT40 Aux1

_							
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
54	5270	11.23	13.273	23.98	or 11+10log(B) =	26.57	PASS
62	5310	11.20	13.181	23.98	or 11+10log(B) =	26.58	PASS
102	5510	11.17	13.091	23.98	or 11+10log(B) =	26.58	PASS
110	5550	11.21	13.212	23.98	or 11+10log(B) =	26.58	PASS
134	5670	11.23	13.273	23.98	or 11+10log(B) =	26.58	PASS
151	5755	11.20	13.181		30		PASS
159	5795	11.19	13.151		30		PASS

802.11ac_VHT40_MIMO

СН	Frequency		RAGE R (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
(MHz)		CH 0	CH 1	(dBm)	(mW)	(dBm)			KLSOLI
54	5270	8.04	7.89	11.60	14.440	23.98	or 11+10log(B) =	26.57	PASS
62	5310	8.07	7.91	11.62	14.523	23.98	or 11+10log(B) =	26.58	PASS
102	5510	8.06	7.89	11.61	14.473	23.98	or 11+10log(B) =	26.58	PASS
110	5550	8.03	7.84	11.57	14.341	23.98	or 11+10log(B) =	26.57	PASS
134	5670	8.08	7.92	11.63	14.557	23.98	or 11+10log(B) =	26.58	PASS
151	5755	8.04	7.88	11.59	14.423		30.00		PASS
159	5795	8.07	7.89	11.61	14.490		30.00		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be accessived the full set valent of the law. may be prosecuted to the fullest extent of the law.



Page: 92 of 272

802.11ac VHT80 Main

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
58	5290	8.83	7.642	23.98	or 11+10log(B) =	29.78	PASS
106	5530	8.85	7.677	23.98	or 11+10log(B) =	29.78	PASS
155	5775	8.82	7.624		30		PASS

802.11ac VHT80 Aux1

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
58	5290	8.75	7.502	23.98	or 11+10log(B) =	29.78	PASS
106	5530	8.76	7.519	23.98	or 11+10log(B) =	29.78	PASS
155	5775	8.77	7.537		30		PASS

802.11ac VHT80 MIMO

СН	Frequency			TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
	(MHz)	CH 0	CH 1	(dBm)	(mW)	(dBm)			
58	5290	4.95	4.59	8.98	7.899	23.98	or 11+10log(B) =	29.78	PASS
106	5530	4.93	4.55	8.95	7.846	23.98	or 11+10log(B) =	29.78	PASS
155	5775	4.96	4.56	8.97	7.883	30.00			PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any, The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the prescribed to the fullest extent of the law. may be prosecuted to the fullest extent of the law.



Page: 93 of 272

EIRP

802.11a 2TX

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)	REQUIRED LIMIT (dBm)			RESULT
36	5180	11.98	4.980	16.96	49.659	23.01	or 10+10log(B)=	22.25	PASS
44	5220	11.96	4.980	16.94	49.399	23.01	or 10+10log(B)=	22.25	PASS
48	5240	11.92	4.980	16.90	48.946	23.01	or 10+10log(B)=	22.25	PASS
52	5260	11.90	4.260	16.16	41.284	30	or 17+10log(B)=	29.24	PASS
60	5300	11.94	4.260	16.20	41.705	30	or 17+10log(B)=	29.26	PASS
64	5320	11.89	4.260	16.15	41.189	30	or 17+10log(B)=	29.25	PASS
100	5500	11.95	4.320	16.27	42.349	30	or 17+10log(B)=	29.26	PASS
116	5580	11.95	4.320	16.27	42.364	30	or 17+10log(B)=	29.26	PASS
140	5700	11.96	4.320	16.28	42.440	30	or 17+10log(B)=	29.25	PASS

802.11n HT20 MIMO

002	_11120_10111010								
СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		
36	5180	11.95	4.980	16.93	49.317	23.01	or 10+10log(B)=	22.51	PASS
44	5220	11.94	4.980	16.92	49.150	23.01	or 10+10log(B)=	22.51	PASS
48	5240	11.96	4.980	16.94	49.436	23.01	or 10+10log(B)=	22.51	PASS
52	5260	11.94	4.260	16.20	41.691	30	or 17+10log(B)=	29.53	PASS
60	5300	11.89	4.260	16.15	41.214	30	or 17+10log(B)=	29.52	PASS
64	5320	11.93	4.260	16.19	41.545	30	or 17+10log(B)=	29.52	PASS
100	5500	11.93	4.320	16.25	42.165	30	or 17+10log(B)=	29.51	PASS
116	5580	11.93	4.320	16.25	42.170	30	or 17+10log(B)=	29.52	PASS
140	5700	11.88	4.320	16.20	41.733	30	or 17+10log(B)=	29.52	PASS

802.11n_HT40_MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (mW)		REQUIRED LIMIT (dBm)		
38	5190	11.95	4.980	16.93	49.274	23.01	or 10+10log(B)=	25.58	PASS
46	5230	11.92	4.980	16.90	48.996	23.01	or 10+10log(B)=	25.58	PASS
54	5270	11.97	4.260	16.23	41.936	30	or 17+10log(B)=	32.57	PASS
62	5310	11.98	4.260	16.24	42.032	30	or 17+10log(B)=	32.58	PASS
102	5510	11.94	4.320	16.26	42.277	30	or 17+10log(B)=	32.58	PASS
110	5550	11.92	4.320	16.24	42.038	30	or 17+10log(B)=	32.57	PASS
134	5670	11.92	4.320	16.24	42.045	30	or 17+10log(B)=	32.58	PASS

802.11ac VHT80 MIMO

СН	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (dBm)		REQUIRED LIMIT (dBm)			RESULT
42	5210	8.96	4.980	13.94	24.781	23.01	or 10+10log(B)=	28.78	PASS
58	5290	8.98	4.260	13.24	21.066	30	or 17+10log(B)=	35.78	PASS
106	5530	8.95	4.320	13.27	21.214	30	or 17+10log(B)=	35.78	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 94 of 272

CDD Mode

802.11n HT20 MIMO

CII	Frequency	Data	Avg. POW	ER (dBm)	TOTAL	TOTAL		REQUIRED		DECLUT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)		RESULT	
36	5180	MCS8	8.11	7.89	11.62	14.521		23.98		PASS
44	5220	MCS8	8.38	7.82	11.73	14.894		23.98		PASS
48	5240	MCS8	8.21	7.89	11.67	14.689		23.98		PASS
52	5260	MCS8	8.28	7.87	11.70	14.791	23.98	or 11+10log(B) =	24.25	PASS
60	5300	MCS8	8.13	7.78	11.58	14.388	23.98	or 11+10log(B) =	24.26	PASS
64	5320	MCS8	8.12	7.71	11.54	14.256	23.98	or 11+10log(B) =	24.30	PASS
100	5500	MCS8	8.14	7.83	11.61	14.488	23.98	or 11+10log(B) =	24.25	PASS
116	5580	MCS8	8.10	7.70	11.53	14.223	23.98	or 11+10log(B) =	24.29	PASS
140	5700	MCS8	8.07	7.78	11.55	14.289	23.98	or 11+10log(B) =	24.28	PASS
149	5745	MCS8	8.18	7.72	11.58	14.388		30		PASS
157	5785	MCS8	8.19	7.73	11.91	15.524		30		PASS
165	5825	MCS8	8.12	7.68	11.86	15.346		30		PASS

802.11n HT40 MIMO

CH	Frequency	Data	Avg. POW	ER (dBm)		TOTAL		REQUIRED		RESULT
СН	(MHz)	Rate	CH 0	CH 1	POWER (dBm)	POWER (mW)		LIMIT (dBm)		RESULI
38	5190	MCS8	7.58	7.25	11.55	14.289		23.98		PASS
46	5230	MCS8	7.62	7.23	11.56	14.322		23.98		PASS
54	5270	MCS8	7.57	7.35	11.60	14.454	23.98	or 11+10log(B) =	26.97	PASS
62	5310	MCS8	7.67	7.33	11.64	14.588	23.98	or 11+10log(B) =	26.98	PASS
102	5510	MCS8	7.58	7.4	11.63	14.555	23.98	or 11+10log(B) =	26.95	PASS
110	5550	MCS8	7.61	7.33	11.61	14.488	23.98	or 11+10log(B) =	26.96	PASS
134	5670	MCS8	7.62	7.31	11.60	14.454	23.98	or 11+10log(B) =	26.95	PASS
151	5755	MCS8	7.57	7.32	11.58	14.388		30		PASS
159	5795	MCS8	7.58	7.37	11.61	14.488		30		PASS

802.11ac_VHT80_MIMO

CH	Frequency	Data	Avg. POW	ER (dBm)	TOTAL POWER	TOTAL POWER		REQUIRED LIMIT		RESULT
СН	(MHz)	Rate	CH 0	CH 1	(dBm)	(mW)	(dBm)		RESULI	
42	5210	MCS8	4.65	4.22	8.64	7.311		23.98		PASS
58	5290	MCS8	4.64	4.28	8.67	7.362	23.98	or 11+10log(B) =	30.09	PASS
106	5530	MCS8	4.55	4.22	8.59	7.228	23.98	or 11+10log(B) =	30.24	PASS
122	5610	MCS8	4.62	4.19	8.61	7.261	23.98	or 11+10log(B) =	30.09	PASS
155	5775	MCS8	4.68	4.18	8.64	7.311		30		PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 95 of 272

10 PEAK POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1		Access Point (Mater device)	17dBm/ MHz
		Fixed point-to-point Acess Ponit	
		Mobile and portable clinet device	11dBm/ MHz
U-NII-2A			11dBm/ MHz
U-NII-2C			11dBm/ MHz
U-NII-3	√		30dBm/ 500kHz

IC

OPERZTION FREQUENCY BAND	LIMIT
5150~5250 MHz	EIRP spectral density 10 dBm / MHz
5250~5350 MHz	11dBm / MHz
5470-5600 MHz and 5650-5725 MHz	11dBm / MHz
5725~5850 MHz	30dBm / 500 kHz

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.



Page: 96 of 272

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:

Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)


- 5. User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Note: For the test of PSD at MIMO mode, the highest emission of worst case employing Measure and add 10 log (N) technical is reported on this report after the comparison between Main Antenna at single transmitting mode and Aux that yields the higher value. The MIMO transmitting mode produces higher value of outcome

10.3 **Measurement Equipment Used**

	SGS Conducted Room											
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due							
Spectrum Analyzer	Agilent	N9010A	MY51440113	2017/06/21	2018/06/20							
Attenuator	Marvelous	MVE2213-10	RF31	2017/12/26	2018/12/25							
DC Block	PASTERNACK	PE8210	RF81	2017/12/26	2018/12/25							
Notebook	Lenovo	L430	P0000195	N/A	N/A							

Test Set-up 10.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report efter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 97 of 272

10.5 **Measurement Result**

	POWER I	POWER DENSITY 802.11a MODE										
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)+3.01d B offset	Limit (dBm)	Margin (dB)							
5180	-2.16	0.30	1.15	11	-9.85							
5220	-2.71	0.30	0.60	11	-10.40							
5240	-2.63	0.30	0.68	11	-10.32							
5260	-3.90	0.30	-0.59	11	-11.59							
5300	-3.01	0.30	0.30	11	-10.70							
5320	-3.39	0.30	-0.08	11	-11.08							
5500	-1.52	0.30	1.79	11	-9.21							
5580	-0.02	0.30	3.29	11	-7.71							
5700	-1.73	0.30	1.58	11	-9.42							
5745	3.54	0.30	6.55	30	-23.45							
5785	2.84	0.30	5.85	30	-24.15							
5825	3.20	0.30	6.21	30	-23.79							

	POWER DEN	NSITY 80	2.11n HT20 MO	DE	
Frequency (MHz)	MHz) Duty Factor (dBm)		PPSD With Duty Duty Factor Factor (dBm)+3.01d B offset		Margin (dB)
5180	-4.13	0.61	-0.51	11	-11.51
5220	-4.52	0.61	-0.90	11	-11.90
5240	-2.84	0.61	0.78	11	-10.22
5260	-6.38	0.61	-2.76	11	-13.76
5300	-5.27	0.61	-1.65	11	-12.65
5320	-2.96	0.61	0.66	11	-10.34
5500	-5.43	0.61	-1.81	11	-12.81
5580	-3.54	0.61	0.08	11	-10.92
5700	-3.68	0.61	-0.06	11	-11.06
5745	3.34	0.61	6.35	30	-23.65
5785	3.54	0.61	6.55	30	-23.45
5825	3.16	0.61	6.17	30	-23.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 98 of 272

POWER DENSITY 802.11n HT40 MODE									
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	Factor (dBm)+3.01d B offset		Margin (dB)				
5190	-11.87	1.12	-7.74	11	-18.74				
5230	-12.67	1.12	-8.54	11	-19.54				
5270	-9.76	1.12	-5.63	11	-16.63				
5310	-12.93	1.12	-8.80	11	-19.80				
5510	-10.34	1.12	-6.21	11	-17.21				
5550	-11.57	1.12	-7.44	11	-18.44				
5670	-12.31	1.12	-8.18	11	-19.18				
5755	0.57	1.12	3.58	30	-26.42				
5795	0.39	1.12	3.40	30	-26.60				

POWER DENSITY 802.11ac VHT80 MODE									
Frequency (MHz)	PPSD W/O Duty Factor (dBm)	Duty Factor	PPSD With Duty Factor (dBm)+3.01d B offset	Limit (dBm)	Margin (dB)				
5210	-18.48	1.19	-14.28	11	-25.28				
5290	-17.51	1.19	-13.31	11	-24.31				
5530	-14.48	1.19	-10.28	11	-21.28				
5610	-15.07	1.19	-10.87	11	-21.87				
5775	-5.73	1.19	-2.72	30	-32.72				

E	EIRP spectral density 802.11a MODE						EIRP spectral density 802.11n HT20 MODE				
Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)	Freq. (MHz)	PPSD (dBm)	Ant. Gain (dBi)	EIRP SD (dBm)	Limit (dBm)	Margin (dB)
5180	1.15	4.98	6.13	10	-8.85	5180	-0.51	4.98	4.47	10	-10.51
5220	0.60	4.98	5.58	10	-9.40	5220	-0.90	4.98	4.08	10	-10.90
5240	0.68	4.98	5.66	10	-9.32	5240	0.78	4.98	5.76	10	-9.22


	EIRF	spectra	ıl densi	ty 802.11	n HT40 l	MODE						
Ī			Ant.	EIRP			EIRP	spectral	density	/ 802.11a	c VHT80	MODE
	Freq. (MHz)	PPSD (dBm)	Gain (dBi)	SD (dBm)	Limit (dBm)	Margin (dB)	Freq. (MHz)	' (dBm) Gai		EIRP SD (dBm)	Limit (dBm)	Margin (dB)
	5180	-7.74	4.98	-2.76	10	-17.74			(dBi)	(abiii)		
	5220	-8.54	4.98	-3.56	10	-18.54	5210	-14.28	4.98	-9.30	10	-24.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.




Page: 99 of 272

802.11a 20MHz 5180MHz



802.11a 20MHz 5260MHz




802.11a 20MHz 5220MHz


#VBW 3.0 MHz

Res BW 1.0 MHz


Stop 5.20500 GHz Sweep 1.000 ms (1001 pts)




802.11a_20MHz_5300MHz



802.11a 20MHz 5240MHz



802.11a 20MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 100 of 272


802.11a 20MHz 5500MHz




802.11a 20MHz 5745MHz




802.11a_20MHz_5580MHz




802.11a_20MHz_5785MHz



802.11a 20MHz 5700MHz



802.11a 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 101 of 272

802.11n 20MHz 5180MHz




802.11n 20MHz 5260MHz



802.11n 20MHz 5220MHz

Prior Freq 5.220000000 GHz
PNO: Feet Watter: 30 dB Avg Type: Log-Pwr




802.11n_20MHz_5300MHz




802.11n 20MHz 5240MHz

#VBW 3.0 MHz

5.19500 GHz BW 1.0 MHz



802.11n 20MHz 5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Stop 5.24500 GH Sweep 1.000 ms (1001 pts

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 102 of 272


802.11n 20MHz 5500MHz

enter Freq 5.500000000 GHz PNO: Fest #Aften: 30 dB Avg Type: Log-Pwr Mkr1 5.495 20 GHz -5.43 dBm Ref Offset 17.3 dB Ref 30.00 dBm Center Fre Start Free CF Step

Stop 5.52500 GHz Sweep 1.000 ms (1001 pts)

Freq Offse


802.11n 20MHz 5745MHz




802.11n_20MHz_5580MHz

#VBW 3.0 MHz


Res BW 1.0 MHz




802.11n_20MHz_5785MHz



802.11n 20MHz 5700MHz



802.11n 20MHz 5825MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 103 of 272


802.11n 40MHz 5190MHz



802.11n 40MHz 5310MHz




802.11n_40MHz_5230MHz




802.11n_40MHz_5510MHz



802.11n 40MHz 5270MHz



802.11n 40MHz 5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488


SGS Taiwan Ltd.




Page: 104 of 272

802.11n 40MHz 5670MHz


802.11ac 80MHz 5210MHz






802.11n_40MHz_5755MHz


802.11ac_80MHz_5290MHz





802.11n 40MHz 5795MHz

802.11ac 80MHz 5530MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated in the results shown in this stee report refer only to the sample(s) tested and such as an entering and retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 105 of 272

802.11ac_80MHz_5610MHz



802.11ac_80MHz_5775MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be proseweed to the fullet extent of the June 2 for the first of the content or appearance of this document is unlawful and offenders may be proseweed to the fullet extent of the June 2 for the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 106 of 272

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

11.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT				
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRENGTH AT 3m				
	PK: 74 (dBμV/m)	AV 54 (dBµV/m)			
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m			
15.407(b)(1) RSS-247 6.2.1.2 15.407(b)(2) RSS-247 6.2.2.2 15.407(b)(3)	PK: -27 (dBm/MHz)	PK: 68.3 (dBμV/m)			
RSS-247 6.2.3.2 15.407(b)(4)(i) RSS-247 6.2.4.2	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4			

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = ((E*d)^2) / 30, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report efter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 107 of 272

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

<u> </u>								
Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)						
0.009-0.490	2400/F(KHz)	300						
0.490-1.705	24000/F(KHz)	30						
1.705-30	30	30						
30-88	100	3						
88-216	150	3						
216-960	200	3						
Above 960	500	3						

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.



Page: 108 of 272

11.2 **Measurement Equipment Used**

		SGS SAC-III			
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Broadband Antenna	SCHWAZBECK	VULB 9168	9168-617	2017/10/27	2018/10/26
Horn Antenna	Schwarzbeck	BBHA9120D	1341	2017/05/31	2018/05/30
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/09/25
3m Site NSA	SGS	966 chamber D	N/A	2017/07/06	2018/07/05
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	2017/10/27	2018/10/26
Pre-Amplifier	EMC Instru- ments	EMC9135	980234	2017/12/26	2018/12/25
Pre-Amplifier	EMC Instru- ments	EMC12630SE	980271	2017/12/26	2018/12/25
Attenuator	Marvelous	WATT-218FS-10	RF246	2017/12/26	2018/12/25
DC Block	PASTERNACK	PE8210	RF81	2017/12/26	2018/12/25
Band Rejection Filter	Micro-Tronics	G015	RF100	2017/12/26	2018/12/25
Band Rejection Filter	Micro-Tronics	G016	RF101	2017/12/26	2018/12/25
Band Rejection Filter	Micro-Tronics	G021	RF102	2017/12/26	2018/12/25
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	2017/12/26	2018/12/25
Coaxial Cable	Huber Suhner	EMC106-SM-SM-7200	150703	2017/12/26	2018/12/25
Notebook	Lenovo	L420	S0012467	N/A	N/A


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.




Page: 109 of 272

11.3 **Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.



Page: 110 of 272

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules . 2.
- 3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 4. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T 8. (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual $FS(dB\mu V/m) = SPA$. Reading level(dB μV) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined to the supplementary and th therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 111 of 272

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Refer to next page for tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 112 of 272

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 2018/4/26

Fundamental Frequency: Temp. / Humi.: 5220 MHz 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
86.26	S	Peak	54.03	-22.16	31.87	40	-8.13	
134.76	S	Peak	49.84	-17.06	32.77	43.5	-10.73	
420.91	S	Peak	44.20	-12.09	32.11	46	-13.89	
644.01	S	Peak	45.84	-8.05	37.79	46	-8.21	
858.38	S	Peak	42.73	-6.08	36.65	46	-9.35	
929.19	S	Peak	43.84	-4.74	39.10	46	-6.90	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 113 of 272

Operation Mode: 802.11aB1 Test Date: 2018/4/26

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
85.29	S	Peak	53.35	-21.99	31.36	40	-8.64
179.38	S	Peak	55.15	-17.94	37.21	43.5	-6.29
572.23	S	Peak	44.85	-9.47	35.38	46	-10.62
652.74	S	Peak	47.10	-7.95	39.15	46	-6.85
786.60	S	Peak	43.19	-6.79	36.40	46	-9.60
929.19	S	Peak	40.30	-4.74	35.57	46	-10.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 114 of 272

802.11a 5250~5350 MHz

Operation Mode: 802.11aB2 Test Date: 2018/4/26

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
43.58	S	Peak	47.57	-17.14	30.43	40	-9.57
133.79	S	Peak	49.81	-17.17	32.64	43.5	-10.86
572.23	S	Peak	48.94	-9.47	39.47	46	-6.53
644.01	S	Peak	46.25	-8.05	38.20	46	-7.80
714.82	S	Peak	46.01	-7.42	38.58	46	-7.42
929.19	S	Peak	43.42	-4.74	38.69	46	-7.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 115 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/26

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
87.23	S	Peak	54.01	-22.32	31.68	40	-8.32
171.62	S	Peak	54.17	-16.71	37.46	43.5	-6.04
357.86	S	Peak	46.07	-14.07	32.00	46	-14.00
572.23	S	Peak	44.17	-9.47	34.70	46	-11.30
705.12	S	Peak	44.00	-7.37	36.63	46	-9.37
929.19	S	Peak	39.43	-4.74	34.69	46	-11.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 116 of 272

802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 2018/4/26

Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
132.82	S	Peak	48.97	-17.29	31.69	43.5	-11.81
420.91	S	Peak	43.28	-12.09	31.19	46	-14.81
572.23	S	Peak	49.06	-9.47	39.59	46	-6.41
643.04	S	Peak	44.65	-8.07	36.58	46	-9.42
714.82	S	Peak	45.94	-7.42	38.52	46	-7.48
929.19	S	Peak	44.06	-4.74	39.32	46	-6.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 117 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/26

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
84.32	S	Peak	53.08	-21.82	31.25	40	-8.75
171.62	S	Peak	54.02	-16.71	37.31	43.5	-6.19
357.86	S	Peak	47.00	-14.07	32.93	46	-13.07
572.23	S	Peak	45.42	-9.47	35.95	46	-10.05
786.60	S	Peak	41.01	-6.79	34.21	46	-11.79
929.19	S	Peak	38.00	-4.74	33.27	46	-12.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 118 of 272

802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 2018/4/26

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
134.76	S	Peak	50.57	-17.06	33.50	43.5	-10.00
420.91	S	Peak	43.77	-12.09	31.68	46	-14.32
572.23	S	Peak	48.38	-9.47	38.91	46	-7.09
714.82	S	Peak	47.00	-7.42	39.58	46	-6.42
858.38	S	Peak	42.61	-6.08	36.53	46	-9.47
929.19	S	Peak	44.25	-4.74	39.52	46	-6.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 119 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/26

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



			Contract Contract				
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
88.20	S	Peak	53.91	-22.49	31.42	43.5	-12.08
134.76	S	Peak	52.45	-17.06	35.39	43.5	-8.11
357.86	S	Peak	45.24	-14.07	31.17	46	-14.83
572.23	S	Peak	44.94	-9.47	35.47	46	-10.53
786.60	S	Peak	42.95	-6.79	36.16	46	-9.84
965.08	S	Peak	37.59	-4.26	33.32	54	-20.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.



Page: 120 of 272


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 2018/4/30

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
-	10360.00	Н	Peak	36.53	9.27	45.80	68.3	-22.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 121 of 272

Operation Mode: 802.11aB1 Test Date: 2018/4/30

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10	0360.00	Н	Peak	36.87	9.27	46.14	68.3	-22.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 122 of 272

Operation Mode: 802.11aB1 Test Date: 2018/4/30

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10440.00	Н	Peak	37.08	9.57	46.65	68.3	-21.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 123 of 272

Operation Mode: 802.11aB1 Test Date: 2018/4/30

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440 00	Н	Peak	37 33	9 57	46.90	68.3	-21.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 124 of 272

Operation Mode: 802.11aB1 Test Date: 2018/4/30

Fundamental Frequency: 5240 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10480.00	H	Peak	37.27	9.64	46.91	68.3	-21.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 125 of 272

Operation Mode: 802.11aB1 Test Date: 2018/4/30

Fundamental Frequency: 5240 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10480.00	Н	Peak	37.72	9.64	47.37	68.3	-20.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 126 of 272

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11aB2 Test Date: 2018/4/30

22.7deg_C/57RH Fundamental Frequency: 5260 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	H	Peak	37.03	9.77	46.80	68.3	-21.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 127 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/30

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry

EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
10520 00	H	Peak	37 16	9 77	46 94	68.3	-21.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 128 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/30

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
10600.00	Н	Peak	36.60	10.15	46.75	74	-27.25
10600.00	Н	Average	25.52	10.15	35.66	54	-18.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 129 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/30

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry

EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10600.00) H	Peak	36.46	10.15	46.61	74	-27.39
10600.00) H	Average	25.29	10.15	35.44	54	-18.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 130 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/30

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10640.00) H	Peak	37.64	10.07	47.71	74	-26.29
10640.00) H	Average	25.88	10.07	35.95	54	-18.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 131 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/30

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
,	10640.00	Н	Peak	36.50	10.07	46.58	74	-27.42	•
	10640.00	Н	Peak	25.30	10.07	35.37	74	-38.63	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 132 of 272

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 2018/4/30

22.7deg_C/57RH Fundamental Frequency: 5500 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB	
11000.00	Н	Peak	36.26	11.71	47.97	74	-26.03	
11000.00	Н	Average	25.80	11.71	37.51	54	-16.49	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 133 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/30

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
11000.00	Н	Peak	37.14	11.71	48.85	74	-25.15
11000.00	Н	Average	25.53	11.71	37.24	54	-16.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 134 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/30

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
,	11160.00	Н	Peak	38.62	11.51	50.13	74	-23.87	•
	11160.00	Н	Average	26.07	11.51	37.58	54	-16.42	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 135 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/30

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



				10,000,000,000,000					
	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
,	11160.00	Н	Peak	37.48	11.51	48.99	74	-25.01	-
	11160.00	Н	Average	25.79	11.51	37.30	54	-16.70	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 136 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/30

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq	. Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.	00 H	Peak	36.42	11.60	48.02	74	-25.98
11400.	00 H	Average	25.39	11.60	36.99	54	-17.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 137 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/30

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	11400.00	Н	Peak	36.93	11.60	48.53	74	-25.47
	11400.00	Н	Average	25.24	11.60	36.84	54	-17.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 138 of 272

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 2018/4/30

22.7deg_C/57RH Fundamental Frequency: 5745 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB	
11490.00	Н	Peak	36.15	11.18	47.33	74	-26.67	
11490.00	Н	Average	25.64	11.18	36.82	54	-17.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com




Page: 139 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/30

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	11490.00	Н	Peak	36.65	11.18	47.83	74	-26.17
	11490.00	Н	Average	25.38	11.18	36.56	54	-17.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 140 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/30

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	36.29	11.06	47.35	74	-26.65
11570.00	Н	Average	25.21	11.06	36.28	54	-17.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 141 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/30

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11570.00	Н	Peak	35.72	11.06	46.78	74	-27.22
11570.00	Н	Average	25.02	11.06	36.08	54	-17.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 142 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/30

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	36.22	10.69	46.90	74	-27.10
11650.00	H	Average	25.28	10.69	35.97	54	-18.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Page: 143 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/30

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry





Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
 MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	36.67	10.69	47.36	74	-26.64
11650.00	Н	Average	25.01	10.69	35.70	54	-18.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 144 of 272

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

802.11n20B1 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	37.03	9.27	46.30	68.3	-22.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 145 of 272

Operation Mode: 802.11n20B1 Test Date: 2018/4/30

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	35.94	9 27	45 21	68.3	-23 09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 146 of 272

Operation Mode: 802.11n20B1 Test Date: 2018/4/30

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



F	req.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	ЛHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
104	140.00	Н	Peak	37.35	9.57	46.92	68.3	-21.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 147 of 272

Operation Mode: 802.11n20B1 Test Date: 2018/4/30

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	38.06	9.57	47.63	68.3	-20.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 148 of 272

Operation Mode: 802.11n20B1 Test Date: 2018/4/30

Fundamental Frequency: 5240 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10480.00	Н	Peak	37.53	9.64	47.17	68.3	-21.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 149 of 272

Operation Mode: 802.11n20B1 Test Date: 2018/4/30

Fundamental Frequency: 5240 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	H	Peak	37.35	9 64	47 00	68.3	-21 30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 150 of 272

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

802.11n20B2 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
MHz	F/H/E/S	Mode PK/QP/AV	Reading Level dBµV	dB	FS dBµV/m	@3m dBµV/m	dB
10520.00	Н	Peak	37.27	9.77	47.04	68.3	-21.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 151 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/30

Fundamental Frequency: 5260 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10520.00	H	Peak	36.93	9.77	46.70	68.3	-21.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 152 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/30

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	37.34	10.15	47.49	74	-26.52
10600.00	Н	Average	25.83	10.15	35.98	54	-18.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 153 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5300 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Mid Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10600.00	Н	Peak	36.75	10.15	46.89	74	-27.11
10600.00	Н	Average	25.53	10.15	35.68	54	-18.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 154 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/30

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10640.00) H	Peak	37.00	10.07	47.07	74	-26.93
10640.00) H	Average	25.57	10.07	35.64	54	-18.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 155 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5320 MHz Temp. / Humi.:

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10640.00) Н	Peak	36.70	10.07	46.77	74	-27.23
10640.00	H C	Average	25.38	10.07	35.45	54	-18.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 156 of 272

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

802.11n20B3 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
11000.00	Н	Peak	37.70	11.71	49.41	74	-24.59	•
11000.00	Н	Average	25.21	11.71	36.92	54	-17.08	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 157 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/30

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



			617.47 2000 8.10.78					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
11000.00	Н	Peak	36.99	11.71	48.70	74	-25.30	•
11000.00	Н	Average	25.03	11.71	36.74	54	-17.26	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 158 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/30

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
,	11160.00	Н	Peak	37.53	11.51	49.04	74	-24.96	•
	11160.00	Н	Average	25.37	11.51	36.88	54	-17.12	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 159 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/30

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11160.	00 H	Peak	37.14	11.51	48.65	74	-25.35
11160.	00 H	Average	25.02	11.51	36.53	54	-17.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 160 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/30

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11400.00	Н	Peak	37.00	11.60	48.60	74	-25.40
11400.00	Н	Average	25.11	11.60	36.71	54	-17.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 161 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5700 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Fre	eq. l	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
MH	Hz F/	H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
1140	0.00	Н	Peak	36.94	11.60	48.54	74	-25.47
1140	0.00	Н	Average	24.88	11.60	36.48	54	-17.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 162 of 272

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

802.11n20B4 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	_
11490.00	Н	Peak	37.66	11.18	48.84	74	-25.16	•
11490.00	Н	Average	25.53	11.18	36.71	54	-17.29	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 163 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5745 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
1	1490.00	Н	Peak	36.00	11.18	47.18	74	-26.82
1	1490.00	Н	Average	25.23	11.18	36.41	54	-17.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 164 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/30

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
	11570.00	Н	Peak	36.77	11.06	47.83	74	-26.17
•	11570.00	Н	Average	28.52	11.06	39.58	54	-14.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 165 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5785 MHz Temp. / Humi. :

Operation Band: Test Engineer: Tx CH Mid Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
 MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	35.97	11.06	47.04	74	-26.96
11570.00	Н	Average	25.11	11.06	36.18	54	-17.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 166 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/30

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
 MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11650.00	Н	Peak	37.35	10.69	48.04	74	-25.96
11650.00	Н	Average	25.70	10.69	36.39	54	-17.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 167 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5825 MHz Temp. / Humi. :

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



F	req.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
N	ИHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
116	50.00	Н	Peak	37.11	10.69	47.80	74	-26.20
116	50.00	Н	Average	25.23	10.69	35.92	54	-18.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 168 of 272

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

802.11n40B1 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
•	10380.00	Н	Peak	38.15	9.38	47.53	68.3	-20.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 169 of 272

Operation Mode: 802.11n40B1 Test Date: 2018/4/30

Fundamental Frequency: 5190 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10380.00	Н	Peak	37.56	9.38	46.94	68.3	-21.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 170 of 272

Operation Mode: 802.11n40B1 Test Date: 2018/4/30

Fundamental Frequency: 5230 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10460.00	Н	Peak	38.25	9.61	47.85	68.3	-20.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 171 of 272

Operation Mode: 802.11n40B1 Test Date: 2018/4/30

Fundamental Frequency: 5230 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10460.00	Н	Peak	37.48	9.61	47.08	68.3	-21.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 172 of 272

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40B2 Test Date: 2018/4/30

Fundamental Frequency: 5270 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	Н	Peak	37.32	9.87	47.19	68.3	-21.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 173 of 272

Operation Mode: 802.11n40B2 Test Date: 2018/4/30

Fundamental Frequency: 5270 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	H	Peak	36.93	9.87	46.80	68.3	-21 50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 174 of 272

Operation Mode: 802.11n40B2 Test Date: 2018/4/30

Fundamental Frequency: 5310 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10620.00	Н	Peak	36.84	10.11	46.95	74	-27.05
10620.00	Н	Average	25.17	10.11	35.28	54	-18.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 175 of 272

Operation Mode: 802.11n40B2 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5310 MHz Temp. / Humi.:

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10620.00	Н	Peak	36.13	10.11	46.24	74	-27.76
10620.00	Н	Average	24.84	10.11	34.95	54	-19.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 176 of 272

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

802.11n40B3 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
11020.00	Н	Peak	38.97	11.60	50.57	74	-23.43
11020.00	Н	Average	26.10	11.60	37.70	54	-16.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 177 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11020.00	Н	Peak	38.87	11.60	50.46	74	-23.54
	11020.00	Н	Average	25.89	11.60	37.49	54	-16.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 178 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5550 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
,	11100.00	Н	Peak	38.27	11.15	49.42	74	-24.58	-
	11100.00	Н	Average	25.71	11.15	36.86	54	-17.14	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 179 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5550 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Mid Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11100.00) H	Peak	37.44	11.15	48.59	74	-25.41
11100.00) H	Average	25.50	11.15	36.65	54	-17.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 180 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5670 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Fre	q. Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MH	z F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11340).00 H	Peak	37.36	11.37	48.73	74	-25.27
11340).00 H	Average	25.71	11.37	37.09	54	-16.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 181 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5670 MHz Temp. / Humi.:

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11	340.00	Н	Peak	36.69	11.37	48.06	74	-25.94
11	340.00	Н	Average	25.36	11.37	36.73	54	-17.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 182 of 272

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

802.11n40B4 Test Date: Operation Mode: 2018/4/30

Fundamental Frequency: 5755 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
11510.00	Н	Peak	36.66	11.12	47.78	74	-26.22	
11510.00	Н	Average	25.23	11.12	36.35	54	-17.65	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 183 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5755 MHz Temp. / Humi.:

Operation Band: Test Engineer: Tx CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
_	11510.00	Н	Peak	36.01	11.12	47.13	74	-26.87
	11510.00	Н	Average	24.99	11.12	36.11	54	-17.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 184 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: 5795 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	11590.00	Н	Peak	37.19	11.05	48.24	74	-25.76
	11590.00	Н	Average	25.02	11.05	36.07	54	-17.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 185 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5795 MHz Temp. / Humi. :

Operation Band: Tx CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
_	11590.00	Н	Peak	36.01	11.05	47.06	74	-26.94
	11590.00	Н	Average	24.64	11.05	35.68	54	-18.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 186 of 272

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80B1 Test Date: 2018/4/30

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	36.87	9.53	46.40	68.3	-21.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 187 of 272

Operation Mode: 802.11ac80B1 Test Date: 2018/4/30

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
10420 00	Н	Peak	38 85	9.53	48 38	68.3	-19 92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 188 of 272

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80B2 Test Date: 2018/4/30

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
10580.00	H	Peak	37.61	10.05	47.66	68.3	-20.64	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 189 of 272

Operation Mode: 802.11ac80B2 Test Date: 2018/4/30

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH High Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10580.00	Н	Peak	36.61	10.05	46.66	68.3	-21.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 190 of 272

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB	_
11060.00	Н	Peak	37.01	11.37	48.39	74	-25.61	
11060.00	Н	Average	24.78	11.37	36.15	54	-17.85	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 191 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11060.0	00 H	Peak	37.15	11.37	48.52	74	-25.48
11060.0	00 H	Average	24.56	11.37	35.94	54	-18.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 192 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5610 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
	11220.00	Н	Peak	37.51	11.64	49.15	74	-24.85
	11220.00	Н	Average	24.66	11.64	36.31	54	-17.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 193 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5610 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: Tx CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11220.00	Н	Peak	37.23	11.64	48.87	74	-25.13
11220.00	Н	Average	24.50	11.64	36.15	54	-17.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 194 of 272

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Mode: 802.11ac80B4 Test Date: 2018/4/30

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Peak	37.06	11.08	48.14	74	-25.86
11550.00	Н	Average	24.52	11.08	35.60	54	-18.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 195 of 272

Operation Mode: 802.11ac80B4 Test Date: 2018/4/30

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11	1550.00	Н	Peak	36.26	11.08	47.35	74	-26.65
11	1550.00	Н	Average	24.35	11.08	35.44	54	-18.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 196 of 272

Band edge falling to restricted band 802.11a mode

Operation Mode: 802.11aB1 Test Date: 2018/4/26

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	54.93	-0.17	54.76	74	-19.24
5150.00	E	Average	41.04	-0.17	40.87	54	-13.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 197 of 272

Operation Mode: Test Date: 802.11aB1 2018/4/26

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Е	Peak	55.23	-0.17	55.06	74	-18.94
5150.00	E	Average	42.13	-0.17	41.96	54	-12.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 198 of 272

Operation Mode: 802.11aB2 Test Date: 2018/4/26

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
·		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5350.00	E	Peak	53.88	-0.15	53.73	74	-20.27	_
5350.00	Ε	Average	40.41	-0.15	40.26	54	-13.74	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 199 of 272

Operation Mode: Test Date: 802.11aB2 2018/4/26

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



			100000000000000000000000000000000000000					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
5350.00	Е	Peak	56.01	-0.15	55.85	74	-18.15	•
5350.00	Е	Average	42.48	-0.15	42.32	54	-11.68	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 200 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/26

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



			110210000000000000000000000000000000000					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5460.00	Е	Peak	53.89	0.06	53.94	74	-20.06	•
5460.00	E	Average	39.79	0.06	39.85	54	-14.15	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 201 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/26

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



			1,02,000,000,000					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5460.00	Е	Peak	55.85	0.06	55.91	74	-18.09	-
5460.00	Е	Average	42.06	0.06	42.12	54	-11.88	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 202 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/26

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5470.00	Е	Peak	54.48	0.08	54.56	68.3	-13.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 203 of 272

Operation Mode: 802.11aB3 Test Date: 2018/4/26

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry

EUT Pol.: Measurement Antenna Pol. : E2 Horizontal



			110210000000000000000000000000000000000					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5468.24	S	Peak	58.17	0.08	58.24	68.3	-10.06	•
5470.00	E	Peak	56.43	0.08	56.51	68.3	-11.79	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 204 of 272

Operation Mode: Test Date: 802.11aB3 2018/4/26

Fundamental Frequency: 5700 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	5725.00	Е	Peak	55.30	0.69	55.98	68.3	-12.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 205 of 272

Operation Mode: Test Date: 802.11aB3 2018/4/26

Fundamental Frequency: 5700 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Ē	Peak	58.94	0.69	59.63	68.3	-8.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 206 of 272

Operation Mode: Test Date: 2018/4/26 802.11aB4

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	53.07	0.63	53.70	68.23	-14.53
5700.00	S	Peak	54.96	0.56	55.52	105.23	-49.71
5720.00	S	Peak	56.05	0.66	56.71	110.83	-54.12
5725.00	E	Peak	58.03	0.69	58.72	122.23	-63.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 207 of 272

Operation Mode: Test Date: 2018/4/26 802.11aB4

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	53.60	0.63	54.23	68.23	-14.00
5700.00	S	Peak	55.93	0.56	56.49	105.23	-48.74
5720.00	S	Peak	59.54	0.66	60.20	110.83	-50.63
5725.00	E	Peak	62.81	0.69	63.50	122.23	-58.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 208 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/26

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	55.96	1.01	56.97	122.23	-65.26
5855.00	S	Peak	54.52	1.01	55.53	110.83	-55.30
5875.00	S	Peak	54.21	0.99	55.20	105.23	-50.03
5925.00	S	Peak	53.73	1.04	54.77	68.23	-13.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 209 of 272

Operation Mode: 802.11aB4 Test Date: 2018/4/26

Fundamental Frequency: 22.7deg_C/57RH 5825 MHz Temp. / Humi. :

Operation Band: BE CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	56.86	1.01	57.87	122.23	-64.36
5855.00	S	Peak	57.02	1.01	58.03	110.83	-52.80
5875.00	S	Peak	54.81	0.99	55.80	105.23	-49.43
5925.00	S	Peak	53.21	1.04	54.25	68.23	-13.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 210 of 272

802.11n20 HT mode

Operation Mode: 802.11n20B1 Test Date: 2018/4/27

Temp. / Humi. : Fundamental Frequency: 5180 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5150.00	Е	Peak	53.95	-0.17	53.78	74	-20.22	
5150.00	Е	Average	40.56	-0.17	40.39	54	-13.61	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 211 of 272

Operation Mode: 802.11n20B1 Test Date: 2018/4/27

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry



Fr	eq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
M	Hz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
515	0.00	Е	Peak	55.90	-0.17	55.73	74	-18.27
515	0.00	Ε	Average	41.78	-0.17	41.61	54	-12.39

Frequency [MHz]

5152

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

5116

5128

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 212 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/27

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5350.00	Е	Peak	53.66	-0.15	53.50	74	-20.50	•
5350.00	E	Average	40.04	-0.15	39.88	54	-14.12	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 213 of 272

Operation Mode: 802.11n20B2 Test Date: 2018/4/27

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



			1,112,111,12				
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	55.73	-0.15	55.58	74	-18.43
5350.00	E	Average	42.07	-0.15	41.91	54	-12.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 214 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/27

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5460.00	E	Peak	53.53	0.06	53.59	74	-20.41	_
5460.00	Е	Average	39.95	0.06	40.01	54	-14.00	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 215 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/27

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



			110210000000000000000000000000000000000					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5460.00	E	Peak	55.52	0.06	55.57	74	-18.43	_
5460.00	E	Average	41.85	0.06	41.91	54	-12.09	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 216 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/27

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	5470.00	Е	Peak	53.48	0.08	53.56	68.3	-14.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 217 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/27

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : E2 Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	5470.00	Ē	Peak	56.22	0.08	56.30	68.3	-12.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 218 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/27

Fundamental Frequency: 5700 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
N 41 1—	E/L/E/O	Mode	Reading Level	-ID	FS	@3m	JD.
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
5725 00	F	Peak	55 90	0.69	56 58	68.3	-11 72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 219 of 272

Operation Mode: 802.11n20B3 Test Date: 2018/4/27

Fundamental Frequency: 5700 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5725 00	F	Peak	60.22	0.69	60.90	68.3	-7 40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 220 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/27

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	52.42	0.63	53.04	68.23	-15.19
5700.00	S	Peak	53.20	0.56	53.76	105.23	-51.47
5720.00	S	Peak	54.37	0.66	55.03	110.83	-55.80
5725.00	E	Peak	57.67	0.69	58.35	122.23	-63.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 221 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/27

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	54.25	0.63	54.87	68.23	-13.36
5700.00	S	Peak	55.89	0.56	56.45	105.23	-48.78
5720.00	S	Peak	60.41	0.66	61.07	110.83	-49.76
5725.00	E	Peak	66.03	0.69	66.72	122.23	-55.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 222 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/27

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	56.72	1.01	57.73	122.23	-64.50
5855.00	S	Peak	54.47	1.01	55.47	110.83	-55.36
5875.00	S	Peak	54.18	0.99	55.17	105.23	-50.06
5925.00	S	Peak	53.43	1.04	54.46	68.23	-13.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 223 of 272

Operation Mode: 802.11n20B4 Test Date: 2018/4/27

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	58.53	1.01	59.54	122.23	-62.69
5855.00	S	Peak	58.72	1.01	59.73	110.83	-51.10
5875.00	S	Peak	55.83	0.99	56.82	105.23	-48.41
5925.00	S	Peak	53.68	1.04	54.72	68.23	-13.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 224 of 272

802.11n40 HT mode

Operation Mode: 802.11n40B1 Test Date: 2018/4/30

Temp. / Humi. : Fundamental Frequency: 5190 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	Е	Peak	54.34	-0.17	54.17	74	-19.83
5150.00	Ε	Average	40.37	-0.17	40.20	54	-13.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 225 of 272

Operation Mode: 802.11n40B1 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5190 MHz Temp. / Humi. :

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5150.00	Е	Peak	55.41	-0.17	55.24	74	-18.76
5150.00	E	Average	41.18	-0.17	41.01	54	-12.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

t (886-2) 2299-3279




Page: 226 of 272

Operation Mode: 802.11n40B2 Test Date: 2018/4/30

Fundamental Frequency: 5310 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



			1,12,10,18,211,18					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5350.00	E	Peak	54.84	-0.15	54.68	74	-19.32	_
5350.00	Е	Average	39.85	-0.15	39.70	54	-14.30	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 227 of 272

Operation Mode: 802.11n40B2 Test Date: 2018/4/30

Fundamental Frequency: 5310 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	59.50	-0.15	59.35	74	-14.65
5350.00	Е	Average	42.57	-0.15	42.42	54	-11.58
5352.56	S	Peak	60.05	-0.15	59.90	74	-14.10
5352.56	S	Average	42.56	-0.15	42.41	54	-11.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 228 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5454.36	S	Peak	56.49	0.05	56.54	74	-17.46
5454.36	S	Average	40.49	0.05	40.54	54	-13.46
5460.00	E	Peak	55.04	0.06	55.10	74	-18.90
5460.00	E	Average	40.90	0.06	40.95	54	-13.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 229 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	•	dB	dBµV/m	dBµV/m	dB
IVITZ	F/∏/⊑/3	PN/QP/AV	dΒμV	uБ	ασμν/π	ασμ ν/ιιι	uБ
5458.08	S	Peak	59.33	0.05	59.39	74	-14.61
5458.08	S	Average	39.03	0.05	39.08	54	-14.92
5460.00	E	Peak	58.75	0.06	58.81	74	-15.19
5460.00	E	Average	41.91	0.06	41.96	54	-12.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 230 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



				111.5					
	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
•	5466.24	S	Peak	59.40	0.07	59.47	68.3	-8.83	-
	5470.00	E	Peak	59.32	0.08	59.40	68.3	-8.90	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 231 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5463.84	S	Peak	61.85	0.07	61.92	68.3	-6.38
5466.12	S	Peak	62.39	0.07	62.47	68.3	-5.83
5470.00	Е	Peak	62.85	0.08	62.93	68.3	-5.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 232 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5670 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



			1,10-1,0-1,0-1,0-1					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5725.00	E	Peak	54.26	0.69	54.95	68.3	-13.35	•
5730.80	S	Peak	54.62	0.71	55.33	68.3	-12.97	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 233 of 272

Operation Mode: 802.11n40B3 Test Date: 2018/4/30

Fundamental Frequency: 5670 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: BE CH High Test Engineer: Jerry

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



			1107107661136					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
5725.00	E	Peak	58.34	0.69	59.03	68.3	-9.27	•
5726.48	S	Peak	58.25	0.69	58.94	68.3	-9.36	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 234 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: 5755 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	53.14	0.63	53.77	68.23	-14.46
5700.00	S	Peak	54.28	0.56	54.84	105.23	-50.39
5720.00	S	Peak	60.96	0.66	61.62	110.83	-49.21
5725.00	E	Peak	63.71	0.69	64.40	122.23	-57.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 235 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: 22.7deg_C/57RH 5755 MHz Temp. / Humi. :

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	54.64	0.63	55.26	68.23	-12.97
5700.00	S	Peak	57.83	0.56	58.39	105.23	-46.84
5720.00	S	Peak	65.42	0.66	66.08	110.83	-44.75
5725.00	E	Peak	69.31	0.69	70.00	122.23	-52.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 236 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: Temp. / Humi. : 5795 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	54.10	1.01	55.11	122.23	-67.12
5855.00	S	Peak	54.81	1.01	55.82	110.83	-55.01
5875.00	S	Peak	54.03	0.99	55.02	105.23	-50.21
5925.00	S	Peak	54.24	1.04	55.27	68.23	-12.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 237 of 272

Operation Mode: 802.11n40B4 Test Date: 2018/4/30

Fundamental Frequency: 5795 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	55.73	1.01	56.74	122.23	-65.49
5855.00	S	Peak	56.25	1.01	57.26	110.83	-53.57
5875.00	S	Peak	54.39	0.99	55.38	105.23	-49.85
5925.00	S	Peak	53.66	1.04	54.70	68.23	-13.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 238 of 272

802.11ac80 VHT mode

Test Date: Operation Mode: 802.11ac80B1 2018/4/30

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	54.40	-0.17	54.23	74	-19.77
5150.00	Е	Average	40.06	-0.17	39.89	54	-14.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 239 of 272

Operation Mode: 802.11ac80B1 Test Date: 2018/4/30

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
5150.00	E	Peak	54.84	-0.17	54.67	74	-19.33
5150.00	Е	Average	40.65	-0.17	40.48	54	-13.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 240 of 272

Operation Mode: 802.11ac80B2 Test Date: 2018/4/30

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
5350.00	E	Peak	53.06	-0.15	52.90	74	-21.10
5350.00	Е	Average	39.30	-0.15	39.15	54	-14.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 241 of 272

Operation Mode: 802.11ac80B2 Test Date: 2018/4/30

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: Measurement Antenna Pol. : E2 Horizontal



			1,12,12,12,12					
Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
5350.00	E	Peak	54.88	-0.15	54.72	74	-19.28	•
5350.00	Е	Average	39.86	-0.15	39.70	54	-14.30	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 242 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5460.00	E	Peak	53.42	0.06	53.48	74	-20.52
5460.00	Е	Average	40.91	0.06	40.97	54	-13.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 243 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5460.00	Е	Peak	54.58	0.06	54.64	74	-19.36
5460.00	E	Average	40.16	0.06	40.21	54	-13.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 244 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
•	5470.00	Е	Peak	53.86	0.08	53.94	68.3	-14.36	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 245 of 272

Operation Mode: 802.11ac80B3 Test Date: 2018/4/30

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
5467.90	S	Peak	56.86	0.08	56.93	68.3	-11.37	-
5470.00	Е	Peak	55.10	0.08	55.18	68.3	-13.12	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 246 of 272

Operation Mode: 802.11ac80B4 Test Date: 2018/4/30

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	53.17	0.63	53.79	68.23	-14.44
5700.00	S	Peak	53.17	0.56	53.73	105.23	-51.50
5720.00	S	Peak	55.96	0.66	56.62	110.83	-54.21
5725.00	E	Peak	55.46	0.69	56.14	122.23	-66.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples tested and sample state a may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 247 of 272

Operation Mode: 802.11ac80B4 Test Date: 2018/4/30

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH Low Jerry EUT Pol.: Measurement Antenna Pol. : E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	54.61	0.63	55.23	68.23	-13.00
5700.00	S	Peak	56.29	0.56	56.85	105.23	-48.38
5720.00	S	Peak	57.82	0.66	58.48	110.83	-52.35
5725.00	E	Peak	58.38	0.69	59.06	122.23	-63.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples tested and sample state a may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 248 of 272

Operation Mode: 802.11ac80B4 Test Date: 2018/4/30

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	52.48	1.01	53.49	122.23	-68.74
5855.00	S	Peak	53.63	1.01	54.64	110.83	-56.19
5875.00	S	Peak	53.55	0.99	54.53	105.23	-50.70
5925.00	S	Peak	53.65	1.04	54.69	68.23	-13.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples tested and sample state a may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 249 of 272

Operation Mode: 802.11ac80B4 Test Date: 2018/4/30

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Test Engineer: BE CH High Jerry EUT Pol.: Measurement Antenna Pol.: E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	54.70	1.01	55.71	122.23	-66.52
5855.00	S	Peak	54.57	1.01	55.58	110.83	-55.25
5875.00	S	Peak	54.38	0.99	55.36	105.23	-49.87
5925.00	S	Peak	54.18	1.04	55.22	68.23	-13.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results smown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples tested and sample state a may be prosecuted to the fullest extent of the law.



Page: 250 of 272

12 TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable 12.1

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 251 of 272

13 FREQUENCY STABILITY


Standard Applicable

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

Test SET-UP 13.3



13.4 **Measurement Equipment Used:**

SGS Conducted Room									
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Spectrum Analyzer	Agilent	N9010A	MY51440113	2017/06/21	2018/06/20				
Attenuator	Marvelous	MVE2213-10	RF31	2017/12/26	2018/12/25				
DC Block	PASTERNACK	PE8210	RF81	2017/12/26	2018/12/25				
Notebook	Lenovo	L430	P0000195	N/A	N/A				
Temperature Chamber	TERCH Y	MHK-120LK	1020582	2018/01/13	2019/01/02				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 252 of 272

13.5 **Measurement Result**

Startup:

Operation Mode	802.11 a	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.93994	0.00001159
		44	5220	5,219.93994	0.00001151
		48	5240	5,239.93994	0.00001146
		52	5260	5,259.93994	0.00001142
		60	5300	5,299.93994	0.00001133
	12.6V	64	5320	5,319.93994	0.00001129
		100	5500	5,499.93994	0.00001092
		116	5580	5,579.92481	0.00001348
		140	5700	5,699.92481	0.00001319
		149	5745	5,744.92481	0.00001309
		157	5785	5,784.92481	0.00001300
		165	5825	5,824.92481	0.00001291
0 ℃		36	5180	5,179.93994	0.00001159
- 0		44	5220	5,219.93994	0.00001151
		48	5240	5,239.93994	0.00001146
		52	5260	5,259.93994	0.00001142
		60	5300	5,299.93994	0.00001133
	11.4V	64	5320	5,319.93994	0.00001129
		100	5500	5,499.93994	0.00001092
		116	5580	5,579.92481	0.00001348
		140	5700	5,699.92481	0.00001319
		149	5745	5,744.92481	0.00001309
		157	5785	5,784.92481	0.00001300
		165	5825	5,824.92481	0.00001291

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 253 of 272

		36	5180	5,179.93994	0.00001159
		44	5220	5,219.93994	0.00001151
		48	5240	5,239.93994	0.00001146
		52	5260	5,259.93994	0.00001142
		60	5300	5,299.93994	0.00001133
25 ℃	12V	64	5320	5,319.93994	0.00001129
		100	5500	5,499.93994	0.00001092
		116	5580	5,579.92481	0.00001348
		140	5700	5,699.92481	0.00001319
		149	5745	5,744.92481	0.00001309
		157	5785	5,784.92481	0.00001300
		165	5825	5,824.92481	0.00001291
		36	5180	5,179.93994	0.00001159
		44	5220	5,219.93994	0.00001151
		48	5240	5,239.93994	0.00001146
		52	5260	5,259.93994	0.00001142
		60	5300	5,299.93994	0.00001133
		64	5320	5,319.93994	0.00001129
	12.6V	100	5500	5,499.93994	0.00001092
		116	5580	5,579.92481	0.00001348
		140	5700	5,699.92481	0.00001319
		149	5745	5,744.92481	0.00001309
		157	5785	5,784.92481	0.00001300
		165	5825	5,824.92481	0.00001291
40 °C		36	5180	5,179.93994	0.00001159
		44	5220	5,219.93994	0.00001151
		48	5240	5,239.93994	0.00001146
		52	5260	5,259.93994	0.00001142
		60	5300	5,299.93994	0.00001133
	11.4V	64	5320	5,319.93994	0.00001129
		100	5500	5,499.93994	0.00001092
		116	5580	5,579.93994	0.00001076
		140	5700	5,699.92481	0.00001319
		149	5745	5,744.92481	0.00001309
		157	5785	5,784.92481	0.00001300
		165	5825	5,824.92481	0.00001291

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 254 of 272

Operation Mode	802.11 n_HT40	Test Date	2018.02.23
Temperature	:20 ℃	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.99916	0.00000016
		46	5230	5,229.99949	0.00000010
		54	5270	5,269.99973	0.00000005
		62	5310	5,309.99980	0.00000004
	8.8V	102	5510	5,509.99917	0.00000015
		110	5550	5,549.99934	0.00000012
		134	5670	5,669.99920	0.00000014
		142	5710	5,709.99875	0.00000022
		151	5755	5,754.99958	0.0000007
-20 °C		159	5795	5,794.99966	0.00000006
		38	5190	5,189.99914	0.00000017
		46	5230	5,229.99951	0.00000009
		54	5270	5,269.99973	0.00000005
		62	5310	5,309.99917	0.00000016
	6.894V	102	5510	5,509.99970	0.00000005
		110	5550	5,549.99953	0.00000008
		134	5670	5,669.99940	0.00000011
		142	5710	5,709.99863	0.00000024
		151	5755	5,754.99967	0.00000006
		159	5795	5,794.99919	0.00000014

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 255 of 272

				1	1
		38	5190	5,189.96868	0.00000603
		46	5230	5,229.98300	0.00000325
		54	5270	5,269.96793	0.00000609
		62	5310	5,310.00000	0.00000000
25 ℃	7.66V	102	5510	5,509.99981	0.00000003
		110	5550	5,549.96650	0.00000604
		134	5670	5,670.00000	0.00000000
		142	5710	5,709.99835	0.00000029
		151	5755	5,754.96535	0.00000602
		159	5795	5,794.97953	0.00000353
		38	5190	5,189.99919	0.00000016
		46	5230	5,229.99981	0.00000004
		54	5270	5,269.99972	0.00000005
	8.8V	62	5310	5,309.99920	0.00000015
		102	5510	5,509.99938	0.00000011
		110	5550	5,549.99965	0.00000006
		134	5670	5,669.99956	800000000
		142	5710	5,709.99841	0.00000028
		151	5755	5,754.99937	0.00000011
		159	5795	5,794.99915	0.00000015
55 ℃		38	5190	5,189.99913	0.0000017
		46	5230	5,229.99951	0.00000009
		54	5270	5,269.99916	0.00000016
		62	5310	5,309.99947	0.00000010
	6.894V	102	5510	5,509.99985	0.00000003
		110	5550	5,549.99913	0.00000016
		134	5670	5,669.99977	0.00000004
		142	5710	5,709.99836	0.00000029
		151	5755	5,754.99928	0.00000013
		159	5795	5,794.99987	0.00000002

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 256 of 272

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.23
Temperature	:20 ℃	Test By	Henry
Humidity	:57 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99931	0.00000013
		58	5290	5,289.99968	0.00000006
	8.8V	106	5530	5,529.99993	0.00000001
		122	5610	5,609.99927	0.00000013
		138	5690	5,689.99925	0.00000013
-20 °C		155	5775	5,774.99945	0.00000010
		42	5210	5,209.99984	0.00000003
		58	5290	5,289.99958	0.00000008
	6.894V	106	5530	5,529.99925	0.00000014
		122	5610	5,609.99937	0.00000011
		138	5690	5,689.99935	0.00000011
		155	5775	5,774.99916	0.00000015
		42	5210	5,210.00000	0.00000000
		58	5290	5,289.96805	0.00000604
25 ℃	7.66V	106	5530	5,530.00000	0.00000000
		122	5610	5,610.10000	-0.00001783
		138	5690	5,689.99949	0.00000009
		155	5775	5,774.96500	0.00000606
		42	5210	5,209.99941	0.00000011
		58	5290	5,289.99915	0.00000016
	8.8V	106	5530	5,529.99997	0.00000001
		122	5610	5,609.99952	0.00000009
		138	5690	5,689.99958	0.00000007
55 ℃		155	5775	5,774.99910	0.00000016
		42	5210	5,209.99981	0.00000004
		58	5290	5,289.99981	0.00000004
	6.894V	106	5530	5,529.99951	0.00000009
		122	5610	5,609.99978	0.00000004
		138	5690	5,689.99967	0.00000006
		155	5775	5,774.99915	0.00000015

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 257 of 272

2 Minutes:

Operation Mode	802.11 a	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
	12.6V	36	5180	5,179.93977	0.00001163
		44	5220	5,219.97188	0.00000539
		48	5240	5,239.98155	0.00000352
		52	5260	5,259.97127	0.00000546
		60	5300	5,299.93013	0.00001318
		64	5320	5,319.90985	0.00001695
		100	5500	5,499.99698	0.00000055
		116	5580	5,579.90366	0.00001727
		140	5700	5,699.96162	0.00000673
		149	5745	5,744.94483	0.00000960
		157	5785	5,784.92411	0.00001312
		165	5825	5,824.93588	0.00001101
0 ℃	11.4V	36	5180	5,179.91009	0.00001736
		44	5220	5,219.90500	0.00001820
		48	5240	5,239.93565	0.00001228
		52	5260	5,259.98054	0.00000370
		60	5300	5,299.99483	0.00000098
		64	5320	5,319.96297	0.00000696
		100	5500	5,499.94099	0.00001073
		116	5580	5,579.90144	0.00001766
		140	5700	5,699.96248	0.00000658
		149	5745	5,744.96126	0.00000674
		157	5785	5,784.90914	0.00001571
		165	5825	5,824.95728	0.00000733

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 258 of 272

		36	5180	5,179.99184	0.00000158
		44	5220	5,219.96120	0.00000743
		48	5240	5,239.92372	0.00001456
		52	5260	5,259.96161	0.00000730
		60	5300	5,299.96694	0.00000624
25 ℃	12V	64	5320	5,319.90739	0.00001741
		100	5500	5,499.98239	0.00000320
		116	5580	5,579.98091	0.00000342
		140	5700	5,699.97356	0.00000464
		149	5745	5,744.98560	0.00000251
		157	5785	5,784.98775	0.00000212
		165	5825	5,824.90048	0.00001708
		36	5180	5,179.93104	0.00001331
		44	5220	5,219.94079	0.00001134
	12.6V	48	5240	5,239.91580	0.00001607
		52	5260	5,259.98598	0.00000267
		60	5300	5,299.94110	0.00001111
		64	5320	5,319.90326	0.00001818
		100	5500	5,499.97017	0.00000542
		116	5580	5,579.96885	0.00000558
		140	5700	5,699.94951	0.00000886
		149	5745	5,744.94289	0.00000994
		157	5785	5,784.97181	0.00000487
		165	5825	5,824.94923	0.00000872
40 °C		36	5180	5,179.91760	0.00001591
		44	5220	5,219.96839	0.00000606
		48	5240	5,239.97349	0.00000506
		52	5260	5,259.90425	0.00001820
	11.4V	60	5300	5,299.94340	0.00001068
		64	5320	5,319.98444	0.00000292
		100	5500	5,499.98474	0.00000277
		116	5580	5,579.99267	0.00000131
		140	5700	5,699.97771	0.00000391
		149	5745	5,744.99553	0.00000078
		157	5785	5,784.99771	0.00000040
		165	5825	5,824.94072	0.00001018

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders with the fulled extent of the falled may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKung Road, New Taipeilndustrial Park, Wuku District, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page: 259 of 272

Operation Mode	802.11 n_HT40	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %	<u>-</u>	-

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.98228	0.00000341
		46	5230	5,229.95213	0.00000915
		54	5270	5,269.90248	0.00001850
		62	5310	5,309.92999	0.00001318
	12.6V	102	5510	5,509.96403	0.00000653
		110	5550	5,549.98167	0.00000330
		134	5670	5,669.94179	0.00001027
		151	5755	5,754.92749	0.00001260
0 ℃		159	5795	5,794.98793	0.00000208
		38	5190	5,189.91093	0.00001716
		46	5230	5,229.90219	0.00001870
		54	5270	5,269.92137	0.00001492
		62	5310	5,309.93704	0.00001186
11.	11.4V	102	5510	5,509.92879	0.00001292
		110	5550	5,549.90947	0.00001631
		134	5670	5,669.96294	0.00000654
		151	5755	5,754.97875	0.00000369
		159	5795	5,794.93497	0.00001122

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders way he preserved the full between the fulled extent of the fulled extent may be prosecuted to the fullest extent of the law.



Page: 260 of 272

-					
		38	5190	5,189.94403	0.00001078
		46	5230	5,229.90715	0.00001775
		54	5270	5,269.95720	0.00000812
		62	5310	5,309.94179	0.00001096
25 ℃	12V	102	5510	5,509.92343	0.00001390
		110	5550	5,549.95289	0.00000849
		134	5670	5,669.98950	0.00000185
		151	5755	5,754.96108	0.00000676
		159	5795	5,794.96848	0.00000544
		38	5190	5,189.90785	0.00001776
		46	5230	5,229.99212	0.00000151
		54	5270	5,269.97974	0.00000384
		62	5310	5,309.95849	0.00000782
	12.6V	102	5510	5,509.98565	0.00000260
		110	5550	5,549.93011	0.00001259
		134	5670	5,669.95968	0.00000711
		151	5755	5,754.94642	0.00000931
		159	5795	5,794.97164	0.00000489
40 °C		38	5190	5,189.98168	0.00000353
		46	5230	5,229.96107	0.00000744
		54	5270	5,269.96141	0.00000732
		62	5310	5,309.92242	0.00001461
	11.4V	102	5510	5,509.91860	0.00001477
		110	5550	5,549.94621	0.00000969
		134	5670	5,669.97048	0.00000521
		151	5755	5,754.90070	0.00001725
		159	5795	5,794.90718	0.00001602

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 261 of 272

Operation Mode	802.11 ac_VHT80	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %	-	

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.96120	0.00000745
		58	5290	5,289.95220	0.00000904
	12.6V	106	5530	5,529.92021	0.00001443
		122	5610	5,609.90176	0.00001751
0 ℃		155	5775	5,774.98277	0.00000298
		42	5210	5,209.93485	0.00001250
		58	5290	5,289.94061	0.00001123
	11.4V	106	5530	5,529.97485	0.00000455
		122	5610	5,609.98241	0.00000314
		155	5775	5,774.98440	0.00000270
		42	5210	5,209.91375	0.00001655
		58	5290	5,289.95394	0.00000871
25 ℃	12V	106	5530	5,529.92636	0.00001332
		122	5610	5,609.99108	0.00000159
		155	5775	5,774.99184	0.00000141
		42	5210	5,209.91780	0.00001578
		58	5290	5,289.91639	0.00001581
	12.6V	106	5530	5,529.97387	0.00000473
		122	5610	5,609.91990	0.00001428
40 °C		155	5775	5,774.96120	0.00000672
		42	5210	5,209.96954	0.00000585
		58	5290	5,289.99974	0.00000005
	11.4V	106	5530	5,529.98698	0.00000235
		122	5610	5,609.99070	0.00000166
		155	5775	5,774.93900	0.00001056

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 262 of 272

5 Minutes:

Operation Mode	802.11 a	Test Date	2018.05.02
Temperature	:23 °C	Test By	Anthony
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.90956	0.00001746
		44	5220	5,219.97787	0.00000424
		48	5240	5,239.99031	0.00000185
		52	5260	5,259.93796	0.00001179
		60	5300	5,299.97601	0.00000453
	12.6V	64	5320	5,319.98112	0.00000355
		100	5500	5,499.91957	0.00001462
		116	5580	5,579.98716	0.00000230
		140	5700	5,699.96081	0.00000688
		149	5745	5,744.98275	0.00000300
		157	5785	5,784.97140	0.00000494
		165	5825	5,824.96859	0.00000539
0 ℃		36	5180	5,179.92031	0.00001538
		44	5220	5,219.90683	0.00001785
		48	5240	5,239.94972	0.00000960
		52	5260	5,259.95400	0.00000875
	11.4V	60	5300	5,299.93691	0.00001190
		64	5320	5,319.95172	0.00000908
		100	5500	5,499.95190	0.00000875
		116	5580	5,579.92122	0.00001412
		140	5700	5,699.91375	0.00001513
		149	5745	5,744.94610	0.00000938
		157	5785	5,784.90896	0.00001574
		165	5825	5,824.99573	0.00000073

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 263 of 272

		36	5180	5,179.98110	0.00000365
		44	5220	5,219.91376	0.00001652
		48	5240	5,239.91820	0.00001561
		52	5260	5,259.94283	0.00001087
		60	5300	5,299.99911	0.00000017
25 °C	12V	64	5320	5,319.91111	0.00001671
		100	5500	5,499.95300	0.00000855
		116	5580	5,579.97738	0.00000405
		140	5700	5,699.98796	0.00000211
		149	5745	5,744.93106	0.00001200
		157	5785	5,784.96742	0.00000563
		165	5825	5,824.98659	0.00000230
		36	5180	5,179.91098	0.00001719
		44	5220	5,219.99839	0.00000031
		48	5240	5,239.96467	0.00000674
		52	5260	5,259.98562	0.00000273
		60	5300	5,299.93049	0.00001312
		64	5320	5,319.95936	0.00000764
	12.6V	100	5500	5,499.95710	0.00000780
		116	5580	5,579.92243	0.00001390
		140	5700	5,699.93063	0.00001217
		149	5745	5,744.97228	0.00000483
		157	5785	5,784.91882	0.00001403
		165	5825	5,824.98380	0.00000278
40 °C		36	5180	5,179.97027	0.00000574
		44	5220	5,219.92543	0.00001429
		48	5240	5,239.91439	0.00001634
		52	5260	5,259.95805	0.00000798
		60	5300	5,299.98425	0.00000297
	11.4V	64	5320	5,319.98997	0.00000189
		100	5500	5,499.97866	0.00000388
		116	5580	5,579.97454	0.00000456
		140	5700	5,699.94392	0.00000984
		149	5745	5,744.95803	0.00000731
		157	5785	5,784.95612	0.00000759
		165	5825	5,824.93619	0.00001095

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 264 of 272

Operation Mode	802.11 n_HT40	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %		-

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.92391	0.00001466
		46	5230	5,229.97289	0.00000518
		54	5270	5,269.98649	0.00000256
		62	5310	5,309.93120	0.00001296
	12.6V	102	5510	5,509.91798	0.00001489
		110	5550	5,549.90805	0.00001657
		134	5670	5,669.93205	0.00001198
		151	5755	5,754.91715	0.00001440
0 ℃		159	5795	5,794.91243	0.00001511
		38	5190	5,189.97283	0.00000524
		46	5230	5,229.97692	0.00000441
		54	5270	5,269.92900	0.00001347
		62	5310	5,309.92643	0.00001385
11.4V	102	5510	5,509.99746	0.00000046	
		110	5550	5,549.94610	0.00000971
		134	5670	5,669.93840	0.00001086
		151	5755	5,754.98183	0.00000316
		159	5795	5,794.90803	0.00001587

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 265 of 272

-					
		38	5190	5,189.98899	0.00000212
		46	5230	5,229.96072	0.00000751
		54	5270	5,269.99141	0.00000163
		62	5310	5,309.92309	0.00001448
25 ℃	12V	102	5510	5,509.96112	0.00000706
		110	5550	5,549.91401	0.00001549
		134	5670	5,669.97699	0.00000406
		151	5755	5,754.98244	0.00000305
		159	5795	5,794.93107	0.00001189
		38	5190	5,189.91444	0.00001649
		46	5230	5,229.94746	0.00001005
		54	5270	5,269.95652	0.00000825
		62	5310	5,309.99037	0.00000181
	12.6V	102	5510	5,509.92754	0.00001315
		110	5550	5,549.93804	0.00001116
		134	5670	5,669.91392	0.00001518
		151	5755	5,754.91489	0.00001479
		159	5795	5,794.95429	0.00000789
40 °C		38	5190	5,189.91630	0.00001613
		46	5230	5,229.99464	0.00000102
		54	5270	5,269.90299	0.00001841
		62	5310	5,309.90662	0.00001759
	11.4V	102	5510	5,509.91311	0.00001577
		110	5550	5,549.96938	0.00000552
		134	5670	5,669.95851	0.00000732
		151	5755	5,754.99847	0.00000027
		159	5795	5,794.92909	0.00001224

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 266 of 272

Operation Mode	802.11 ac_VHT80	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %	-	

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99614	0.00000074
		58	5290	5,289.92033	0.00001506
	12.6V	106	5530	5,529.96773	0.00000584
		122	5610	5,609.90731	0.00001652
0 ℃		155	5775	5,774.92834	0.00001241
		42	5210	5,209.97705	0.00000440
		58	5290	5,289.91649	0.00001579
	11.4V	106	5530	5,529.94853	0.00000931
		122	5610	5,609.90737	0.00001651
		155	5775	5,774.99076	0.00000160
	12V	42	5210	5,209.96039	0.00000760
		58	5290	5,289.91214	0.00001661
25 ℃		106	5530	5,529.94281	0.00001034
		122	5610	5,609.99387	0.00000109
		155	5775	5,774.97630	0.00000410
		42	5210	5,209.93296	0.00001287
		58	5290	5,289.92394	0.00001438
	12.6V	106	5530	5,529.90109	0.00001789
		122	5610	5,609.98093	0.00000340
40 °C		155	5775	5,774.99797	0.00000035
		42	5210	5,209.91126	0.00001703
		58	5290	5,289.93810	0.00001170
	11.4V	106	5530	5,529.96879	0.00000564
		122	5610	5,609.94009	0.00001068
		155	5775	5,774.97592	0.00000417

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 267 of 272

10 Minutes:

Operation Mode	802.11 a	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,179.93159	0.00001321
		44	5220	5,219.93766	0.00001194
		48	5240	5,239.94322	0.00001084
		52	5260	5,259.94515	0.00001043
		60	5300	5,299.92994	0.00001322
	12.6V	64	5320	5,319.92043	0.00001496
		100	5500	5,499.97116	0.00000524
		116	5580	5,579.92493	0.00001345
		140	5700	5,699.96363	0.00000638
		149	5745	5,744.92824	0.00001249
		157	5785	5,784.92550	0.00001288
0 ℃		165	5825	5,824.95246	0.00000816
	11.4V	36	5180	5,179.97722	0.00000440
		44	5220	5,219.97953	0.00000392
		48	5240	5,239.91847	0.00001556
		52	5260	5,259.95821	0.00000794
		60	5300	5,299.96842	0.00000596
		64	5320	5,319.90982	0.00001695
		100	5500	5,499.99954	0.00000008
		116	5580	5,579.95733	0.00000765
		140	5700	5,699.95384	0.00000810
		149	5745	5,744.99500	0.00000087
		157	5785	5,784.98869	0.00000196
		165	5825	5,824.91686	0.00001427

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 268 of 272

36 5180 5,179.99765 0.00000000000000000000000000000000000	0874 0371 1354 1540 1330 1346 1176
48 5240 5,239.98055 0.000000000000000000000000000000000	0371 1354 1540 1330 1346 1176
52 5260 5,259.92879 0.00000 60 5300 5,299.91838 0.00000 5,319.92922 0.000000 100 5500 5,499.92597 0.000000 116 5580 5,579.93439 0.000000 140 5700 5,699.98746 0.000000 149 5745 5,744.99833 0.0000000000000000000000000000000000	1354 1540 1330 1346 1176 0220
60 5300 5,299.91838 0.0000000000000000000000000000000000	1540 1330 1346 1176 0220
25 °C 12V 64 5320 5,319.92922 0.00000 100 5500 5,499.92597 0.00000 116 5580 5,579.93439 0.00000 140 5700 5,699.98746 0.00000 149 5745 5,744.99833 0.000000 157 5785 5,784.96169 0.00000000000000000000000000000000000	1330 1346 1176 0220
100 5500 5,499.92597 0.00000 116 5580 5,579.93439 0.00000 140 5700 5,699.98746 0.00000 149 5745 5,744.99833 0.00000 157 5785 5,784.96169 0.00000	1346 1176 0220
116 5580 5,579.93439 0.0000 140 5700 5,699.98746 0.0000 149 5745 5,744.99833 0.0000 157 5785 5,784.96169 0.00000	1176 0220
140 5700 5,699.98746 0.00000 149 5745 5,744.99833 0.00000 157 5785 5,784.96169 0.00000	0220
149 5745 5,744.99833 0.00000 157 5785 5,784.96169 0.00000	
157 5785 5,784.96169 0.00000	
	ე029
165 5825 5,824.90810 0.0000	0662
	1578
36 5180 5,179.95034 0.00000	0959
44 5220 5,219.93603 0.0000	
48 5240 5,239.96502 0.00000	
52 5260 5,259.92820 0.0000	1365
60 5300 5,299.92480 0.0000	
64 5320 5,319.92688 0.0000	1374
12.6V 100 5500 5,499.96540 0.00000	0629
116 5580 5,579.99067 0.00000	0167
140 5700 5,699.94181 0.0000 ⁻	1021
149 5745 5,744.92947 0.0000	1228
157 5785 5,784.93504 0.0000 ⁻	1123
165 5825 5,824.99237 0.00000	0131
40 °C 36 5180 5,179.90128 0.0000	1906
44 5220 5,219.96336 0.00000	0702
48 5240 5,239.96533 0.00000	0662
52 5260 5,259.90488 0.0000 ⁻¹	1808
60 5300 5,299.95528 0.0000	D844
11.4V 64 5320 5,319.94913 0.00000	956
100 5500 5,499.97137 0.0000	0521
116 5580 5,579.99239 0.00000	0136
140 5700 5 (00.0704/ 0.0000)	0383
140 5700 5,699.97816 0.0000	1690
140 5700 5,699.97816 0.00000 149 5745 5,744.90292 0.0000	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 269 of 272

Operation Mode	802.11 n_HT40	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %	-	•

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,189.94889	0.00000985
		46	5230	5,229.96154	0.00000735
		54	5270	5,269.93801	0.00001176
		62	5310	5,309.94564	0.00001024
	12.6V	102	5510	5,509.91139	0.00001608
		110	5550	5,549.90625	0.00001689
0°€		134	5670	5,669.99998	0.00000000
		151	5755	5,754.90521	0.00001647
		159	5795	5,794.99010	0.00000171
	11.4V	38	5190	5,189.99588	0.00000079
		46	5230	5,229.99541	0.00000088
		54	5270	5,269.92339	0.00001454
		62	5310	5,309.91918	0.00001522
		102	5510	5,509.93482	0.00001183
		110	5550	5,549.91191	0.00001587
		134	5670	5,669.94825	0.00000913
		151	5755	5,754.92944	0.00001226
		159	5795	5,794.96047	0.00000682

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 270 of 272

		38	5190	5,189.90377	0.00001854
		46	5230	5,229.95767	0.00000809
		54	5270	5,269.94347	0.00001073
25 ° C		62	5310	5,309.94543	0.00001028
	12V	102	5510	5,509.96317	0.00000668
		110	5550	5,549.90912	0.00001637
		134	5670	5,669.90602	0.00001657
		151	5755	5,754.92294	0.00001339
		159	5795	5,794.90680	0.00001608
		38	5190	5,189.97493	0.00000483
		46	5230	5,229.98483	0.00000290
	12.6V	54	5270	5,269.91835	0.00001549
		62	5310	5,309.98199	0.00000339
		102	5510	5,509.91479	0.00001546
		110	5550	5,549.91320	0.00001564
		134	5670	5,669.94234	0.00001017
		151	5755	5,754.95707	0.00000746
		159	5795	5,794.91460	0.00001474
40 °C		38	5190	5,189.94564	0.00001047
		46	5230	5,229.92642	0.00001407
		54	5270	5,269.96216	0.00000718
		62	5310	5,309.92404	0.00001431
	11.4V	102	5510	5,509.98696	0.00000237
		110	5550	5,549.91690	0.00001497
		134	5670	5,669.93509	0.00001145
		151	5755	5,754.99508	0.00000085
		159	5795	5,794.98743	0.00000217

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 271 of 272

Operation Mode	802.11 ac_VHT80	Test Date	2018.05.02
Temperature	:23 ℃	Test By	Anthony
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,209.99069	0.00000179
		58	5290	5,289.94533	0.00001033
	12.6V	106	5530	5,529.99933	0.00000012
		122	5610	5,609.91228	0.00001564
0 ℃		155	5775	5,774.96307	0.00000639
		42	5210	5,209.98914	0.00000208
		58	5290	5,289.97325	0.00000506
	11.4V	106	5530	5,529.95486	0.00000816
		122	5610	5,609.90667	0.00001664
		155	5775	5,774.96498	0.00000606
	12V	42	5210	5,209.97562	0.00000468
		58	5290	5,289.98720	0.00000242
25 ℃		106	5530	5,529.99056	0.00000171
		122	5610	5,609.94612	0.00000960
		155	5775	5,774.95061	0.00000855
		42	5210	5,209.98798	0.00000231
		58	5290	5,289.95719	0.00000809
	12.6V	106	5530	5,529.95613	0.00000793
		122	5610	5,609.98399	0.00000285
40 °C		155	5775	5,774.95067	0.00000854
		42	5210	5,209.97664	0.00000448
		58	5290	5,289.92972	0.00001329
	11.4V	106	5530	5,529.96420	0.00000647
		122	5610	5,609.91937	0.00001437
		155	5775	5,774.97196	0.00000486

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders when the fulled extent of the falled may be prosecuted to the fullest extent of the law.



Page: 272 of 272

14 ANTENNA REQUIREMENT

Standard Applicable 14.1

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Antenna Connected Construction 14.2

An embedded-in antenna design is used.

The antenna is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.