


User Manual

Button Instructions




Button → Short press the button to enter mirror switching mode, long press to enter pairing mode.

Connection Diagram



Dimensions



Technical Specification

Product:	1350RF
Vibration level:	10G
Resolution:	1280*960 pixels (NTSC)
Min illumination:	0.1LUX
IR LED:	8 pcs
Night Vision distance:	16 ft
Waterproof rating:	IP68
Viewing Angle:	Vertical:71° Horizontal:123° Diagonal:150°
Power voltage:	9V ~ 36V
Operation temp:	-20℃ ~+70℃ / -40℃ ~+70℃ (with heating)
Antenna:	3DB
Connector:	DTM04-2P

Maintenance

Although this Rear View Camera requires little care, you can still maintain its condition and performance by following these steps:

Occasionally clean the camera lens with damp soft cloth.

Should you experience any problem with the camera please refer to the troubleshooting guide below prior to returning your camera for repair.

Note: The user should not attempt to service the unit beyond that described in the operating instructions. All other servicing should be referred to qualified personnel.

Hardware Warranty

Subject to the provisions described below, our product is protected for One year against defects in material and workmanship.

Should a product fail to perform as described above within the warranted period, it will be repaired or replaced with the same or functionally equivalent product by us.

This warranty does not apply if, in the judgement of us, the product fails due to damage from shipment, handling, storage, accident, abuse or misuse, or if it has been used or maintained in a manner not conforming to product manual instructions, has been modified in any way. Repair by anyone other than us or an approved agent will void this warranty. The maximum liability of our company under this warranty is limited to the purchase price of the product covered by the warranty

FCC Statement

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Warning Statements:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment shall be installed and operated with minimum distance 20cm between the radiator & body.