

TETRA

Model: MK5.8

Manufacturer: GainStrong Industry Co., Ltd.

Technical Support

Thank you for choosing the WiFi Pineapple Tetra. After device installation, locate the serial number on the label of your product for registration.

Trademarks

All trademarks or registered trademarks are property of their respective owners.

Statement of Conditions

This product contains software under GPL license agreement. The product displayed on the packaging is for illustrative purposes only and may differ from the actual product. This product is packaged with a limited warranty, the acceptance of which is a condition of sale. Product warranty does not cover any data stored on the device. Please see WiFi Pineapple Tetra website for additional warranty details and limitations. A certain portion of the storage capacity may be reserved for firmware and maintenance use.

Availability and performance of certain features, services and applications are device and network dependent and may not be available in all areas; additional terms, conditions and/or charges may apply. All features, functionality and other product specifications are subject to change without notice or obligation.

HAK5 LLC reserves the right to make changes to the products description in this document without notice. HAK5 LLC does not assume any liability that may occur due to the use or application of the product(s) described herein. Use only where permitted. Subject to local and international laws where applicable. Users are solely responsible for compliance with all laws of their locality.

Made in China. Designed in San Francisco, California, USA.

Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Compliance (continued)

Warning (Part 15.21)

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF Exposure (OET Bulletin 65)

To comply with FCC RF exposure requirements for mobile transmitting devices, this transmitter should only be used or installed at locations where there is at least 20cm separation distance between the antenna and all persons.

Information to the User - Part 15.105 (b)

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

In the box



WiFi Pineapple Tetra

(2) USB
Cables



Instruction
Booklet



(4) Antennas

Specifications

Standards	IEEE 802.11b/g/n IEEE 802.11a
Interfaces	Ethernet Ethernet over USB USB Serial UART USB 2.0 Host Wireless AP
Antenna	SMA
Input/Output	Status LEDs Configurable Button
Power	Dual USB 5 volt 2 amp 12 volt DC Barrel
Dimensions	140 x 115 x 23 mm
Frequency	2.4 GHz / 5.8 GHz



Features

Twin Discrete Dual Band Atheros Radios
Power over USB Ethernet Connection
Power over USB Serial UART Connection
10/100 Mbit Ethernet Connection
12V DC Barrel Power Option
USB 2.0 Device Host Port
Integrated NAND Flash Storage
Configurable Reset Button
SMA Antennas
Status LEDs
WiFi Pineapple Software

System Requirements

Computer, Smartphone or Tablet
2 Amp USB Power Source
Modern Web Browser
Internet Connection for Setup

