










## Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-8.04	0.28	-7.76	30	Pass
NVNT	a	5785	Ant1	-8.37	0.3	-8.07	30	Pass
NVNT	a	5825	Ant1	-9.19	0.28	-8.91	30	Pass
NVNT	a	5745	Ant2	-6.09	0.3	-5.79	30	Pass
NVNT	a	5785	Ant2	-7.74	0.3	-7.44	30	Pass
NVNT	a	5825	Ant2	-7.83	0.3	-7.53	30	Pass
NVNT	n20	5745	Ant1	-2.22	0.04	-2.18	30	Pass
NVNT	n20	5785	Ant1	-1.79	0.04	-1.75	30	Pass
NVNT	n20	5825	Ant1	-2.49	0.04	-2.45	30	Pass
NVNT	n20	5745	Ant2	-2.06	0.04	-2.02	30	Pass
NVNT	n20	5785	Ant2	-2.51	0.04	-2.47	30	Pass
NVNT	n20	5825	Ant2	-2.52	0.04	-2.48	30	Pass
NVNT	n40	5755	Ant1	-14.51	0.56	-13.95	30	Pass
NVNT	n40	5795	Ant1	-14.5	0.51	-13.99	30	Pass
NVNT	n40	5755	Ant2	-13.74	0.56	-13.18	30	Pass
NVNT	n40	5795	Ant2	-14.15	0.56	-13.59	30	Pass
NVNT	ac20	5745	Ant1	-9.13	0.35	-8.78	30	Pass
NVNT	ac20	5785	Ant1	-8.88	0.37	-8.51	30	Pass
NVNT	ac20	5825	Ant1	-9.63	0.35	-9.28	30	Pass
NVNT	ac20	5745	Ant2	-8.19	0.37	-7.82	30	Pass
NVNT	ac20	5785	Ant2	-8.26	0.37	-7.89	30	Pass
NVNT	ac20	5825	Ant2	-8.12	0.37	-7.75	30	Pass
NVNT	ac40	5755	Ant1	-10.53	0.18	-10.35	30	Pass
NVNT	ac40	5795	Ant1	-11.27	0.19	-11.08	30	Pass
NVNT	ac40	5755	Ant2	-10.87	0.23	-10.64	30	Pass
NVNT	ac40	5795	Ant2	-9.92	0.23	-9.69	30	Pass
NVNT	ac80	5775	Ant1	-34.07	3.39	-30.68	30	Pass
NVNT	ac80	5775	Ant2	-33.94	3.4	-30.54	30	Pass
NVNT	ax20	5745	Ant1	-10.33	0.46	-9.87	30	Pass
NVNT	ax20	5785	Ant1	-10.67	0.46	-10.21	30	Pass
NVNT	ax20	5825	Ant1	-10.99	0.46	-10.53	30	Pass
NVNT	ax20	5745	Ant2	-10.5	0.5	-10	30	Pass
NVNT	ax20	5785	Ant2	-9.86	0.49	-9.37	30	Pass
NVNT	ax20	5825	Ant2	-9.89	0.5	-9.39	30	Pass
NVNT	ax40	5755	Ant1	-16.49	0.62	-15.87	30	Pass
NVNT	ax40	5795	Ant1	-15.61	0.62	-14.99	30	Pass
NVNT	ax40	5755	Ant2	-14.94	0.41	-14.53	30	Pass
NVNT	ax40	5795	Ant2	-15.64	0.59	-15.05	30	Pass
NVNT	ax80	5775	Ant1	-18.2	0.74	-17.46	30	Pass
NVNT	ax80	5775	Ant2	-19.29	0.74	-18.55	30	Pass











































































## Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-27.8	Pass
NVNT	a	5825	Ant1	-28.39	Pass
NVNT	a	5745	Ant2	-18.54	Pass
NVNT	a	5825	Ant2	-31.87	Pass
NVNT	n20	5745	Ant1	-29.23	Pass
NVNT	n20	5825	Ant1	-28.98	Pass
NVNT	n20	5745	Ant2	-29.25	Pass
NVNT	n20	5825	Ant2	-37.63	Pass
NVNT	n40	5755	Ant1	-23.06	Pass
NVNT	n40	5795	Ant1	-28.58	Pass
NVNT	n40	5755	Ant2	-25.11	Pass
NVNT	n40	5795	Ant2	-37.77	Pass
NVNT	ac20	5745	Ant1	-26.31	Pass
NVNT	ac20	5825	Ant1	-28.88	Pass
NVNT	ac20	5745	Ant2	-22.48	Pass
NVNT	ac20	5825	Ant2	-31.62	Pass
NVNT	ac40	5755	Ant1	-21.45	Pass
NVNT	ac40	5795	Ant1	-28.8	Pass
NVNT	ac40	5755	Ant2	-21.94	Pass
NVNT	ac40	5795	Ant2	-38.56	Pass
NVNT	ac80	5775	Ant1	-29.06	Pass
NVNT	ac80	5775	Ant2	-34.44	Pass
NVNT	ax20	5745	Ant1	-22.63	Pass
NVNT	ax20	5825	Ant1	-25.99	Pass
NVNT	ax20	5745	Ant2	-23.21	Pass
NVNT	ax20	5825	Ant2	-32.42	Pass
NVNT	ax40	5755	Ant1	-22.81	Pass
NVNT	ax40	5795	Ant1	-28.68	Pass
NVNT	ax40	5755	Ant2	-25.23	Pass
NVNT	ax40	5795	Ant2	-37.18	Pass
NVNT	ax80	5775	Ant1	-28.55	Pass
NVNT	ax80	5775	Ant2	-34.44	Pass

