








Conducted RF Spurious Emission



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5745	Ant1	-31.37	-27	Pass
NVNT	a	5785	Ant1	-32.3	-27	Pass
NVNT	a	5825	Ant1	-31.28	-27	Pass
NVNT	a	5745	Ant2	-31.45	-27	Pass
NVNT	a	5785	Ant2	-31.84	-27	Pass
NVNT	a	5825	Ant2	-32.35	-27	Pass
NVNT	n20	5745	Ant1	-31.76	-27	Pass
NVNT	n20	5785	Ant1	-31.5	-27	Pass
NVNT	n20	5825	Ant1	-31.8	-27	Pass
NVNT	n20	5745	Ant2	-30.19	-27	Pass
NVNT	n20	5785	Ant2	-31.76	-27	Pass
NVNT	n20	5825	Ant2	-32.18	-27	Pass
NVNT	n40	5755	Ant1	-31.85	-27	Pass
NVNT	n40	5795	Ant1	-31.02	-27	Pass
NVNT	n40	5755	Ant2	-31.73	-27	Pass
NVNT	n40	5795	Ant2	-31.4	-27	Pass
NVNT	ac20	5745	Ant1	-31.31	-27	Pass
NVNT	ac20	5785	Ant1	-31.39	-27	Pass
NVNT	ac20	5825	Ant1	-32.18	-27	Pass
NVNT	ac20	5745	Ant2	-31.48	-27	Pass
NVNT	ac20	5785	Ant2	-31.97	-27	Pass
NVNT	ac20	5825	Ant2	-39.55	-27	Pass
NVNT	ac40	5755	Ant1	-32.05	-27	Pass
NVNT	ac40	5795	Ant1	-32.07	-27	Pass
NVNT	ac40	5755	Ant2	-31.88	-27	Pass
NVNT	ac40	5795	Ant2	-32.07	-27	Pass
NVNT	ac80	5775	Ant1	-31.59	-27	Pass
NVNT	ac80	5775	Ant2	-31.73	-27	Pass
NVNT	ax20	5745	Ant1	-39.9	-27	Pass
NVNT	ax20	5785	Ant1	-32	-27	Pass
NVNT	ax20	5825	Ant1	-40.12	-27	Pass
NVNT	ax20	5745	Ant2	-31.84	-27	Pass
NVNT	ax20	5785	Ant2	-32.24	-27	Pass
NVNT	ax20	5825	Ant2	-31.79	-27	Pass
NVNT	ax40	5755	Ant1	-30.91	-27	Pass
NVNT	ax40	5795	Ant1	-31.5	-27	Pass
NVNT	ax40	5755	Ant2	-30.61	-27	Pass
NVNT	ax40	5795	Ant2	-30.54	-27	Pass
NVNT	ax80	5775	Ant1	-31.7	-27	Pass
NVNT	ax80	5775	Ant2	-31.14	-27	Pass







































































5.8G-MIMO:

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	ac20	5745	ANT1	92.29	0.35	5
NVNT	ac20	5785	ANT1	92.29	0.35	5
NVNT	ac20	5825	ANT1	92.35	0.35	5
NVNT	ac40	5755	ANT1	95.85	0.18	3.03
NVNT	ac40	5795	ANT1	95.7	0.19	6.67
NVNT	ac80	5775	ANT1	46.69	3.31	9.09
NVNT	ax20	5745	ANT1	89.91	0.46	7.14
NVNT	ax20	5785	ANT1	89.95	0.46	7.14
NVNT	ax20	5825	ANT1	89.79	0.47	6.67
NVNT	ax40	5755	ANT1	86.36	0.64	9.09
NVNT	ax40	5795	ANT1	91.98	0.36	9.09
NVNT	ax80	5775	ANT1	84.45	0.73	11.11
NVNT	n20	5745	ANT1	99.54	0.02	0.26
NVNT	n20	5785	ANT1	99.62	0.02	0.26
NVNT	n20	5825	ANT1	99.1	0.04	0.52
NVNT	n40	5755	ANT1	88.02	0.55	7.69
NVNT	n40	5795	ANT1	88.95	0.51	7.69

Note: The Correction Factor values measured by ANT1 and ANT2 are the same, and the report only displays ANT1.

