



The Photos of SAR test

No. I15Z41665-SEM01

For

**VSN Technologies Inc. d/b/a VSN Mobil
WCDMA Digital Mobile Phone**

Model Name: V.40

Model Number: V1002


With

Hardware Version: V01

Software Version: V01

FCC ID: 2AA9WV1002

Issued Date: 2015-08-03



Note:


The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:


CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT
No. 51 Shouxiang Science Building, Xueyuan Road, Haidian District, Beijing, P. R. China100191
Tel:+86(0)10-62304633-2512,Fax:+86(0)10-62304633-2504
Email:ctl_terminals@catr.cn, website:www.chinattl.com




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position




Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




Picture 6: Front



Picture 7: Rear




Picture 7-1: Rear with headset



Picture 8: Left Side



Picture 9: Right Side



Picture 10: Bottom Side