

5.2G WIFI MIMO


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	ac20	5180	Ant1	91.56	0.38	0.18
NVNT	ac20	5200	Ant1	92.42	0.34	0.18
NVNT	ac20	5240	Ant1	92.28	0.35	0.18
NVNT	ac40	5190	Ant1	93.21	0.31	0.18
NVNT	ac40	5230	Ant1	93.56	0.29	0.18
NVNT	ac80	5210	Ant1	87.12	0.6	0.18
NVNT	ax20	5180	Ant1	96	0.18	100
NVNT	ax20	5200	Ant1	94.81	0.23	0.18
NVNT	ax20	5240	Ant1	95.37	0.21	0.18
NVNT	ax40	5190	Ant1	95.2	0.21	0.18
NVNT	ax40	5230	Ant1	95.36	0.21	0.18
NVNT	ax80	5210	Ant1	94.96	0.22	0.18
NVNT	n20	5180	Ant1	92.7	0.33	0.18
NVNT	n20	5200	Ant1	90.66	0.43	0.18
NVNT	n20	5240	Ant1	91.52	0.38	0.18
NVNT	n40	5190	Ant1	93.71	0.28	0.18
NVNT	n40	5230	Ant1	94.83	0.23	0.18


Note: ANT1 and ANT2 have the same duty cycle and only record Ant1.



Test Graphs



Duty Cycle NVNT ac20 5180MHz Ant1







Duty Cycle NVNT ac20 5200MHz Ant1



















Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Conducted Power Limit (dBm)	elevation angle above 30 degrees Gain (dBi)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
NVNT	ac20	5180	Ant1	15.37	30	-1.28	14.09	21	Pass
NVNT	ac20	5180	Ant2	15.69	30	-0.84	14.85	21	Pass
NVNT	ac20	5180	Sum	18.54	30	1.96	20.5	21	Pass
NVNT	ac20	5200	Ant1	15.37	30	-1.28	14.09	21	Pass
NVNT	ac20	5200	Ant2	15.77	30	-0.84	14.93	21	Pass
NVNT	ac20	5200	Sum	18.58	30	1.96	20.54	21	Pass
NVNT	ac20	5240	Ant1	15.43	30	-1.28	14.15	21	Pass
NVNT	ac20	5240	Ant2	15.98	30	-0.84	15.14	21	Pass
NVNT	ac20	5240	Sum	18.72	30	1.96	20.68	21	Pass
NVNT	ac40	5190	Ant1	15.71	30	-1.28	14.43	21	Pass
NVNT	ac40	5190	Ant2	16.13	30	-0.84	15.29	21	Pass
NVNT	ac40	5190	Sum	18.94	30	1.96	20.9	21	Pass
NVNT	ac40	5230	Ant1	15.27	30	-1.28	13.99	21	Pass
NVNT	ac40	5230	Ant2	16	30	-0.84	15.16	21	Pass
NVNT	ac40	5230	Sum	18.66	30	1.96	20.62	21	Pass
NVNT	ac80	5210	Ant1	15.67	30	-1.28	14.39	21	Pass
NVNT	ac80	5210	Ant2	16.13	30	-0.84	15.29	21	Pass
NVNT	ac80	5210	Sum	18.92	30	1.96	20.88	21	Pass
NVNT	ax20	5180	Ant1	15.61	30	-1.28	14.33	21	Pass
NVNT	ax20	5180	Ant2	15.98	30	-0.84	15.14	21	Pass
NVNT	ax20	5180	Sum	18.81	30	1.96	20.77	21	Pass
NVNT	ax20	5200	Ant1	15.7	30	-1.28	14.42	21	Pass
NVNT	ax20	5200	Ant2	16.01	30	-0.84	15.17	21	Pass
NVNT	ax20	5200	Sum	18.87	30	1.96	20.83	21	Pass
NVNT	ax20	5240	Ant1	15.19	30	-1.28	13.91	21	Pass
NVNT	ax20	5240	Ant2	15.79	30	-0.84	14.95	21	Pass
NVNT	ax20	5240	Sum	18.51	30	1.96	20.47	21	Pass
NVNT	ax40	5190	Ant1	15.34	30	-1.28	14.06	21	Pass
NVNT	ax40	5190	Ant2	15.69	30	-0.84	14.85	21	Pass
NVNT	ax40	5190	Sum	18.53	30	1.96	20.49	21	Pass
NVNT	ax40	5230	Ant1	15.3	30	-1.28	14.02	21	Pass
NVNT	ax40	5230	Ant2	16.09	30	-0.84	15.25	21	Pass
NVNT	ax40	5230	Sum	18.72	30	1.96	20.68	21	Pass
NVNT	ax80	5210	Ant1	15.6	30	-1.28	14.32	21	Pass

NVNT	ax80	5210	Ant2	16.06	30	-0.84	15.22	21	Pass
NVNT	ax80	5210	Sum	18.85	30	1.96	20.81	21	Pass
NVNT	n20	5180	Ant1	15.48	30	-1.28	14.2	21	Pass
NVNT	n20	5180	Ant2	15.67	30	-0.84	14.83	21	Pass
NVNT	n20	5180	Sum	18.59	30	1.96	20.55	21	Pass
NVNT	n20	5200	Ant1	15.45	30	-1.28	14.17	21	Pass
NVNT	n20	5200	Ant2	15.68	30	-0.84	14.84	21	Pass
NVNT	n20	5200	Sum	18.58	30	1.96	20.54	21	Pass
NVNT	n20	5240	Ant1	15.4	30	-1.28	14.12	21	Pass
NVNT	n20	5240	Ant2	16.02	30	-0.84	15.18	21	Pass
NVNT	n20	5240	Sum	18.73	30	1.96	20.69	21	Pass
NVNT	n40	5190	Ant1	15.39	30	-1.28	14.11	21	Pass
NVNT	n40	5190	Ant2	15.56	30	-0.84	14.72	21	Pass
NVNT	n40	5190	Sum	18.49	30	1.96	20.45	21	Pass
NVNT	n40	5230	Ant1	15.36	30	-1.28	14.08	21	Pass
NVNT	n40	5230	Ant2	15.96	30	-0.84	15.12	21	Pass
NVNT	n40	5230	Sum	18.68	30	1.96	20.64	21	Pass


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5180	Ant1	-0.78	0.38	-0.4	17	Pass
NVNT	ac20	5180	Ant2	-0.45	0.38	-0.07	17	Pass
NVNT	ac20	5180	Sum	2.4	0.38	2.78	14.82	Pass
NVNT	ac20	5200	Ant1	-1.48	0.34	-1.14	17	Pass
NVNT	ac20	5200	Ant2	-0.58	0.34	-0.24	17	Pass
NVNT	ac20	5200	Sum	2	0.34	2.34	14.82	Pass
NVNT	ac20	5240	Ant1	-0.97	0.35	-0.62	17	Pass
NVNT	ac20	5240	Ant2	0.24	0.35	0.59	17	Pass
NVNT	ac20	5240	Sum	2.69	0.35	3.04	14.82	Pass
NVNT	ac40	5190	Ant1	-1.52	0.31	-1.21	17	Pass
NVNT	ac40	5190	Ant2	-2.55	0.31	-2.24	17	Pass
NVNT	ac40	5190	Sum	1.01	0.31	1.32	14.82	Pass
NVNT	ac40	5230	Ant1	-3.37	0.29	-3.08	17	Pass
NVNT	ac40	5230	Ant2	-2.25	0.29	-1.96	17	Pass
NVNT	ac40	5230	Sum	0.24	0.29	0.53	14.82	Pass
NVNT	ac80	5210	Ant1	-7.99	0.6	-7.39	17	Pass
NVNT	ac80	5210	Ant2	-7.05	0.6	-6.45	17	Pass
NVNT	ac80	5210	Sum	-4.48	0.6	-3.88	14.82	Pass
NVNT	ax20	5180	Ant1	-0.31	0.15	-0.16	17	Pass
NVNT	ax20	5180	Ant2	0.72	0.15	0.87	17	Pass
NVNT	ax20	5180	Sum	3.25	0.15	3.4	14.82	Pass
NVNT	ax20	5200	Ant1	0.7	0.23	0.93	17	Pass
NVNT	ax20	5200	Ant2	0.96	0.23	1.19	17	Pass
NVNT	ax20	5200	Sum	3.84	0.23	4.07	14.82	Pass
NVNT	ax20	5240	Ant1	-0.33	0.21	-0.12	17	Pass
NVNT	ax20	5240	Ant2	1.07	0.21	1.28	17	Pass
NVNT	ax20	5240	Sum	3.44	0.21	3.65	14.82	Pass
NVNT	ax40	5190	Ant1	-2.16	0.21	-1.95	17	Pass
NVNT	ax40	5190	Ant2	-2.42	0.21	-2.21	17	Pass
NVNT	ax40	5190	Sum	0.72	0.21	0.93	14.82	Pass
NVNT	ax40	5230	Ant1	-2.04	0.29	-1.75	17	Pass
NVNT	ax40	5230	Ant2	-1.72	0.29	-1.43	17	Pass
NVNT	ax40	5230	Sum	1.13	0.29	1.42	14.82	Pass
NVNT	ax80	5210	Ant1	-5.53	0.22	-5.31	17	Pass
NVNT	ax80	5210	Ant2	-5.07	0.22	-4.85	17	Pass
NVNT	ax80	5210	Sum	-2.28	0.22	-2.06	14.82	Pass
NVNT	n20	5180	Ant1	1.41	0.33	1.74	17	Pass
NVNT	n20	5180	Ant2	0.06	0.33	0.39	17	Pass


NVNT	n20	5180	Sum	3.8	0.33	4.13	14.82	Pass
NVNT	n20	5200	Ant1	-0.66	0.43	-0.23	17	Pass
NVNT	n20	5200	Ant2	-1.07	0.43	-0.64	17	Pass
NVNT	n20	5200	Sum	2.15	0.43	2.58	14.82	Pass
NVNT	n20	5240	Ant1	0.46	0.38	0.84	17	Pass
NVNT	n20	5240	Ant2	0.82	0.38	1.2	17	Pass
NVNT	n20	5240	Sum	3.65	0.38	4.03	14.82	Pass
NVNT	n40	5190	Ant1	-3.43	0.28	-3.15	17	Pass
NVNT	n40	5190	Ant2	-3.73	0.28	-3.45	17	Pass
NVNT	n40	5190	Sum	-0.57	0.28	-0.29	14.82	Pass
NVNT	n40	5230	Ant1	-4.56	0.23	-4.33	17	Pass
NVNT	n40	5230	Ant2	-3.6	0.23	-3.37	17	Pass
NVNT	n40	5230	Sum	-1.04	0.23	-0.81	14.82	Pass



Test Graphs



PSD NVNT ac20 5180MHz Ant1







PSD NVNT ac20 5180MHz Ant2




























































Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	ac20	5180	Ant1	-37.43	-27	Pass
NVNT	ac20	5180	Ant2	-38.05	-27	Pass
NVNT	ac20	5240	Ant1	-38.36	-27	Pass
NVNT	ac20	5240	Ant2	-37.05	-27	Pass
NVNT	ac40	5190	Ant1	-37.44	-27	Pass
NVNT	ac40	5190	Ant2	-37.67	-27	Pass
NVNT	ac40	5230	Ant1	-38.36	-27	Pass
NVNT	ac40	5230	Ant2	-37.22	-27	Pass
NVNT	ac80	5210	Ant1	-37.95	-27	Pass
NVNT	ac80	5210	Ant2	-38.03	-27	Pass
NVNT	ax20	5180	Ant1	-36.64	-27	Pass
NVNT	ax20	5180	Ant2	-37.48	-27	Pass
NVNT	ax20	5240	Ant1	-38.47	-27	Pass
NVNT	ax20	5240	Ant2	-37.89	-27	Pass
NVNT	ax40	5190	Ant1	-37.34	-27	Pass
NVNT	ax40	5190	Ant2	-37.37	-27	Pass
NVNT	ax40	5230	Ant1	-38.4	-27	Pass
NVNT	ax40	5230	Ant2	-37.49	-27	Pass
NVNT	ax80	5210	Ant1	-38.06	-27	Pass
NVNT	ax80	5210	Ant2	-38.2	-27	Pass
NVNT	n20	5180	Ant1	-37.55	-27	Pass
NVNT	n20	5180	Ant2	-37.24	-27	Pass
NVNT	n20	5240	Ant1	-37.81	-27	Pass
NVNT	n20	5240	Ant2	-38.04	-27	Pass
NVNT	n40	5190	Ant1	-37.41	-27	Pass
NVNT	n40	5190	Ant2	-36.23	-27	Pass
NVNT	n40	5230	Ant1	-41.85	-27	Pass
NVNT	n40	5230	Ant2	-41.06	-27	Pass

Note: This test has increased antenna gain, and the amplitude of Band Edge which are attenuated by more than 3dB below the permissible value.

Test Graphs

Band Edge NVNT ac20 5180MHz Low Ant1



Band Edge NVNT ac20 5180MHz Low Ant2

