



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	PK	146.4M	37.17	43.50	-6.33	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	123.12M	33.20	43.50	-10.30	3	Vertical	0	1.00	-
5775MHz	Pass	PK	148.34M	34.50	43.50	-9.00	3	Vertical	0	1.00	-
5775MHz	Pass	PK	173.56M	30.19	43.50	-13.31	3	Vertical	0	1.00	-
5775MHz	Pass	PK	480.08M	34.04	46.00	-11.96	3	Vertical	0	1.00	-
5775MHz	Pass	PK	503.36M	33.91	46.00	-12.09	3	Vertical	0	1.00	-
5775MHz	Pass	PK	528.58M	32.24	46.00	-13.76	3	Vertical	0	1.00	-
5775MHz	Pass	PK	123.12M	33.01	43.50	-10.49	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	146.4M	37.17	43.50	-6.33	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	196.84M	28.23	43.50	-15.27	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	423.82M	29.64	46.00	-16.36	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	458.74M	32.17	46.00	-13.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	528.58M	33.11	46.00	-12.89	3	Horizontal	360	1.00	-

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	33.20	43.50	-10.30	-8.18	3	Vertical	0	1.00	-	41.38	17.27	1.82	27.27
PK	148.34M	34.50	43.50	-9.00	-9.62	3	Vertical	0	1.00	-	44.12	15.54	2.00	27.16
PK	173.56M	30.19	43.50	-13.31	-10.33	3	Vertical	0	1.00	-	40.52	14.53	2.17	27.03
PK	480.08M	34.04	46.00	-11.96	-1.30	3	Vertical	0	1.00	-	35.34	22.67	3.72	27.69
PK	503.36M	33.91	46.00	-12.09	-1.23	3	Vertical	0	1.00	-	35.14	22.73	3.82	27.78
PK	528.58M	32.24	46.00	-13.76	-0.86	3	Vertical	0	1.00	-	33.10	23.14	3.90	27.90

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	123.12M	33.01	43.50	-10.49	-8.18	3	Horizontal	360	1.00	-	41.19	17.27	1.82	27.27
PK	146.4M	37.17	43.50	-6.33	-9.49	3	Horizontal	360	1.00	-	46.66	15.69	1.98	27.16
PK	196.84M	28.23	43.50	-15.27	-10.29	3	Horizontal	360	1.00	-	38.52	14.29	2.33	26.91
PK	423.82M	29.64	46.00	-16.36	-2.09	3	Horizontal	360	1.00	-	31.73	21.80	3.48	27.37
PK	458.74M	32.17	46.00	-13.83	-1.60	3	Horizontal	360	1.00	-	33.77	22.37	3.63	27.60
PK	528.58M	33.11	46.00	-12.89	-0.86	3	Horizontal	360	1.00	-	33.97	23.14	3.90	27.90



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	50.34	54.00	-3.66	3	Horizontal	287	2.00	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	10.47598G	65.18	68.20	-3.02	3	Horizontal	241	2.03	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	50.84	54.00	-3.16	3	Horizontal	282	1.78	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	50.83	54.00	-3.17	3	Horizontal	285	1.79	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	10.52378G	64.80	68.20	-3.40	3	Horizontal	236	2.00	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	50.12	54.00	-3.88	3	Horizontal	275	1.82	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	50.74	54.00	-3.26	3	Horizontal	278	1.88	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.36G	50.66	54.00	-3.34	3	Horizontal	264	1.76	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.39934G	50.90	54.00	-3.10	3	Horizontal	242	1.62	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	5.47G	64.98	68.20	-3.22	3	Horizontal	248	1.72	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7282G	65.13	68.20	-3.07	3	Vertical	360	1.38	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.457G	50.85	54.00	-3.15	3	Horizontal	248	1.79	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	11.56928G	50.95	54.00	-3.05	3	Horizontal	236	1.50	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	11.48982G	49.16	54.00	-4.84	3	Horizontal	240	1.54	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	11.59G	50.04	54.00	-3.96	3	Horizontal	237	1.48	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	11.56872G	48.84	54.00	-5.16	3	Horizontal	233	1.49	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	48.62	54.00	-5.38	3	Vertical	357	1.83	-
5180MHz	Pass	AV	5.177G	101.84	Inf	-Inf	3	Vertical	357	1.83	-
5180MHz	Pass	PK	5.1482G	59.95	74.00	-14.05	3	Vertical	357	1.83	-
5180MHz	Pass	PK	5.177G	110.35	Inf	-Inf	3	Vertical	357	1.83	-
5180MHz	Pass	AV	5.15G	50.34	54.00	-3.66	3	Horizontal	287	2.00	-
5180MHz	Pass	AV	5.1826G	104.55	Inf	-Inf	3	Horizontal	287	2.00	-
5180MHz	Pass	PK	5.1446G	61.41	74.00	-12.59	3	Horizontal	287	2.00	-
5180MHz	Pass	PK	5.1826G	112.81	Inf	-Inf	3	Horizontal	287	2.00	-
5180MHz	Pass	PK	10.36564G	55.24	68.20	-12.96	3	Vertical	356	2.49	-
5180MHz	Pass	PK	10.36G	58.13	68.20	-10.07	3	Horizontal	253	1.73	-
5200MHz	Pass	AV	5.1496G	48.13	54.00	-5.87	3	Vertical	356	1.89	-
5200MHz	Pass	AV	5.1972G	106.09	Inf	-Inf	3	Vertical	356	1.89	-
5200MHz	Pass	PK	5.1496G	60.26	74.00	-13.74	3	Vertical	356	1.89	-
5200MHz	Pass	PK	5.1972G	114.81	Inf	-Inf	3	Vertical	356	1.89	-
5200MHz	Pass	AV	5.15G	49.38	54.00	-4.62	3	Horizontal	285	1.98	-
5200MHz	Pass	AV	5.1976G	108.49	Inf	-Inf	3	Horizontal	285	1.98	-
5200MHz	Pass	PK	5.148G	61.00	74.00	-13.00	3	Horizontal	285	1.98	-
5200MHz	Pass	PK	5.1976G	117.42	Inf	-Inf	3	Horizontal	285	1.98	-
5200MHz	Pass	PK	10.4036G	59.35	68.20	-8.85	3	Vertical	288	1.49	-
5200MHz	Pass	PK	10.3997G	64.03	68.20	-4.17	3	Horizontal	249	1.75	-
5240MHz	Pass	AV	5.15G	47.07	54.00	-6.93	3	Vertical	360	1.94	-
5240MHz	Pass	AV	5.2394G	105.30	Inf	-Inf	3	Vertical	360	1.94	-
5240MHz	Pass	AV	5.3804G	46.81	54.00	-7.19	3	Vertical	360	1.94	-
5240MHz	Pass	PK	5.1296G	58.44	74.00	-15.56	3	Vertical	360	1.94	-
5240MHz	Pass	PK	5.2418G	114.08	Inf	-Inf	3	Vertical	360	1.94	-
5240MHz	Pass	PK	5.3522G	58.74	74.00	-15.26	3	Vertical	360	1.94	-
5240MHz	Pass	AV	5.1494G	47.62	54.00	-6.38	3	Horizontal	279	1.76	-
5240MHz	Pass	AV	5.2412G	108.83	Inf	-Inf	3	Horizontal	279	1.76	-
5240MHz	Pass	AV	5.3798G	46.80	54.00	-7.20	3	Horizontal	279	1.76	-
5240MHz	Pass	PK	5.1434G	58.92	74.00	-15.08	3	Horizontal	279	1.76	-
5240MHz	Pass	PK	5.2448G	117.30	Inf	-Inf	3	Horizontal	279	1.76	-
5240MHz	Pass	PK	5.381G	58.62	74.00	-15.38	3	Horizontal	279	1.76	-
5240MHz	Pass	PK	10.47956G	60.06	68.20	-8.14	3	Vertical	333	1.30	-
5240MHz	Pass	PK	10.48444G	63.54	68.20	-4.66	3	Horizontal	251	2.06	-
5260MHz	Pass	AV	5.1394G	46.98	54.00	-7.02	3	Vertical	0	1.44	-
5260MHz	Pass	AV	5.2618G	105.95	Inf	-Inf	3	Vertical	0	1.44	-
5260MHz	Pass	AV	5.3644G	46.78	54.00	-7.22	3	Vertical	0	1.44	-
5260MHz	Pass	PK	5.15G	58.44	74.00	-15.56	3	Vertical	0	1.44	-
5260MHz	Pass	PK	5.2618G	114.57	Inf	-Inf	3	Vertical	0	1.44	-
5260MHz	Pass	PK	5.3872G	58.34	74.00	-15.66	3	Vertical	0	1.44	-
5260MHz	Pass	AV	5.1484G	47.25	54.00	-6.75	3	Horizontal	267	1.85	-
5260MHz	Pass	AV	5.2582G	108.25	Inf	-Inf	3	Horizontal	267	1.85	-
5260MHz	Pass	AV	5.3608G	47.13	54.00	-6.87	3	Horizontal	267	1.85	-
5260MHz	Pass	PK	5.1274G	58.81	74.00	-15.19	3	Horizontal	267	1.85	-
5260MHz	Pass	PK	5.2606G	116.99	Inf	-Inf	3	Horizontal	267	1.85	-
5260MHz	Pass	PK	5.3566G	58.94	74.00	-15.06	3	Horizontal	267	1.85	-
5260MHz	Pass	PK	10.52018G	58.94	68.20	-9.26	3	Vertical	277	1.63	-
5260MHz	Pass	PK	10.52378G	64.80	68.20	-3.40	3	Horizontal	236	2.00	-
5300MHz	Pass	AV	5.302G	106.05	Inf	-Inf	3	Vertical	0	1.68	-
5300MHz	Pass	AV	5.35G	48.28	54.00	-5.72	3	Vertical	0	1.68	-
5300MHz	Pass	PK	5.2992G	114.57	Inf	-Inf	3	Vertical	0	1.68	-
5300MHz	Pass	PK	5.3512G	59.54	74.00	-14.46	3	Vertical	0	1.68	-
5300MHz	Pass	AV	5.2984G	108.83	Inf	-Inf	3	Horizontal	278	1.73	-
5300MHz	Pass	AV	5.35G	49.60	54.00	-4.40	3	Horizontal	278	1.73	-
5300MHz	Pass	PK	5.3012G	116.99	Inf	-Inf	3	Horizontal	278	1.73	-
5300MHz	Pass	PK	5.35G	61.93	74.00	-12.07	3	Horizontal	278	1.73	-
5300MHz	Pass	AV	10.60066G	45.94	54.00	-8.06	3	Vertical	277	1.55	-
5300MHz	Pass	PK	10.60054G	58.64	74.00	-15.36	3	Vertical	277	1.55	-
5300MHz	Pass	AV	10.60312G	49.79	54.00	-4.21	3	Horizontal	238	1.97	-
5300MHz	Pass	PK	10.60372G	62.90	74.00	-11.10	3	Horizontal	238	1.97	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	5.3212G	102.73	Inf	-Inf	3	Vertical	15	1.50	-
5320MHz	Pass	AV	5.3502G	48.89	54.00	-5.11	3	Vertical	15	1.50	-
5320MHz	Pass	PK	5.3192G	111.94	Inf	-Inf	3	Vertical	15	1.50	-
5320MHz	Pass	PK	5.3538G	60.18	74.00	-13.82	3	Vertical	15	1.50	-
5320MHz	Pass	AV	5.318G	105.08	Inf	-Inf	3	Horizontal	288	1.81	-
5320MHz	Pass	AV	5.35G	50.12	54.00	-3.88	3	Horizontal	288	1.81	-
5320MHz	Pass	PK	5.3188G	114.70	Inf	-Inf	3	Horizontal	288	1.81	-
5320MHz	Pass	PK	5.3502G	61.50	74.00	-12.50	3	Horizontal	288	1.81	-
5320MHz	Pass	AV	10.63556G	43.02	54.00	-10.98	3	Vertical	278	1.55	-
5320MHz	Pass	PK	10.64048G	54.67	74.00	-19.33	3	Vertical	278	1.55	-
5320MHz	Pass	AV	10.63994G	44.80	54.00	-9.20	3	Horizontal	248	1.96	-
5320MHz	Pass	PK	10.64558G	56.16	74.00	-17.84	3	Horizontal	248	1.96	-
5500MHz	Pass	AV	5.4594G	48.16	54.00	-5.84	3	Vertical	0	1.39	-
5500MHz	Pass	AV	5.4992G	103.25	Inf	-Inf	3	Vertical	0	1.39	-
5500MHz	Pass	PK	5.4694G	61.93	68.20	-6.27	3	Vertical	0	1.39	-
5500MHz	Pass	PK	5.5016G	112.48	Inf	-Inf	3	Vertical	0	1.39	-
5500MHz	Pass	AV	5.4576G	48.32	54.00	-5.68	3	Horizontal	78	1.74	-
5500MHz	Pass	AV	5.4986G	103.53	Inf	-Inf	3	Horizontal	78	1.74	-
5500MHz	Pass	PK	5.4698G	62.40	68.20	-5.80	3	Horizontal	78	1.74	-
5500MHz	Pass	PK	5.4968G	112.88	Inf	-Inf	3	Horizontal	78	1.74	-
5500MHz	Pass	AV	11.00036G	44.87	54.00	-9.13	3	Vertical	279	1.50	-
5500MHz	Pass	PK	11.00006G	56.72	74.00	-17.28	3	Vertical	279	1.50	-
5500MHz	Pass	AV	10.99844G	46.01	54.00	-7.99	3	Horizontal	236	1.68	-
5500MHz	Pass	PK	11.0036G	58.55	74.00	-15.45	3	Horizontal	236	1.68	-
5580MHz	Pass	AV	5.4546G	46.86	54.00	-7.14	3	Vertical	0	1.50	-
5580MHz	Pass	AV	5.5818G	102.33	Inf	-Inf	3	Vertical	0	1.50	-
5580MHz	Pass	PK	5.466G	57.56	68.20	-10.64	3	Vertical	0	1.50	-
5580MHz	Pass	PK	5.5818G	111.09	Inf	-Inf	3	Vertical	0	1.50	-
5580MHz	Pass	PK	5.727G	58.74	68.20	-9.46	3	Vertical	0	1.50	-
5580MHz	Pass	AV	5.4558G	47.07	54.00	-6.93	3	Horizontal	85	1.78	-
5580MHz	Pass	AV	5.5782G	103.20	Inf	-Inf	3	Horizontal	85	1.78	-
5580MHz	Pass	PK	5.4618G	58.58	68.20	-9.62	3	Horizontal	85	1.78	-
5580MHz	Pass	PK	5.5782G	112.32	Inf	-Inf	3	Horizontal	85	1.78	-
5580MHz	Pass	PK	5.7288G	60.03	68.20	-8.17	3	Horizontal	85	1.78	-
5580MHz	Pass	AV	11.15982G	47.75	54.00	-6.25	3	Vertical	285	1.61	-
5580MHz	Pass	PK	11.16G	60.42	74.00	-13.58	3	Vertical	285	1.61	-
5580MHz	Pass	AV	11.15832G	48.63	54.00	-5.37	3	Horizontal	234	1.52	-
5580MHz	Pass	PK	11.1636G	62.46	74.00	-11.54	3	Horizontal	234	1.52	-
5700MHz	Pass	AV	5.6976G	102.90	Inf	-Inf	3	Vertical	354	1.50	-
5700MHz	Pass	PK	5.698G	112.00	Inf	-Inf	3	Vertical	354	1.50	-
5700MHz	Pass	PK	5.7252G	64.66	68.20	-3.54	3	Vertical	354	1.50	-
5700MHz	Pass	AV	5.702G	102.38	Inf	-Inf	3	Horizontal	159	1.59	-
5700MHz	Pass	PK	5.6988G	111.10	Inf	-Inf	3	Horizontal	159	1.59	-
5700MHz	Pass	PK	5.7272G	64.73	68.20	-3.47	3	Horizontal	159	1.59	-
5700MHz	Pass	AV	11.39946G	49.80	54.00	-4.20	3	Vertical	280	1.61	-
5700MHz	Pass	PK	11.40408G	63.11	74.00	-10.89	3	Vertical	280	1.61	-
5700MHz	Pass	AV	11.39934G	50.90	54.00	-3.10	3	Horizontal	242	1.62	-
5700MHz	Pass	PK	11.40402G	64.32	74.00	-9.68	3	Horizontal	242	1.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.718G	102.55	Inf	-Inf	3	Vertical	360	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.722G	111.09	Inf	-Inf	3	Vertical	360	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.893G	60.98	68.20	-7.22	3	Vertical	360	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.721G	101.48	Inf	-Inf	3	Horizontal	153	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.719G	109.16	Inf	-Inf	3	Horizontal	153	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.903G	61.07	68.20	-7.13	3	Horizontal	153	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43888G	47.22	54.00	-6.78	3	Vertical	279	1.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44336G	60.91	74.00	-13.09	3	Vertical	279	1.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43968G	48.33	54.00	-5.67	3	Horizontal	241	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44396G	60.83	74.00	-13.17	3	Horizontal	241	1.54	-
5745MHz	Pass	AV	5.7474G	103.20	Inf	-Inf	3	Vertical	357	2.26	-
5745MHz	Pass	PK	5.4822G	58.99	68.20	-9.21	3	Vertical	357	2.26	-
5745MHz	Pass	PK	5.7474G	111.20	Inf	-Inf	3	Vertical	357	2.26	-
5745MHz	Pass	PK	6.0306G	61.41	68.20	-6.79	3	Vertical	357	2.26	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	AV	5.7414G	102.28	Inf	-Inf	3	Horizontal	158	1.58	-
5745MHz	Pass	PK	5.4954G	59.62	68.20	-8.58	3	Horizontal	158	1.58	-
5745MHz	Pass	PK	5.7414G	111.39	Inf	-Inf	3	Horizontal	158	1.58	-
5745MHz	Pass	PK	5.9478G	62.68	68.20	-5.52	3	Horizontal	158	1.58	-
5745MHz	Pass	AV	11.48952G	49.97	54.00	-4.03	3	Vertical	275	1.57	-
5745MHz	Pass	PK	11.48964G	63.77	74.00	-10.23	3	Vertical	275	1.57	-
5745MHz	Pass	AV	11.48856G	50.75	54.00	-3.25	3	Horizontal	237	1.50	-
5745MHz	Pass	PK	11.49348G	65.26	74.00	-8.74	3	Horizontal	237	1.50	-
5785MHz	Pass	AV	5.7826G	103.31	Inf	-Inf	3	Vertical	357	1.46	-
5785MHz	Pass	PK	5.6458G	59.78	68.20	-8.42	3	Vertical	357	1.46	-
5785MHz	Pass	PK	5.7874G	112.17	Inf	-Inf	3	Vertical	357	1.46	-
5785MHz	Pass	PK	6.0142G	62.04	68.20	-6.16	3	Vertical	357	1.46	-
5785MHz	Pass	AV	5.7862G	102.21	Inf	-Inf	3	Horizontal	158	1.61	-
5785MHz	Pass	PK	5.647G	59.49	68.20	-8.71	3	Horizontal	158	1.61	-
5785MHz	Pass	PK	5.7814G	110.76	Inf	-Inf	3	Horizontal	158	1.61	-
5785MHz	Pass	PK	6.0526G	61.84	68.20	-6.36	3	Horizontal	158	1.61	-
5785MHz	Pass	AV	11.56952G	50.05	54.00	-3.95	3	Vertical	278	1.58	-
5785MHz	Pass	PK	11.56952G	64.11	74.00	-9.89	3	Vertical	278	1.58	-
5785MHz	Pass	AV	11.56928G	50.95	54.00	-3.05	3	Horizontal	236	1.50	-
5785MHz	Pass	PK	11.57366G	65.82	74.00	-8.18	3	Horizontal	236	1.50	-
5825MHz	Pass	AV	5.8226G	102.23	Inf	-Inf	3	Vertical	357	2.06	-
5825MHz	Pass	PK	5.5718G	58.80	68.20	-9.40	3	Vertical	357	2.06	-
5825MHz	Pass	PK	5.8226G	110.82	Inf	-Inf	3	Vertical	357	2.06	-
5825MHz	Pass	PK	6.0494G	62.60	68.20	-5.60	3	Vertical	357	2.06	-
5825MHz	Pass	AV	5.8214G	101.00	Inf	-Inf	3	Horizontal	151	1.31	-
5825MHz	Pass	PK	5.5922G	58.96	68.20	-9.24	3	Horizontal	151	1.31	-
5825MHz	Pass	PK	5.8226G	109.45	Inf	-Inf	3	Horizontal	151	1.31	-
5825MHz	Pass	PK	6.0398G	61.82	68.20	-6.38	3	Horizontal	151	1.31	-
5825MHz	Pass	AV	11.65066G	47.27	54.00	-6.73	3	Vertical	276	1.50	-
5825MHz	Pass	PK	11.65042G	61.28	74.00	-12.72	3	Vertical	276	1.50	-
5825MHz	Pass	AV	11.65012G	48.12	54.00	-5.88	3	Horizontal	236	1.50	-
5825MHz	Pass	PK	11.65372G	61.91	74.00	-12.09	3	Horizontal	236	1.50	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	48.92	54.00	-5.08	3	Vertical	360	1.16	-
5180MHz	Pass	AV	5.1822G	98.08	Inf	-Inf	3	Vertical	360	1.16	-
5180MHz	Pass	PK	5.1446G	59.75	74.00	-14.25	3	Vertical	360	1.16	-
5180MHz	Pass	PK	5.183G	107.48	Inf	-Inf	3	Vertical	360	1.16	-
5180MHz	Pass	AV	5.1488G	50.19	54.00	-3.81	3	Horizontal	281	1.74	-
5180MHz	Pass	AV	5.178G	102.13	Inf	-Inf	3	Horizontal	281	1.74	-
5180MHz	Pass	PK	5.1426G	61.21	74.00	-12.79	3	Horizontal	281	1.74	-
5180MHz	Pass	PK	5.1784G	110.66	Inf	-Inf	3	Horizontal	281	1.74	-
5180MHz	Pass	PK	10.36696G	55.14	68.20	-13.06	3	Vertical	275	1.90	-
5180MHz	Pass	PK	10.3597G	55.72	68.20	-12.48	3	Horizontal	109	1.60	-
5200MHz	Pass	AV	5.1496G	48.30	54.00	-5.70	3	Vertical	357	2.28	-
5200MHz	Pass	AV	5.202G	104.41	Inf	-Inf	3	Vertical	357	2.28	-
5200MHz	Pass	PK	5.146G	59.41	74.00	-14.59	3	Vertical	357	2.28	-
5200MHz	Pass	PK	5.2036G	114.12	Inf	-Inf	3	Vertical	357	2.28	-
5200MHz	Pass	AV	5.1496G	50.46	54.00	-3.54	3	Horizontal	281	1.77	-
5200MHz	Pass	AV	5.198G	108.18	Inf	-Inf	3	Horizontal	281	1.77	-
5200MHz	Pass	PK	5.15G	61.53	74.00	-12.47	3	Horizontal	281	1.77	-
5200MHz	Pass	PK	5.1984G	116.69	Inf	-Inf	3	Horizontal	281	1.77	-
5200MHz	Pass	PK	10.40222G	58.47	68.20	-9.73	3	Vertical	282	1.89	-
5200MHz	Pass	PK	10.39976G	58.72	68.20	-9.48	3	Horizontal	108	1.57	-
5240MHz	Pass	AV	5.15G	47.79	54.00	-6.21	3	Vertical	360	2.17	-
5240MHz	Pass	AV	5.2424G	105.47	Inf	-Inf	3	Vertical	360	2.17	-
5240MHz	Pass	AV	5.3846G	47.37	54.00	-6.63	3	Vertical	360	2.17	-
5240MHz	Pass	PK	5.1326G	58.58	74.00	-15.42	3	Vertical	360	2.17	-
5240MHz	Pass	PK	5.2424G	113.93	Inf	-Inf	3	Vertical	360	2.17	-
5240MHz	Pass	PK	5.3624G	57.82	74.00	-16.18	3	Vertical	360	2.17	-
5240MHz	Pass	AV	5.1494G	48.46	54.00	-5.54	3	Horizontal	279	1.74	-
5240MHz	Pass	AV	5.2376G	108.87	Inf	-Inf	3	Horizontal	279	1.74	-
5240MHz	Pass	AV	5.384G	47.71	54.00	-6.29	3	Horizontal	279	1.74	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.1218G	59.42	74.00	-14.58	3	Horizontal	279	1.74	-
5240MHz	Pass	PK	5.2436G	117.33	Inf	-Inf	3	Horizontal	279	1.74	-
5240MHz	Pass	PK	5.3552G	58.70	74.00	-15.30	3	Horizontal	279	1.74	-
5240MHz	Pass	PK	10.47988G	60.09	68.20	-8.11	3	Vertical	280	1.82	-
5240MHz	Pass	PK	10.47598G	65.18	68.20	-3.02	3	Horizontal	241	2.03	-
5260MHz	Pass	AV	5.1454G	47.58	54.00	-6.42	3	Vertical	360	1.47	-
5260MHz	Pass	AV	5.2624G	104.39	Inf	-Inf	3	Vertical	360	1.47	-
5260MHz	Pass	AV	5.4094G	47.40	54.00	-6.60	3	Vertical	360	1.47	-
5260MHz	Pass	PK	5.1172G	59.23	74.00	-14.77	3	Vertical	360	1.47	-
5260MHz	Pass	PK	5.2624G	113.61	Inf	-Inf	3	Vertical	360	1.47	-
5260MHz	Pass	PK	5.3854G	58.08	74.00	-15.92	3	Vertical	360	1.47	-
5260MHz	Pass	AV	5.119G	47.81	54.00	-6.19	3	Horizontal	278	1.80	-
5260MHz	Pass	AV	5.2576G	107.79	Inf	-Inf	3	Horizontal	278	1.80	-
5260MHz	Pass	AV	5.3866G	47.71	54.00	-6.29	3	Horizontal	278	1.80	-
5260MHz	Pass	PK	5.1364G	58.77	74.00	-15.23	3	Horizontal	278	1.80	-
5260MHz	Pass	PK	5.2606G	116.68	Inf	-Inf	3	Horizontal	278	1.80	-
5260MHz	Pass	PK	5.398G	58.79	74.00	-15.21	3	Horizontal	278	1.80	-
5260MHz	Pass	PK	10.51496G	57.44	68.20	-10.76	3	Vertical	283	1.85	-
5260MHz	Pass	PK	10.51622G	63.04	68.20	-5.16	3	Horizontal	243	2.01	-
5300MHz	Pass	AV	5.302G	104.14	Inf	-Inf	3	Vertical	360	1.48	-
5300MHz	Pass	AV	5.3564G	48.14	54.00	-5.86	3	Vertical	360	1.48	-
5300MHz	Pass	PK	5.3032G	113.21	Inf	-Inf	3	Vertical	360	1.48	-
5300MHz	Pass	PK	5.3544G	58.89	74.00	-15.11	3	Vertical	360	1.48	-
5300MHz	Pass	AV	5.298G	106.92	Inf	-Inf	3	Horizontal	269	1.75	-
5300MHz	Pass	AV	5.3504G	49.46	54.00	-4.54	3	Horizontal	269	1.75	-
5300MHz	Pass	PK	5.2968G	115.17	Inf	-Inf	3	Horizontal	269	1.75	-
5300MHz	Pass	PK	5.3512G	59.92	74.00	-14.08	3	Horizontal	269	1.75	-
5300MHz	Pass	AV	10.60058G	45.38	54.00	-8.62	3	Vertical	278	1.63	-
5300MHz	Pass	PK	10.60046G	56.59	74.00	-17.41	3	Vertical	278	1.63	-
5300MHz	Pass	AV	10.60006G	49.23	54.00	-4.77	3	Horizontal	237	2.01	-
5300MHz	Pass	PK	10.6081G	62.12	74.00	-11.88	3	Horizontal	237	2.01	-
5320MHz	Pass	AV	5.3224G	100.12	Inf	-Inf	3	Vertical	360	1.58	-
5320MHz	Pass	AV	5.3566G	48.76	54.00	-5.24	3	Vertical	360	1.58	-
5320MHz	Pass	PK	5.3222G	109.15	Inf	-Inf	3	Vertical	360	1.58	-
5320MHz	Pass	PK	5.3522G	59.76	74.00	-14.24	3	Vertical	360	1.58	-
5320MHz	Pass	AV	5.3176G	103.20	Inf	-Inf	3	Horizontal	275	1.82	-
5320MHz	Pass	AV	5.35G	50.12	54.00	-3.88	3	Horizontal	275	1.82	-
5320MHz	Pass	PK	5.3224G	112.23	Inf	-Inf	3	Horizontal	275	1.82	-
5320MHz	Pass	PK	5.3584G	61.29	74.00	-12.71	3	Horizontal	275	1.82	-
5320MHz	Pass	AV	10.64282G	43.33	54.00	-10.67	3	Vertical	5	2.50	-
5320MHz	Pass	PK	10.63214G	54.57	74.00	-19.43	3	Vertical	5	2.50	-
5320MHz	Pass	AV	10.63946G	44.19	54.00	-9.81	3	Horizontal	242	1.93	-
5320MHz	Pass	PK	10.63826G	55.41	74.00	-18.59	3	Horizontal	242	1.93	-
5500MHz	Pass	AV	5.458G	48.80	54.00	-5.20	3	Vertical	6	1.38	-
5500MHz	Pass	AV	5.502G	103.17	Inf	-Inf	3	Vertical	6	1.38	-
5500MHz	Pass	PK	5.47G	64.64	68.20	-3.56	3	Vertical	6	1.38	-
5500MHz	Pass	PK	5.4976G	112.20	Inf	-Inf	3	Vertical	6	1.38	-
5500MHz	Pass	AV	5.4598G	49.96	54.00	-4.04	3	Horizontal	248	1.72	-
5500MHz	Pass	AV	5.5022G	103.47	Inf	-Inf	3	Horizontal	248	1.72	-
5500MHz	Pass	PK	5.47G	64.98	68.20	-3.22	3	Horizontal	248	1.72	-
5500MHz	Pass	PK	5.5018G	112.81	Inf	-Inf	3	Horizontal	248	1.72	-
5500MHz	Pass	AV	11.00492G	45.92	54.00	-8.08	3	Vertical	283	1.50	-
5500MHz	Pass	PK	11.00162G	57.62	74.00	-16.38	3	Vertical	283	1.50	-
5500MHz	Pass	AV	11.0012G	47.32	54.00	-6.68	3	Horizontal	241	1.64	-
5500MHz	Pass	PK	10.99604G	59.46	74.00	-14.54	3	Horizontal	241	1.64	-
5580MHz	Pass	AV	5.4378G	47.68	54.00	-6.32	3	Vertical	4	1.50	-
5580MHz	Pass	AV	5.5824G	102.08	Inf	-Inf	3	Vertical	4	1.50	-
5580MHz	Pass	PK	5.4684G	58.45	68.20	-9.75	3	Vertical	4	1.50	-
5580MHz	Pass	PK	5.5812G	111.00	Inf	-Inf	3	Vertical	4	1.50	-
5580MHz	Pass	PK	5.7252G	59.60	68.20	-8.60	3	Vertical	4	1.50	-
5580MHz	Pass	AV	5.4306G	47.82	54.00	-6.18	3	Horizontal	243	1.76	-
5580MHz	Pass	AV	5.5776G	103.09	Inf	-Inf	3	Horizontal	243	1.76	-





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.4624G	58.63	68.20	-9.57	3	Horizontal	243	1.76	-
5580MHz	Pass	PK	5.577G	111.59	Inf	-Inf	3	Horizontal	243	1.76	-
5580MHz	Pass	PK	5.7282G	58.75	68.20	-9.45	3	Horizontal	243	1.76	-
5580MHz	Pass	AV	11.1591G	49.22	54.00	-4.78	3	Vertical	284	1.60	-
5580MHz	Pass	PK	11.1555G	60.97	74.00	-13.03	3	Vertical	284	1.60	-
5580MHz	Pass	AV	11.15868G	50.28	54.00	-3.72	3	Horizontal	237	1.45	-
5580MHz	Pass	PK	11.16276G	63.23	74.00	-10.77	3	Horizontal	237	1.45	-
5700MHz	Pass	AV	5.7024G	101.50	Inf	-Inf	3	Vertical	360	1.50	-
5700MHz	Pass	PK	5.7028G	111.15	Inf	-Inf	3	Vertical	360	1.50	-
5700MHz	Pass	PK	5.7252G	64.77	68.20	-3.43	3	Vertical	360	1.50	-
5700MHz	Pass	AV	5.702G	101.40	Inf	-Inf	3	Horizontal	152	2.27	-
5700MHz	Pass	PK	5.6976G	110.59	Inf	-Inf	3	Horizontal	152	2.27	-
5700MHz	Pass	PK	5.7256G	63.89	68.20	-4.31	3	Horizontal	152	2.27	-
5700MHz	Pass	AV	11.39988G	48.54	54.00	-5.46	3	Vertical	284	1.50	-
5700MHz	Pass	PK	11.39904G	61.20	74.00	-12.80	3	Vertical	284	1.50	-
5700MHz	Pass	AV	11.39934G	49.31	54.00	-4.69	3	Horizontal	243	1.58	-
5700MHz	Pass	PK	11.40096G	61.95	74.00	-12.05	3	Horizontal	243	1.58	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.717G	101.71	Inf	-Inf	3	Vertical	0	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	57.14	68.20	-11.06	3	Vertical	0	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.718G	110.60	Inf	-Inf	3	Vertical	0	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.855G	60.82	68.20	-7.38	3	Vertical	0	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	101.23	Inf	-Inf	3	Horizontal	152	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	57.02	68.20	-11.18	3	Horizontal	152	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.717G	110.77	Inf	-Inf	3	Horizontal	152	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.874G	61.18	68.20	-7.02	3	Horizontal	152	2.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43928G	49.31	54.00	-4.69	3	Vertical	284	1.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44804G	61.43	74.00	-12.57	3	Vertical	284	1.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43844G	49.31	54.00	-4.69	3	Horizontal	246	1.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4385G	62.75	74.00	-11.25	3	Horizontal	246	1.56	-
5745MHz	Pass	AV	5.7426G	101.67	Inf	-Inf	3	Vertical	350	1.65	-
5745MHz	Pass	PK	5.5242G	59.61	68.20	-8.59	3	Vertical	350	1.65	-
5745MHz	Pass	PK	5.7438G	110.77	Inf	-Inf	3	Vertical	350	1.65	-
5745MHz	Pass	PK	5.9934G	61.58	68.20	-6.62	3	Vertical	350	1.65	-
5745MHz	Pass	AV	5.7474G	101.29	Inf	-Inf	3	Horizontal	159	1.56	-
5745MHz	Pass	PK	5.6466G	59.39	68.20	-8.81	3	Horizontal	159	1.56	-
5745MHz	Pass	PK	5.7438G	110.43	Inf	-Inf	3	Horizontal	159	1.56	-
5745MHz	Pass	PK	5.9682G	61.45	68.20	-6.75	3	Horizontal	159	1.56	-
5745MHz	Pass	AV	11.48988G	48.56	54.00	-5.44	3	Vertical	275	1.60	-
5745MHz	Pass	PK	11.48718G	61.64	74.00	-12.36	3	Vertical	275	1.60	-
5745MHz	Pass	AV	11.48982G	49.16	54.00	-4.84	3	Horizontal	240	1.54	-
5745MHz	Pass	PK	11.48952G	61.86	74.00	-12.14	3	Horizontal	240	1.54	-
5785MHz	Pass	AV	5.7826G	102.19	Inf	-Inf	3	Vertical	357	1.44	-
5785MHz	Pass	PK	5.6302G	58.86	68.20	-9.34	3	Vertical	357	1.44	-
5785MHz	Pass	PK	5.7802G	110.77	Inf	-Inf	3	Vertical	357	1.44	-
5785MHz	Pass	PK	6.0322G	61.72	68.20	-6.48	3	Vertical	357	1.44	-
5785MHz	Pass	AV	5.7874G	100.71	Inf	-Inf	3	Horizontal	138	1.74	-
5785MHz	Pass	PK	5.6374G	59.48	68.20	-8.72	3	Horizontal	138	1.74	-
5785MHz	Pass	PK	5.7814G	109.63	Inf	-Inf	3	Horizontal	138	1.74	-
5785MHz	Pass	PK	6.0742G	62.05	68.20	-6.15	3	Horizontal	138	1.74	-
5785MHz	Pass	AV	11.5676G	48.32	54.00	-5.68	3	Vertical	275	1.50	-
5785MHz	Pass	PK	11.56874G	61.10	74.00	-12.90	3	Vertical	275	1.50	-
5785MHz	Pass	AV	11.57126G	48.82	54.00	-5.18	3	Horizontal	236	1.49	-
5785MHz	Pass	PK	11.57804G	61.55	74.00	-12.45	3	Horizontal	236	1.49	-
5825MHz	Pass	AV	5.8274G	102.49	Inf	-Inf	3	Vertical	360	2.21	-
5825MHz	Pass	PK	5.6006G	59.49	68.20	-8.71	3	Vertical	360	2.21	-
5825MHz	Pass	PK	5.8226G	110.99	Inf	-Inf	3	Vertical	360	2.21	-
5825MHz	Pass	PK	6.0614G	61.83	68.20	-6.37	3	Vertical	360	2.21	-
5825MHz	Pass	AV	5.8274G	100.89	Inf	-Inf	3	Horizontal	159	1.57	-
5825MHz	Pass	PK	5.627G	59.01	68.20	-9.19	3	Horizontal	159	1.57	-
5825MHz	Pass	PK	5.8262G	109.74	Inf	-Inf	3	Horizontal	159	1.57	-
5825MHz	Pass	PK	6.1238G	61.24	68.20	-6.96	3	Horizontal	159	1.57	-
5825MHz	Pass	AV	11.64994G	48.77	54.00	-5.23	3	Vertical	278	1.49	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.65396G	62.37	74.00	-11.63	3	Vertical	278	1.49	-
5825MHz	Pass	AV	11.6506G	49.12	54.00	-4.88	3	Horizontal	235	1.48	-
5825MHz	Pass	PK	11.6533G	61.93	74.00	-12.07	3	Horizontal	235	1.48	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	49.22	54.00	-4.78	3	Vertical	3	1.41	-
5190MHz	Pass	AV	5.1936G	95.18	Inf	-Inf	3	Vertical	3	1.41	-
5190MHz	Pass	PK	5.1492G	66.36	74.00	-7.64	3	Vertical	3	1.41	-
5190MHz	Pass	PK	5.1984G	104.26	Inf	-Inf	3	Vertical	3	1.41	-
5190MHz	Pass	AV	5.1496G	50.84	54.00	-3.16	3	Horizontal	282	1.78	-
5190MHz	Pass	AV	5.196G	98.64	Inf	-Inf	3	Horizontal	282	1.78	-
5190MHz	Pass	PK	5.1372G	67.58	74.00	-6.42	3	Horizontal	282	1.78	-
5190MHz	Pass	PK	5.2G	107.59	Inf	-Inf	3	Horizontal	282	1.78	-
5190MHz	Pass	PK	10.36216G	54.53	68.20	-13.67	3	Vertical	349	1.50	-
5190MHz	Pass	PK	10.38464G	55.50	68.20	-12.70	3	Horizontal	109	1.50	-
5230MHz	Pass	AV	5.1488G	48.45	54.00	-5.55	3	Vertical	4	1.23	-
5230MHz	Pass	AV	5.2336G	99.42	Inf	-Inf	3	Vertical	4	1.23	-
5230MHz	Pass	PK	5.1464G	64.17	74.00	-9.83	3	Vertical	4	1.23	-
5230MHz	Pass	PK	5.2332G	108.07	Inf	-Inf	3	Vertical	4	1.23	-
5230MHz	Pass	AV	5.15G	49.94	54.00	-4.06	3	Horizontal	280	1.80	-
5230MHz	Pass	AV	5.2264G	102.85	Inf	-Inf	3	Horizontal	280	1.80	-
5230MHz	Pass	PK	5.148G	66.45	74.00	-7.55	3	Horizontal	280	1.80	-
5230MHz	Pass	PK	5.2236G	111.72	Inf	-Inf	3	Horizontal	280	1.80	-
5230MHz	Pass	PK	10.44064G	54.10	68.20	-14.10	3	Vertical	272	1.50	-
5230MHz	Pass	PK	10.4676G	56.84	68.20	-11.36	3	Horizontal	249	2.27	-
5270MHz	Pass	AV	5.2624G	100.36	Inf	-Inf	3	Vertical	5	1.44	-
5270MHz	Pass	AV	5.3504G	49.18	54.00	-4.82	3	Vertical	5	1.44	-
5270MHz	Pass	PK	5.2632G	109.47	Inf	-Inf	3	Vertical	5	1.44	-
5270MHz	Pass	PK	5.3596G	64.48	74.00	-9.52	3	Vertical	5	1.44	-
5270MHz	Pass	AV	5.2668G	103.53	Inf	-Inf	3	Horizontal	279	1.81	-
5270MHz	Pass	AV	5.3512G	50.38	54.00	-3.62	3	Horizontal	279	1.81	-
5270MHz	Pass	PK	5.2656G	112.53	Inf	-Inf	3	Horizontal	279	1.81	-
5270MHz	Pass	PK	5.3524G	67.08	74.00	-6.92	3	Horizontal	279	1.81	-
5270MHz	Pass	PK	10.53864G	55.62	68.20	-12.58	3	Vertical	0	2.85	-
5270MHz	Pass	PK	10.53872G	58.25	68.20	-9.95	3	Horizontal	242	2.30	-
5310MHz	Pass	AV	5.302G	96.54	Inf	-Inf	3	Vertical	3	1.58	-
5310MHz	Pass	AV	5.358G	49.90	54.00	-4.10	3	Vertical	3	1.58	-
5310MHz	Pass	PK	5.3064G	105.78	Inf	-Inf	3	Vertical	3	1.58	-
5310MHz	Pass	PK	5.3516G	68.29	74.00	-5.71	3	Vertical	3	1.58	-
5310MHz	Pass	AV	5.3064G	99.62	Inf	-Inf	3	Horizontal	278	1.88	-
5310MHz	Pass	AV	5.3504G	50.74	54.00	-3.26	3	Horizontal	278	1.88	-
5310MHz	Pass	PK	5.314G	108.13	Inf	-Inf	3	Horizontal	278	1.88	-
5310MHz	Pass	PK	5.3516G	70.23	74.00	-3.77	3	Horizontal	278	1.88	-
5310MHz	Pass	AV	10.60464G	43.76	54.00	-10.24	3	Vertical	360	2.35	-
5310MHz	Pass	PK	10.60528G	54.43	74.00	-19.57	3	Vertical	360	2.35	-
5310MHz	Pass	AV	10.61448G	43.23	54.00	-10.77	3	Horizontal	309	1.00	-
5310MHz	Pass	PK	10.62144G	54.57	74.00	-19.43	3	Horizontal	309	1.00	-
5510MHz	Pass	AV	5.4564G	48.62	54.00	-5.38	3	Vertical	360	1.33	-
5510MHz	Pass	AV	5.5136G	92.59	Inf	-Inf	3	Vertical	360	1.33	-
5510MHz	Pass	PK	5.4696G	62.20	68.20	-6.00	3	Vertical	360	1.33	-
5510MHz	Pass	PK	5.5124G	101.48	Inf	-Inf	3	Vertical	360	1.33	-
5510MHz	Pass	AV	5.4592G	48.95	54.00	-5.05	3	Horizontal	272	1.71	-
5510MHz	Pass	AV	5.5064G	93.40	Inf	-Inf	3	Horizontal	272	1.71	-
5510MHz	Pass	PK	5.4688G	64.48	68.20	-3.72	3	Horizontal	272	1.71	-
5510MHz	Pass	PK	5.5052G	103.21	Inf	-Inf	3	Horizontal	272	1.71	-
5510MHz	Pass	AV	11.0068G	43.71	54.00	-10.29	3	Vertical	137	1.50	-
5510MHz	Pass	PK	11.03336G	54.68	74.00	-19.32	3	Vertical	137	1.50	-
5510MHz	Pass	AV	11.03864G	43.82	54.00	-10.18	3	Horizontal	155	1.50	-
5510MHz	Pass	PK	11.00952G	55.69	74.00	-18.31	3	Horizontal	155	1.50	-
5550MHz	Pass	AV	5.4588G	47.99	54.00	-6.01	3	Vertical	357	1.50	-
5550MHz	Pass	AV	5.5424G	97.01	Inf	-Inf	3	Vertical	357	1.50	-
5550MHz	Pass	PK	5.4656G	61.40	68.20	-6.80	3	Vertical	357	1.50	-
5550MHz	Pass	PK	5.552G	106.34	Inf	-Inf	3	Vertical	357	1.50	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	5.4568G	48.47	54.00	-5.53	3	Horizontal	242	1.84	-
5550MHz	Pass	AV	5.542G	97.63	Inf	-Inf	3	Horizontal	242	1.84	-
5550MHz	Pass	PK	5.4648G	64.85	68.20	-3.35	3	Horizontal	242	1.84	-
5550MHz	Pass	PK	5.5424G	106.29	Inf	-Inf	3	Horizontal	242	1.84	-
5550MHz	Pass	AV	11.09696G	44.25	54.00	-9.75	3	Vertical	284	1.50	-
5550MHz	Pass	PK	11.09456G	55.00	74.00	-19.00	3	Vertical	284	1.50	-
5550MHz	Pass	AV	11.10008G	44.79	54.00	-9.21	3	Horizontal	241	1.46	-
5550MHz	Pass	PK	11.09408G	56.16	74.00	-17.84	3	Horizontal	241	1.46	-
5670MHz	Pass	AV	5.6736G	95.59	Inf	-Inf	3	Vertical	360	1.38	-
5670MHz	Pass	PK	5.6718G	105.32	Inf	-Inf	3	Vertical	360	1.38	-
5670MHz	Pass	PK	5.7282G	65.13	68.20	-3.07	3	Vertical	360	1.38	-
5670MHz	Pass	AV	5.6736G	95.84	Inf	-Inf	3	Horizontal	153	1.57	-
5670MHz	Pass	PK	5.679G	105.02	Inf	-Inf	3	Horizontal	153	1.57	-
5670MHz	Pass	PK	5.7252G	64.80	68.20	-3.40	3	Horizontal	153	1.57	-
5670MHz	Pass	AV	11.33536G	45.17	54.00	-8.83	3	Vertical	276	1.66	-
5670MHz	Pass	PK	11.3564G	56.57	74.00	-17.43	3	Vertical	276	1.66	-
5670MHz	Pass	AV	11.3424G	45.69	54.00	-8.31	3	Horizontal	242	1.50	-
5670MHz	Pass	PK	11.3348G	56.90	74.00	-17.10	3	Horizontal	242	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.707G	99.14	Inf	-Inf	3	Vertical	356	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.461G	57.90	68.20	-10.30	3	Vertical	356	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.699G	108.77	Inf	-Inf	3	Vertical	356	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.855G	62.11	68.20	-6.09	3	Vertical	356	1.44	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	98.43	Inf	-Inf	3	Horizontal	159	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	58.52	68.20	-9.68	3	Horizontal	159	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.713G	108.11	Inf	-Inf	3	Horizontal	159	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.92G	62.11	68.20	-6.09	3	Horizontal	159	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41952G	48.78	54.00	-5.22	3	Vertical	284	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4004G	60.50	74.00	-13.50	3	Vertical	284	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4184G	49.49	54.00	-4.51	3	Horizontal	240	1.64	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41856G	61.54	74.00	-12.46	3	Horizontal	240	1.64	-
5755MHz	Pass	AV	5.7514G	99.33	Inf	-Inf	3	Vertical	357	1.46	-
5755MHz	Pass	PK	5.6314G	60.57	68.20	-7.63	3	Vertical	357	1.46	-
5755MHz	Pass	PK	5.7562G	108.48	Inf	-Inf	3	Vertical	357	1.46	-
5755MHz	Pass	PK	6.0154G	62.10	68.20	-6.10	3	Vertical	357	1.46	-
5755MHz	Pass	AV	5.7586G	97.51	Inf	-Inf	3	Horizontal	156	1.57	-
5755MHz	Pass	PK	5.6326G	59.69	68.20	-8.51	3	Horizontal	156	1.57	-
5755MHz	Pass	PK	5.7502G	106.11	Inf	-Inf	3	Horizontal	156	1.57	-
5755MHz	Pass	PK	5.9314G	63.25	68.20	-4.95	3	Horizontal	156	1.57	-
5755MHz	Pass	AV	11.50976G	48.57	54.00	-5.43	3	Vertical	276	1.50	-
5755MHz	Pass	PK	11.50984G	59.99	74.00	-14.01	3	Vertical	276	1.50	-
5755MHz	Pass	AV	11.50344G	49.58	54.00	-4.42	3	Horizontal	237	1.57	-
5755MHz	Pass	PK	11.50856G	61.49	74.00	-12.51	3	Horizontal	237	1.57	-
5795MHz	Pass	AV	5.7986G	98.51	Inf	-Inf	3	Vertical	159	1.50	-
5795MHz	Pass	PK	5.5982G	59.25	68.20	-8.95	3	Vertical	159	1.50	-
5795MHz	Pass	PK	5.801G	108.03	Inf	-Inf	3	Vertical	159	1.50	-
5795MHz	Pass	PK	5.9366G	62.95	68.20	-5.25	3	Vertical	159	1.50	-
5795MHz	Pass	AV	5.7986G	98.70	Inf	-Inf	3	Horizontal	159	1.49	-
5795MHz	Pass	PK	5.6486G	59.97	68.20	-8.23	3	Horizontal	159	1.49	-
5795MHz	Pass	PK	5.8034G	107.99	Inf	-Inf	3	Horizontal	159	1.49	-
5795MHz	Pass	PK	6.0422G	62.41	68.20	-5.79	3	Horizontal	159	1.49	-
5795MHz	Pass	AV	11.58976G	44.86	54.00	-9.14	3	Vertical	280	1.49	-
5795MHz	Pass	PK	11.58592G	56.07	74.00	-17.93	3	Vertical	280	1.49	-
5795MHz	Pass	AV	11.59G	50.04	54.00	-3.96	3	Horizontal	237	1.48	-
5795MHz	Pass	PK	11.58976G	61.50	74.00	-12.50	3	Horizontal	237	1.48	-
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	50.10	54.00	-3.90	3	Vertical	349	2.40	-
5210MHz	Pass	AV	5.215G	90.22	Inf	-Inf	3	Vertical	349	2.40	-
5210MHz	Pass	AV	5.422G	49.05	54.00	-4.95	3	Vertical	349	2.40	-
5210MHz	Pass	PK	5.149G	58.78	74.00	-15.22	3	Vertical	349	2.40	-
5210MHz	Pass	PK	5.221G	96.88	Inf	-Inf	3	Vertical	349	2.40	-
5210MHz	Pass	PK	5.418G	59.71	74.00	-14.29	3	Vertical	349	2.40	-
5210MHz	Pass	AV	5.148G	50.83	54.00	-3.17	3	Horizontal	285	1.79	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.199G	92.28	Inf	-Inf	3	Horizontal	285	1.79	-
5210MHz	Pass	AV	5.355G	49.05	54.00	-4.95	3	Horizontal	285	1.79	-
5210MHz	Pass	PK	5.142G	60.72	74.00	-13.28	3	Horizontal	285	1.79	-
5210MHz	Pass	PK	5.194G	100.52	Inf	-Inf	3	Horizontal	285	1.79	-
5210MHz	Pass	PK	5.371G	58.69	74.00	-15.31	3	Horizontal	285	1.79	-
5210MHz	Pass	PK	10.4328G	54.21	68.20	-13.99	3	Vertical	207	1.71	-
5210MHz	Pass	PK	10.42464G	47.75	68.20	-20.45	3	Horizontal	93	2.27	-
5290MHz	Pass	AV	5.146G	49.63	54.00	-4.37	3	Vertical	360	2.16	-
5290MHz	Pass	AV	5.295G	89.44	Inf	-Inf	3	Vertical	360	2.16	-
5290MHz	Pass	AV	5.379G	49.67	54.00	-4.33	3	Vertical	360	2.16	-
5290MHz	Pass	PK	5.14G	59.04	74.00	-14.96	3	Vertical	360	2.16	-
5290MHz	Pass	PK	5.284G	97.55	Inf	-Inf	3	Vertical	360	2.16	-
5290MHz	Pass	PK	5.532G	58.76	68.20	-9.44	3	Vertical	360	2.16	-
5290MHz	Pass	AV	5.143G	49.75	54.00	-4.25	3	Horizontal	264	1.76	-
5290MHz	Pass	AV	5.279G	93.02	Inf	-Inf	3	Horizontal	264	1.76	-
5290MHz	Pass	AV	5.36G	50.66	54.00	-3.34	3	Horizontal	264	1.76	-
5290MHz	Pass	PK	5.14G	59.85	74.00	-14.15	3	Horizontal	264	1.76	-
5290MHz	Pass	PK	5.276G	100.73	Inf	-Inf	3	Horizontal	264	1.76	-
5290MHz	Pass	PK	5.466G	58.87	68.20	-9.33	3	Horizontal	264	1.76	-
5290MHz	Pass	PK	10.5888G	50.10	68.20	-18.10	3	Vertical	59	2.25	-
5290MHz	Pass	PK	10.56016G	50.10	68.20	-18.10	3	Horizontal	104	2.10	-
5530MHz	Pass	AV	5.46G	49.69	54.00	-4.31	3	Vertical	357	1.50	-
5530MHz	Pass	AV	5.527G	89.74	Inf	-Inf	3	Vertical	357	1.50	-
5530MHz	Pass	PK	5.469G	58.91	68.20	-9.29	3	Vertical	357	1.50	-
5530MHz	Pass	PK	5.512G	100.01	Inf	-Inf	3	Vertical	357	1.50	-
5530MHz	Pass	PK	5.749G	60.08	68.20	-8.12	3	Vertical	357	1.50	-
5530MHz	Pass	AV	5.457G	50.85	54.00	-3.15	3	Horizontal	248	1.79	-
5530MHz	Pass	AV	5.512G	91.27	Inf	-Inf	3	Horizontal	248	1.79	-
5530MHz	Pass	PK	5.469G	60.26	68.20	-7.94	3	Horizontal	248	1.79	-
5530MHz	Pass	PK	5.516G	99.77	Inf	-Inf	3	Horizontal	248	1.79	-
5530MHz	Pass	PK	5.738G	59.65	68.20	-8.55	3	Horizontal	248	1.79	-
5530MHz	Pass	AV	11.11808G	45.51	54.00	-8.49	3	Vertical	323	1.50	-
5530MHz	Pass	PK	11.10512G	55.03	74.00	-18.97	3	Vertical	323	1.50	-
5530MHz	Pass	AV	11.01944G	45.42	54.00	-8.58	3	Horizontal	303	1.44	-
5530MHz	Pass	PK	11.05832G	54.56	74.00	-19.44	3	Horizontal	303	1.44	-
5610MHz	Pass	AV	5.455G	50.70	54.00	-3.30	3	Vertical	360	1.50	-
5610MHz	Pass	AV	5.595G	97.14	Inf	-Inf	3	Vertical	360	1.50	-
5610MHz	Pass	PK	5.465G	61.31	68.20	-6.89	3	Vertical	360	1.50	-
5610MHz	Pass	PK	5.597G	104.39	Inf	-Inf	3	Vertical	360	1.50	-
5610MHz	Pass	PK	5.735G	62.07	68.20	-6.13	3	Vertical	360	1.50	-
5610MHz	Pass	AV	5.458G	50.23	54.00	-3.77	3	Horizontal	143	1.64	-
5610MHz	Pass	AV	5.596G	96.39	Inf	-Inf	3	Horizontal	143	1.64	-
5610MHz	Pass	PK	5.469G	59.97	68.20	-8.23	3	Horizontal	143	1.64	-
5610MHz	Pass	PK	5.594G	104.99	Inf	-Inf	3	Horizontal	143	1.64	-
5610MHz	Pass	PK	5.734G	62.18	68.20	-6.02	3	Horizontal	143	1.64	-
5610MHz	Pass	AV	11.23896G	48.88	54.00	-5.12	3	Vertical	293	1.50	-
5610MHz	Pass	PK	11.23872G	58.16	74.00	-15.84	3	Vertical	293	1.50	-
5610MHz	Pass	AV	11.23872G	50.37	54.00	-3.63	3	Horizontal	241	1.48	-
5610MHz	Pass	PK	11.23896G	58.91	74.00	-15.09	3	Horizontal	241	1.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	49.19	54.00	-4.81	3	Vertical	348	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.679G	96.09	Inf	-Inf	3	Vertical	348	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.01	68.20	-10.19	3	Vertical	348	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.692G	103.75	Inf	-Inf	3	Vertical	348	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.869G	60.94	68.20	-7.26	3	Vertical	348	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.454G	48.92	54.00	-5.08	3	Horizontal	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.676G	95.62	Inf	-Inf	3	Horizontal	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.69	68.20	-10.51	3	Horizontal	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.681G	103.44	Inf	-Inf	3	Horizontal	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.878G	61.67	68.20	-6.53	3	Horizontal	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39872G	48.31	54.00	-5.69	3	Vertical	283	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39896G	56.96	74.00	-17.04	3	Vertical	283	1.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39896G	49.26	54.00	-4.74	3	Horizontal	239	1.55	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39896G	58.29	74.00	-15.71	3	Horizontal	239	1.55	-
5775MHz	Pass	AV	5.763G	96.46	Inf	-Inf	3	Vertical	351	1.50	-
5775MHz	Pass	PK	5.6466G	60.59	68.20	-7.61	3	Vertical	351	1.50	-
5775MHz	Pass	PK	5.7582G	104.69	Inf	-Inf	3	Vertical	351	1.50	-
5775MHz	Pass	PK	6.009G	61.40	68.20	-6.80	3	Vertical	351	1.50	-
5775MHz	Pass	AV	5.7702G	95.61	Inf	-Inf	3	Horizontal	153	1.50	-
5775MHz	Pass	PK	5.5794G	59.71	68.20	-8.49	3	Horizontal	153	1.50	-
5775MHz	Pass	PK	5.7714G	104.24	Inf	-Inf	3	Horizontal	153	1.50	-
5775MHz	Pass	PK	6.0342G	61.69	68.20	-6.51	3	Horizontal	153	1.50	-
5775MHz	Pass	AV	11.56896G	47.52	54.00	-6.48	3	Vertical	280	1.50	-
5775MHz	Pass	PK	11.5682G	56.83	74.00	-17.17	3	Vertical	280	1.50	-
5775MHz	Pass	AV	11.56872G	48.84	54.00	-5.16	3	Horizontal	233	1.49	-
5775MHz	Pass	PK	11.56872G	57.90	74.00	-16.10	3	Horizontal	233	1.49	-

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.62	54.00	-5.38	6.05	3	Vertical	357	1.83	-	42.57	33.10	7.21	34.26
AV	5.177G	101.84	Inf	-Inf	6.05	3	Vertical	357	1.83	-	95.79	33.05	7.26	34.26
PK	5.1482G	59.95	74.00	-14.05	6.05	3	Vertical	357	1.83	-	53.90	33.10	7.21	34.26
PK	5.177G	110.35	Inf	-Inf	6.05	3	Vertical	357	1.83	-	104.30	33.05	7.26	34.26

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.34	54.00	-3.66	6.05	3	Horizontal	287	2.00	-	44.29	33.10	7.21	34.26
AV	5.1826G	104.55	Inf	-Inf	6.05	3	Horizontal	287	2.00	-	98.50	33.03	7.28	34.26
PK	5.1446G	61.41	74.00	-12.59	6.05	3	Horizontal	287	2.00	-	55.36	33.11	7.20	34.26
PK	5.1826G	112.81	Inf	-Inf	6.05	3	Horizontal	287	2.00	-	106.76	33.03	7.28	34.26

802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36564G	55.24	68.20	-12.96	14.09	3	Vertical	356	2.49	-	41.15	38.67	10.33	34.91

802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36G	58.13	68.20	-10.07	14.08	3	Horizontal	253	1.73	-	44.05	38.66	10.33	34.91

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.13	54.00	-5.87	6.05	3	Vertical	356	1.89	-	42.08	33.10	7.21	34.26
AV	5.1972G	106.09	Inf	-Inf	6.05	3	Vertical	356	1.89	-	100.04	33.01	7.30	34.26
PK	5.1496G	60.26	74.00	-13.74	6.05	3	Vertical	356	1.89	-	54.21	33.10	7.21	34.26
PK	5.1972G	114.81	Inf	-Inf	6.05	3	Vertical	356	1.89	-	108.76	33.01	7.30	34.26

### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.38	54.00	-4.62	6.05	3	Horizontal	285	1.98	-	43.33	33.10	7.21	34.26
AV	5.1976G	108.49	Inf	-Inf	6.05	3	Horizontal	285	1.98	-	102.44	33.00	7.31	34.26
PK	5.148G	61.00	74.00	-13.00	6.05	3	Horizontal	285	1.98	-	54.95	33.10	7.21	34.26
PK	5.1976G	117.42	Inf	-Inf	6.05	3	Horizontal	285	1.98	-	111.37	33.00	7.31	34.26



### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4036G	59.35	68.20	-8.85	14.17	3	Vertical	288	1.49	-	45.18	38.70	10.35	34.88

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3997G	64.03	68.20	-4.17	14.16	3	Horizontal	249	1.75	-	49.87	38.70	10.35	34.89

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.07	54.00	-6.93	6.05	3	Vertical	360	1.94	-	41.02	33.10	7.21	34.26
AV	5.2394G	105.30	Inf	-Inf	5.95	3	Vertical	360	1.94	-	99.35	32.92	7.29	34.26
AV	5.3804G	46.81	54.00	-7.19	5.94	3	Vertical	360	1.94	-	40.87	32.96	7.23	34.25
PK	5.1296G	58.44	74.00	-15.56	6.05	3	Vertical	360	1.94	-	52.39	33.14	7.17	34.26
PK	5.2418G	114.08	Inf	-Inf	5.95	3	Vertical	360	1.94	-	108.13	32.92	7.29	34.26
PK	5.3522G	58.74	74.00	-15.26	5.89	3	Vertical	360	1.94	-	52.85	32.90	7.24	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.62	54.00	-6.38	6.05	3	Horizontal	279	1.76	-	41.57	33.10	7.21	34.26
AV	5.2412G	108.83	Inf	-Inf	5.95	3	Horizontal	279	1.76	-	102.88	32.92	7.29	34.26
AV	5.3798G	46.80	54.00	-7.20	5.94	3	Horizontal	279	1.76	-	40.86	32.96	7.23	34.25
PK	5.1434G	58.92	74.00	-15.08	6.05	3	Horizontal	279	1.76	-	52.87	33.11	7.20	34.26
PK	5.2448G	117.30	Inf	-Inf	5.94	3	Horizontal	279	1.76	-	111.36	32.91	7.29	34.26
PK	5.381G	58.62	74.00	-15.38	5.94	3	Horizontal	279	1.76	-	52.68	32.96	7.23	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47956G	60.06	68.20	-8.14	14.16	3	Vertical	333	1.30	-	45.90	38.62	10.38	34.84

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48444G	63.54	68.20	-4.66	14.16	3	Horizontal	251	2.06	-	49.38	38.62	10.38	34.84

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	46.98	54.00	-7.02	6.05	3	Vertical	0	1.44	-	40.93	33.12	7.19	34.26
AV	5.2618G	105.95	Inf	-Inf	5.98	3	Vertical	0	1.44	-	99.97	32.95	7.28	34.25
AV	5.3644G	46.78	54.00	-7.22	5.92	3	Vertical	0	1.44	-	40.86	32.93	7.24	34.25
PK	5.15G	58.44	74.00	-15.56	6.05	3	Vertical	0	1.44	-	52.39	33.10	7.21	34.26
PK	5.2618G	114.57	Inf	-Inf	5.98	3	Vertical	0	1.44	-	108.59	32.95	7.28	34.25
PK	5.3872G	58.34	74.00	-15.66	5.95	3	Vertical	0	1.44	-	52.39	32.97	7.23	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.25	54.00	-6.75	6.05	3	Horizontal	267	1.85	-	41.20	33.10	7.21	34.26
AV	5.2582G	108.25	Inf	-Inf	5.96	3	Horizontal	267	1.85	-	102.29	32.93	7.28	34.25
AV	5.3608G	47.13	54.00	-6.87	5.91	3	Horizontal	267	1.85	-	41.22	32.92	7.24	34.25
PK	5.1274G	58.81	74.00	-15.19	6.05	3	Horizontal	267	1.85	-	52.76	33.15	7.16	34.26
PK	5.2606G	116.99	Inf	-Inf	5.97	3	Horizontal	267	1.85	-	111.02	32.94	7.28	34.25
PK	5.3566G	58.94	74.00	-15.06	5.90	3	Horizontal	267	1.85	-	53.04	32.91	7.24	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52018G	58.94	68.20	-9.26	14.28	3	Vertical	277	1.63	-	44.66	38.70	10.40	34.82

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52378G	64.80	68.20	-3.40	14.31	3	Horizontal	236	2.00	-	50.49	38.72	10.40	34.81

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	106.05	Inf	-Inf	6.10	3	Vertical	0	1.68	-	99.95	33.09	7.26	34.25
AV	5.35G	48.28	54.00	-5.72	5.89	3	Vertical	0	1.68	-	42.39	32.90	7.24	34.25
PK	5.2992G	114.57	Inf	-Inf	6.12	3	Vertical	0	1.68	-	108.45	33.10	7.27	34.25
PK	5.3512G	59.54	74.00	-14.46	5.89	3	Vertical	0	1.68	-	53.65	32.90	7.24	34.25


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	108.83	Inf	-Inf	6.11	3	Horizontal	278	1.73	-	102.72	33.09	7.27	34.25
AV	5.35G	49.60	54.00	-4.40	5.89	3	Horizontal	278	1.73	-	43.71	32.90	7.24	34.25
PK	5.3012G	116.99	Inf	-Inf	6.11	3	Horizontal	278	1.73	-	110.88	33.10	7.26	34.25
PK	5.35G	61.93	74.00	-12.07	5.89	3	Horizontal	278	1.73	-	56.04	32.90	7.24	34.25

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60066G	45.94	54.00	-8.06	14.77	3	Vertical	277	1.55	-	31.17	39.10	10.43	34.76
PK	10.60054G	58.64	74.00	-15.36	14.77	3	Vertical	277	1.55	-	43.87	39.10	10.43	34.76


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60312G	49.79	54.00	-4.21	14.77	3	Horizontal	238	1.97	-	35.02	39.10	10.43	34.76
PK	10.60372G	62.90	74.00	-11.10	14.77	3	Horizontal	238	1.97	-	48.13	39.10	10.43	34.76

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	102.73	Inf	-Inf	6.03	3	Vertical	15	1.50	-	96.70	33.02	7.26	34.25
AV	5.3502G	48.89	54.00	-5.11	5.89	3	Vertical	15	1.50	-	43.00	32.90	7.24	34.25
PK	5.3192G	111.94	Inf	-Inf	6.03	3	Vertical	15	1.50	-	105.91	33.02	7.26	34.25
PK	5.3538G	60.18	74.00	-13.82	5.90	3	Vertical	15	1.50	-	54.28	32.91	7.24	34.25

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	105.08	Inf	-Inf	6.04	3	Horizontal	288	1.81	-	99.04	33.03	7.26	34.25
AV	5.35G	50.12	54.00	-3.88	5.89	3	Horizontal	288	1.81	-	44.23	32.90	7.24	34.25
PK	5.3188G	114.70	Inf	-Inf	6.03	3	Horizontal	288	1.81	-	108.67	33.02	7.26	34.25
PK	5.3502G	61.50	74.00	-12.50	5.89	3	Horizontal	288	1.81	-	55.61	32.90	7.24	34.25




**802.11a\_Nss1,(6Mbps)\_2TX**  
**5320MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63556G	43.02	54.00	-10.98	14.76	3	Vertical	278	1.55	-	28.26	39.06	10.44	34.74
PK	10.64048G	54.67	74.00	-19.33	14.77	3	Vertical	278	1.55	-	39.90	39.06	10.45	34.74


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5320MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	44.80	54.00	-9.20	14.77	3	Horizontal	248	1.96	-	30.03	39.06	10.45	34.74
PK	10.64558G	56.16	74.00	-17.84	14.77	3	Horizontal	248	1.96	-	41.39	39.05	10.45	34.73

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.16	54.00	-5.84	6.16	3	Vertical	0	1.39	-	42.00	33.12	7.28	34.24
AV	5.4992G	103.25	Inf	-Inf	6.28	3	Vertical	0	1.39	-	96.97	33.20	7.32	34.24
PK	5.4694G	61.93	68.20	-6.27	6.19	3	Vertical	0	1.39	-	55.74	33.14	7.29	34.24
PK	5.5016G	112.48	Inf	-Inf	6.27	3	Vertical	0	1.39	-	106.21	33.19	7.32	34.24


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	48.32	54.00	-5.68	6.16	3	Horizontal	78	1.74	-	42.16	33.12	7.28	34.24
AV	5.4986G	103.53	Inf	-Inf	6.28	3	Horizontal	78	1.74	-	97.25	33.20	7.32	34.24
PK	5.4698G	62.40	68.20	-5.80	6.19	3	Horizontal	78	1.74	-	56.21	33.14	7.29	34.24
PK	5.4968G	112.88	Inf	-Inf	6.27	3	Horizontal	78	1.74	-	106.61	33.19	7.32	34.24

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00036G	44.87	54.00	-9.13	14.90	3	Vertical	279	1.50	-	29.97	38.80	10.60	34.50
PK	11.00006G	56.72	74.00	-17.28	14.90	3	Vertical	279	1.50	-	41.82	38.80	10.60	34.50


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99844G	46.01	54.00	-7.99	14.89	3	Horizontal	236	1.68	-	31.12	38.80	10.59	34.50
PK	11.0036G	58.55	74.00	-15.45	14.90	3	Horizontal	236	1.68	-	43.65	38.80	10.60	34.50

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	46.86	54.00	-7.14	6.14	3	Vertical	0	1.50	-	40.72	33.11	7.27	34.24
AV	5.5818G	102.33	Inf	-Inf	6.27	3	Vertical	0	1.50	-	96.06	33.13	7.40	34.26
PK	5.466G	57.56	68.20	-10.64	6.18	3	Vertical	0	1.50	-	51.38	33.13	7.29	34.24
PK	5.5818G	111.09	Inf	-Inf	6.27	3	Vertical	0	1.50	-	104.82	33.13	7.40	34.26
PK	5.727G	58.74	68.20	-9.46	6.76	3	Vertical	0	1.50	-	51.98	33.62	7.45	34.31


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	47.07	54.00	-6.93	6.15	3	Horizontal	85	1.78	-	40.92	33.11	7.28	34.24
AV	5.5782G	103.20	Inf	-Inf	6.25	3	Horizontal	85	1.78	-	96.95	33.11	7.40	34.26
PK	5.4618G	58.58	68.20	-9.62	6.16	3	Horizontal	85	1.78	-	52.42	33.12	7.28	34.24
PK	5.5782G	112.32	Inf	-Inf	6.25	3	Horizontal	85	1.78	-	106.07	33.11	7.40	34.26
PK	5.7288G	60.03	68.20	-8.17	6.77	3	Horizontal	85	1.78	-	53.26	33.63	7.45	34.31

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15982G	47.75	54.00	-6.25	15.18	3	Vertical	285	1.61	-	32.57	39.02	10.66	34.50
PK	11.16G	60.42	74.00	-13.58	15.18	3	Vertical	285	1.61	-	45.24	39.02	10.66	34.50

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15832G	48.63	54.00	-5.37	15.18	3	Horizontal	234	1.52	-	33.45	39.02	10.66	34.50
PK	11.1636G	62.46	74.00	-11.54	15.19	3	Horizontal	234	1.52	-	47.27	39.03	10.66	34.50

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	102.90	Inf	-Inf	6.54	3	Vertical	354	1.50	-	96.36	33.40	7.44	34.30
PK	5.698G	112.00	Inf	-Inf	6.54	3	Vertical	354	1.50	-	105.46	33.40	7.44	34.30
PK	5.7252G	64.66	68.20	-3.54	6.74	3	Vertical	354	1.50	-	57.92	33.60	7.45	34.31

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	102.38	Inf	-Inf	6.57	3	Horizontal	159	1.59	-	95.81	33.42	7.45	34.30
PK	5.6988G	111.10	Inf	-Inf	6.54	3	Horizontal	159	1.59	-	104.56	33.40	7.44	34.30
PK	5.7272G	64.73	68.20	-3.47	6.76	3	Horizontal	159	1.59	-	57.97	33.62	7.45	34.31

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39946G	49.80	54.00	-4.20	15.27	3	Vertical	280	1.61	-	34.53	39.00	10.76	34.49
PK	11.40408G	63.11	74.00	-10.89	15.27	3	Vertical	280	1.61	-	47.84	39.00	10.76	34.49

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39934G	50.90	54.00	-3.10	15.27	3	Horizontal	242	1.62	-	35.63	39.00	10.76	34.49
PK	11.40402G	64.32	74.00	-9.68	15.27	3	Horizontal	242	1.62	-	49.05	39.00	10.76	34.49

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.718G	102.55	Inf	-Inf	6.68	3	Vertical	360	1.38	-	95.87	33.54	7.45	34.31
PK	5.722G	111.09	Inf	-Inf	6.72	3	Vertical	360	1.38	-	104.37	33.58	7.45	34.31
PK	5.893G	60.98	68.20	-7.22	7.37	3	Vertical	360	1.38	-	53.61	34.11	7.62	34.36


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.721G	101.48	Inf	-Inf	6.71	3	Horizontal	153	1.50	-	94.77	33.57	7.45	34.31
PK	5.719G	109.16	Inf	-Inf	6.69	3	Horizontal	153	1.50	-	102.47	33.55	7.45	34.31
PK	5.903G	61.07	68.20	-7.13	7.39	3	Horizontal	153	1.50	-	53.68	34.12	7.63	34.36




**802.11a\_Nss1,(6Mbps)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43888G	47.22	54.00	-6.78	15.29	3	Vertical	279	1.58	-	31.93	39.00	10.78	34.49
PK	11.44336G	60.91	74.00	-13.09	15.29	3	Vertical	279	1.58	-	45.62	39.00	10.78	34.49


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43968G	48.33	54.00	-5.67	15.29	3	Horizontal	241	1.54	-	33.04	39.00	10.78	34.49
PK	11.44396G	60.83	74.00	-13.17	15.29	3	Horizontal	241	1.54	-	45.54	39.00	10.78	34.49

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.20	Inf	-Inf	6.93	3	Vertical	357	2.26	-	96.27	33.78	7.46	34.31
PK	5.4822G	58.99	68.20	-9.21	6.22	3	Vertical	357	2.26	-	52.77	33.16	7.30	34.24
PK	5.7474G	111.20	Inf	-Inf	6.93	3	Vertical	357	2.26	-	104.27	33.78	7.46	34.31
PK	6.0306G	61.41	68.20	-6.79	7.72	3	Vertical	357	2.26	-	53.69	34.32	7.80	34.40


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	102.28	Inf	-Inf	6.88	3	Horizontal	158	1.58	-	95.40	33.73	7.46	34.31
PK	5.4954G	59.62	68.20	-8.58	6.27	3	Horizontal	158	1.58	-	53.35	33.19	7.32	34.24
PK	5.7414G	111.39	Inf	-Inf	6.88	3	Horizontal	158	1.58	-	104.51	33.73	7.46	34.31
PK	5.9478G	62.68	68.20	-5.52	7.73	3	Horizontal	158	1.58	-	54.95	34.39	7.71	34.37

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48952G	49.97	54.00	-4.03	15.31	3	Vertical	275	1.57	-	34.66	39.00	10.80	34.49
PK	11.48964G	63.77	74.00	-10.23	15.31	3	Vertical	275	1.57	-	48.46	39.00	10.80	34.49


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48856G	50.75	54.00	-3.25	15.31	3	Horizontal	237	1.50	-	35.44	39.00	10.80	34.49
PK	11.49348G	65.26	74.00	-8.74	15.31	3	Horizontal	237	1.50	-	49.95	39.00	10.80	34.49

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	103.31	Inf	-Inf	7.02	3	Vertical	357	1.46	-	96.29	33.87	7.47	34.32
PK	5.6458G	59.78	68.20	-8.42	6.44	3	Vertical	357	1.46	-	53.34	33.29	7.43	34.28
PK	5.7874G	112.17	Inf	-Inf	7.01	3	Vertical	357	1.46	-	105.16	33.87	7.47	34.33
PK	6.0142G	62.04	68.20	-6.16	7.66	3	Vertical	357	1.46	-	54.38	34.26	7.80	34.40


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	102.21	Inf	-Inf	7.01	3	Horizontal	158	1.61	-	95.20	33.87	7.47	34.33
PK	5.647G	59.49	68.20	-8.71	6.44	3	Horizontal	158	1.61	-	53.05	33.29	7.43	34.28
PK	5.7814G	110.76	Inf	-Inf	7.01	3	Horizontal	158	1.61	-	103.75	33.86	7.47	34.32
PK	6.0526G	61.84	68.20	-6.36	7.79	3	Horizontal	158	1.61	-	54.05	34.39	7.81	34.41

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56952G	50.05	54.00	-3.95	15.24	3	Vertical	278	1.58	-	34.81	38.93	10.83	34.52
PK	11.56952G	64.11	74.00	-9.89	15.24	3	Vertical	278	1.58	-	48.87	38.93	10.83	34.52


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56928G	50.95	54.00	-3.05	15.25	3	Horizontal	236	1.50	-	35.70	38.93	10.83	34.51
PK	11.57366G	65.82	74.00	-8.18	15.24	3	Horizontal	236	1.50	-	50.58	38.93	10.83	34.52

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	102.23	Inf	-Inf	7.21	3	Vertical	357	2.06	-	95.02	34.04	7.51	34.34
PK	5.5718G	58.80	68.20	-9.40	6.22	3	Vertical	357	2.06	-	52.58	33.09	7.39	34.26
PK	5.8226G	110.82	Inf	-Inf	7.21	3	Vertical	357	2.06	-	103.61	34.04	7.51	34.34
PK	6.0494G	62.60	68.20	-5.60	7.80	3	Vertical	357	2.06	-	54.80	34.40	7.81	34.41


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.00	Inf	-Inf	7.19	3	Horizontal	151	1.31	-	93.81	34.03	7.50	34.34
PK	5.5922G	58.96	68.20	-9.24	6.31	3	Horizontal	151	1.31	-	52.65	33.17	7.41	34.27
PK	5.8226G	109.45	Inf	-Inf	7.21	3	Horizontal	151	1.31	-	102.24	34.04	7.51	34.34
PK	6.0398G	61.82	68.20	-6.38	7.76	3	Horizontal	151	1.31	-	54.06	34.36	7.81	34.41

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65066G	47.27	54.00	-6.73	15.18	3	Vertical	276	1.50	-	32.09	38.85	10.87	34.54
PK	11.65042G	61.28	74.00	-12.72	15.17	3	Vertical	276	1.50	-	46.11	38.85	10.86	34.54


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65012G	48.12	54.00	-5.88	15.17	3	Horizontal	236	1.50	-	32.95	38.85	10.86	34.54
PK	11.65372G	61.91	74.00	-12.09	15.17	3	Horizontal	236	1.50	-	46.74	38.85	10.87	34.55

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.92	54.00	-5.08	6.05	3	Vertical	360	1.16	-	42.87	33.10	7.21	34.26
AV	5.1822G	98.08	Inf	-Inf	6.05	3	Vertical	360	1.16	-	92.03	33.04	7.27	34.26
PK	5.1446G	59.75	74.00	-14.25	6.05	3	Vertical	360	1.16	-	53.70	33.11	7.20	34.26
PK	5.183G	107.48	Inf	-Inf	6.05	3	Vertical	360	1.16	-	101.43	33.03	7.28	34.26

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	50.19	54.00	-3.81	6.05	3	Horizontal	281	1.74	-	44.14	33.10	7.21	34.26
AV	5.178G	102.13	Inf	-Inf	6.05	3	Horizontal	281	1.74	-	96.08	33.04	7.27	34.26
PK	5.1426G	61.21	74.00	-12.79	6.05	3	Horizontal	281	1.74	-	55.16	33.11	7.20	34.26
PK	5.1784G	110.66	Inf	-Inf	6.05	3	Horizontal	281	1.74	-	104.61	33.04	7.27	34.26



### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36696G	55.14	68.20	-13.06	14.10	3	Vertical	275	1.90	-	41.04	38.67	10.33	34.90

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3597G	55.72	68.20	-12.48	14.08	3	Horizontal	109	1.60	-	41.64	38.66	10.33	34.91

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.30	54.00	-5.70	6.05	3	Vertical	357	2.28	-	42.25	33.10	7.21	34.26
AV	5.202G	104.41	Inf	-Inf	6.05	3	Vertical	357	2.28	-	98.36	33.00	7.31	34.26
PK	5.146G	59.41	74.00	-14.59	6.05	3	Vertical	357	2.28	-	53.36	33.11	7.20	34.26
PK	5.2036G	114.12	Inf	-Inf	6.04	3	Vertical	357	2.28	-	108.08	32.99	7.31	34.26

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.46	54.00	-3.54	6.05	3	Horizontal	281	1.77	-	44.41	33.10	7.21	34.26
AV	5.198G	108.18	Inf	-Inf	6.05	3	Horizontal	281	1.77	-	102.13	33.00	7.31	34.26
PK	5.15G	61.53	74.00	-12.47	6.05	3	Horizontal	281	1.77	-	55.48	33.10	7.21	34.26
PK	5.1984G	116.69	Inf	-Inf	6.05	3	Horizontal	281	1.77	-	110.64	33.00	7.31	34.26

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40222G	58.47	68.20	-9.73	14.17	3	Vertical	282	1.89	-	44.30	38.70	10.35	34.88

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5200MHz\_TX







Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39976G	58.72	68.20	-9.48	14.16	3	Horizontal	108	1.57	-	44.56	38.70	10.35	34.89

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5240MHz\_TX




Lim.PK   
 PK   
 Lim.AV   
 AV 





13/08/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.79	54.00	-6.21	6.05	3	Vertical	360	2.17	-	41.74	33.10	7.21	34.26
AV	5.2424G	105.47	Inf	-Inf	5.95	3	Vertical	360	2.17	-	99.52	32.92	7.29	34.26
AV	5.3846G	47.37	54.00	-6.63	5.95	3	Vertical	360	2.17	-	41.42	32.97	7.23	34.25
PK	5.1326G	58.58	74.00	-15.42	6.05	3	Vertical	360	2.17	-	52.53	33.13	7.18	34.26
PK	5.2424G	113.93	Inf	-Inf	5.95	3	Vertical	360	2.17	-	107.98	32.92	7.29	34.26
PK	5.3624G	57.82	74.00	-16.18	5.91	3	Vertical	360	2.17	-	51.91	32.92	7.24	34.25

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5240MHz\_TX




Lim.PK   
 PK   
 Lim.AV   
 AV 

13/08/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.46	54.00	-5.54	6.05	3	Horizontal	279	1.74	-	42.41	33.10	7.21	34.26
AV	5.2376G	108.87	Inf	-Inf	5.95	3	Horizontal	279	1.74	-	102.92	32.92	7.29	34.26
AV	5.384G	47.71	54.00	-6.29	5.95	3	Horizontal	279	1.74	-	41.76	32.97	7.23	34.25
PK	5.1218G	59.42	74.00	-14.58	6.05	3	Horizontal	279	1.74	-	53.37	33.16	7.15	34.26
PK	5.2436G	117.33	Inf	-Inf	5.94	3	Horizontal	279	1.74	-	111.39	32.91	7.29	34.26
PK	5.3552G	58.70	74.00	-15.30	5.90	3	Horizontal	279	1.74	-	52.80	32.91	7.24	34.25

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47988G	60.09	68.20	-8.11	14.16	3	Vertical	280	1.82	-	45.93	38.62	10.38	34.84

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47988G	65.18	68.20	-3.02	14.16	3	Horizontal	241	2.03	-	51.02	38.62	10.38	34.84

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	47.58	54.00	-6.42	6.05	3	Vertical	360	1.47	-	41.53	33.11	7.20	34.26
AV	5.2624G	104.39	Inf	-Inf	5.98	3	Vertical	360	1.47	-	98.41	32.95	7.28	34.25
AV	5.4094G	47.40	54.00	-6.60	6.00	3	Vertical	360	1.47	-	41.40	33.02	7.23	34.25
PK	5.1172G	59.23	74.00	-14.77	6.05	3	Vertical	360	1.47	-	53.18	33.17	7.14	34.26
PK	5.2624G	113.61	Inf	-Inf	5.98	3	Vertical	360	1.47	-	107.63	32.95	7.28	34.25
PK	5.3854G	58.08	74.00	-15.92	5.95	3	Vertical	360	1.47	-	52.13	32.97	7.23	34.25

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.119G	47.81	54.00	-6.19	6.05	3	Horizontal	278	1.80	-	41.76	33.16	7.15	34.26
AV	5.2576G	107.79	Inf	-Inf	5.96	3	Horizontal	278	1.80	-	101.83	32.93	7.28	34.25
AV	5.3866G	47.71	54.00	-6.29	5.95	3	Horizontal	278	1.80	-	41.76	32.97	7.23	34.25
PK	5.1364G	58.77	74.00	-15.23	6.05	3	Horizontal	278	1.80	-	52.72	33.13	7.18	34.26
PK	5.2606G	116.68	Inf	-Inf	5.97	3	Horizontal	278	1.80	-	110.71	32.94	7.28	34.25
PK	5.398G	58.79	74.00	-15.21	5.97	3	Horizontal	278	1.80	-	52.82	33.00	7.22	34.25

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51496G	57.44	68.20	-10.76	14.24	3	Vertical	283	1.85	-	43.20	38.67	10.39	34.82

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.51622G	63.04	68.20	-5.16	14.25	3	Horizontal	243	2.01	-	48.79	38.68	10.39	34.82

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	104.14	Inf	-Inf	6.10	3	Vertical	360	1.48	-	98.04	33.09	7.26	34.25
AV	5.3564G	48.14	54.00	-5.86	5.90	3	Vertical	360	1.48	-	42.24	32.91	7.24	34.25
PK	5.3032G	113.21	Inf	-Inf	6.10	3	Vertical	360	1.48	-	107.11	33.09	7.26	34.25
PK	5.3544G	58.89	74.00	-15.11	5.90	3	Vertical	360	1.48	-	52.99	32.91	7.24	34.25

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	106.92	Inf	-Inf	6.11	3	Horizontal	269	1.75	-	100.81	33.09	7.27	34.25
AV	5.3504G	49.46	54.00	-4.54	5.89	3	Horizontal	269	1.75	-	43.57	32.90	7.24	34.25
PK	5.2968G	115.17	Inf	-Inf	6.11	3	Horizontal	269	1.75	-	109.06	33.09	7.27	34.25
PK	5.3512G	59.92	74.00	-14.08	5.89	3	Horizontal	269	1.75	-	54.03	32.90	7.24	34.25




**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60058G	45.38	54.00	-8.62	14.77	3	Vertical	278	1.63	-	30.61	39.10	10.43	34.76
PK	10.60046G	56.59	74.00	-17.41	14.77	3	Vertical	278	1.63	-	41.82	39.10	10.43	34.76


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60006G	49.23	54.00	-4.77	14.77	3	Horizontal	237	2.01	-	34.46	39.10	10.43	34.76
PK	10.6081G	62.12	74.00	-11.88	14.76	3	Horizontal	237	2.01	-	47.36	39.09	10.43	34.76

802.11ac VHT20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	100.12	Inf	-Inf	6.01	3	Vertical	360	1.58	-	94.11	33.01	7.25	34.25
AV	5.3566G	48.76	54.00	-5.24	5.90	3	Vertical	360	1.58	-	42.86	32.91	7.24	34.25
PK	5.3222G	109.15	Inf	-Inf	6.02	3	Vertical	360	1.58	-	103.13	33.01	7.26	34.25
PK	5.3522G	59.76	74.00	-14.24	5.89	3	Vertical	360	1.58	-	53.87	32.90	7.24	34.25


802.11ac VHT20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	103.20	Inf	-Inf	6.04	3	Horizontal	275	1.82	-	97.16	33.03	7.26	34.25
AV	5.35G	50.12	54.00	-3.88	5.89	3	Horizontal	275	1.82	-	44.23	32.90	7.24	34.25
PK	5.3224G	112.23	Inf	-Inf	6.01	3	Horizontal	275	1.82	-	106.22	33.01	7.25	34.25
PK	5.3584G	61.29	74.00	-12.71	5.91	3	Horizontal	275	1.82	-	55.38	32.92	7.24	34.25

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5320MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64282G	43.33	54.00	-10.67	14.77	3	Vertical	5	2.50	-	28.56	39.06	10.45	34.74
PK	10.63214G	54.57	74.00	-19.43	14.77	3	Vertical	5	2.50	-	39.80	39.07	10.44	34.74


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5320MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63946G	44.19	54.00	-9.81	14.77	3	Horizontal	242	1.93	-	29.42	39.06	10.45	34.74
PK	10.63826G	55.41	74.00	-18.59	14.76	3	Horizontal	242	1.93	-	40.65	39.06	10.44	34.74

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.80	54.00	-5.20	6.16	3	Vertical	6	1.38	-	42.64	33.12	7.28	34.24
AV	5.502G	103.17	Inf	-Inf	6.27	3	Vertical	6	1.38	-	96.90	33.19	7.32	34.24
PK	5.47G	64.64	68.20	-3.56	6.19	3	Vertical	6	1.38	-	58.45	33.14	7.29	34.24
PK	5.4976G	112.20	Inf	-Inf	6.28	3	Vertical	6	1.38	-	105.92	33.20	7.32	34.24


### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.96	54.00	-4.04	6.16	3	Horizontal	248	1.72	-	43.80	33.12	7.28	34.24
AV	5.5022G	103.47	Inf	-Inf	6.27	3	Horizontal	248	1.72	-	97.20	33.19	7.32	34.24
PK	5.47G	64.98	68.20	-3.22	6.19	3	Horizontal	248	1.72	-	58.79	33.14	7.29	34.24
PK	5.5018G	112.81	Inf	-Inf	6.27	3	Horizontal	248	1.72	-	106.54	33.19	7.32	34.24

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00492G	45.92	54.00	-8.08	14.90	3	Vertical	283	1.50	-	31.02	38.80	10.60	34.50
PK	11.00162G	57.62	74.00	-16.38	14.90	3	Vertical	283	1.50	-	42.72	38.80	10.60	34.50


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0012G	47.32	54.00	-6.68	14.90	3	Horizontal	241	1.64	-	32.42	38.80	10.60	34.50
PK	10.99604G	59.46	74.00	-14.54	14.89	3	Horizontal	241	1.64	-	44.57	38.80	10.59	34.50

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4378G	47.68	54.00	-6.32	6.10	3	Vertical	4	1.50	-	41.58	33.08	7.26	34.24
AV	5.5824G	102.08	Inf	-Inf	6.27	3	Vertical	4	1.50	-	95.81	33.13	7.40	34.26
PK	5.4684G	58.45	68.20	-9.75	6.19	3	Vertical	4	1.50	-	52.26	33.14	7.29	34.24
PK	5.5812G	111.00	Inf	-Inf	6.26	3	Vertical	4	1.50	-	104.74	33.12	7.40	34.26
PK	5.7252G	59.60	68.20	-8.60	6.74	3	Vertical	4	1.50	-	52.86	33.60	7.45	34.31


### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4306G	47.82	54.00	-6.18	6.07	3	Horizontal	243	1.76	-	41.75	33.06	7.25	34.24
AV	5.5776G	103.09	Inf	-Inf	6.25	3	Horizontal	243	1.76	-	96.84	33.11	7.40	34.26
PK	5.4624G	58.63	68.20	-9.57	6.16	3	Horizontal	243	1.76	-	52.47	33.12	7.28	34.24
PK	5.5776G	111.59	Inf	-Inf	6.25	3	Horizontal	243	1.76	-	105.34	33.11	7.40	34.26
PK	5.7282G	58.75	68.20	-9.45	6.77	3	Horizontal	243	1.76	-	51.98	33.63	7.45	34.31

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1591G	49.22	54.00	-4.78	15.18	3	Vertical	284	1.60	-	34.04	39.02	10.66	34.50
PK	11.1555G	60.97	74.00	-13.03	15.17	3	Vertical	284	1.60	-	45.80	39.01	10.66	34.50

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15868G	50.28	54.00	-3.72	15.18	3	Horizontal	237	1.45	-	35.10	39.02	10.66	34.50
PK	11.16276G	63.23	74.00	-10.77	15.19	3	Horizontal	237	1.45	-	48.04	39.03	10.66	34.50

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	101.50	Inf	-Inf	6.57	3	Vertical	360	1.50	-	94.93	33.42	7.45	34.30
PK	5.7028G	111.15	Inf	-Inf	6.57	3	Vertical	360	1.50	-	104.58	33.42	7.45	34.30
PK	5.7252G	64.77	68.20	-3.43	6.74	3	Vertical	360	1.50	-	58.03	33.60	7.45	34.31


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.702G	101.40	Inf	-Inf	6.57	3	Horizontal	152	2.27	-	94.83	33.42	7.45	34.30
PK	5.6976G	110.59	Inf	-Inf	6.54	3	Horizontal	152	2.27	-	104.05	33.40	7.44	34.30
PK	5.7256G	63.89	68.20	-4.31	6.74	3	Horizontal	152	2.27	-	57.15	33.60	7.45	34.31




**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39988G	48.54	54.00	-5.46	15.27	3	Vertical	284	1.50	-	33.27	39.00	10.76	34.49
PK	11.39904G	61.20	74.00	-12.80	15.27	3	Vertical	284	1.50	-	45.93	39.00	10.76	34.49

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39934G	49.31	54.00	-4.69	15.27	3	Horizontal	243	1.58	-	34.04	39.00	10.76	34.49
PK	11.40096G	61.95	74.00	-12.05	15.27	3	Horizontal	243	1.58	-	46.68	39.00	10.76	34.49

**802.11ac VHT20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.717G	101.71	Inf	-Inf	6.68	3	Vertical	0	1.38	-	95.03	33.54	7.45	34.31
PK	5.47G	57.14	68.20	-11.06	6.19	3	Vertical	0	1.38	-	50.95	33.14	7.29	34.24
PK	5.718G	110.60	Inf	-Inf	6.68	3	Vertical	0	1.38	-	103.92	33.54	7.45	34.31
PK	5.855G	60.82	68.20	-7.38	7.40	3	Vertical	0	1.38	-	53.42	34.19	7.56	34.35

**802.11ac VHT20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.722G	101.23	Inf	-Inf	6.72	3	Horizontal	152	2.35	-	94.51	33.58	7.45	34.31
PK	5.47G	57.02	68.20	-11.18	6.19	3	Horizontal	152	2.35	-	50.83	33.14	7.29	34.24
PK	5.717G	110.77	Inf	-Inf	6.68	3	Horizontal	152	2.35	-	104.09	33.54	7.45	34.31
PK	5.874G	61.18	68.20	-7.02	7.39	3	Horizontal	152	2.35	-	53.79	34.15	7.59	34.35

**802.11ac VHT20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43928G	49.31	54.00	-4.69	15.29	3	Vertical	284	1.62	-	34.02	39.00	10.78	34.49
PK	11.44804G	61.43	74.00	-12.57	15.29	3	Vertical	284	1.62	-	46.14	39.00	10.78	34.49


**802.11ac VHT20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43844G	49.31	54.00	-4.69	15.29	3	Horizontal	246	1.56	-	34.02	39.00	10.78	34.49
PK	11.4385G	62.75	74.00	-11.25	15.29	3	Horizontal	246	1.56	-	47.46	39.00	10.78	34.49

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	101.67	Inf	-Inf	6.89	3	Vertical	350	1.65	-	94.78	33.74	7.46	34.31
PK	5.5242G	59.61	68.20	-8.59	6.19	3	Vertical	350	1.65	-	53.42	33.10	7.34	34.25
PK	5.7438G	110.77	Inf	-Inf	6.90	3	Vertical	350	1.65	-	103.87	33.75	7.46	34.31
PK	5.9934G	61.58	68.20	-6.62	7.62	3	Vertical	350	1.65	-	53.96	34.23	7.78	34.39


### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	101.29	Inf	-Inf	6.93	3	Horizontal	159	1.56	-	94.36	33.78	7.46	34.31
PK	5.6466G	59.39	68.20	-8.81	6.44	3	Horizontal	159	1.56	-	52.95	33.29	7.43	34.28
PK	5.7438G	110.43	Inf	-Inf	6.90	3	Horizontal	159	1.56	-	103.53	33.75	7.46	34.31
PK	5.9682G	61.45	68.20	-6.75	7.69	3	Horizontal	159	1.56	-	53.76	34.33	7.74	34.38

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48988G	48.56	54.00	-5.44	15.31	3	Vertical	275	1.60	-	33.25	39.00	10.80	34.49
PK	11.48718G	61.64	74.00	-12.36	15.31	3	Vertical	275	1.60	-	46.33	39.00	10.80	34.49


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48982G	49.16	54.00	-4.84	15.31	3	Horizontal	240	1.54	-	33.85	39.00	10.80	34.49
PK	11.48952G	61.86	74.00	-12.14	15.31	3	Horizontal	240	1.54	-	46.55	39.00	10.80	34.49

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	102.19	Inf	-Inf	7.02	3	Vertical	357	1.44	-	95.17	33.87	7.47	34.32
PK	5.6302G	58.86	68.20	-9.34	6.41	3	Vertical	357	1.44	-	52.45	33.26	7.43	34.28
PK	5.7802G	110.77	Inf	-Inf	7.01	3	Vertical	357	1.44	-	103.76	33.86	7.47	34.32
PK	6.0322G	61.72	68.20	-6.48	7.73	3	Vertical	357	1.44	-	53.99	34.33	7.80	34.40


### 802.11ac VHT20\_Nss1,(MCS0)\_2TX

#### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.71	Inf	-Inf	7.01	3	Horizontal	138	1.74	-	93.70	33.87	7.47	34.33
PK	5.6374G	59.48	68.20	-8.72	6.42	3	Horizontal	138	1.74	-	53.06	33.27	7.43	34.28
PK	5.7814G	109.63	Inf	-Inf	7.01	3	Horizontal	138	1.74	-	102.62	33.86	7.47	34.32
PK	6.0742G	62.05	68.20	-6.15	7.70	3	Horizontal	138	1.74	-	54.35	34.30	7.82	34.42

**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5676G	48.32	54.00	-5.68	15.25	3	Vertical	275	1.50	-	33.07	38.93	10.83	34.51
PK	11.56874G	61.10	74.00	-12.90	15.25	3	Vertical	275	1.50	-	45.85	38.93	10.83	34.51


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57126G	48.82	54.00	-5.18	15.24	3	Horizontal	236	1.49	-	33.58	38.93	10.83	34.52
PK	11.57804G	61.55	74.00	-12.45	15.23	3	Horizontal	236	1.49	-	46.32	38.92	10.83	34.52

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	102.49	Inf	-Inf	7.23	3	Vertical	360	2.21	-	95.26	34.06	7.51	34.34
PK	5.6006G	59.49	68.20	-8.71	6.35	3	Vertical	360	2.21	-	53.14	33.20	7.42	34.27
PK	5.8226G	110.99	Inf	-Inf	7.21	3	Vertical	360	2.21	-	103.78	34.04	7.51	34.34
PK	6.0614G	61.83	68.20	-6.37	7.74	3	Vertical	360	2.21	-	54.09	34.35	7.81	34.42

### 802.11ac VHT20\_Nss1,(MCS0)\_2TX


#### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.89	Inf	-Inf	7.23	3	Horizontal	159	1.57	-	93.66	34.06	7.51	34.34
PK	5.627G	59.01	68.20	-9.19	6.40	3	Horizontal	159	1.57	-	52.61	33.25	7.43	34.28
PK	5.8262G	109.74	Inf	-Inf	7.23	3	Horizontal	159	1.57	-	102.51	34.06	7.51	34.34
PK	6.1238G	61.24	68.20	-6.96	7.60	3	Horizontal	159	1.57	-	53.64	34.20	7.84	34.44




**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	48.77	54.00	-5.23	15.17	3	Vertical	278	1.49	-	33.60	38.85	10.86	34.54
PK	11.65396G	62.37	74.00	-11.63	15.17	3	Vertical	278	1.49	-	47.20	38.85	10.87	34.55


**802.11ac VHT20\_Nss1,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6506G	49.12	54.00	-4.88	15.17	3	Horizontal	235	1.48	-	33.95	38.85	10.86	34.54
PK	11.6533G	61.93	74.00	-12.07	15.17	3	Horizontal	235	1.48	-	46.76	38.85	10.87	34.55

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.22	54.00	-4.78	6.05	3	Vertical	3	1.41	-	43.17	33.10	7.21	34.26
AV	5.1936G	95.18	Inf	-Inf	6.05	3	Vertical	3	1.41	-	89.13	33.01	7.30	34.26
PK	5.1492G	66.36	74.00	-7.64	6.05	3	Vertical	3	1.41	-	60.31	33.10	7.21	34.26
PK	5.1984G	104.26	Inf	-Inf	6.05	3	Vertical	3	1.41	-	98.21	33.00	7.31	34.26

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.84	54.00	-3.16	6.05	3	Horizontal	282	1.78	-	44.79	33.10	7.21	34.26
AV	5.196G	98.64	Inf	-Inf	6.05	3	Horizontal	282	1.78	-	92.59	33.01	7.30	34.26
PK	5.1372G	67.58	74.00	-6.42	6.05	3	Horizontal	282	1.78	-	61.53	33.13	7.18	34.26
PK	5.2G	107.59	Inf	-Inf	6.05	3	Horizontal	282	1.78	-	101.54	33.00	7.31	34.26

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36216G	54.53	68.20	-13.67	14.08	3	Vertical	349	1.50	-	40.45	38.66	10.33	34.91

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38464G	55.50	68.20	-12.70	14.13	3	Horizontal	109	1.50	-	41.37	38.68	10.34	34.89

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.45	54.00	-5.55	6.05	3	Vertical	4	1.23	-	42.40	33.10	7.21	34.26
AV	5.2336G	99.42	Inf	-Inf	5.96	3	Vertical	4	1.23	-	93.46	32.93	7.29	34.26
PK	5.1464G	64.17	74.00	-9.83	6.05	3	Vertical	4	1.23	-	58.12	33.11	7.20	34.26
PK	5.2332G	108.07	Inf	-Inf	5.97	3	Vertical	4	1.23	-	102.10	32.93	7.30	34.26

802.11ac VHT40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.94	54.00	-4.06	6.05	3	Horizontal	280	1.80	-	43.89	33.10	7.21	34.26
AV	5.2264G	102.85	Inf	-Inf	5.99	3	Horizontal	280	1.80	-	96.86	32.95	7.30	34.26
PK	5.148G	66.45	74.00	-7.55	6.05	3	Horizontal	280	1.80	-	60.40	33.10	7.21	34.26
PK	5.2236G	111.72	Inf	-Inf	5.99	3	Horizontal	280	1.80	-	105.73	32.95	7.30	34.26

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44064G	54.10	68.20	-14.10	14.16	3	Vertical	272	1.50	-	39.94	38.66	10.36	34.86

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4676G	56.84	68.20	-11.36	14.15	3	Horizontal	249	2.27	-	42.69	38.63	10.37	34.85

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	96.54	Inf	-Inf	6.10	3	Vertical	3	1.58	-	90.44	33.09	7.26	34.25
AV	5.358G	49.90	54.00	-4.10	5.91	3	Vertical	3	1.58	-	43.99	32.92	7.24	34.25
PK	5.3064G	105.78	Inf	-Inf	6.08	3	Vertical	3	1.58	-	99.70	33.07	7.26	34.25
PK	5.3516G	68.29	74.00	-5.71	5.89	3	Vertical	3	1.58	-	62.40	32.90	7.24	34.25


### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3064G	99.62	Inf	-Inf	6.08	3	Horizontal	278	1.88	-	93.54	33.07	7.26	34.25
AV	5.3504G	50.74	54.00	-3.26	5.89	3	Horizontal	278	1.88	-	44.85	32.90	7.24	34.25
PK	5.314G	108.13	Inf	-Inf	6.05	3	Horizontal	278	1.88	-	102.08	33.04	7.26	34.25
PK	5.3516G	70.23	74.00	-3.77	5.89	3	Horizontal	278	1.88	-	64.34	32.90	7.24	34.25

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5310MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60464G	43.76	54.00	-10.24	14.77	3	Vertical	360	2.35	-	28.99	39.10	10.43	34.76
PK	10.60528G	54.43	74.00	-19.57	14.76	3	Vertical	360	2.35	-	39.67	39.09	10.43	34.76


**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5310MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61448G	43.23	54.00	-10.77	14.78	3	Horizontal	309	1.00	-	28.45	39.09	10.44	34.75
PK	10.62144G	54.57	74.00	-19.43	14.77	3	Horizontal	309	1.00	-	39.80	39.08	10.44	34.75

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	48.62	54.00	-5.38	6.15	3	Vertical	360	1.33	-	42.47	33.11	7.28	34.24
AV	5.5136G	92.59	Inf	-Inf	6.24	3	Vertical	360	1.33	-	86.35	33.15	7.33	34.24
PK	5.4696G	62.20	68.20	-6.00	6.19	3	Vertical	360	1.33	-	56.01	33.14	7.29	34.24
PK	5.5124G	101.48	Inf	-Inf	6.24	3	Vertical	360	1.33	-	95.24	33.15	7.33	34.24

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.95	54.00	-5.05	6.16	3	Horizontal	272	1.71	-	42.79	33.12	7.28	34.24
AV	5.5064G	93.40	Inf	-Inf	6.26	3	Horizontal	272	1.71	-	87.14	33.17	7.33	34.24
PK	5.4688G	64.48	68.20	-3.72	6.19	3	Horizontal	272	1.71	-	58.29	33.14	7.29	34.24
PK	5.5052G	103.21	Inf	-Inf	6.27	3	Horizontal	272	1.71	-	96.94	33.18	7.33	34.24




**802.11ac VHT40\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0068G	43.71	54.00	-10.29	14.91	3	Vertical	137	1.50	-	28.80	38.81	10.60	34.50
PK	11.03336G	54.68	74.00	-19.32	14.94	3	Vertical	137	1.50	-	39.74	38.83	10.61	34.50


**802.11ac VHT40\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03864G	43.82	54.00	-10.18	14.95	3	Horizontal	155	1.50	-	28.87	38.84	10.61	34.50
PK	11.00952G	55.69	74.00	-18.31	14.91	3	Horizontal	155	1.50	-	40.78	38.81	10.60	34.50

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.99	54.00	-6.01	6.16	3	Vertical	357	1.50	-	41.83	33.12	7.28	34.24
AV	5.5424G	97.01	Inf	-Inf	6.14	3	Vertical	357	1.50	-	90.87	33.03	7.36	34.25
PK	5.4656G	61.40	68.20	-6.80	6.18	3	Vertical	357	1.50	-	55.22	33.13	7.29	34.24
PK	5.552G	106.34	Inf	-Inf	6.12	3	Vertical	357	1.50	-	100.22	33.01	7.37	34.26


### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	48.47	54.00	-5.53	6.15	3	Horizontal	242	1.84	-	42.32	33.11	7.28	34.24
AV	5.542G	97.63	Inf	-Inf	6.14	3	Horizontal	242	1.84	-	91.49	33.03	7.36	34.25
PK	5.4648G	64.85	68.20	-3.35	6.17	3	Horizontal	242	1.84	-	58.68	33.13	7.28	34.24
PK	5.5424G	106.29	Inf	-Inf	6.14	3	Horizontal	242	1.84	-	100.15	33.03	7.36	34.25

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09696G	44.25	54.00	-9.75	15.04	3	Vertical	284	1.50	-	29.21	38.90	10.64	34.50
PK	11.09456G	55.00	74.00	-19.00	15.02	3	Vertical	284	1.50	-	39.98	38.89	10.63	34.50

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10008G	44.79	54.00	-9.21	15.04	3	Horizontal	241	1.46	-	29.75	38.90	10.64	34.50
PK	11.09408G	56.16	74.00	-17.84	15.02	3	Horizontal	241	1.46	-	41.14	38.89	10.63	34.50

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	95.59	Inf	-Inf	6.50	3	Vertical	360	1.38	-	89.09	33.35	7.44	34.29
PK	5.6718G	105.32	Inf	-Inf	6.49	3	Vertical	360	1.38	-	98.83	33.34	7.44	34.29
PK	5.7282G	65.13	68.20	-3.07	6.77	3	Vertical	360	1.38	-	58.36	33.63	7.45	34.31

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	95.84	Inf	-Inf	6.50	3	Horizontal	153	1.57	-	89.34	33.35	7.44	34.29
PK	5.6799G	105.02	Inf	-Inf	6.51	3	Horizontal	153	1.57	-	98.51	33.36	7.44	34.29
PK	5.7252G	64.80	68.20	-3.40	6.74	3	Horizontal	153	1.57	-	58.06	33.60	7.45	34.31

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33536G	45.17	54.00	-8.83	15.37	3	Vertical	276	1.66	-	29.80	39.13	10.73	34.49
PK	11.3564G	56.57	74.00	-17.43	15.34	3	Vertical	276	1.66	-	41.23	39.09	10.74	34.49

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3424G	45.69	54.00	-8.31	15.37	3	Horizontal	242	1.50	-	30.32	39.12	10.74	34.49
PK	11.3348G	56.90	74.00	-17.10	15.37	3	Horizontal	242	1.50	-	41.53	39.13	10.73	34.49

**802.11ac VHT40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.707G	99.14	Inf	-Inf	6.61	3	Vertical	356	1.44	-	92.53	33.46	7.45	34.30
PK	5.461G	57.90	68.20	-10.30	6.16	3	Vertical	356	1.44	-	51.74	33.12	7.28	34.24
PK	5.699G	108.77	Inf	-Inf	6.54	3	Vertical	356	1.44	-	102.23	33.40	7.44	34.30
PK	5.855G	62.11	68.20	-6.09	7.40	3	Vertical	356	1.44	-	54.71	34.19	7.56	34.35

**802.11ac VHT40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.714G	98.43	Inf	-Inf	6.66	3	Horizontal	159	1.62	-	91.77	33.51	7.45	34.30
PK	5.47G	58.52	68.20	-9.68	6.19	3	Horizontal	159	1.62	-	52.33	33.14	7.29	34.24
PK	5.713G	108.11	Inf	-Inf	6.65	3	Horizontal	159	1.62	-	101.46	33.50	7.45	34.30
PK	5.92G	62.11	68.20	-6.09	7.51	3	Horizontal	159	1.62	-	54.60	34.22	7.66	34.37

**802.11ac VHT40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41952G	48.78	54.00	-5.22	15.28	3	Vertical	284	1.61	-	33.50	39.00	10.77	34.49
PK	11.4004G	60.50	74.00	-13.50	15.27	3	Vertical	284	1.61	-	45.23	39.00	10.76	34.49


**802.11ac VHT40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4184G	49.49	54.00	-4.51	15.28	3	Horizontal	240	1.64	-	34.21	39.00	10.77	34.49
PK	11.41856G	61.54	74.00	-12.46	15.28	3	Horizontal	240	1.64	-	46.26	39.00	10.77	34.49

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	99.33	Inf	-Inf	6.94	3	Vertical	357	1.46	-	92.39	33.80	7.46	34.32
PK	5.6314G	60.57	68.20	-7.63	6.41	3	Vertical	357	1.46	-	54.16	33.26	7.43	34.28
PK	5.7562G	108.48	Inf	-Inf	6.95	3	Vertical	357	1.46	-	101.53	33.81	7.46	34.32
PK	6.0154G	62.10	68.20	-6.10	7.66	3	Vertical	357	1.46	-	54.44	34.26	7.80	34.40

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	97.51	Inf	-Inf	6.96	3	Horizontal	156	1.57	-	90.55	33.82	7.46	34.32
PK	5.6326G	59.69	68.20	-8.51	6.42	3	Horizontal	156	1.57	-	53.27	33.27	7.43	34.28
PK	5.7502G	106.11	Inf	-Inf	6.94	3	Horizontal	156	1.57	-	99.17	33.80	7.46	34.32
PK	5.9314G	63.25	68.20	-4.95	7.60	3	Horizontal	156	1.57	-	55.65	34.29	7.68	34.37




**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50976G	48.57	54.00	-5.43	15.31	3	Vertical	276	1.50	-	33.26	38.99	10.81	34.49
PK	11.50984G	59.99	74.00	-14.01	15.31	3	Vertical	276	1.50	-	44.68	38.99	10.81	34.49


**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50344G	49.58	54.00	-4.42	15.31	3	Horizontal	237	1.57	-	34.27	39.00	10.80	34.49
PK	11.50856G	61.49	74.00	-12.51	15.31	3	Horizontal	237	1.57	-	46.18	38.99	10.81	34.49

### 802.11ac VHT40\_Nss1,(MCS0)\_2TX


#### 5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	98.51	Inf	-Inf	7.04	3	Vertical	159	1.50	-	91.47	33.90	7.47	34.33
PK	5.5982G	59.25	68.20	-8.95	6.34	3	Vertical	159	1.50	-	52.91	33.19	7.42	34.27
PK	5.801G	108.03	Inf	-Inf	7.05	3	Vertical	159	1.50	-	100.98	33.91	7.47	34.33
PK	5.9366G	62.95	68.20	-5.25	7.64	3	Vertical	159	1.50	-	55.31	34.32	7.69	34.37


### 802.11ac VHT40\_Nss1,(MCS0)\_2TX

#### 5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	98.70	Inf	-Inf	7.04	3	Horizontal	159	1.49	-	91.66	33.90	7.47	34.33
PK	5.6486G	59.97	68.20	-8.23	6.45	3	Horizontal	159	1.49	-	53.52	33.30	7.43	34.28
PK	5.8034G	107.99	Inf	-Inf	7.07	3	Horizontal	159	1.49	-	100.92	33.92	7.48	34.33
PK	6.0422G	62.41	68.20	-5.79	7.77	3	Horizontal	159	1.49	-	54.64	34.37	7.81	34.41

**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	44.86	54.00	-9.14	15.23	3	Vertical	280	1.49	-	29.63	38.91	10.84	34.52
PK	11.58592G	56.07	74.00	-17.93	15.23	3	Vertical	280	1.49	-	40.84	38.91	10.84	34.52


**802.11ac VHT40\_Nss1,(MCS0)\_2TX  
5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	50.04	54.00	-3.96	15.23	3	Horizontal	237	1.48	-	34.81	38.91	10.84	34.52
PK	11.58976G	61.50	74.00	-12.50	15.23	3	Horizontal	237	1.48	-	46.27	38.91	10.84	34.52

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	50.10	54.00	-3.90	6.05	3	Vertical	349	2.40	-	44.05	33.12	7.19	34.26
AV	5.215G	90.22	Inf	-Inf	6.01	3	Vertical	349	2.40	-	84.21	32.97	7.30	34.26
AV	5.422G	49.05	54.00	-4.95	6.04	3	Vertical	349	2.40	-	43.01	33.04	7.24	34.24
PK	5.149G	58.78	74.00	-15.22	6.05	3	Vertical	349	2.40	-	52.73	33.10	7.21	34.26
PK	5.221G	96.88	Inf	-Inf	6.00	3	Vertical	349	2.40	-	90.88	32.96	7.30	34.26
PK	5.418G	59.71	74.00	-14.29	6.04	3	Vertical	349	2.40	-	53.67	33.04	7.24	34.24

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.83	54.00	-3.17	6.05	3	Horizontal	285	1.79	-	44.78	33.10	7.21	34.26
AV	5.199G	92.28	Inf	-Inf	6.05	3	Horizontal	285	1.79	-	86.23	33.00	7.31	34.26
AV	5.355G	49.05	54.00	-4.95	5.90	3	Horizontal	285	1.79	-	43.15	32.91	7.24	34.25
PK	5.142G	60.72	74.00	-13.28	6.05	3	Horizontal	285	1.79	-	54.67	33.12	7.19	34.26
PK	5.194G	100.52	Inf	-Inf	6.05	3	Horizontal	285	1.79	-	94.47	33.01	7.30	34.26
PK	5.371G	58.69	74.00	-15.31	5.92	3	Horizontal	285	1.79	-	52.77	32.94	7.23	34.25

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4328G	54.21	68.20	-13.99	14.16	3	Vertical	207	1.71	-	40.05	38.67	10.36	34.87

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42464G	47.75	68.20	-20.45	14.17	3	Horizontal	93	2.27	-	33.58	38.68	10.36	34.87

802.11ac VHT80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.63	54.00	-4.37	6.05	3	Vertical	360	2.16	-	43.58	33.11	7.20	34.26
AV	5.295G	89.44	Inf	-Inf	6.10	3	Vertical	360	2.16	-	83.34	33.08	7.27	34.25
AV	5.379G	49.67	54.00	-4.33	5.94	3	Vertical	360	2.16	-	43.73	32.96	7.23	34.25
PK	5.14G	59.04	74.00	-14.96	6.05	3	Vertical	360	2.16	-	52.99	33.12	7.19	34.26
PK	5.284G	97.55	Inf	-Inf	6.06	3	Vertical	360	2.16	-	91.49	33.04	7.27	34.25
PK	5.532G	58.76	68.20	-9.44	6.17	3	Vertical	360	2.16	-	52.59	33.07	7.35	34.25

802.11ac VHT80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	49.75	54.00	-4.25	6.05	3	Horizontal	264	1.76	-	43.70	33.11	7.20	34.26
AV	5.279G	93.02	Inf	-Inf	6.04	3	Horizontal	264	1.76	-	86.98	33.02	7.27	34.25
AV	5.36G	50.66	54.00	-3.34	5.91	3	Horizontal	264	1.76	-	44.75	32.92	7.24	34.25
PK	5.14G	59.85	74.00	-14.15	6.05	3	Horizontal	264	1.76	-	53.80	33.12	7.19	34.26
PK	5.276G	100.73	Inf	-Inf	6.03	3	Horizontal	264	1.76	-	94.70	33.00	7.28	34.25
PK	5.466G	58.87	68.20	-9.33	6.18	3	Horizontal	264	1.76	-	52.69	33.13	7.29	34.24

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5888G	50.10	68.20	-18.10	14.69	3	Vertical	59	2.25	-	35.41	39.04	10.42	34.77

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.56016G	50.10	68.20	-18.10	14.52	3	Horizontal	104	2.10	-	35.58	38.90	10.41	34.79

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.69	54.00	-4.31	6.16	3	Vertical	357	1.50	-	43.53	33.12	7.28	34.24
AV	5.527G	89.74	Inf	-Inf	6.19	3	Vertical	357	1.50	-	83.55	33.09	7.35	34.25
PK	5.469G	58.91	68.20	-9.29	6.19	3	Vertical	357	1.50	-	52.72	33.14	7.29	34.24
PK	5.512G	100.01	Inf	-Inf	6.24	3	Vertical	357	1.50	-	93.77	33.15	7.33	34.24
PK	5.749G	60.08	68.20	-8.12	6.94	3	Vertical	357	1.50	-	53.14	33.79	7.46	34.31

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	50.85	54.00	-3.15	6.15	3	Horizontal	248	1.79	-	44.70	33.11	7.28	34.24
AV	5.512G	91.27	Inf	-Inf	6.24	3	Horizontal	248	1.79	-	85.03	33.15	7.33	34.24
PK	5.469G	60.26	68.20	-7.94	6.19	3	Horizontal	248	1.79	-	54.07	33.14	7.29	34.24
PK	5.516G	99.77	Inf	-Inf	6.24	3	Horizontal	248	1.79	-	93.53	33.14	7.34	34.24
PK	5.738G	59.65	68.20	-8.55	6.84	3	Horizontal	248	1.79	-	52.81	33.70	7.45	34.31




**802.11ac VHT80\_Nss1,(MCS0)\_2TX  
5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11808G	45.51	54.00	-8.49	15.08	3	Vertical	323	1.50	-	30.43	38.94	10.64	34.50
PK	11.10512G	55.03	74.00	-18.97	15.05	3	Vertical	323	1.50	-	39.98	38.91	10.64	34.50


**802.11ac VHT80\_Nss1,(MCS0)\_2TX  
5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01944G	45.42	54.00	-8.58	14.92	3	Horizontal	303	1.44	-	30.50	38.82	10.60	34.50
PK	11.05832G	54.56	74.00	-19.44	14.98	3	Horizontal	303	1.44	-	39.58	38.86	10.62	34.50

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	50.70	54.00	-3.30	6.14	3	Vertical	360	1.50	-	44.56	33.11	7.27	34.24
AV	5.595G	97.14	Inf	-Inf	6.33	3	Vertical	360	1.50	-	90.81	33.18	7.42	34.27
PK	5.465G	61.31	68.20	-6.89	6.17	3	Vertical	360	1.50	-	55.14	33.13	7.28	34.24
PK	5.597G	104.39	Inf	-Inf	6.34	3	Vertical	360	1.50	-	98.05	33.19	7.42	34.27
PK	5.735G	62.07	68.20	-6.13	6.82	3	Vertical	360	1.50	-	55.25	33.68	7.45	34.31


### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.23	54.00	-3.77	6.16	3	Horizontal	143	1.64	-	44.07	33.12	7.28	34.24
AV	5.596G	96.39	Inf	-Inf	6.33	3	Horizontal	143	1.64	-	90.06	33.18	7.42	34.27
PK	5.469G	59.97	68.20	-8.23	6.19	3	Horizontal	143	1.64	-	53.78	33.14	7.29	34.24
PK	5.594G	104.99	Inf	-Inf	6.32	3	Horizontal	143	1.64	-	98.67	33.18	7.41	34.27
PK	5.734G	62.18	68.20	-6.02	6.81	3	Horizontal	143	1.64	-	55.37	33.67	7.45	34.31

**802.11ac VHT80\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23896G	48.88	54.00	-5.12	15.33	3	Vertical	293	1.50	-	33.55	39.14	10.69	34.50
PK	11.23872G	58.16	74.00	-15.84	15.33	3	Vertical	293	1.50	-	42.83	39.14	10.69	34.50

**802.11ac VHT80\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.23872G	50.37	54.00	-3.63	15.33	3	Horizontal	241	1.48	-	35.04	39.14	10.69	34.50
PK	11.23896G	58.91	74.00	-15.09	15.33	3	Horizontal	241	1.48	-	43.58	39.14	10.69	34.50

**802.11ac VHT80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	49.19	54.00	-4.81	6.13	3	Vertical	348	1.50	-	43.06	33.10	7.27	34.24
AV	5.679G	96.09	Inf	-Inf	6.51	3	Vertical	348	1.50	-	89.58	33.36	7.44	34.29
PK	5.462G	58.01	68.20	-10.19	6.16	3	Vertical	348	1.50	-	51.85	33.12	7.28	34.24
PK	5.692G	103.75	Inf	-Inf	6.52	3	Vertical	348	1.50	-	97.23	33.38	7.44	34.30
PK	5.869G	60.94	68.20	-7.26	7.39	3	Vertical	348	1.50	-	53.55	34.16	7.58	34.35

**802.11ac VHT80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	48.92	54.00	-5.08	6.14	3	Horizontal	152	1.50	-	42.78	33.11	7.27	34.24
AV	5.676G	95.62	Inf	-Inf	6.50	3	Horizontal	152	1.50	-	89.12	33.35	7.44	34.29
PK	5.462G	57.69	68.20	-10.51	6.16	3	Horizontal	152	1.50	-	51.53	33.12	7.28	34.24
PK	5.681G	103.44	Inf	-Inf	6.51	3	Horizontal	152	1.50	-	96.93	33.36	7.44	34.29
PK	5.878G	61.67	68.20	-6.53	7.38	3	Horizontal	152	1.50	-	54.29	34.14	7.59	34.35

**802.11ac VHT80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39872G	48.31	54.00	-5.69	15.27	3	Vertical	283	1.49	-	33.04	39.00	10.76	34.49
PK	11.39896G	56.96	74.00	-17.04	15.27	3	Vertical	283	1.49	-	41.69	39.00	10.76	34.49


**802.11ac VHT80\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39896G	49.26	54.00	-4.74	15.27	3	Horizontal	239	1.55	-	33.99	39.00	10.76	34.49
PK	11.39896G	58.29	74.00	-15.71	15.27	3	Horizontal	239	1.55	-	43.02	39.00	10.76	34.49

### 802.11ac VHT80\_Nss1,(MCS0)\_2TX


#### 5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	96.46	Inf	-Inf	6.97	3	Vertical	351	1.50	-	89.49	33.83	7.46	34.32
PK	5.6466G	60.59	68.20	-7.61	6.44	3	Vertical	351	1.50	-	54.15	33.29	7.43	34.28
PK	5.7582G	104.69	Inf	-Inf	6.96	3	Vertical	351	1.50	-	97.73	33.82	7.46	34.32
PK	6.009G	61.40	68.20	-6.80	7.64	3	Vertical	351	1.50	-	53.76	34.24	7.79	34.39


### 802.11ac VHT80\_Nss1,(MCS0)\_2TX

#### 5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	95.61	Inf	-Inf	6.98	3	Horizontal	153	1.50	-	88.63	33.84	7.46	34.32
PK	5.5794G	59.71	68.20	-8.49	6.26	3	Horizontal	153	1.50	-	53.45	33.12	7.40	34.26
PK	5.7714G	104.24	Inf	-Inf	6.98	3	Horizontal	153	1.50	-	97.26	33.84	7.46	34.32
PK	6.0342G	61.69	68.20	-6.51	7.73	3	Horizontal	153	1.50	-	53.96	34.34	7.80	34.41

**802.11ac VHT80\_Nss1,(MCS0)\_2TX  
5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56896G	47.52	54.00	-6.48	15.25	3	Vertical	280	1.50	-	32.27	38.93	10.83	34.51
PK	11.5692G	56.83	74.00	-17.17	15.25	3	Vertical	280	1.50	-	41.58	38.93	10.83	34.51

**802.11ac VHT80\_Nss1,(MCS0)\_2TX  
5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56872G	48.84	54.00	-5.16	15.25	3	Horizontal	233	1.49	-	33.59	38.93	10.83	34.51
PK	11.56872G	57.90	74.00	-16.10	15.25	3	Horizontal	233	1.49	-	42.65	38.93	10.83	34.51