
FCC TraXside, label diagram

Document number

01_5881- O HWD FCC, Traxside Label

Revision

A

Date

2019-09-09

Document Classification

<Internal>

This content is the sole property of Icomera AB and is protected by international treaties. You are strictly prohibited from making a copy or modifications of, or from redistribution, rebroadcasting or re-encoding this content without the prior written permission from Icomera AB, except as may be permitted by law.

Icomera AB, Odinsgatan 28, SE 411 03 Göteborg, Sweden

Telephone +46 (0)31 799 21 00

Table of Contents

1	Label diagram	3
2	Label location	4
3	Revision History	5



1 Label diagram

Model: WL01 Type: 02 V1

S/N: 80000000 Input: PoE 37-57VDC

FCC ID: 2AAC2-WL01

IC: 24356-WL01

CAN ICES-3 B/NMB-3 B


icomera

This device complies with Part 15 of the FCC Rules and ISED Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.


Icomera AB, Odinsgatan 28, SE-411 03, Gothenburg, Sweden



IP66/IP67



2 Label location



3 Revision History

Date	Version	Comment
2019-08-29	PA1	Created by Paul Filo
2019-09-09	A	Bernie Fuller

