

Fig.64 Conducted Spurious Emission (All channels, 30 MHz-1 GHz), LE Coded (S=8)




Fig.65 Conducted Spurious Emission (All channels, 10 GHz-26 GHz), LE Coded (S=8)








Fig.66 Conducted Spurious Emission (Ch0, Center Frequency), LE Coded (S=2)




Fig.67 Conducted Spurious Emission (Ch0, 1 GHz-3 GHz), LE Coded (S=2)








Fig.68 Conducted Spurious Emission (Ch0, 3 GHz-10 GHz), LE Coded (S=2)



Fig.69 Conducted Spurious Emission (Ch19, Center Frequency), LE Coded (S=2)








Fig.70 Conducted Spurious Emission (Ch19, 1 GHz-3 GHz), LE Coded (S=2)




Fig.71 Conducted Spurious Emission (Ch19, 3 GHz-10 GHz), LE Coded (S=2)








Fig.72 Conducted Spurious Emission (Ch39, Center Frequency), LE Coded (S=2)




Fig.73 Conducted Spurious Emission (Ch39, 1 GHz-3 GHz), LE Coded (S=2)








Fig.74 Conducted Spurious Emission (Ch39, 3 GHz-10 GHz), LE Coded (S=2)




Fig.75 Conducted Spurious Emission (All channels, 30 MHz-1 GHz), LE Coded (S=2)








Fig.76 Conducted Spurious Emission (All channels, 10 GHz-26 GHz), LE Coded (S=2)





A.6 Transmitter Spurious Emission - Radiated

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209 &	20dB below peek output power
RSS-247 section 5.5/RSS-Gen section 6.13	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

Limit in restricted band:

Frequency of emission (MHz)	Field strength (µV/m)	Measurement distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Test Condition:

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time (s)
30-1000	120kHz/300kHz	5
1000-4000	1MHz/3MHz	15
4000-18000	1MHz/3MHz	40
18000-26500	1MHz/3MHz	20

Note: According to the performance evaluation, the radiated emission margin of EUT is over 20dB in the band from 9kHz to 30MHz. Therefore, the measurement starts from 30MHz to tenth harmonic. The measurement results include the horizontal polarization and vertical polarization measurements.





Measurement Results:

Mode	Channel	Frequency Range	Test Results	Conclusion
	0	1 GHz ~ 3 GHz	Fig.77	Р
	0	3 GHz ~ 18 GHz	Fig.78	Р
		9 kHz ~ 30 MHz	Fig.79	Р
		30 MHz ~ 1 GHz	Fig.80	Р
	19	1 GHz ~ 3 GHz	Fig.81	Р
LE-1M		3 GHz ~ 18 GHz	Fig.82	Р
		18 GHz ~ 26.5 GHz	Fig.83	Р
	20	1 GHz ~ 3 GHz	Fig.84	Р
	39	3 GHz ~ 18 GHz	Fig.85	Р
	Restricted Band (CH0)	2.38 GHz ~ 2.45 GHz	Fig.86	Р
	Restricted Band (CH39)	2.45 GHz ~ 2.5 GHz	Fig.87	Р
	0	1 GHz ~ 3 GHz	Fig.88	Р
	0	3 GHz ~ 18 GHz	Fig.89	Р
		9 kHz ~ 30 MHz	Fig.90	Р
		30 MHz ~ 1 GHz	Fig.91	Р
	19	1 GHz ~ 3 GHz	Fig.92	Р
LE-2M		3 GHz ~ 18 GHz	Fig.93	Р
		18 GHz ~ 26.5 GHz	Fig.94	Р
-	39	1 GHz ~ 3 GHz	Fig.95	Р
	39	3 GHz ~ 18 GHz	Fig.96	Р
	Restricted Band (CH0)	2.38 GHz ~ 2.45 GHz	Fig.97	Р
	Restricted Band (CH39)	2.45 GHz ~ 2.5 GHz	Fig.98	Р
	0	1 GHz ~ 3 GHz	Fig.99	Р
	0	3 GHz ~ 18 GHz	Fig.100	Р
		9 kHz ~ 30 MHz	Fig.101	Р
		30 MHz ~ 1 GHz	Fig.102	Р
LE Coded	19	1 GHz ~ 3 GHz	Fig.103	Р
		3 GHz ~ 18 GHz	Fig.104	Р
		18 GHz ~ 26.5 GHz	Fig.105	Р
	20	1 GHz ~ 3 GHz	Fig.106	Р
	39	3 GHz ~ 18 GHz	Fig.107	Р
	Restricted Band (CH0)	2.38 GHz ~ 2.45 GHz	Fig.108	Р
	Restricted Band (CH39)	2.45 GHz ~ 2.5 GHz	Fig.109	Р

See below for test graphs.

Conclusion: Pass





Worst Case Result

LE-1M

GFSK CH39 (3-18GHz)

Frequency	MaxPeak	Limit	Morgin (dP)	Pol	
(MHz)	(dBuV/m)	(dBuV/m)	Margin (dB)	POI	Corr. (dB)
10255.50	46.26	74.00	27.74	V	5.2
11902.00	46.63	74.00	27.37	Н	7.1
13077.00	46.90	74.00	27.10	V	8.4
14509.00	48.81	74.00	25.19	Н	11.5
16281.50	50.99	74.00	23.01	Н	14.3
17748.50	50.98	74.00	23.02	Н	16.3

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB)
10418.50	34.00	54.00	20.00	Н	5.1
11579.00	34.43	54.00	19.57	Н	6.6
12974.50	35.32	54.00	18.68	Н	8.4
14626.50	36.71	54.00	17.29	Н	11.3
16551.50	39.02	54.00	14.98	Н	14.7
17795.50	38.84	54.00	15.16	Н	16.1

LE-2M

GFSK CH39 (3-18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB)
12125.50	46.14	74.00	27.86	V	7.3
13246.00	45.81	74.00	28.19	Н	8.7
14463.50	48.58	74.00	25.42	V	11.2
15906.00	48.15	74.00	25.85	V	13.2
16619.00	50.55	74.00	23.45	Н	14.9
17607.00	50.55	74.00	23.45	V	15.5

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB)
12556.00	37.66	54.00	16.34	Н	7.9
13266.00	38.23	54.00	15.77	Н	8.7
14538.50	38.66	54.00	15.34	V	11.4
16143.00	39.40	54.00	14.60	V	14.2
17435.00	39.71	54.00	14.29	Н	14.6
16766.00	40.37	54.00	13.63	Н	14.8

LE Coded GFSK CH39 (3-18GHz)



CAICT No. B20N00421-BLE

Frequency	MaxPeak	Limit	Morgin (dP)	Pol	
(MHz)	(dBuV/m)	(dBuV/m)	Margin (dB)	POI	Corr. (dB)
10483.50	45.97	74.00	28.03	V	5.0
11993.50	46.85	74.00	27.15	Н	7.0
13309.50	46.82	74.00	27.18	Н	9.0
14475.00	48.70	74.00	25.30	V	11.3
16698.00	51.49	74.00	22.51	V	14.9
17914.00	51.65	74.00	22.35	Н	16.3

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB)
10409.50	33.65	54.00	20.35	V	5.0
11521.00	34.27	54.00	19.73	V	6.2
12526.50	35.14	54.00	18.86	Н	8.0
14474.00	37.18	54.00	16.82	Н	11.3
16611.00	38.92	54.00	15.08	Н	14.8
17914.50	40.01	54.00	13.99	Н	16.3

Note:

A "reference path loss" is established and the A_{Rpl} is the attenuation of "reference path loss", and Antenna Factor, the gain of the preamplifier, the cable loss. P_{Mea} is the field strength recorded from the instrument.

The measurement results are obtained as described below:

Result = P_{Mea} + Cable Loss + Antenna Factor - Gain of the preamplifier








Fig.77 Radiated Spurious Emission (Ch0, 1 GHz - 3 GHz), 1M




Fig.78 Radiated Spurious Emission (Ch0, 3 GHz - 18 GHz), 1M








Fig.79 Radiated Spurious Emission (Ch19, 9 kHz - 30 MHz), 1M




Fig.80 Radiated Spurious Emission (Ch19, 30 MHz - 1 GHz), 1M








Fig.81 Radiated Spurious Emission (Ch19, 1 GHz - 3 GHz), 1M




Fig.82 Radiated Spurious Emission (Ch19, 3 GHz - 18 GHz), 1M








Fig.83 Radiated Spurious Emission (Ch19, 18 GHz - 26.5 GHz), 1M




Fig.84 Radiated Spurious Emission (Ch39, 1 GHz - 3 GHz), 1M








Fig.85 Radiated Spurious Emission (Ch39, 3 GHz - 18 GHz), 1M




Fig.86 Radiated Band Edges (Ch0, 2380GHz - 2450GHz), 1M








Fig.87 Radiated Band Edges (Ch39, 2450GHz - 2500GHz), 1M




Fig.88 Radiated Spurious Emission (Ch0, 1 GHz - 3 GHz), 2M








Fig.89 Radiated Spurious Emission (Ch0, 3 GHz - 18 GHz), 2M




Fig.90 Radiated Spurious Emission (Ch19, 9 kHz - 30 MHz), 2M








Fig.91 Radiated Spurious Emission (Ch19, 30 MHz - 1 GHz), 2M




Fig.92 Radiated Spurious Emission (Ch19, 1 GHz - 3 GHz), 2M








Fig.93 Radiated Spurious Emission (Ch19, 3 GHz - 18 GHz), 2M




Fig.94 Radiated Spurious Emission (Ch19, 18 GHz - 26.5 GHz), 2M








Fig.95 Radiated Spurious Emission (Ch39, 1 GHz - 3 GHz), 2M






Fig.96 Radiated Spurious Emission (Ch39, 3 GHz - 18 GHz), 2M




CAICT





Radiated Band Edges (Ch0, 2380GHz - 2450GHz), 2M Fig.97



Radiated Band Edges (Ch39, 2450GHz - 2500GHz), 2M Fig.98








Fig.99 Radiated Spurious Emission (Ch0, 1 GHz - 3 GHz), LE Coded




Fig.100 Radiated Spurious Emission (Ch0, 3 GHz - 18 GHz), LE Coded








Fig.101 Radiated Spurious Emission (Ch19, 9 kHz - 30 MHz), LE Coded




Fig.102 Radiated Spurious Emission (Ch19, 30 MHz - 1 GHz), LE Coded








Fig.103 Radiated Spurious Emission (Ch19, 1 GHz - 3 GHz), LE Coded




Fig.104 Radiated Spurious Emission (Ch19, 3 GHz - 18 GHz), LE Coded








Fig.105 Radiated Spurious Emission (Ch19, 18 GHz - 26.5 GHz), LE Coded




Fig.106 Radiated Spurious Emission (Ch39, 1 GHz - 3 GHz), LE Coded








Fig.107 Radiated Spurious Emission (Ch39, 3 GHz - 18 GHz), LE Coded




Fig.108 Radiated Band Edges (Ch0, 2380GHz - 2450GHz), LE Coded








Fig.109 Radiated Band Edges (Ch39, 2450GHz - 2500GHz), LE Coded





A.7 AC Power line Conducted Emission

Test Condition:

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

LE-1M

BLE (Quasi-peak Limit) - AE1

Frequency	Quasi-peak	Result	Conclusion			
range (MHz)	Limit (dBµV)	Traffic Idle		Conclusion		
0.15 to 0.5	66 to 56					
0.5 to 5	56	Fig.110	Fig.111	Р		
5 to 30	60					
Note: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to						
0.5 MHz.						

BLE (Average Limit) - AE1

Frequency	Average-peak	Result	Result (dBµV) Traffic Idle				
range (MHz)	Limit (dBµV)	Traffic					
0.15 to 0.5	56 to 46						
0.5 to 5	46	Fig.110	Fig.111	Р			
5 to 30	50						
Note: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to							
0.5 MHz.							

Note: The measurement results include the L1 and N measurements.

See below for test graphs. Conclusion: Pass








Fig.110 AC Power line Conducted Emission (Traffic, AE1, 120V), 1M

Measurement Results: Quasi Peak							
Frequency	Quasi Peak	Limit	Margin	Line	Filter	Corr. (dB)	
(MHz)	(dBµV)	(dBµV)	(dB)	Line			
0.190	41.86	64.04	22.18	L1	ON	9.6	
0.464	36.91	56.62	19.71	L1	ON	9.6	
0.664	33.81	56.00	22.19	L1	ON	9.6	
1.364	30.72	56.00	25.28	L1	ON	9.7	
2.300	27.11	56.00	28.89	L1	ON	9.7	
4.880	26.64	56.00	29.36	L1	ON	9.7	

Measurement Results: Average

Frequency	Average	Limit	Margin	Line	Filter	Corr. (dB)
(MHz)	(dBµV)	(dBµV)	(dB)	Line	Filler	соп. (ав)
0.186	24.71	54.21	29.51	L1	ON	9.6
0.512	22.46	46.00	23.54	Ν	ON	9.6
0.652	18.47	46.00	27.53	Ν	ON	9.6
1.508	18.90	46.00	27.10	Ν	ON	9.7
2.124	19.24	46.00	26.76	Ν	ON	9.7
4.160	19.14	46.00	26.86	Ν	ON	9.7








Fig.111 AC Power line Conducted Emission (Idle, AE1, 120V), 1M

Measurement	Results:	Quasi	Peak
measurement	nesuits.	Quusi	i can

Frequency (MHz)	Quasi Peak (dBµV)	Limit (dBµV)	Margin (dB)	Line	Filter	Corr. (dB)
. ,	,	,				
0.154	43.49	65.78	22.29	N	ON	9.6
0.472	37.13	56.48	19.35	L1	ON	9.6
0.668	34.68	56.00	21.32	L1	ON	9.6
1.152	33.42	56.00	22.58	L1	ON	9.7
2.792	28.19	56.00	27.81	L1	ON	9.7
4.196	26.53	56.00	29.47	L1	ON	9.7

Measurement Results: Average

Frequency (MHz)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Filter	Corr. (dB)
0.154	24.22	55.78	31.56	Ν	ON	9.6
0.472	23.70	46.48	22.78	Ν	ON	9.6
0.664	18.63	46.00	27.37	N	ON	9.6
1.456	18.49	46.00	27.51	Ν	ON	9.7
2.216	17.12	46.00	28.88	Ν	ON	9.7
3.904	19.54	46.00	26.46	Ν	ON	9.7





A.8 Occupied Bandwidth


Measurement Limit:

Standard	Limit (kHz)	
RSS-Gen section 6.7	/	

Measurement Result:

Mode	Frequency (MHz)	Test Results (kHz)		Conclusion
	2402 (CH0)	Fig.110	1044.00	Р
LE-1M	2440 (CH19)	Fig.111	1043.00	Р
	2480 (CH39)	Fig.112	1041.00	Р
	2402 (CH0)	Fig.113	2050.00	Р
LE-2M	2440 (CH19)	Fig.114	2042.00	Р
	2480 (CH39)	Fig.115	2045.00	Р
LE Coded (S=8)	2402 (CH0)	Fig.116	1041.00	Р
	2440 (CH19)	Fig.117	1040.00	Р
	2480 (CH39)	Fig.118	1044.00	Р
LE Coded (S=2)	2402 (CH0)	Fig.119	1016.00	Р
	2440 (CH19)	Fig.120	1016.00	Р
	2480 (CH39)	Fig.121	1020.00	Р


See below for test graphs. Conclusion: PASS

















Fig.114 Occupied Bandwidth (Ch 39), 1M














Fig.116 Occupied Bandwidth (Ch 19), 2M




















Fig.119 Occupied Bandwidth (Ch 19), LE Coded (S=8)




Fig.120 Occupied Bandwidth (Ch 39), LE Coded (S=8)








Fig.121 Occupied Bandwidth (Ch 0), LE Coded (S=2)




Fig.122 Occupied Bandwidth (Ch 19), LE Coded (S=2)








Fig.123 Occupied Bandwidth (Ch 39), LE Coded (S=2)

END OF REPORT