



TEST GRAPHS






**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2402



BLE_1M_Ant1_2440




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2480



BLE_2M_Ant1_2402



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_2440



BLE_2M_Ant1_2480




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02




BLE_500K_Ant1_2402



BLE_500K_Ant1_2440



BLE_500K_Ant1_2480





MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

TestMode	Channel	Average power [dBm]	Peak power [dBm]	Peak power [mw]	Conducted Limit [dBm]	EIRP [dBm]	EIRP [mw]	EIRP Limit [dBm]	Verdict	Power Setting
BLE_1M	2402	8.71	8.82	7.62	≤30	8.92	7.80	≤36	PASS	Default
	2440	9.12	9.39	8.69	≤30	9.49	8.89	≤36	PASS	Default
	2480	8.38	8.72	7.45	≤30	8.82	7.62	≤36	PASS	Default
BLE_2M	2402	8.90	8.95	7.85	≤30	9.05	8.04	≤36	PASS	Default
	2440	9.28	9.50	8.91	≤30	9.60	9.12	≤36	PASS	Default
	2480	8.61	8.80	7.59	≤30	8.90	7.76	≤36	PASS	Default
BLE_125k	2402	8.49	8.81	7.60	≤30	8.91	7.78	≤36	PASS	Default
	2440	9.35	9.37	8.65	≤30	9.47	8.85	≤36	PASS	Default
	2480	8.63	8.65	7.33	≤30	8.75	7.50	≤36	PASS	Default
BLE_500K	2402	8.49	8.82	7.62	≤30	8.92	7.80	≤36	PASS	Default
	2440	9.05	9.40	8.71	≤30	9.50	8.91	≤36	PASS	Default
	2480	8.00	8.72	7.45	≤30	8.82	7.62	≤36	PASS	Default

Note:EIRP=Peak Power+Gain



MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_125K	Ant1	2402	3.44	≤8.00	PASS
		2440	2.87	≤8.00	PASS
		2480	2.92	≤8.00	PASS
BLE_1M	Ant1	2402	-4.33	≤8.00	PASS
		2440	-5.12	≤8.00	PASS
		2480	-5.16	≤8.00	PASS
BLE_2M	Ant1	2402	-7.24	≤8.00	PASS
		2440	-8.53	≤8.00	PASS
		2480	-8.49	≤8.00	PASS
BLE_500K	Ant1	2402	3.30	≤8.00	PASS
		2440	2.81	≤8.00	PASS
		2480	2.96	≤8.00	PASS



TEST GRAPHS





**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2402




BLE_1M_Ant1_2440



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2480




BLE_2M_Ant1_2402




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_2440




BLE_2M_Ant1_2480



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_2402



BLE_500K_Ant1_2440



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_2480





BAND EDGE MEASUREMENTS


TEST RESULT

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_125K	Ant1	Low	2402	6.88	-34.76	≤-13.12	PASS
		High	2480	6.02	-34.59	≤-13.98	PASS
BLE_1M	Ant1	Low	2402	9.83	-44.26	≤-10.17	PASS
		High	2480	8.92	-43.61	≤-11.08	PASS
BLE_2M	Ant1	Low	2402	8.83	-29.87	≤-11.17	PASS
		High	2480	8.59	-34.39	≤-11.41	PASS
BLE_500K	Ant1	Low	2402	8.57	-35.26	≤-11.43	PASS
		High	2480	8.71	-34.8	≤-11.29	PASS




TEST GRAPHS

BLE_125K_Ant1_Low_2402



BLE_125K_Ant1_High_2480




BLE_1M_Ant1_Low_2402




BUREAU VERITAS

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_High_2480




BLE_2M_Ant1_Low_2402




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_High_2480




BLE_500K_Ant1_Low_2402




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_High_2480





CONDUCTED SPURIOUS EMISSION

TEST RESULT

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_125K	Ant1	2402	Reference	6.18	6.18	---	PASS
			30~1000	6.18	-43.36	≤-13.82	PASS
			1000~26500	6.18	-23.66	≤-13.82	PASS
		2440	Reference	6.74	6.74	---	PASS
			30~1000	6.74	-43.77	≤-13.26	PASS
			1000~26500	6.74	-24.72	≤-13.26	PASS
		2480	Reference	6.00	6.00	---	PASS
			30~1000	6.00	-43.72	≤-14	PASS
			1000~26500	6.00	-24.46	≤-14	PASS
BLE_1M	Ant1	2402	Reference	9.02	9.02	---	PASS
			30~1000	9.02	-53.59	≤-10.98	PASS
			1000~26500	9.02	-33.42	≤-10.98	PASS
		2440	Reference	7.58	7.58	---	PASS
			30~1000	7.58	-53.37	≤-12.42	PASS
			1000~26500	7.58	-33.88	≤-12.42	PASS
		2480	Reference	7.86	7.86	---	PASS
			30~1000	7.86	-52.44	≤-12.14	PASS
			1000~26500	7.86	-34.09	≤-12.14	PASS
BLE_2M	Ant1	2402	Reference	9.01	9.01	---	PASS
			30~1000	9.01	-52.76	≤-10.99	PASS
			1000~26500	9.01	-33.56	≤-10.99	PASS
		2440	Reference	5.32	5.32	---	PASS
			30~1000	5.32	-43.46	≤-14.68	PASS
			1000~26500	5.32	-24.65	≤-14.68	PASS
		2480	Reference	5.16	5.16	---	PASS
			30~1000	5.16	-43.4	≤-14.84	PASS
			1000~26500	5.16	-24.78	≤-14.84	PASS
BLE_500K	Ant1	2402	Reference	8.95	8.95	---	PASS
			30~1000	8.95	-42.99	≤-11.05	PASS




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02

			1000~26500	8.95	-24.37	≤ -11.05	PASS
		2440	Reference	7.73	7.73	---	PASS
			30~1000	7.73	-43.93	≤ -12.27	PASS
			1000~26500	7.73	-24.32	≤ -12.27	PASS
		2480	Reference	8.63	8.63	---	PASS
			30~1000	8.63	-43.62	≤ -11.37	PASS
			1000~26500	8.63	-24.26	≤ -11.37	PASS



TEST GRAPHS





**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02




BLE_125K_Ant1_2440_0~Reference



BLE_125K_Ant1_2440_30~1000



BUREAU VERITAS Test Report No.: W7L-P22110036RF02



BLE_125K_Ant1_2440_1000~26500



BLE_125K_Ant1_2480_0~Reference



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_125K_Ant1_2480_30~1000



BLE_125K_Ant1_2480_1000~26500



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2402_0~Reference




BLE_1M_Ant1_2402_30~1000



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2402_1000~26500



BLE_1M_Ant1_2440_0~Reference




BUREAU VERITAS

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2440_30~1000




BLE_1M_Ant1_2440_1000~26500



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2480_0~Reference




BLE_1M_Ant1_2480_30~1000



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_1M_Ant1_2480_1000~26500



BLE_2M_Ant1_2402_0~Reference



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_2402_30~1000




BLE_2M_Ant1_2402_1000~26500



BUREAU VERITAS

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_2440_0~Reference




BLE_2M_Ant1_2440_30~1000



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_2440_1000~26500



BLE_2M_Ant1_2480_0~Reference

BV 7Layers Communications Technology
(Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China

Tel: +86 755 8869 6566
Fax: +86 755 8869 6577
Email: customerservice.sw@bureauveritas.com



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_2M_Ant1_2480_30~1000



BLE_2M_Ant1_2480_1000~26500



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_2402_0~Reference



BLE_500K_Ant1_2402_30~1000



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_2402_1000~26500



BLE_500K_Ant1_2440_0~Reference




**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_2440_30~1000



BLE_500K_Ant1_2440_1000~26500



**BUREAU
VERITAS**

Test Report No.: W7L-P22110036RF02



BLE_500K_Ant1_2480_0~Reference



BLE_500K_Ant1_2480_30~1000