




CH56665

MODE	TX channel 56665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7385.000	-51.76	-63.36	-40.00	-11.76	11.60	Peak	Horizontal
2	PP11081.000	-44.08	-64.14	-40.00	-4.08	20.06	Peak	Horizontal





MODE	TX channel 56665	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7392.000	-49.46	-63.73	-40.00	-9.46	14.27	Peak	Vertical
2	PP11077.500	-44.91	-64.75	-40.00	-4.91	19.84	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz / QPSK

MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7256.000	-51.13	-62.94	-40.00	-11.13	11.81	Peak	Horizontal
2	PP10875.000	-46.00	-65.61	-40.00	-6.00	19.61	Peak	Horizontal





MODE	TX channel 55990	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60Hz
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7250.000	-48.98	-62.69	-40.00	-8.98	13.71	Peak	Vertical
2	PP10877.000	-45.40	-65.08	-40.00	-5.40	19.68	Peak	Vertical






LTE Band CA\_48C

Note: For frequency above 18GHz, the emission was tested 20db below the limit so the data not recorded in the sheet.

CHANNEL BANDWIDTH: 5 MHz + 20MHz

MODE	TX channel PCC 55898	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56015		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7231.600	-53.15	-65.00	-40.00	-13.15	11.85	Peak	Horizontal
2	PP10843.000	-48.12	-67.65	-40.00	-8.12	19.53	Peak	Horizontal





MODE	TX channel PCC 55898	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56015		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.40	-65.07	-40.00	-11.40	13.67	Peak	Vertical
2	PP10847.400	-48.37	-67.91	-40.00	-8.37	19.54	Peak	Vertical








**CHANNEL BANDWIDTH: 10MHz + 20MHz**

<b>MODE</b>	TX channel PCC 55896	<b>FREQUENCY RANGE</b>	Above 1000MHz
	TX channel SCC 56040		
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7231.200	-53.57	-65.42	-40.00	-13.57	11.85	Peak	Horizontal
2	PP10843.000	-49.06	-68.59	-40.00	-9.06	19.53	Peak	Horizontal





MODE	TX channel PCC 55896	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56040		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.52	-65.19	-40.00	-11.52	13.67	Peak	Vertical
2	PP10846.800	-47.82	-67.36	-40.00	-7.82	19.54	Peak	Vertical








**CHANNEL BANDWIDTH: 15MHz + 20MHz**

<b>MODE</b>	TX channel PCC 55893	<b>FREQUENCY RANGE</b>	Above 1000MHz
	TX channel SCC 55064		
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7230.600	-52.88	-64.74	-40.00	-12.88	11.86	Peak	Horizontal
2	PP10843.000	-47.84	-67.37	-40.00	-7.84	19.53	Peak	Horizontal





MODE	TX channel PCC 55893	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55064		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-51.00	-64.67	-40.00	-11.00	13.67	Peak	Vertical
2	PP10845.900	-48.70	-68.23	-40.00	-8.70	19.53	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 5MHz

MODE	TX channel PCC 55965	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56082		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-52.72	-64.56	-40.00	-12.72	11.84	Peak	Horizontal
2	PP10867.500	-47.69	-67.28	-40.00	-7.69	19.59	Peak	Horizontal





MODE	TX channel PCC 55965	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56082		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7245.000	-51.02	-64.71	-40.00	-11.02	13.69	Peak	Vertical
2	PP10860.000	-48.12	-67.72	-40.00	-8.12	19.60	Peak	Vertical






CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel PCC 55340	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55484		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-53.09	-65.12	-40.00	-13.09	12.03	Peak	Horizontal
2	PP10860.000	-48.65	-68.22	-40.00	-8.65	19.57	Peak	Horizontal





MODE	TX channel PCC 55340	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 55484		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7120.000	-52.09	-65.29	-40.00	-12.09	13.20	Peak	Vertical
2	PP10860.000	-47.98	-67.58	-40.00	-7.98	19.60	Peak	Vertical








CHANNEL BANDWIDTH: 20MHz + 10MHz

MODE	TX channel PCC 55941	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56085		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-52.98	-64.82	-40.00	-12.98	11.84	Peak	Horizontal
2	PP10860.300	-48.67	-68.24	-40.00	-8.67	19.57	Peak	Horizontal





<b>MODE</b>	TX channel PCC 55941	<b>FREQUENCY RANGE</b>	Above 1000MHz
	TX channel SCC 56085		
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7240.200	-50.80	-64.47	-40.00	-10.80	13.67	Peak	Vertical
2	PP10860.000	-47.41	-67.01	-40.00	-7.41	19.60	Peak	Vertical






**CHANNEL BANDWIDTH: 20MHz + 10MHz**

<b>MODE</b>	TX channel PCC 56541	<b>FREQUENCY RANGE</b>	Above 1000MHz
	TX channel SCC 56685		
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7358.000	-53.33	-64.98	-40.00	-13.33	11.65	Peak	Horizontal
2	PP11040.300	-46.36	-66.37	-40.00	-6.36	20.01	Peak	Horizontal





<b>MODE</b>	TX channel PCC 56541	<b>FREQUENCY RANGE</b>	Above 1000MHz
	TX channel SCC 56685		
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	PoI/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7360.200	-50.07	-64.22	-40.00	-10.07	14.15	Peak	Vertical
2	PP11047.000	-46.01	-66.01	-40.00	-6.01	20.00	Peak	Vertical






**CHANNEL BANDWIDTH: 20MHz + 15MHz**

<b>MODE</b>	TX channel PCC 55916	<b>FREQUENCY RANGE</b>	Above 1000MHz
	TX channel SCC 56087		
<b>ENVIRONMENTAL CONDITIONS</b>	23deg. C, 70%RH	<b>INPUT POWER</b>	AC 120V/60HZ
<b>TESTED BY</b>	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7239.000	-53.02	-64.86	-40.00	-13.02	11.84	Peak	Horizontal
2	PP10852.800	-48.32	-67.87	-40.00	-8.32	19.55	Peak	Horizontal





MODE	TX channel PCC 55916	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56087		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7235.200	-51.27	-64.93	-40.00	-11.27	13.66	Peak	Vertical
2	PP10860.000	-48.91	-68.51	-40.00	-8.91	19.60	Peak	Vertical








CHANNEL BANDWIDTH: 20MHz + 20MHz

MODE	TX channel PCC 55891	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56089		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: HORIZONTAL AT 3 M</b>			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7222.000	-51.85	-63.72	-40.00	-11.85	11.87	Peak	Horizontal
2	PP10845.300	-48.84	-68.37	-40.00	-8.84	19.53	Peak	Horizontal





MODE	TX channel PCC 55891	FREQUENCY RANGE	Above 1000MHz
	TX channel SCC 56089		
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
<b>ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M</b>			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	7230.230	-51.49	-65.13	-40.00	-11.49	13.64	Peak	Vertical
2	PP10843.000	-48.42	-67.94	-40.00	-8.42	19.52	Peak	Vertical






### 3.7 PEAK TO AVERAGE RATIO

#### 3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

#### 3.7.2 TEST SETUP



#### 3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth  $\geq$  signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



**BUREAU  
VERITAS**

**Test Report No.: W7L-P22110036RF10**

### 3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



**BUREAU  
VERITAS**

Test Report No.: W7L-P22110036RF10

## 4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

**Shenzhen EMC/RF Lab:**

Tel: +86-755-88696566

Fax: +86-755-88696577

**Email:** [customerservice.sw@cn.bureauveritas.com](mailto:customerservice.sw@cn.bureauveritas.com)

**Web Site:** [www.adt.com.tw](http://www.adt.com.tw)

The address and road map of all our labs can be found in our web site also.



**BUREAU  
VERITAS**

Test Report No.: W7L-P22110036RF10

## **5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB**

No any modifications are made to the EUT by the lab during the test.





### 6 Appendix

### LTE BAND48 (INCLUDING LTE BAND42/43)

### PEAK-TO-AVERAGE RATIO (CCDF)

### TEST RESULT

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band48	5MHz	QPSK	55265	1RB#0	4.05	13	PASS
Band48	5MHz	QPSK	55265	25RB#0	6.50	13	PASS
Band48	5MHz	QPSK	55990	1RB#0	3.97	13	PASS
Band48	5MHz	QPSK	55990	25RB#0	5.24	13	PASS
Band48	5MHz	QPSK	56715	1RB#0	3.82	13	PASS
Band48	5MHz	QPSK	56715	25RB#0	5.72	13	PASS
Band48	5MHz	16QAM	55265	1RB#0	6.12	13	PASS
Band48	5MHz	16QAM	55265	25RB#0	6.75	13	PASS
Band48	5MHz	16QAM	55990	1RB#0	5.88	13	PASS
Band48	5MHz	16QAM	55990	25RB#0	6.40	13	PASS
Band48	5MHz	16QAM	56715	1RB#0	5.38	13	PASS
Band48	5MHz	16QAM	56715	25RB#0	6.46	13	PASS
Band48	5MHz	64QAM	55265	1RB#0	6.40	13	PASS
Band48	5MHz	64QAM	55265	25RB#0	7.07	13	PASS
Band48	5MHz	64QAM	55990	1RB#0	7.74	13	PASS
Band48	5MHz	64QAM	55990	25RB#0	6.88	13	PASS
Band48	5MHz	64QAM	56715	1RB#0	6.79	13	PASS
Band48	5MHz	64QAM	56715	25RB#0	6.74	13	PASS
Band48	10MHz	QPSK	55290	1RB#0	3.82	13	PASS
Band48	10MHz	QPSK	55290	50RB#0	5.29	13	PASS
Band48	10MHz	QPSK	55990	1RB#0	3.76	13	PASS
Band48	10MHz	QPSK	55990	50RB#0	5.15	13	PASS
Band48	10MHz	QPSK	56690	1RB#0	3.55	13	PASS
Band48	10MHz	QPSK	56690	50RB#0	5.11	13	PASS
Band48	10MHz	16QAM	55290	1RB#0	6.39	13	PASS
Band48	10MHz	16QAM	55290	50RB#0	6.65	13	PASS
Band48	10MHz	16QAM	55990	1RB#0	5.78	13	PASS
Band48	10MHz	16QAM	55990	50RB#0	6.04	13	PASS
Band48	10MHz	16QAM	56690	1RB#0	5.04	13	PASS
Band48	10MHz	16QAM	56690	50RB#0	6.26	13	PASS
Band48	10MHz	64QAM	55290	1RB#0	6.81	13	PASS
Band48	10MHz	64QAM	55290	50RB#0	6.85	13	PASS
Band48	10MHz	64QAM	55990	1RB#0	6.94	13	PASS
Band48	10MHz	64QAM	55990	50RB#0	6.93	13	PASS
Band48	10MHz	64QAM	56690	1RB#0	7.41	13	PASS
Band48	10MHz	64QAM	56690	50RB#0	6.90	13	PASS
Band48	15MHz	QPSK	55315	1RB#0	4.30	13	PASS
Band48	15MHz	QPSK	55315	75RB#0	5.53	13	PASS
Band48	15MHz	QPSK	55990	1RB#0	3.99	13	PASS
Band48	15MHz	QPSK	55990	75RB#0	5.42	13	PASS
Band48	15MHz	QPSK	56665	1RB#0	4.05	13	PASS
Band48	15MHz	QPSK	56665	75RB#0	5.29	13	PASS



Band48	15MHz	16QAM	55315	1RB#0	5.82	13	PASS
Band48	15MHz	16QAM	55315	75RB#0	6.26	13	PASS
Band48	15MHz	16QAM	55990	1RB#0	5.60	13	PASS
Band48	15MHz	16QAM	55990	75RB#0	7.64	13	PASS
Band48	15MHz	16QAM	56665	1RB#0	5.58	13	PASS
Band48	15MHz	16QAM	56665	75RB#0	6.20	13	PASS
Band48	15MHz	64QAM	55315	1RB#0	7.16	13	PASS
Band48	15MHz	64QAM	55315	75RB#0	7.13	13	PASS
Band48	15MHz	64QAM	55990	1RB#0	6.79	13	PASS
Band48	15MHz	64QAM	55990	75RB#0	6.91	13	PASS
Band48	15MHz	64QAM	56665	1RB#0	6.80	13	PASS
Band48	15MHz	64QAM	56665	75RB#0	6.86	13	PASS
Band48	20MHz	QPSK	55340	1RB#0	3.66	13	PASS
Band48	20MHz	QPSK	55340	100RB#0	5.29	13	PASS
Band48	20MHz	QPSK	55990	1RB#0	3.79	13	PASS
Band48	20MHz	QPSK	55990	100RB#0	5.13	13	PASS
Band48	20MHz	QPSK	56640	1RB#0	4.01	13	PASS
Band48	20MHz	QPSK	56640	100RB#0	5.08	13	PASS
Band48	20MHz	16QAM	55340	1RB#0	5.50	13	PASS
Band48	20MHz	16QAM	55340	100RB#0	6.10	13	PASS
Band48	20MHz	16QAM	55990	1RB#0	5.62	13	PASS
Band48	20MHz	16QAM	55990	100RB#0	6.02	13	PASS
Band48	20MHz	16QAM	56640	1RB#0	5.69	13	PASS
Band48	20MHz	16QAM	56640	100RB#0	6.00	13	PASS
Band48	20MHz	64QAM	55340	1RB#0	7.42	13	PASS
Band48	20MHz	64QAM	55340	100RB#0	6.78	13	PASS
Band48	20MHz	64QAM	55990	1RB#0	6.73	13	PASS
Band48	20MHz	64QAM	55990	100RB#0	6.75	13	PASS
Band48	20MHz	64QAM	56640	1RB#0	6.81	13	PASS
Band48	20MHz	64QAM	56640	100RB#0	6.83	13	PASS




### TEST GRAPHS


Band48-5MHz-QPSK-55265-1RB#0



Band48-5MHz-QPSK-55265-25RB#0




Band48-5MHz-QPSK-55990-1RB#0



Band48-5MHz-QPSK-55990-25RB#0




Band48-5MHz-QPSK-56715-1RB#0




Band48-5MHz-QPSK-56715-25RB#0







Band48-5MHz-16QAM-55265-1RB#0




Band48-5MHz-16QAM-55265-25RB#0




Band48-5MHz-16QAM-55990-1RB#0




Band48-5MHz-16QAM-55990-25RB#0



Band48-5MHz-16QAM-56715-1RB#0



Band48-5MHz-16QAM-56715-25RB#0



Band48-5MHz-64QAM-55265-1RB#0




Band48-5MHz-64QAM-55265-25RB#0




Band48-5MHz-64QAM-55990-1RB#0







Band48-5MHz-64QAM-55990-25RB#0




Band48-5MHz-64QAM-56715-1RB#0




Band48-5MHz-64QAM-56715-25RB#0




Band48-10MHz-QPSK-55290-1RB#0




Band48-10MHz-QPSK-55290-50RB#0




Band48-10MHz-QPSK-55990-1RB#0



Band48-10MHz-QPSK-55990-50RB#0




Band48-10MHz-QPSK-56690-1RB#0




Band48-10MHz-QPSK-56690-50RB#0






Band48-10MHz-16QAM-55290-1RB#0




Band48-10MHz-16QAM-55290-50RB#0




Band48-10MHz-16QAM-55990-1RB#0



Band48-10MHz-16QAM-55990-50RB#0



Band48-10MHz-16QAM-56690-1RB#0



Band48-10MHz-16QAM-56690-50RB#0